



International Journal of **Paramedicine**

An Official Journal of the National EMS Management Association
Produced in collaboration with the Portuguese Prehospital Emergency Society
(Sociedade Portuguesa de Emergência Pré-Hospitalar)



Number 14 — April-June, 2026

<https://internationaljournalofparamedicine.com/index.php/ijop/issue/view/N14>

<https://doi.org/10.56068/PRQM1802>



International Journal of Paramedicine

An Official Journal of the National EMS Management Association (USA)

Produced in collaboration with the Portuguese Prehospital Emergency Society

(Sociedade Portuguesa de Emergência Pré-Hospitalar)



Editorial and Production Team

Editor-In-Chief

Michael (Mic) Gunderson, EMT-P, FAEMS
— President, Center for Systems Improvement;
Chief Strategy Officer / Senior Advisor,
Cambridge Consulting Group: Madisonville,
TN, USA

Managing Editor

Theron Becker, MPH, MPA, FACPE, EFO
— Paramedic Lieutenant, Dorchester County
EMS (DCEMS); Deputy Director of EMS
Operations & Education, Raven Medical, Inc.,
Raven Advisory, LLC: Summerville, SC,
USA

Terry L. Payer Jr, MPSLA, NRP CCP —
Director of EMS, Indian Health Service
(QNBMHCF); Adjunct Faculty, Career
Technology Education, Turtle Mountain
College; Adjunct Faculty, Healthcare
Administration, Methodist University:
Belcourt, ND, USA

Associate Editor - Marketing

Andrew J. Steward, BS, NRP — Paramedic,
EMS, Wellspan Health; EMS Instructor,
Harrisburg Area Community College:
Taneytown, MD, USA

Associate Editor - Peer-Review

Kevin T. Collopy, MHL, FP-C, NRP, CMTE
— Director of Clinical Integrity, LifeLink III;
Chair, Global Critical Care Transport Higher
Education Council: Wilmington, NC, USA

Jamie K. Jacobs, MS, NRP — EMS Lead,
Senior Consultant, Environmental Systems
Research Institute (ESRI): Marshfield, MO,
USA

**Ginny Kaplan, PhD, MHS, Paramedic,
FAEMS** — Fire & EMS Administration
Adjunct Faculty, Eastern Oregon University;
Healthcare Administration Department Chair
& Assistant Professor, Methodist University;
EMS Program Director & Faculty, Brunswick
Community College: Clayton, NC, USA

**Christine McGuire-Wolfe, PhD, CIC, CPH,
EMT-P** — Assistant Professor, College of
Public Health, University of South Florida;
Director, Infection Control for Emergency
Responders Collaborative & Training Hub
(ICER): Tampa, FL, USA

Scot Phelps, JD, MPH, Paramedic, FP-C —
Mobile Intensive Care, Englewood Hospital &
Medical Center; Principal Researcher, NYC
Ambulance History Project: Bordentown, NJ,
USA

Associate Editor - Production

James D. Dinsch, MS, NRP, CCEMT-P —
Director, Cedar County EMS; Principal
Consultant, Dinsch Consulting Group:
Tipton, IA, USA

Senior Editor - Statistics and Methodology

**Eihab Khasawneh, DDS, PhD, RN,
Paramedic** — Assistant Professor & Assistant
Dean, Department of Applied Medical
Sciences, Jordan University of Science &
Technology: Irbid, Jordan

Sonja Maria, PhD, Paramedic — Associate
Head of School, Head of Discipline
for Paramedicine, School of Nursing,
Paramedicine, & Healthcare Sciences, Charles
Sturt University; Chair of the Australasian
Paramedic Clinical Practice Guidelines
SIG, Australasian College of Paramedicine:
Bathurst, NSW, Australia

Nikiah Nudell, MS, MPhil, NRP, FACPE —
Paramedic Scientist, Paramedic Foundation;
Research Manager, University of Colorado
Health (UCHealth): Wellington, CO, USA

Assistant Editor - Copy and Proof

**Laura L. Chadwick, NRAEMT, MLS(ASCP)
CM** — Fairview Park Hospital: Centerville,
GA, USA

Allison G. S. Knox, MPH, MA, EMT-B —
Associate Professor, Disaster Management
& Response, Paul Smiths College;
Instructor, Political Science Department,
Marist University; Instructor, Emergency
Management Department, American Military
University: Pawling, NY, USA

**Megan A. Mason, MPH, NRP, FFII,
CADS** — Paramedic, Elite EMS; Firefighter/
Paramedic, Fellows Club Fire & EMS:
Conneaut Lake, PA, USA

Section Editor - Benchmarks

**John R. Clark, JD, MBA, NRP, FP-C,
CCP-C, WP-C** — Chief Operating Officer,
International Board of Specialty Certification
(IBSC); Executive Dean, College of Remote &
Offshore Medicine: Apollo, PA, USA

Diane Flint — Assistant Dean, School of
Health Professions, Community College of
Baltimore County (CCBC): Hampstead, MD,
USA

Ben Neal, BS, NRP — Division Chief of
EMS, Fern Creek Fire & EMS; Vice-Chair,
Kentucky Board of EMS: Louisville, KY, USA

**Tanveer Ahmed Yadgir, PhD, MBA,
PGDEMS** — Academic Faculty & EMS
Researcher, Fatima College of Health Sciences:
Al Ain, Abu Dhabi, UAE

Section Editor - Case Scenarios

Becky J. Donelon, EdD, ACP — *Executive Director, Health Workforce Division, Alberta Health Services: Edmonton, AB, Canada*

Paul LeSage — *Founding Partner & Senior Analyst, SG Collaborative Solutions, LLC: Lake Oswego, OR, USA*

Luke Persin, DO, PHP — *Resident Physician, Emergency Medicine, Geisinger Health System: Greensburg, PA, USA*

Section Editor - Comparisons

Luc de Montigny, MFR, PhD — *Conseiller en Analyse et Recherche Clinique (Clinical Analysis & Research Advisor), Urgences Santé; Adjunct Professor, McGill University: Montréal, QC, Canada*

Brian A. Donaldson, CCP, ASM, AAS — *Director, Peach County EMS: Fort Valley, GA, USA*

Mark Weiss, DHA, MHA, MEP, NRP/FF — *Training Officer, District of Columbia Fire Department; Principal, Expeditionary Medical Education & Training: Alexandria, VA, USA*

Section Editor - Externals

Jenifer A. Swab, PhD, Paramedic — *Deputy Chief, Foxwall EMS; Board Member & Peer Debriefer, Pittsburgh Critical Incident Stress Management Team: Pittsburgh, PA, USA*

Robert K. Waddell II — *Training Manager, SAM Medical: Beulah, WY, USA*

Section Editor - Literature Searches

Shaughn Maxwell, PsyM, EMT-P — *Deputy Chief, South County Fire & Rescue: Everett, WA, USA*

Brenda M. Morrissey, DPA, FP-C — *Senior Quality Improvement Specialist, Center for Transfers & Acute Care, Northwell Health; Owner, Second Chance Safety, LLC: Glen Oaks, NY, USA*

Section Editor - Paramedicine Contents

Brad Buck, BS, NRP, CP — *Community & Emergency Paramedic, Mayo Clinic Ambulance Service; Board Member, Board of Directors, American Paramedic Association (APA): Rochester, MN, USA*

Julius McAdams, BME, FP-C, CCP-C, NRP — *Manager of Compliance & Clinical Outcomes, AirLink/VitaLink, Novant Health; Item Writer, I-CAPP Li, International Board of Specialty Certification (IBSC): Wilmington, NC, USA*

Section Editor - Performance Indicators

Ian E Blanchard, PhD, ACP — *Scientist, Alberta Health Services; Adjunct Assistant Professor, University of Calgary: Calgary, AB, Canada*

Todd Hatley, PhD, MBA, MHA — *Chief Executive Officer, Integral Performance Solutions; Improvement Advisor, Institute for Healthcare Improvement: Wilmington, NC, USA*

Oren Wacht, PhD, EMT-P — *Head of Department, Emergency Medicine, Ben Gurion University of the Negev; Paramedic, Member of Medical Council, Magen David Adom (MDA): Be'er Sheba, South, Israel*

Section Editor - Perspectives

Albert Bouwer-Monroy, MS-I, NRP, FP-C — *Deputy Chief, Foxwall EMS; Medical Student, Lake Erie College of Osteopathic Medicine: Pittsburgh, PA, USA*

Elizabeth Lacy, MPS, BS, Paramedic — *EMS Outreach Coordinator, Louisiana Childrens Medical Center (LCMC) Health / Tulane Medical Center: New Orleans, LA, USA*

Edward "Ted" Lee, EdD, NRP — *Director of Emergency Medical Test Preparation, Impact EMS: Neosho, MO, USA*

Christopher Suprun, BS, NRP, FP-C — *Director, Clinical Operations, September 11 Foundation: Dallas, TX, USA*

Micheal D. Thomas, DrPH, MHA, FACPE — *Chief Government Affairs Officer, Jan-Care Ambulance, Inc.: Beckley, WV, USA*

Section Editor - Podcast and Vlog

Chris Cebollero, DBA, CCEMT-P — *Board Director, Great Plains Region, National Association of Emergency Medical Technicians (NAEMT); CEO, Cebollero Associates Consulting Group: Elmhurst, IL, USA*

Robert C. Lawrence, MCMI — *Executive Director, California Ambulance Association; Director, Pro EMS: Las Vegas, NV, USA*

Dean Percy — *Video Production Technician, Spokane Fire Department: Spokane, WA, USA*

Eoin Walker, MSc, BSc, Dip IMC RCSEd, FEWM — *Senior HEMS Marketing Manager, Airbus Helicopters: Augsburg, Bavaria, Germany*

Section Editor - Profiles

Sean Caffrey, MBA, FACPE, NR-P — *Chief Executive Officer & Commissioner, Crested Butte Fire Protection District; President, National EMS Management Association (NEMSMA): Crested Butte, CO, USA*

Christoph Redelsteiner, PHD, PhDr, MSW, MS — *Docent, Department of Health, Universität für Weiterbildung Krems (Danube University Krems): Nöchlring, Lower Austria, Austria*

Section Editor - Reflections

Michael S. Gerber, MPH, NRP — *Paramedic, Bethesda-Chevy Chase Rescue Squad; Adjunct Instructor, George Washington University: Washington, DC, USA*

Scott A. Lancaster, PhD, MHA, NRP — *Clinical Education Manager, Dartmouth Hitchcock Advanced Response Team (DHART); Assistant Professor, Geisel School of Medicine, Emergency Medicine, Dartmouth College: Goffstown, NH, USA*

Section Editor - Social Media and Correspondence

Sean Ferguson, MCPPara, FdSc, MSc, PGCert — *Senior Lecturer, Fatima College of Health Sciences; Chief Education Officer, Alnawra Medical: Doha, Qatar*

Ginny Kaplan, PhD, MHS, Paramedic, FAEMS — *Fire & EMS Administration Adjunct Faculty, Eastern Oregon University; Healthcare Administration Department Chair & Assistant Professor, Methodist University; EMS Program Director & Faculty, Brunswick Community College: Clayton, NC, USA*

Joshua Kimbrell, NRP, CCP-C — *Research Manager, Department of Pre-Hospital Care, MediSys Health Network; Medical Student, Albert Einstein College of Medicine: Brooklyn, NY, USA*

Section Editor - Toolbox

Charles A. Foat, PhD, NRP, FAEMS — *Director, Emergency Medical Science, Johnson County Community College: Olathe, KS, USA*

Emily R. Kaplan, DrPH, MPA, EMT-P — *Director, Clinical Practice Group, DocGo; Adjunct Faculty, Westchester Community College; New York Medical College: Mahopac, NY, USA*

Director of Sales and Marketing

Pat Songer — *Executive Director, National EMS Management Association (NEMSMA); Cascade Medical: Leavenworth, WA, USA*

Editorial Advisory Board Members

Mary Ahlers, MEd, BSN, ACP, NRP, CFC, FESI-II — *President, Paramedic Health Solutions; President, Paramedic Network, LLC; Air Care & Mobile Care Clinical Coordinator, UCHealth, University of Cincinnati: Cincinnati, OH, USA*

Ahed Al Najjar, PhD, MHE, FACRRM, PA — *Regional Faculty MENA, American Heart Association (AHA); Affiliated Faculty, National Association of Emergency Medical Technicians (NAEMT); Director of EMS Education Board MEAA, Australasian Registry of Emergency Medical Technicians: Abu Dhabi, UAE*

William K. Atkinson, PhD, MPH, MPA, FACHE, FACPE — *Senior Advisor, Cambridge Consulting Group: Raleigh, NC, USA*

Maria Beermann-Foat, PhD, MBA, NRP — *EMS Training Coordinator, Eugene Springfield Fire Department; Battalion Chief of Operations (ret.), Johnson County EMS (MED-ACT): Cottage Grove, OR, USA*

Scott S. Bourn, PhD, RN — *Research Chair, Senior Quality Consultant, ESO: Parker, CO, USA*

Tom Bouthillet — *Battalion Chief of EMS (Ret.), Hilton Head Island Fire Rescue: Hilton Head Island, SC, USA*

Brooke Burton, NRP, FACPE — *Quality Improvement / Controlled Substance Manager, Unified Fire Authority: Salt Lake City, UT, USA*

Will Chappleau, Paramedic, RN, TNS — *Director, International Prehospital Medicine Institute: Chicago Heights, IL, USA*

Claire M. Corbett, MMS, MBA, Paramedic — *Director of Performance Excellence, Novant Health: Wilmington, NC, USA*

Bruce Evans, MPA, NRP, CFO — *Fire Chief, Upper Pine River Fire Protection District; Board Treasurer, National Association of Emergency Medical Technicians (NAEMT): Durango, CO, USA*

Louis Gonzales, MPH, CPHQ, LP — *Director of Operations, Dell Medical School, Department of Pediatrics, EMS for Children Innovation & Improvement Center, University of Texas at Austin: Georgetown, TX, USA*

Rateb A. Abuzeid, PhD — *Researcher, EMS Faculty, Prince Sultan College for EMS; Head, Community Relations Unit, King Saud University: Riyadh, Central, Saudi Arabia*

Nawfal Algerian, MD — *Chief Executive Officer, Medical Referrals Center, Saudi Arabia Ministries of Health; Associate Professor of Emergency Medicine, King Saud bin Abdulaziz University for Health Sciences (KSAU-HS): Riyadh, Saudi Arabia*

Michael W. Hubble, PhD, MBA, NRP — *Assistant Professor, EMS, Wake Technical Community College; Instructor, Healthcare Administration, Methodist University; Adjunct Faculty, Emergency & Disaster Health Systems, University of Maryland - Baltimore County (UMBC): Chapel Hill, NC, USA*

Sam Hurley, MPH, EMPS, NRP — *Director, Maine Bureau of EMS: Standish, ME, USA*

Michael Jacobs, EMT-P — *Manager, EMS Specialty Systems of Care, County of Alameda: San Leandro, CA, USA*

Thomas Judge, EMT-P — *Founder, Director of Special Projects, Research, Government Relations, LifeFlight of Maine: Port Clyde, ME, USA*

Margaret A. Keavney, Esq, MHA — *Attorney at Law, Keavney & Streger, LLC: Princeton, NJ, USA*

Baxter Larmon, PhD, MICP — *Professor & Emeritus Director, David Geffen School of Medicine, University of California Los Angeles (UCLA): Ventura, CA, USA*

William J. Leggio, EdD, NRP — *Operations Administrator, Mayo Clinic: Round Rock, TX, USA*

Glenn Leland, MBA — *Chief Growth Officer, Priority Ambulance, LLC; Principle Instructor, Priority Ambulance Leadership Foundation: Knoxville, TN, USA*

Brian J. Maguire, DrPH, MSA, EMT-P — *Epidemiology Consultant, Self Employed: New London, CT, USA*

Gregg Margolis, PhD — *Director, Health Policy Fellowships & Leadership Programs, National Academy of Medicine; Adjunct Professor, University of Pittsburgh: Bethesda, MD, USA*

Jennifer McCarthy, MAS, NRP, CHSE-A — *President, 579 Solutions; Director of Clinical Simulation, Seton Hall University: Nutley, NY, USA*

Mike McEvoy, PhD, NRP, RN, CCRN — *EMS Coordinator, Emergency Management, Saratoga County; Senior Staff RN, Cardiovascular Surgical ICU, Albany Medical Center: Halfmoon, NY, USA*

Peter O'Meara BHA, GradCertAgHlthMed, MPP, PhD — *Adjunct Professor, Department of Paramedicine, Monash University; Board Member, Board of Directors, American Paramedic Association (APA): Kangaroo Flat, VIC, Australia*

Jerry Overton, MPA — *President, International Academies of Emergency Dispatch (IAED): Salt Lake City, UT, USA*

David Page, MS, NRP — *Director, Prehospital Care Research Forum, University of California Los Angeles (UCLA); Paramedic, EMS, Allina Health: Los Angeles, CA, USA*

Ernesto M. Rodriguez, MA, LP — *Chief (Ret), Austin-Travis County EMS: Leander, TX, USA*

Walt A. Stoy, PhD, EMT-P — *Director Emeritus, Center for Emergency Medicine of Western Pennsylvania, Inc.; Associate Advisor, Cambridge Consulting Group; Professor & Program Director - Emergency Medicine Program (Ret), School of Health & Rehabilitation Sciences, University of Pittsburgh: Pittsburgh, PA, USA*

Mike Taigman, MA, FAEMS — *Improvement Guide, FirstWatch; Associate Professor, School of Nursing, Community Health Systems, University of California San Francisco; Assistant Professor, Emergency Health Services Management, University of Maryland - Baltimore County (UMBC): Oxnard, CA, USA*

Debbie Vass, RN, EMT-P — *VP of Quality Initiatives, PatientCare EMS Solutions: Clearwater, FL, USA*

David A. Wampler, PhD, LP, FAEMS — *Health Science Professor, University of Texas Health Science Center at San Antonio: Boerne, TX, USA*

Brett Williams, PhD — *Professor, Department of Emergency Medical Care, College of Applied Medical Sciences, Imam Abdulrahman Bin Faisal University: Dammam, Saudi Arabia*

David M. Williams, PhD — *Chief Executive, Medic Health; Principal, DavidMWilliamsPhD.com (DMWAustin, LLC): Austin, TX, USA*

Reviewers

David Beckerley, MPA, NRP — *Commander, Emergency Communications, Austin-Travis County EMS: Austin, TX, USA*

Deepak L. Bhatt, MD, MPH, FACC, FAHA — *Director, Heart Institute, Mount Sinai Hospital; Professor of Cardiovascular Medicine, Icahn School of Medicine at Mount Sinai: Boston, MA, USA*

Matthew Black — *Area Manager, QuikMedic: Salem, OR, USA*

Ron Bowles, PhD — *Justice Institute of British Columbia: New Westminster, BC, Canada*

Jane H. Brice, MD, MPH — *Professor & Chair, Department of Emergency Medicine, University of North Carolina: Chapel Hill, NC, USA*

Elliot Carhart, EdD, RRT, NRP, FAEMS — Professor, Radford University: Seminole, FL, USA

Alix Carter, MD, MPH, FRCPC — Director, Division of EMS, Dalhousie University: Halifax, NS, Canada

Sally Cascio — Chief Flight Nurse, NorthSTAR, University Hospital: Monroe, NJ, USA

Julie D. Charbonneau, RN, MS — Executive Director, Sioux Falls Regional EMS Authority (REMSA): Sioux Falls, SD, USA

Jamie Chebra, MS, FACPE, NRP — Chief Executive Officer, Harris County ESD 11 Mobile Healthcare: Spring, TX, USA

Brad Chernock, MD, MS, PA-C, NRP — Surgical Critical Care Fellow, Robert Wood Johnson Medical School, Rutgers University: Morristown, NJ, USA

Sheldon Cheskes, MD, CCFP(EM), FCFP, DRCPSC — Medical Director, Sunnybrook Centre for Prehospital Medicine; Professor, University of Toronto: Toronto, ON, Canada

Vlad Chiriac, PhD, MEd, ACP — Professor, Durham College: Oshawa, ON, Canada

Lance Corey, BS, EMT-P, EMS I/C — New Era, MI, USA

Jon M. Crownover, NRP, EMSI, CCEMT-P — Advanced Care Paramedic & EMS Instructor, University of Pittsburgh Medical Center (UPMC); Paramedic, Ross / West View EMS & Rescue: Pittsburgh, PA, USA

Carol A. Cunningham, MD, FAAEM, FAEMS — State Medical Director, Division of EMS, Ohio Department of Public Safety; Professor, Emergency Medicine, Northeast Ohio Medical University: Kirtland, OH, USA

Ian R. Drennan, ACP, PhD — Associate Professor, Department of Family & Community Medicine, University of Toronto; Professor, Georgian College: Toronto, ON, Canada

Rommie L. Duckworth, MPA, LP, EFO, FO — Board Director, Northeast Region, National Association of Emergency Medical Technicians (NAEMT); Chief, Ridgefield Fire Department; Director, New England Center for Rescue & Emergency Medicine, LLC: Sherman, CT, USA

Bram Duffee, PhD, EMT-P — Assistant Professor of Communication, School of Communication & Media, Norman J. Radow College of Humanities & Social Sciences, Kennesaw State University; Chair of Graduate Studies Research, Graduate Studies, First Responder Behavioral Health Institute: Houston, TX, USA

Peter I. Dworsky, MPH, NRP, CEM, FACPE — Paramedic, JFK EMS, Hackensack Meridian Health University Medical Center; Senior Risk Solutions Specialist, Risk Solutions, Markel Insurance: Edison, NJ, USA

Katherine L. Elkins, MPH, CPH, NRP — DrPH Student, Bloomberg School of Public Health, Johns Hopkins University; Captain Lifemember Paramedic, Wheaton Volunteer Rescue Squad: Kensington, MD, USA

Craig Evans, DHSc Student, MEd, Paramedic — Assistant Professor, EMT Program Manager, School of Medicine & Health Sciences, George Washington University: Higganum, CT, USA

Mary E. Fallat, MD — Professor of Surgery, University of Louisville; Director of Surgical Quality, Norton Childrens Hospital: Louisville, KY, USA

Rob Farmer, MBA, FACPE — Tomball, TX, USA

Antonio R. Fernandez, PhD, NRP — Research Scientist, ESO; Adjunct Assistant Professor, University of North Carolina: Apex, NC, USA

Jay Fitch, PhD — Founding Partner, Fitch & Associates; Board Member, American College of Paramedic Executives: Natchez, MS, USA

Greg Friese, MS, NRP — Stevens Point, WI, USA

Paul M. Gallo, BS, EMT-P, EMSI — Assistant Chief (Ret), Reading Fire Department; Paramedic, UCHealth, University of Cincinnati: Reading, OH, USA

Erik S. Gaull, NRP, CEM — Paramedic/Firefighter III, Cabin John Park VFD: Cabin John, MD, USA

Mary George, MD, MSPH, FACS — Decatur, GA, USA

Daniel R. Gerard, MS, RN, NRP — President, International Association of EMS Chiefs; EMS Coordinator, Alameda Fire Department: Washington, DC, USA

Stacy Gerlich, MA, EMT-P — Battalion Chief (Ret), Los Angeles City Fire Department: Westlake Village, CA, USA

Judah P. Goldstein, PCP, PhD — Research Coordinator, Emergency Health Services, Department of Health & Wellness, Government of Nova Scotia; Assistant Professor, Dalhousie University: Halifax, NS, Canada

Sean Graham, BS, NRP, CCP-C — Bothell, WA, USA

Mike Grill, MS, NRP, EFO — Larkspur, CO, USA

Jacob E. Guillott-Creel, MS, FP-C, CMTE — Clinical Administration Coordinator, PHI Air Medical, LLC: Phoenix, AZ, USA

Todd Heffern, MD, FACEP, FAEMS, NRP — EMS Medical Director, Covenant Health; EMS Medical Director, Hawkins County EMS; EMS Medical Director, Grainger County EMS: Knoxville, TN, USA

Arthur Hsieh, MA, NRP — Faculty Coordinator, Santa Rosa Junior College: Windsor, CA, USA

Jeffrey L. Jarvis, MD, MS, EMT-P — Chief Medical Officer & System Medical Director, Metropolitan Area EMS Authority (MedStar911): Fort Worth, TX, USA

Jan L. Jensen, ACP, MAHSR — Executive Director, Emergency Health Services, Department of Health & Wellness, Government of Nova Scotia; Assistant Professor, Dalhousie University: Dartmouth, NS, Canada

Michael Kaduce, MPS, NRP — Director, Falck Health Institute; Board Director, West Coast Region, National Association of Emergency Medical Technicians (NAEMT)

Randy D. Kearns, DHA, MSA, FACHE, FRSPH — Dean, Henry Bernstein College of Business, University of New Orleans; Research Associate Professor (Gratis), Health Sciences Center, Department of Surgery, Louisiana State University (LSU); Clinical Assistant Professor Emeritus, School of Medicine, University of North Carolina: New Orleans, LA, USA

Adam Kipust — MD/MPH Candidate, Miller School of Medicine, University of Miami; EMT, Key Largo EMS: Miami, FL, USA

Judah A. Kreinbrook, BS, EMT-P — Medical Student, School of Medicine, Duke University: Durham, NC, USA

Jon R. Krohmer, MD, FACEP, FAEMS — CEO / EMS Physician, EMSMD, PLLC; Adjunct Associate Professor, College of Human Medicine, Department of Emergency Medicine, Michigan State University; Adjunct Clinical Associate Professor, Homer Stryker School of Medicine, Department of Emergency Medicine, Western Michigan University: Grandville, MI, USA

Brian LaCroix, BS, FACPE, CPPS, NRP (Ret) — Executive Advisor, Cambridge Consulting Group: Farmington, MN, USA

Alan J. Lieberman, MAS, MA, NRP(ret), CHEP — Old Bridge, NJ, USA

Jeffrey T. Lindsey, PhD, PM, EFO — Program Director, University of Florida: Gainesville, FL, USA

Cassie Longhart-Thomas, DHA, MHA/ED, EMT-I, LSSMBB — Assistant Academic Chair, School of Business & Information Technology, Purdue Global: Social Circle, GA, USA

Beth Lothrop Adams, MA, BSN, NRP, FAEMS — Quality Manager, Fairfax County Fire & Rescue Department; Adjunct Faculty, Bachelor of Applied Science Program, George Mason University: Fairfax, VA, USA

Jon Lovett, AS, NRP — *Manager, Prehospital EMS, Lawrence General Hospital; Senior Education Specialist, Boston Childrens Hospital: Plaistow, NH, USA*

Robbie MacCue, FP-C, MBA — *Founding Partner, EMS Leadership Academy; Assistant Chief, Town of Colonie EMS Department: Albany, NY, USA*

Russell D. MacDonald, MD, MPH, FCFP, FRCPC — *Medical Director, Toronto Paramedic Services; Professor of Emergency Medicine, Faculty of Medicine, University of Toronto; Transport Medicine Physician, Ornge Transport Medicine: Toronto, Ontario, Canada*

Renée S. MacPhee, PhD — *Associate Professor, Wilfrid Laurier University: Waterloo, ON, Canada*

Matthew McElhenie, DPA, NRP — *General Manager, Cambria Community Services District; Professor, Hartnell College: Cambria, CA, USA*

Kim D. McKenna, PhD, RN, NRP — *Director of Education (Ret), Saint Charles County Ambulance District: Kirkwood, MO, USA*

Russell D. Metcalfe-Smith, MSc, BSc(Hons), FRSPH, FHEA — *Associate Professor, Department of Surgery, Cedars-Sinai Medical Center: Los Angeles, CA, USA*

Anthony Minge — *Fitch & Associates: Platte City, MO, USA*

Dennis M. Mitterer, PhD, BSN, CSP, ARM — *Instructional Professor/Advisor, University of Florida: Gainesville, FL, USA*

Carl Moen, MPM, EMT-P — *Executive Director (Ret), Southern Alleghenies EMS Council: Everett, PA, USA*

Anne Montera, MHL, BSN, RN — *President / Chief Executive Officer, Caring Anne Consulting, LLC; Senior Advisor, Cambridge Consulting Group; Director of Nursing, VRpatients: Oxford, FL, USA*

Scott Moore, Esq — *Partner, Werfel, Moore & Kelly Law Group, LLP: Middleton, MA, USA*

Graham George Munro, PhD, MHSM, BHSc, GradDip — *Adjunct Senior Lecturer, School of Nursing, Paramedicine, & Healthcare Sciences, Charles Sturt University: Toronto, Ontario, Canada*

Kenneth Navarro, MEd, LP — *Training Specialist III, Emergency Medicine, University of Texas Southwestern Medical Center: Hurst, TX, USA*

Jeannie Newton-Riner, EdD, MHS/MHSA, CP-C — *Board Member, Board of Directors, American Paramedic Association (APA); Part-Time Faculty, Kennesaw State University: Acworth, GA, USA*

Nicholas North, MSNc, RN, NRP, CMTE — *Flight Nurse / Outreach Coordinator, Life Flight, UMass Memorial Health: Belchertown, MA, USA*

Richard W. Patrick, MS, Paramedic, EFO — *Director, National Fire & EMS Programs Division, U.S. Fire Administration (USFA): Fredrick, MD, USA*

Blaine Patterson, RN, FP-C — *Director, EMS, St Lukes Health System: Boise, ID, USA*

P. Daniel Patterson, PhD, NRP — *Associate Professor, University of Pittsburgh: Pittsburgh, PA, USA*

Debra G. Perina, MD, FAEMS — *Professor Emeritus, Emergency Medicine, University of Virginia; Operational Medical Director, Thomas Jefferson EMS Council, Inc.: Ruckersville, VA, USA*

Les Polk, MS, FACPE, CEMSO, NRP — *National Director, Clinical Excellence, DocGo; Public Educator, Mobile Health, RWJBarnabas Health; Certified Instructor Coordinator, Paramedic Science, City University of New York (CUNY) LaGuardia Community College: Cranbury, NJ, USA*

Mark A. Potts, MPA, NRP, CEMSO, FP-C — *Critical Care Paramedic, LifeLink, Cape Fear Valley Hospital: Pinehurst, NC, USA*

Jonathan Pritchard, RN, MN, CCRN, NRP — *Fire/EMS Chief, Cottage Grove Fire Department; Staff Nurse, Emergency Department, Regions Hospital: Cottage Grove, MN, USA*

Benjamin Proctor, BS, NRP, TP-C — *Combat Medic, US Army; Board of Directors, American Paramedic Association (APA): Richmond Hill, GA, USA*

Aarron Reinert, MA — *Partner, SafeTech Solutions, LLP; Executive Director & Chief of EMS, Lakes Region EMS: North Branch, MN, USA*

Louise Reynolds, RP, PhD, FACP — *Chief Paramedic Officer, Department of Health Victoria, Safer Care Victoria; Associate Professor in Paramedicine, School of Nursing, Midwifery, & Paramedicine, Australian Catholic University: Wallan, VIC, Australia*

Kayla Riel — *Research Consultant, Department of Emergency Medicine, University of Missouri; EMS Research Fellow, Research Department, National Registry of Emergency Medical Technicians (NREMT): Columbus, OH, USA*

Sattha Riyapan, MD, MPH — *Assistant Professor in Emergency Medicine, Mahidol University Siriraj Hospital: Bangkok, Thailand*

Vincent D. Robbins, MSc, FACPE, LFACHE — *Founder, President, & Chief Executive Officer, Cambridge Consulting Group: Cambridge, MD, USA*

Eric A. Rosen, MA, BS, NRP, FP-C — *Clinical Educator, MedFlight, Temple University Health System; Paramedic, Community Ambulance Association of Ambler; Principal, EMS Consultant Group: Jenkintown, PA, USA*

Wayne W. Ruppert, CVT, CCCC, NRP — *Director of Clinical Outreach, Tampa General Hospital Spring Hill (formerly Bravera Health Hospital): Wesley Chapel, FL, USA*

Isaac Ryals, BS, NRP, CHSOS — *Paramedic, Carle Arrow Ambulance Services: Champaign, IL, USA*

Ritu Sahni, MD, MPH, FAEMS, FACEP — *Medical Director, Clackamas County EMS; Medical Director, Washington County EMS: Lake Oswego, OR, USA*

Jose V. Salazar, MPH, NRP, FACEP, LMC — *Founder/Owner, High Performance Coaching & Consulting, LLC; Deputy Chief of EMS (Ret), Loudoun County Fire & Rescue: Sterling, VA, USA*

Brian Schaeffer, MPA, EMTP — *Fire Chief, Columbia Fire Department: Columbia, MO, USA*

Ahmad Sharayah, PhD, MHS, Paramedic, FAEMS — *Department Head / Adjunct Assistant professor, Royal Jordanian Medical Services College : Amman, AMM, Jordan*

Travis A. Sheeder, NRP, CP-C — *EMS Officer, Mobile Integrated Health Division, Tulsa Fire Department: Muskogee, OK, USA*

Carlos J.A. Silva, Paramedic — *Guimarães Fire Department; International Prehospital Medicine Institute; Sociedade Portuguesa de Emergência Pré-Hospitalar (Portuguese PreHospital Emergency Society): Guimarães, Portugal*

Hezedeane Smith, DM, CFO, FACPE — *Founder / Chief Executive Officer, Global Emergency Services Consulting Group, LLC; Adjunct Faculty, Embry Riddle Aeronautical University: Orlando, FL, USA*

Larry M. Starr, PhD — *Director of Applied Research, Lee Iacocca Institute for Global Leadership, Lehigh University; Adjunct Assistant Professor of Pharmacy Systems Science, Department of Medical Education, Geisinger Commonwealth School of Medicine; Managing Director, Systems Wisdom, LLC: Wynnewood, PA, USA*

Robert E. Suter, DO, MHA — *Professor, University of Texas Southwestern Medical Center; Reserve Brigadier General, US Army: Dallas, TX, USA*

Simon Taxel, MPH, NRP — *Crew Chief, City of Pittsburgh Bureau of EMS; Lecturer, School of Public Health, University of Pittsburgh: Pittsburgh, PA, USA*

Stephen E. Taylor, Paramedic, PhD, FAEMS — *EMS Specialist, East Carolina University; Pitt County EMS: Washington, NC, USA*

Sean M Teed, CCP, MEd(c) — *Paramedic Educator, Nova Scotia Health: Halifax, NS, Canada*

John Todaro, BA, NRP, RN, TNS — *Director, Eagle Emergency Education Consultants; Associate Advisor, Cambridge Consulting Group: Land O Lakes, FL, USA*

Tara Tucker, MS, EMT-P, CP-C — *Lead Community Paramedic, Cape Fear Valley Hospital: Madison, NC, USA*

Robert S. Wales, BS, NRP, ALM — *Medical Education Program Manager, Medtronic, Inc: Plano, TX, USA*

James J Warin, MPA, NRP, CHSE, CHSOS — *Simulation Operations Specialist, Simulation Center, Valley Health System; Paramedic, Mobile Intensive Care Unit, Hackensack Meridian Health University Medical Center; EMT Instructor, Bergen County Technical Schools: Hopatcong, NJ, USA*

Jonathan D. Washko, MBA, FACPE, NRP, AEMD — *Assistant Vice President, Center for EMS, Northwell Health: Northport, NY, USA*

Siegfried Weinert, NKV, EMD, SFK — *Cross Border EMS Management, Notruf Niederösterreich (Emergency Call Lower Austria); NKV, LBA-EH, LBA-San, PAS, Austrian Red Cross: Wiener Neudorf, Lower Austria, Austria*


Katherine H. West, RN, BSN, MEd — *Consultant, Infection Control Emerging Concepts, LLC: Palm Harbor, FL, USA*

Marquita F. Whisonant, EdD(c), MS, CNS, NRP — *Assistant Director, Center for Trauma & Critical Care Education, Virginia Commonwealth University; Assistant Professor, Reynolds Community College: Henrico, VA, USA*

Joseph Williams, IV — *National Director, Healthcare IT Products, Quality Outcomes Research Analytics, American Heart Association (AHA): Detroit, MI, USA*

Matthew M. Womble, EMT-P(Ret), MHA — *Regional Chief Operating Officer, American Red Cross (ARC): Edenton, NC, USA*

Joshua A. Worth Sr., MPA, NRP, CEMSO — *Director of Clinical Services, AmeriPro Health; Program Director, Public Safety Institute, Community College of Allegheny County: Pittsburgh, PA, USA*



International Journal of Paramedicine (online ISSN 2831-6967) is an official journal of the National EMS Management Association. It is published quarterly by the National EMS Management Association, 2901 Williamsburg Terrace, Suite G, PO Box 472, Platte City, MO 64079. This journal is published exclusively online as an open-access resource at <https://internationaljournalofparamedicine.com>. Information on submissions is available at <https://internationaljournalofparamedicine.com/index.php/ijop/about/submissions>. Editorial query letters may be addressed to Mic Gunderson, Editor-In-Chief, at mic.gunderson@internationaljournalofparamedicine.com. For inquiries about sponsorships or advertising, please contact Pat Songer, Executive Director, National EMS Management Association; +01 816-858-6172; info@nemsma.org. Copyright © 2026 National EMS Management Association under Creative Commons Attribution 4.0 International (CC BY-ND 4.0) licensing. Additional terms apply and can be accessed at <https://creativecommons.org/licenses/by-nd/4.0/>.

Copyright © 2026 National EMS Management Association. All rights reserved.

Table of Contents

April-June, 2026

Number 14

RESEARCH REPORTS

Longitudinal Evaluation Use of a Multi-Modal Toolkit to Support Prehospital Pediatric Readiness.....	10
<i>Jaeger L, Runkle A, Dorosz E, Dietrich A, Cheng T, Alter R, Saucedo J, & Adelgais K</i>	
Peer-to-Peer Feedback Among Ambulance Clinicians: A Cross-Sectional Study in the Out-of-Hospital Setting.....	22
<i>Foster J & Williams B</i>	
Evaluating Auditory Feedback for Accurate Compression Rates	44
<i>Horan Jr P, Breneman K, & Martin V</i>	
Assessing Australian and New Zealand Prehospital Clinicians' Training, Experience, and Confidence with Out-of-Hospital Childbirths: A Mixed Methods Online Questionnaire	50
<i>Hill M, Flanagan B, Hansen S, Hopper L, & Mills B</i>	
Educating for the Paramedicine of Today: Exploratory Findings Related to Primary Care Paramedic Training in Northern Ontario.....	71
<i>Starkes A & Møller H</i>	
Zoom Fatigue Among Paramedicine Students: A Cross-Sectional Study.....	87
<i>AlShammari T, King C, Oteir A, Alqahtani S, Chang Y, Aldossary S, & Williams B</i>	
Attitudes of First Responders Towards Supervised Consumption Services.....	98
<i>Pijl E, McDonald N, Weldon E, Dryden R, Golding M, Fries C, Serieux J, Shaw S, Souleymanov R, Guest C, & Mexico J</i>	
Self-Reported ADHD in a Convenience Sample of EMS Clinicians	113
<i>Hansen N & Foat C</i>	

REVIEWS

The Evolving Professionalization of Paramedicine: A Scoping Review.....	128
<i>Feerick F, Coughlan E, Knox S, Murphy A, O'Grady I, & Deasy C</i>	

CONCEPTS

Implementation of Mental Health Supports for Canadian Paramedic Students During Practicum Placements	150
<i>Newman S, Kayanja J, Rimstad C, & Violato E</i>	
Mass Opioid Exposure: Enhancing Medical Countermeasure Preparedness.....	159
<i>Lord G, Byun N, & Laney</i>	

LITERATURE SURVEILLANCE

Paramedicine Contents: December 2025 - March 2026..... 166
 McAdams J & Buck B

Paramedicine Literature Search: December 2025 - February 2026..... 175
 Maxwell S & Morrissey B

GUIDELINES


Guidelines for Authors268

CORRESPONDENCE

Dialogs 231

ADDENDUM, CORRIGENDUM, AND ERRATUM

Addendum, Corrigendum, and Erratum279



RESEARCH REPORTS

LONGITUDINAL EVALUATION USE OF A MULTI-MODAL TOOLKIT TO SUPPORT PREHOSPITAL PEDIATRIC READINESS

Lindsay Jaeger, MD^{*1,2}; Anne Runkle, MD^{3,4}; Emily Dorosz, MSN, RN, CPEN⁵; Ann Dietrich, MD⁶; Tabitha Cheng, MD^{7,8}; Rachael Alter, BA, QAS^{9,10}; Joanna Saucedo, MEd^{9,11}; Kathleen Adelgais, MD, MPH^{12,13}

Author Affiliations: 1. Children's Healthcare of Atlanta, Atlanta, GA, USA; 2. Department of Pediatrics, Emory University, Atlanta, GA, USA; 3. School of Medicine, Ohio State University, Columbus, OH, USA; 4. Nationwide Children's Hospital, Columbus, OH, USA; 5. District of Columbia Emergency Medical Services for Children State Partnership Program, Children's National Hospital, Washington, DC, USA; 6. Department of Emergency Medicine, School of Medicine, University of South Carolina, Columbia, SC, USA; 7. Harbor-UCLA Medical Center, West Carson, CA, USA; 8. David Geffen School of Medicine, University of California Los Angeles (UCLA), Los Angeles, CA, USA; 9. Emergency Medical Services for Children Innovation and Improvement Center, Austin, TX, USA; 10. National Association of State EMS Officials (NASEMSO), Falls Church, VA, USA; 11. Prehospital and Hospital Domains, University of Texas at Austin, Austin, TX, USA; 12. Department of Pediatrics, School of Medicine, University of Colorado, Boulder, CO, USA; 13. Children's Hospital Colorado, Colorado Springs, CO, USA.

Recommended Citation: Jaeger, L., Runkle, A., Dorosz, E., Dietrich, A., Cheng, T., Alter, R., Saucedo, J., & Adelgais, K. (2026). Longitudinal evaluation use of a multi-modal toolkit to support prehospital pediatric readiness. *International Journal of Paramedicine*. (14). 10-20. <https://doi.org/10.56068/OGES2122>

Keywords: pediatric emergency medicine, checklist, pediatric readiness, prehospital care, toolkit, user feedback, emergency medical services, EMS, paramedicine

Disclosures: The authors report there are no competing interests to declare.

Funding: External funding was not used to support this work.

Received: June 27, 2025

Revised: October 15, 2025

Accepted: October 15, 2025

Pre-Issue Published: February 24, 2026

Published: April 14, 2026

***Corresponding Author:**

lindsay.jaeger@choa.org

ABSTRACT

Objective: The National Prehospital Pediatric Readiness Project (PPRP) supports emergency medical services (EMS) efforts to deliver high-quality care to acutely ill and injured children through dissemination of best practices. Toolkits are essential for implementing new initiatives for system improvement. Central to this effort is a toolkit developed by the PPRP to guide EMS agencies in pediatric readiness improvements. The perceived utility of the PPRP Toolkit by end-users is unknown. This study aimed to evaluate end-user analytics and satisfaction with this Toolkit to inform future enhancements.

Methods: We present a descriptive case study examining the development, dissemination, and evaluation of the Toolkit. Website analytics from April 2021 to June 2023 were reviewed to assess engagement, including total page views and time spent per page. We conducted a snowball sampling frame to recruit pediatric emergency care coordinators and EMS educators to complete a structured survey evaluating the Toolkit. Respondents rated the usefulness and ease of resource navigation using a 5-point Likert scale.

Results: The Toolkit generated 193,500 page views, with users spending an average of 11 minutes per page. The most frequently accessed domains were Education and Competencies, Equipment and Supplies, and Policies, Procedures, and Protocols. The median score for both ease of access and resource usefulness was 4/5. Quality Improvement/Process Improvement received the lowest median score (ease: 2, helpfulness: 3) and Interactions with Systems of Care were the highest (ease: 5, helpfulness: 5).

Conclusion: The Toolkit is a well-utilized and valued resource for enhancing pediatric readiness in EMS systems. While overall feedback was positive, lower ratings for the QI/PI category suggest opportunities for targeted improvement. Continued refinement, guided by end-user feedback and usage patterns, will be critical to ensure the Toolkit remains effective, relevant, and responsive to the evolving needs of prehospital pediatric readiness.

INTRODUCTION

Ensuring the health and safety of our youngest and most vulnerable patients is an important concern in emergency medical services (EMS). Acutely ill and injured children present unique challenges and require specialized care distinct from adults (Institute of Medicine, 2007). Of the over 53 million annual EMS 911 activations in 2022, only 5.6% were for children (National EMS Information System [NEMSIS], 2023). Despite this small percentage, children transported to the emergency department (ED) by EMS have higher-acuity illnesses and injuries than those arriving via private vehicle (Diggs et al., 2016). With children representing only 5–10% of EMS 911 activations and 39% of EMS agencies seeing less than one child per month, maintaining pediatric-specific cognitive and procedural skills among EMS clinicians is challenging (Owusu-Ansah et al., 2020; EMS for Children (EMSC) Data Center, 2022).

In 2020, the American Academy of Pediatrics, American College of Emergency Physicians, Emergency Nurses Association, National Association of EMS Physicians (NAEM-SP), and National Association of Emergency Medical Technicians authored a joint policy statement, “Pediatric Readiness in Emergency Medical Services Systems” outlining pediatric readiness best practices for prehospital care (Moore et al., 2020), with details supporting the recommendations published separately in a technical report (Owusu-Ansah et al., 2020) to address the challenges faced by EMS. To advance these recommendations, the National Prehospital Pediatric Readiness Project (PPRP) was formed in 2019 and is led by a Steering Committee composed of 30 partners with the primary goal to support EMS and fire-rescue agencies with resources that include a pediatric readiness Checklist and a multimedia Toolkit.

Before the PPRP, no comprehensive prehospital pediatric readiness resource existed. Similar to previous efforts to recruit and support pediatric emergency care coordinators (PECCs) and promote statewide prehospital guidelines, the Prehospital Pediatric Readiness Toolkit was developed as a multi-modal resource for EMS clinicians, educators, and agency leadership (Tsao et al., 2023; Adelgais et al., 2019; Williams et al., 2009). Following best practices in program implementation, we sought to obtain user feedback and analytics to inform future iterations of the toolkit (Buckingham et al., 2023; Maltby et al., 2020). The goal of this study is to describe the development of the Toolkit and report on user analytics and end-user feedback with implications for refinement.

METHODS

DESIGN

We describe the development and evaluation of a national Toolkit for prehospital pediatric readiness intended for EMS clinicians, educators, and PECCs. Project team members curated and disseminated resources and conducted a follow-up survey of targeted stakeholders to evaluate the Toolkit’s organization, content, and usability.

TOOLKIT DEVELOPMENT

The PPRP Steering Committee established the Toolkit Workgroup with representatives from 18 organizations [Appendix A] tasked with curating open access materials aligned with a readiness Checklist developed from recommendations in the joint policy state-

Domain	Purpose of tools
Education and Competencies	Enhance EMS pediatric education along with tools to objectively evaluate prehospital pediatric competency
Equipment and Supplies	Provide national recommendations on equipment and supplies to support the delivery of quality prehospital pediatric care
Patient and Medication Safety	Support reduction of common medication errors and provide information for the safe transport of children in ambulances
Patient and Family-Centered Care	Assist EMS agencies with incorporating patient and family-centered principles into policies and procedures
Policies, Procedures, and Protocols	Provide guidance on creating and incorporating pediatric considerations into policies, procedures, and protocols
Quality Improvement/Process Improvement (QI/PI)	Support prehospital pediatric quality improvement and guide the implementation of effective process improvement strategies
Interactions with Systems of Care	Facilitate collaboration among partner organizations and systems of care to enhance coordination and continuity for pediatric patients across the care continuum

Table 1. Toolkit domains and their respective resource purposes for pediatric prehospital care.

ment and technical report (Owusu-Ansah et al., 2020; Moore et al., 2020). The PPRP Toolkit Workgroup modeled best practices in toolkit creation (Thoele et al., 2020), meeting quarterly to share and review resources corresponding to items on the Prehospital Pediatric Readiness Checklist, organized into readiness domains (Table 1). The Toolkit was launched in April 2021.

The PPRP Toolkit includes videos, documents, interactive modules, position statements, white papers, sample policies, and training curricula that are reviewed and updated quarterly. The toolkit, accessible on the EMSC Innovation and Improvement Center (EIIC) website (EIIC, n.d.), features a search bar, filters, and an introductory video. Top resources are ‘pinned’ for easy access. A “Contact Us” option for submitting materials is available and submissions undergo review for alignment with Checklist recommendations.

USER ANALYTICS

Website usage data were obtained from Google Analytics for the period April 1, 2021, to June 30, 2023, prior to a platform upgrade in July 2023, to ensure consistency in analyses. A cross-sectional assessment of user engagement metrics was conducted using data from the original Google Analytics platform. Metrics included page views, time spent per domain, and most frequently visited resources. Page views reflected total content views, while unique page views represented aggregated views by the same user within a single browsing session.

USER CENTERED FEEDBACK

We solicited targeted feedback in September 2023 from end-users representing diverse prehospital roles and settings (Table 2) via an online survey [Appendix B]. For recruitment, we employed a snowball sampling approach to recruit Pediatric Emergency Care Coordinators (PECCs) and EMS educators to complete a structured survey evaluating the Toolkit. This method involved initially contacting a small group of eight EMSC program managers who were then asked to refer additional participants. Ultimately, we obtained contact information for 31 additional PECCs and EMS educators, as well as 3 members of the PPRP Steering Committee. This resulted in a total of 42 individuals who were contacted via email, of whom 37 responded. Outcomes of interest included previously reported user-centered metrics essential for successful Toolkit implementation: the toolkit’s

organization, usability, and overall value (Barac et al., 2014; Yamada et al., 2015; Hempel et al., 2019). Participants reviewed toolkit domains and rated the helpfulness of the resource and ease of navigation on a 1 (worst) to 5 (best) Likert scale. Additional qualitative feedback was obtained, especially from those rating domains poorly (score 1-2). Given that the intent of the survey was to glean key information about the toolkit, pilot testing and follow up cognitive interviews to evaluate the survey itself were not performed.

ETHICAL CONSIDERATION

This project does not involve human subjects or identifiable patient health information and therefore did not require Institutional Review Board (IRB) oversight.

RESULTS:

Since August 2020, 172 resources were curated into seven Checklist domains (Table 3).

USER ANALYTICS

The Toolkit received 193,500 page views and 23,554 unique page views. Quarterly visits increased from 13,609 to 28,335 by mid-2023, peaking at 32,861 in early 2023 (Figure 1). The most visited domain was Education and Competencies with 22,130 page views, followed by Equipment and Supplies with 7,416 (Table 3). Users spent an average of 10.76 minutes per domain, ranging from 3.6 minutes on Education and Competencies to 12.48 minutes on Quality Improvement (QI)/Process Improvement (PI).

Subdomain analysis inferred by the number of unique page views showed strong engagement in all three subdomains within Education and Competencies, in the “Pediatric Protocols and Guidelines” and “Dispatch and Prearrival Instructions” subdomains of Policies, Procedures and Protocols, “Safe Medication Dosing” within the Patient and Medication Safety domain, and “Guidelines and General Resources” under the Patient-and Family-Centered Care domain (Table 3). The PECC Roles subdomain within Interactions with Systems of Care also saw notable interest inferred from the number of unique page views. Top resources included SimBox EMS, Autism First Responder Training Video, and Equipment Checklist Examples and Grant Opportunities (Table 4).

FEEDBACK SURVEY

Out of 42 reviewers surveyed, 37 responded (88%), with between four to seven responses per domain (Figure 2). Respondents included various geographic and agency types of EMS clinicians, educators, PECCs, EMS for EMSC State Partnership program managers/

Professional Role Type	N (%)
EMS Clinician ¹	18 (49%)
EMS Educator	13 (35%)
PECC/Pediatric Champion	12 (32%)
EMS Program Manager/Project Director	6 (16%)
PPRP Steering Committee Member ²	4 (11%)
EMS Medical Director ³	0 (0%)
Other • EMS for Children Advisory Committee Member (2) • Disaster Preparedness Expert (3) • Deputy Chief of EMS • Operations Officer • Continuous Quality Improvement Supervisor	8 (22%)
1 - Includes emergency medical technicians and paramedics	
2 - Includes only those members not participating in the Toolkit Work Group	
3 - Physicians who commonly have additional training in EMS and/or emergency medicine	

Table 2. Professional roles and number (percentage) of respondents to the feedback survey.



Figure 1. Page visits by quarter.

PPRP Toolkit Domain	Page Views (Unique)	Average Time (Min)
Total Resources (n=172)	193500 (23554)	10.76
Education and Competencies (n=44)	22130 (2411)	3.60
• Psychomotor (Procedural) Skills	• 6793 (838)	• 19.48
• Cognitive Skills	• 4434 (526)	• 11.59
• Behavioral (Communication) Skills	• 2606 (332)	• 13.81
Equipment and Supplies (n=3)	7416 (878)	7.67
Policies, Procedures, and Protocols (n=50)	5742 (529)	7.11
• Pediatric Protocols and Guidelines	• 3093 (350)	• 18.24
• Dispatch and Pre-arrival Instructions	• 1232 (147)	• 14.45
• Policy/Position Statements	• 910 (108)	• 22.61
• Medical Direction/Oversight Resources	• 515 (65)	• 17.81
Patient and Medication Safety (n=15)	4443 (462)	5.32
• Safe Medication Dosing	• 2112 (256)	• 22.08
• Safe Transport of Children	• 1016 (132)	• 10.08
Quality and Process Improvement (n=8)	4011 (504)	12.48
Patient- and Family-Centered Care (n=15)	3908 (373)	6.5
• Guidelines and General Resources	• 1342 (155)	• 19.16
• Communication Tools	• 998 (118)	• 6.53
• Disaster Preparedness	• 490 (61)	• 15.33
• Assessments	• 477 (56)	• 6.17
Interactions with Systems of Care (n=37)	2758 (292)	12.4
• PECC Roles/Job Descriptions	• 1083 (136)	• 23.93
• Mental/Behavioral Health	• 822 (98)	• 18.79
• Disaster Preparedness	• 621 (89)	• 24.00
• Handoffs/Transfer of Care	• 378 (50)	• 15.07
• Human Trafficking	• 279 (37)	• 13.24

Table 3. User engagement metrics by toolkit domain and subdomains: total page views, unique page views, and average time spent per page.

Top Resources	Page Views (Unique)	Average Time (Min)
Education and Competencies		
SimBox EMS	4166 (538)	15.67
Autism First Responder Training Video	2110 (341)	11.76
School Shooting Simulation (PRIDE)	1212 (160)	10.84
Equipment and Supplies		
Equipment Checklist Examples	2444 (346)	14.92
Grant Opportunities	2209 (272)	20.98
Patient- and Family-Centered Care		
Communication Cards	705 (79)	13.55
Family Assessment of Medical Interventions & Li- aisons with the Young (FAMILY) EMS Instrument	552 (70)	6.98
Quality and Process Improvement		
NEMSQA Pediatric Measures	820 (115)	21.22
Institute for Healthcare Resources	563 (75)	9.71

Table 4. User engagement metrics for top resources by domain: total page views, unique page views, and average time spent per page.

directors, PPRP Steering Committee members, among others (Table 2). Median ratings for ease of locating resources and usefulness were above 3.5 for six of seven domains (Figure 3). Interaction with Systems of Care scored highest (5/5) followed by Education and Competencies (helpfulness 4.75, ease 4). Equipment and Supplies and Policies, Procedures, and Protocols scored a 4 in both categories. Patient- and Family-Centered Care scored 3.5 for helpfulness and 4 for ease of use. QI/PI scored lowest with 3 for helpfulness and 2 for ease of use.

DISCUSSION

Toolkits are effective knowledge translation tools that help disseminate information, increase awareness, and support new initiatives in healthcare (Barac et al., 2014). Since August 2020, the Prehospital Pediatric Readiness Project Toolkit is the most comprehensive open-access resource available to support prehospital pediatric readiness. With over 170 resources, there is no other publicly available resource with the breadth of information and tools currently available for the EMS community to support the care of children.

Since its implementation, the Toolkit's sustained and growing usage highlights its importance within the EMS community. The Education and Competencies domain has emerged as the most accessed, signaling an interest in pediatric education resources within EMS. While feedback indicates that the Toolkit is highly rated and easy to use, a deeper examination into subdomain utilization reveals that Psychomotor Skills and Safe Medication Dosing further indicate prioritized areas, and the popularity of practical tools like SimBox EMS and the Autism First Responder Training video underscores the need for hands-on, condition-specific resources. Of note, the EMSC program has been measuring skills assessment with pediatric equipment annually since 2017, with little improvement over the last few years (Hewes, Ely, et al., 2019; Hewes, Genovesi, et al., 2022), suggesting that further promotion of Toolkit resources may enhance readiness.

User feedback confirms that the Toolkit is highly valued and user-friendly, described as a "living document" incorporating continuous updates. However, the lower QI/PI and




Figure 2. Feedback survey responses per domain.

Patient Medication Safety domains ratings indicate challenges with content complexity, quality, organization, and resource accessibility. This aligns with the inherent difficulties in QI and medication safety practices, suggesting a need for more targeted resources and training materials that address these specific concerns. Notably, NAEMSP has developed a quality committee that evaluates QI/PI initiatives. Furthermore, the National EMS Quality Alliance (NEMSQA) is leading multiple national QI projects such as the Lights and Siren Collaborative to improve the safety of EMS response and transport. While user analytics demonstrate that the NEMSQA resources are widely used, current NEMSQA quality measures lack pediatric focus, with only two out of 20 measures specific to children.

To address these gaps, ongoing collaborations with the Institute for Healthcare Improvement, NEMSQA, and the National EMS Information System (NEMSIS) Technical Assistance Center aim to produce more pediatric-specific, user-friendly QI resources. NEMSIS now hosts a set of prehospital pediatric readiness quality measures (NEMSIS, n.d.) developed through a consensus process by a technical expert panel with 7 core clinical process and outcome-based measures covering a range of common pediatric prehospital conditions. The dashboard includes filters by urbanicity, EMS organizational type, patient volume, and level of care. It is anticipated that future iterations of the dashboard may include a filter by a readiness score from the 2024 National PPRP Assessment (Ward, 2024).




Figure 3. Median scores (IQR) of end-user feedback survey.

Other established toolkits, such as the National Pediatric Readiness Project (NPRP) Toolkit, focus on pediatric ED care and readiness and have been successfully integrated into quality improvement initiatives, including two national collaboratives (Pediatric Readiness Quality Collaborative 1.0 and 2.0 and one established QI registry (National Pediatric Readiness Quality Initiative [NPRQI], n.d.). Like the process for the NPRP Toolkit for EDs, the PPRP Toolkit will be integrated into quality initiatives and collaborative efforts. Data from the national PPRP Assessment (completed in July 2024) will identify gaps in prehospital readiness which will inform which resources are critically needed (EMS-pedsReady, n.d.). Using feedback from the end-users, future directions are to develop a tailored curriculum or user-guide to improve navigation and resource comprehension which can facilitate efficient use of the Toolkit and support EMS agencies' pediatric readiness goals to provide high quality care to children. Ultimately, EMS agencies will be able to use their pediatric readiness scores to identify areas for improvement and turn to the PPRP Toolkit for necessary and optimal resources.

LIMITATIONS

Our report has several limitations. Google Analytics data could not isolate unique visitors, so views from content creators may inflate totals. However, the steady increase in page views suggests growing unique user engagement. Additionally, analytic limitations prevented assessment of user return rates or repeated visits to specific resources. We acknowledge that our survey respondents may not be nationally representative of all EMS personnel, but our goal was to focus on engaged users from diverse roles and settings to capture relevant perspectives. Our feedback survey serves as a proxy to provide valuable information on the usability of the toolkit. Finally, Toolkit data collection ended in June

2023 and we were unable to provide IQRs for the summary statistics displayed in Tables 3 and 4 due to changes in the Google Analytics reporting mechanism and upgrades to a different platform in July 2023, limiting longitudinal comparisons. Despite these constraints, the data provides useful insights into toolkit usage and usability during its rollout and early adoption phase.

FUTURE DIRECTIONS

Prospective study on the effectiveness of the toolkit is needed. A comparison of EMS agencies that use the Toolkit with those relying on standard resources will provide valuable information to support future refinements to the resources and exploration into outcome measures linking Toolkit usage to pediatric readiness scores and patient outcomes would provide valuable insight into its impact. Finally, based on survey feedback, the creation of additional QI/PI resources is a critical next step.

CONCLUSION


User analytics and feedback on the Toolkit demonstrate strong engagement and that it provides valuable, curated resources to enhance pediatric readiness in EMS. The domains Education and Competencies and Equipment and Supplies are the most accessed and highly rated domains. The QI/PI domain requires the addition of user-friendly content and pediatric-specific quality measures. The Toolkit's continued evolution, guided by end-user feedback and usage patterns, will ensure that it remains a relevant and effective tool in advancing the quality of prehospital pediatric readiness.

REFERENCES

- Adelgais, K. M., Sholl, J. M., Alter, R., Gurley, K. L., Broadwater-Hollifield, C., & Taillac, P. (2019). Challenges in statewide implementation of a prehospital evidence-based guideline: An assessment of barriers and enablers in five states. *Prehospital Emergency Care*, 23(2), 167–178. <https://doi.org/10.1080/10903127.2018.1495284>
- Autism Society of Central Texas. (2016). Autism first responder training video [Video]. YouTube. <https://youtu.be/TNBV66MLGXcp>
- Barac, R., Stein, S., Bruce, B., & Barwick, M. (2014). Scoping review of toolkits as a knowledge translation strategy in health. *BMC Medical Informatics and Decision Making*, 14(1), Article 121. <https://doi.org/10.1186/s12911-014-0121-7>
- Buckingham, S., Anil, K., Demain, S., Gunn, H., Jones, R. B., Kent, B., Logan, A., Marsden, J., Playford, E. D., & Freeman, J. (2023). Telerehabilitation for people with physical disabilities and movement impairment: Development and evaluation of an online toolkit for practitioners and patients. *Disability and Rehabilitation*, 45(11), 1885–1892. <https://doi.org/10.1080/09638288.2022.2074549>
- Cicero, M. X., Brown, L., Auerbach, M., Baird, J., & Adelgais, K. (2020). Modified Delphi method derivation of the FAMILY (Family Assessment of Medical Interventions & Liaisons with the Young) EMS instrument. *Prehospital Emergency Care*, 25(5), 689–696. <https://doi.org/10.1080/10903127.2020.1824052>
- Diggs, L. A., Sheth-Chandra, M., & De Leo, G. (2016). Epidemiology of pediatric pre-hospital basic life support care in the United States. *Prehospital Emergency Care*, 20(2), 230–238. <https://doi.org/10.3109/10903127.2015.1076099>

- Emergency Medical Services for Children Data Center (EDC). (2022). 2022 National EMS for Children survey results. *University of Utah School of Medicine*. <https://emscdatacenter.org/wp-content/uploads/2023/06/2022-National-EMS-for-Children-Survey-Report.pdf>
- Emergency Medical Services for Children Innovation and Improvement Center. (n.d.). *Prehospital Pediatric Readiness Toolkit*. <https://emscimprovement.center/domains/pre-hospital-care/prehospital-pediatric-readiness/pprp-toolkit/>
- EMSpedsReady. (n.d.). *National Prehospital Pediatric Readiness Project*. <https://emspeds-ready.org/>
- Hempel, S., Miake-Lye, I., Brega, A. G., Buckhold, F., Hassell, S., Nowalk, M. P., Rubenstein, L., Schreiber, K., Spector, W. D., Kilbourne, A. M., Ganz, D. A. (2019). Quality improvement toolkits: Recommendations for development. *American Journal of Medical Quality*, 34(6), 538–544. <https://doi.org/10.1177/1062860618822102>
- Hewes, H. A., Ely, M., Richards, R., Shah, M. I., Busch, S., Pilkey, D., Hert, K. D., & Olson, L. M. (2019). Ready for children: Assessing pediatric care coordination and psychomotor skills evaluation in the prehospital setting. *Prehospital Emergency Care*, 23(4), 510–518. <https://doi.org/10.1080/10903127.2018.1542472>
- Hewes, H. A., Genovesi, A. L., Codden, R., Ely, M., Ludwig, L., Macias, C. G., Schmuhl, P., & Olson, L. M. (2022). Ready for children part II: Increasing pediatric care coordination and psychomotor skills evaluation in the prehospital setting. *Prehospital Emergency Care*, 26(4), 503–510. <https://doi.org/10.1080/10903127.2021.1942340>
- Institute of Medicine. (2007). The future of emergency care in the United States health system. *National Academies Press*. <https://doi.org/10.1197/j.aem.2006.07.011>
- Maltby, S., Gibson, P. G., Reddel, H. K., Smith, L., Wark, P. A. B., King, G. G., Upham, J. W., Clark, V. L., Hew, M., Owens, L., Oo, S., James, A. L., Thompson, B., Marks, G. B., & McDonald, V. M. (2020). Severe Asthma Toolkit: An online resource for multidisciplinary health professionals—Needs assessment, development process and user analytics with survey feedback. *BMJ Open*, 10(3), e032877. <https://doi.org/10.1136/bmjopen-2019-032877>
- Moore, B., Shah, M. I., Owusu-Ansah, S., Gross, T., Brown, K., Gausche-Hill, M., Remick, K., Adelgais, K., Lyng, J., Rappaport, L., Snow, S., Wright-Johnson, C., Leonard, J., American Academy of Pediatrics Committee on Pediatric Emergency Medicine and Section on Emergency Medicine EMS Subcommittee, American College of Emergency Physicians Emergency Medical Services Committee, Emergency Nurses Association Pediatric Committee, National Association of Emergency Medical Services Physicians Standards and Clinical Practice Committee, National Association of Emergency Medical Technicians Emergency Pediatric Care Committee. (2020). Pediatric readiness in emergency medical services systems. *Prehospital Emergency Care*, 24(2), 175–179. <https://doi.org/10.1080/10903127.2019.1685614>
- National EMS Information System (NEMSIS). (2023). 2022 National EMS Data Report. NHTSA Office of EMS, Department of Transportation. <https://nemsis.org/wp-content/uploads/2025/02/NEMSIS-End-of-Year-Report-2023.pdf>
- National EMS Information Systems (NEMSIS). (n.d.). *Public prehospital pediatric quality measures dashboard*. <https://nemsis.org/public-prehospital-pediatric-quality-measures-dashboard/>

- National Pediatric Readiness Quality Initiative (NPRQI). (n.d.) *EMSC Innovation and Improvement Center*. <https://emscimprovement.center/pediatric-readiness/eds/nprqi/discover-nprqi/>
- Owusu-Ansah, S., Moore, B., Shah, M. I., Gross, T., Brown, K., Gausche-Hill, M., Remick, K., Adelgais, K., Rappaport, L., Snow, S., Wright-Johnson C., Leonard, J., Lyng, J., Fallat, M. AAP Committee on Pediatric Emergency Medicine, Section on Emergency Medicine, AAP EMS Subcommittee, Section on Surgery. (2020). Pediatric readiness in emergency medical services systems. *Pediatrics*, 145(1), e20193308. <https://doi.org/10.1542/peds.2019-3308>
- SIMBOX Creative Team. (2024). *SimBox EMS*. <https://www.emergencysimbox.com/emstelesimbox>
- Thoele, K., Ferren, M., Moffat, L., Keen, A., & Newhouse, R. (2020). Development and use of a toolkit to facilitate implementation of an evidence-based intervention: A descriptive case study. *Implementation Science Communications*, 1, 86. <https://doi.org/10.1186/s43058-020-00081-x>
- Tsao, H. S., Alter, R., Kane, E., Gross, T., Browne, L. R., Auerbach, M., Leonard, J. C., Ludwig, L., & Adelgais, K. M. (2022). Pediatric emergency care coordination in EMS agencies: Findings of a multistate learning collaborative. *Prehospital Emergency Care*, 27(8), 1004–1015. <https://doi.org/10.1080/10903127.2022.2126040>
- Ward, C. E. (2024, May 3). *Developing a national pediatric prehospital quality improvement dashboard: Consensus results of a modified Delphi process* [Poster presentation]. Journal of Emergency Medical Services Annual Meeting, Washington, DC. Poster Number 377, Publication Number 377.325.
- Williams, I., Mears, G., Raisor, C., & Wilson, J. (2009). An emergency medical services toolkit for improving systems of care for stroke in North Carolina. *Preventing Chronic Disease*, 6(2), A67. <https://pmc.ncbi.nlm.nih.gov/articles/PMC2687873/>
- Yamada, J., Shorkey, A., Barwick, M., Widger, K., & Stevens, B. J. (2015). The effectiveness of toolkits as knowledge translation strategies for integrating evidence into clinical care: A systematic review. *BMJ Open*, 5(4), e006808. <https://doi.org/10.1136/bmjopen-2014-006808>



STREAMLINING CARE DECISIONS **FROM DISPATCH TO HANDOFF**

OneDose includes eMACC — a first-of-its-kind feature for medication verification and cross-checking.

- Protocol Management
- Medication Accuracy Tools
- Administrative Control
- Weight Accuracy
- Real-Time Data
- ePCR Integration

"At University Hospitals EMS Institute, our responsibility is to ensure that the clinicians serving our communities have the safest, most reliable tools available. The first system-wide deployment of OneDose across Ohio represents a major advancement in out-of-hospital patient safety."

— Dr. Donald Spaner
UH CMO and EMS Medical Director

OneDose • 4801 W 81st St, Ste 118 • Bloomington, MN 55437
(651) 212-5440 • myonedose.com

RESEARCH REPORTS

PEER-TO-PEER FEEDBACK AMONG AMBULANCE CLINICIANS: A CROSS-SECTIONAL STUDY IN THE OUT-OF-HOSPITAL SETTING

James Foster*¹; Brett Williams, PhD²

Author Affiliations: 1. NHS London Ambulance Service, London, UK; 2. Department of Emergency Medical Care, College of Applied Medical Sciences, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia.

Recommended Citation: Foster, J., & Williams, B. (2026). Peer-to-peer feedback among ambulance clinicians: A cross-sectional study in the out-of-hospital setting. *International Journal of Paramedicine*. (14). 22-42. <https://doi.org/10.56068/VVSE5211>

Keywords: paramedic, emergency medical technician, out-of-hospital, prehospital, feedback, emergency medical services, EMS, paramedicine

Disclosures: The authors declare there are no competing interests related to this study.

Funding: The authors declare there are no funding declarations related to this study.

Received: July 11, 2025

Revised: November 17, 2025

Accepted: December 21, 2025

Pre-Issue Published: March 3, 2026

Published: April 14, 2026

**Corresponding Author:*
james.foster7@nhs.net

ABSTRACT

Feedback is a well-researched and broad concept within healthcare, however, there is a contextual gap concerning peer-to-peer provision in the out-of-hospital environment. Current literature suggests that emergency ambulance clinicians most often receive feedback from their operational peers. Recent literature has identified that out-of-hospital feedback initiatives face long-term implementation and sustainability challenges. Further research is required to support the design and evaluation of feedback interventions.

This study aimed to describe how often emergency ambulance clinicians provided peer-to-peer feedback and its association with various factors.

A 10-question survey was distributed to London Ambulance Service members. Participants were eligible if they were registered or non-registered clinicians working on a frontline operational ambulance vehicle. A Fisher's exact test using Monte Carlo simulations was performed using SPSS for statistical analysis. This research followed STROBE reporting guidelines for observational studies.

A total of 143 responses were included for analysis. Clinicians provided positive feedback more often than constructive or any other type of feedback. There was statistical significance between feedback provision and training (positive feedback $p = 0.006$), organizational culture (positive feedback $p = 0.001$), clinician comfort in provision (constructive feedback $p = <0.001$) and self-rated quality of feedback (any feedback $p = <0.001$). Factors such as experience, clinical grade or gender were not statistically significant.

Out-of-hospital emergency ambulance clinicians provided more positive peer-to-peer feedback and rarely provided no feedback. Clinicians should receive feedback training within curricula to increase exposure and engagement with feedback processes. Training should emphasize the role and benefits of constructive feedback. There is an organizational incentive to promote an honest feedback culture to facilitate learning opportunities. Clinicians felt comfortable and rated their quality of feedback as adequate. Standardizing feedback models in the out-of-hospital environment will reduce feedback inequalities.

Feedback is a broad concept widely researched in healthcare, but research has been limited in the out-of-hospital environment (Wilson, Janes, Lawton, & Benn, 2023b). Early foundational work within medical education describes feedback as necessary, valuable, and requires practice and planning (Ende, 1983). Feedback

is seen as a valuable tool aimed at promoting staff development and learning in contrast to assessment, which focuses on judgement and decision-making (Watling & Ginsburg, 2019). Feedback is flexible as it can occur anywhere, differing from other information transfer processes such as debriefing, which is employed post-incident under specific and controlled circumstances (Tavares et al., 2020). Literature reviews within medicine on feedback and audit suggest it can lead to small but potentially significant improvements in professional practice, however, the effects vary greatly depending on context (Ivers et al., 2012). This is comparable to the limited number of out-of-hospital literature reviews on feedback, which suggest feedback mechanisms for ambulance clinicians often improve clinical performance, although the subsequent benefits to patient outcomes are unknown (Eaton-Williams, Mold, & Magnusson, 2020a; Wilson et al., 2023b). A recent review has suggested that within emergency ambulance services, feedback initiatives are motivated by various factors, but face challenges in long-term implementation and sustainability (Wilson, Janes, Lawton, & Benn, 2023a). Current literature has also highlighted the need for further research to provide the foundations supporting the design and evaluation of feedback interventions in the out-of-hospital environment (Wilson et al., 2023b).

The benefits of feedback translate into the out-of-hospital setting, as it can meet the emotional and professional requirements of emergency ambulance clinicians (Eaton-Williams, Mold, & Magnusson, 2020b; McGuire et al., 2021). Additional benefits include clinical education, clinician self-reflection leading to autonomous practice and motivating clinicians to improve patient care (Cash, Crowe, Rodriguez, & Panchal, 2017; Persse, Key, & Baldwin, 2002). Emergency ambulance clinicians are highly receptive to feedback and may reflect the determination of this group of healthcare professionals to improve colleague and patient outcomes (Eaton-Williams et al., 2020a). It is an essential component of practice, professional identity formation, and actively engaging in feedback processes is included in registered paramedics' professional standards (Health & Care Professions Council, 2023). At a time when emergency ambulance clinicians are in high demand, providing effective feedback mechanisms represents a pathway to improving staff wellbeing and reduce burnout (Morrison, Cassidy, Welsford, & Chan, 2017). Despite the importance of feedback within the out-of-hospital environment, its use and implementation remains poor (Eaton-Williams et al., 2020b). Emergency ambulance staff perceive current feedback mechanisms, particularly through formal routes, as infrequent and of inadequate quality, leading to unresolved personal and professional closure (Wilson, Howell, Janes, & Benn, 2022). There are also existing barriers to feedback provision in the out-of-hospital environment, such as information governance, clinical isolation from the broader healthcare system, and clinical grade (Morrison et al., 2017). These factors are why emergency ambulance clinicians seek alternative sources for their feedback requirements.

Existing literature suggests the most common type of feedback for emergency ambulance clinicians is informal, verbal, and provided by their peers (Cash et al., 2017; McGuire et al., 2021). This source represents an easily accessible and usually trusted source of feedback (Cash et al., 2017; McGuire et al., 2021). Peer-to-peer feedback is underutilized within the in-hospital environment despite being a low-resource method for improving clinical performance (Stockdill, Hendricks, Barnett, Bakitas, & Harada, 2023). As a result, the concept of peer-to-peer feedback amongst emergency ambulance clinicians should be

explored, as it represents the most common source of feedback amongst this group. This is also supported by recent literature, suggesting that further research in this setting should explore the culture around feedback provision, including the prevalence, predictors and effects of feedback using quantitative methods (Wilson et al., 2023a).

RESEARCH QUESTIONS

- What is the frequency of emergency ambulance clinicians providing peer-to-peer feedback within the last 30 days
- Do factors such as experience, clinical grade, training in feedback provision, comfort in providing feedback or self-rated capability, perceptions of organizational culture or gender affect the provision of peer-to-peer feedback?

AIMS

- To describe the frequency of peer-to-peer feedback provided by emergency ambulance clinicians of the London Ambulance Service in the past 30 days
- To determine the statistical significance between the frequency of peer-to-peer feedback provision and experience, clinical grade, training in feedback provision, comfort in providing feedback or self-rated capability, perceptions of organizational culture or gender of emergency ambulance clinicians from the London Ambulance Service in the past 30 days.

HYPOTHESIS

- Most emergency ambulance clinicians will have provided some form of peer-to-peer feedback within the last 30 days
- The provision of peer-to-peer feedback provision will be statistically significant with experience, clinical grade and provision of feedback training.

METHODS

SETTING

Participants were recruited from the London Ambulance Service (LAS), United Kingdom. The LAS is a large metropolitan-based emergency ambulance service and is the busiest UK ambulance service answering around two million emergency calls per year. Clinical grades range from registered healthcare professionals including paramedics to a wide range of non-registered roles including non-emergency transport clinicians to emergency medical technicians. These emergency ambulance clinicians work on either double-crewed emergency ambulances or as solo responders responding to emergency or urgent calls.

STUDY DESIGN

This was a cross-sectional study and followed STROBE reporting guidelines for reporting observational studies (von Elm et al., 2007).

SURVEY

An anonymous online survey was distributed to all operational staff in the internal weekly employee bulletin for the LAS. The QualtricsXM platform was used to design and collect the data. An anonymous link was generated to distribute the survey and a front-matter page provided participants with study details which required confirmation

of informed consent. Participant recruitment lasted a total of four weeks and started on the 25th July 2023. The survey was advertised once per week for three weeks in the weekly internal LAS employee bulletin. Participant recruitment ceased one week after the third bulletin was published.

The survey contained a total of 10 questions, including six Likert-style questions, three demographic capture questions, and one dichotomous question. The survey was modelled on the previous work of McGuire (McGuire et al., 2021). This study was chosen as its aims involved emergency ambulance staff receiving feedback and their associating influencing factors. These were similarly aligned with our study however this study explores the concept of emergency ambulance clinicians as feedback providers. Additionally, their sample contained emergency medical staff with comparable clinical grades to UK emergency ambulance services. The survey questions were modified to ask participants to provide feedback instead of receiving it. Questions six, seven, eight, and nine were developed based on the research aims of this paper and areas that literature has identified for future research (Wilson et al., 2023a). The survey underwent one pilot round with a focus group of 10 emergency ambulance clinicians of varying clinical grades and experience. The survey also underwent review from the LAS Clinical Audit and Research Unit. Appendix 1 displays the survey questions.

ELIGIBILITY

Participants were eligible to complete the survey if they were a registered or non-registered clinician working on a frontline operational vehicle as part of their job role. Within the LAS, this included double-crewed ambulances or various forms of solo-response such as fast-response vehicles.

STUDY SIZE

A G-power calculation was used to calculate the minimum required sample size for contingency tables. We calculated a minimum of 133 participants were required to achieve a power level >0.8 with a P value = 0.05 and an effect size = 0.3. To achieve this sample the survey was kept active for a total of four weeks which was similar to existing studies (Cash et al., 2017; McGuire et al., 2021). There was no upper limit on recruitment numbers.

STATISTICAL METHODS

Statistical analysis was completed with SPSS version 29. A Fisher's exact test was performed instead of a chi-square as the data did not reach the required minimum cell counts. It follows the methods of McGuire et al. and is also appropriate for smaller sample sizes (Kim, 2017; McGuire et al., 2021). A Monte Carlo simulation with a 99-percent confidence interval and 10000 simulations was used due to SPSS limitations. The tests were significant if the p -value was <0.05 .

ETHICS

Ethics approval was acquired through the Monash University Human Research and Ethics Committee (Project ID 38330) and Trust research approval was through the LAS Clinical Audit and Research Unit.

DATA PROTECTION

Data was managed in accordance with The National Health and Medical Research Council Management of Data and Information in Research and Monash University guidelines. Data collected through the online survey was stored on the Monash University network (LabArchives) cloud-based storage and password protected. Only the researchers involved had access to these data. Records and data were kept until project completion and files deleted afterwards.

RESULTS

PARTICIPANTS

A total of 148 responses were received for this survey. A total of five responses were removed for being incomplete at various stages in the survey. This resulted in 143 responses included in the statistical analysis. The Table 1 displays the participant demographics in frequency counts and percentages. Table 2 displays the remaining survey responses in frequency counts and percentages. Tables 3, 4, and 5 display the statistical analysis between providing peer-to-peer feedback and survey responses.

Please indicate the years you have worked as an ambulance service clinician.	
2 years or less	24 (16.8)
3 years -10 years	78 (54.5)
11 years -15 years	22 (15.4)
16 years or more	19 (13.3)
Please indicate your current clinical grade.	
ER/FPOS	1 (0.7)
T/AAP	2 (1.4)
AAP	3 (2.1)
T/EMT	6 (4.2)
EMT	31 (21.7)
NQP1	7 (4.9)
NQP2	10 (7.0)
Band 6 Paramedic^	72 (50.3)
Band 7 Paramedic^	11 (7.7)
What is your gender?	
Woman	71 (49.7)
Man	71 (49.7)
Non-binary/gender diverse	1 (0.7)
Key ER/FPOS = Emergency Responder/First Person On Scene, T/ = Trainee, AAP = Associate Ambulance Practitioner, EMT = Emergency Medical Technician, NQP1 = Newly Qualified Paramedic Grade 1, NQP2 = Newly Qualified Paramedic Grade 2. ^ = Registered paramedic grades post NQP consolidation period.	

Table 1. Survey demographic responses (n = 143).




Figure 1. Frequency of providing any peer-to-peer feedback.




Figure 2. Frequency of providing positive/reinforcing peer-to-peer feedback.




Figure 3. Frequency of providing constructive peer-to-peer feedback.

CLINICAL GRADE INFLUENCE ON PEER-TO-PEER FEEDBACK PROVISION

There was no statistical significance found between clinical grade and providing any feedback (p -value = 0.073), positive feedback (p -value = 0.497), or constructive feedback (p -value = 0.762).

YEARS OF EXPERIENCE INFLUENCE PEER-TO-PEER FEEDBACK PROVISION

There was no statistical significance between years of experience and providing any feedback (p-value = 0.191), positive feedback (p-value = 0.465), or constructive feedback (p-value = 0.113).

FEEDBACK TRAINING INFLUENCE ON PEER-TO-PEER FEEDBACK PROVISION

PROVIDING ANY FEEDBACK

A higher percentage (47%, n = 32) of clinicians with feedback training provided any form of feedback often or always compared to clinicians without training (23%, n = 17). A higher percentage (37%, n = 28) of clinicians without feedback training provided any feedback rarely or never compared to 19% (n = 12) of clinicians with feedback training. A higher percentage of clinicians without feedback training (40%, n = 30) provided any feedback sometimes compared to clinicians with training (34%, n = 23). P-value = 0.006.

PROVIDING POSITIVE FEEDBACK

A higher percentage of clinicians with feedback training (68%, n = 46) provided positive feedback often or always compared to clinicians with no feedback training (49%, n = 37). More clinicians with no feedback training (n = 17) provided positive feedback rarely or never compared to four clinicians with training. A similar percentage of clinicians with feedback training provided any feedback sometimes (27%, n = 18) compared to clinicians without training (28%, n = 21). P-value = 0.027.

PROVIDING CONSTRUCTIVE FEEDBACK

There was no statistical significance between feedback training and providing constructive feedback (p-value = 0.104).

How often did you provide any type of peer-to-peer feedback to a clinician of the London Ambulance Service, in the past 30 days?	
Never	8 (5.6)
Rarely	33 (23.1)
Sometimes	53 (37.1)
Often	38 (26.6)
Always	11 (7.7)
How often did you provide positive/reinforcing peer-to-peer feedback (a praise, compliment, or feedback regarding something that went well) to a clinician of the London Ambulance Service, in the past 30 days?	
Never	4 (2.8)
Rarely	17 (11.9)
Sometimes	39 (27.3)
Often	73 (51)
Always	10 (7.0)
How often did you provide constructive peer-to-peer feedback (a critique, or feedback regarding something that did not go well) to a clinician of the London Ambulance Service, in the past 30 days?	
Never	16 (11.2)
Rarely	43 (30.1)
Sometimes	56 (39.2)
Often	23 (16.1)
Always	5 (3.5)
Have you received any form of training in providing peer-to-peer feedback?	
Yes	68 (47.6)
No	75 (52.4)
How comfortable do you feel in providing peer-to-peer feedback to a clinician of the London Ambulance Service?	
Very uncomfortable	7 (4.9)
Somewhat uncomfortable	24 (16.8)
Neutral	35 (24.5)
Somewhat comfortable	56 (39.2)
Very comfortable	21 (14.7)
How would you rate the quality of peer-to-peer feedback you provide to a clinician of the London Ambulance Service, in relation to improving the recipient's performance?	
Very poor	2 (1.4)
Poor	12 (8.4)
Acceptable	64 (44.8)
Good	52 (36.4)
Very good	9 (6.3)
I have not provided any peer-to-peer feedback	4 (2.8)
How satisfied are you with the overall feedback culture within the London Ambulance Service?	
Very dissatisfied	11 (7.7)
Dissatisfied	57 (39.9)
Neither satisfied or dissatisfied	52 (36.4)
Satisfied	22 (15.4)
Very satisfied	1 (0.7)

Table 1. Remaining survey responses (n = 143).

How often did you provide any type of peer-to-peer feedback to a clinician of the London Ambulance Service, in the past 30 days?	Never	Rarely	Sometimes	Often	Always	p Value
Please indicate the years you have worked as an ambulance service clinician.						
2 years or less	2	4	13	3	2	0.191
3 years -10 years	4	24	26	19	5	
11 years -15 years	0	2	8	10	2	
16 years or more	2	3	6	6	2	
Please indicate your current clinical grade.						
Non-paramedic	4	15	12	8	4	0.073
Paramedic	4	18	41	30	7	
Have you received any form of training in providing peer-to-peer feedback?						
Yes	1	12	23	27	5	0.006
No	7	21	30	11	6	
How comfortable do you feel in providing peer-to-peer feedback to a clinician of the London Ambulance Service?						
Very uncomfortable	0	4	1	2	0	<0.001
Somewhat uncomfortable	1	12	9	1	1	
Neutral	5	6	19	5	0	
Somewhat comfortable	2	10	21	17	6	
Very comfortable	0	1	3	13	4	
How would you rate the quality of peer-to-peer feedback you provide to a clinician of the London Ambulance Service, in relation to improving the recipient's performance?						
Very poor	0	1	1	0	0	<0.001
Poor	2	4	4	2	0	
Acceptable	3	19	29	12	1	
Good	1	7	16	20	8	
Very good	0	1	2	4	2	
I have not provided any peer-to-peer feedback	2	1	1	0	0	
How satisfied are you with the overall feedback culture within the London Ambulance Service?						
Very dissatisfied	1	2	5	2	1	0.057
Dissatisfied	2	16	25	13	1	
Neither satisfied nor dissatisfied	3	13	18	14	4	
Satisfied	2	1	5	9	5	
Very satisfied	0	1	0	0	0	
What is your gender?						
Woman	3	21	23	17	7	0.431
Man	5	12	29	21	4	
Non-binary/gender diverse	0	0	1	0	0	

Table 3. Statistical analysis of providing any feedback.

CLINICIAN COMFORT IN PROVIDING FEEDBACK INFLUENCES PEER-TO-PEER FEEDBACK PROVISION

PROVIDING ANY FEEDBACK

A higher percentage of clinicians (28%, $n = 40$) who were somewhat or very comfortable in providing feedback, provided any feedback often or always compared to 9% ($n = 13$) of clinicians who rarely or never provided any feedback. A total of 12% ($n = 17$) of clinicians who were very or somewhat uncomfortable rarely or never provided any feedback and 3% ($n = 4$) provided any feedback often or always. A higher percentage of clinicians who sometimes provided any feedback were somewhat or very comfortable (17%, $n = 24$) compared to very or somewhat uncomfortable (7%, $n = 10$). A total of 13% ($n = 19$) of clinicians who felt neutral provided any feedback sometimes compared to rarely or never (8%, $n = 11$) or often or always (4%, $n = 5$). P -value = <0.001.

How often did you provide positive/reinforcing peer-to-peer feedback (a praise, compliment, or feedback regarding something that went well) to a clinician of the London Ambulance Service, in the past 30 days?	Never	Rarely	Sometimes	Often	Always	p Value
Please indicate the years you have worked as an ambulance service clinician.						
2 years or less	0	2	8	10	4	0.465
3 years -10 years	2	13	20	39	4	
11 years -15 years	1	0	6	14	1	
16 years or more	1	2	5	10	1	
Please indicate your current clinical grade.						
Non-paramedic	2	7	9	23	2	0.497
Paramedic	2	10	30	50	8	
Have you received any form of training in providing peer-to-peer feedback?						
Yes	0	4	18	42	4	0.027
No	4	13	21	31	6	
How comfortable do you feel in providing peer-to-peer feedback to a clinician of the London Ambulance Service?						
Very uncomfortable	1	3	0	3	0	0.002
Somewhat uncomfortable	0	5	9	10	0	
Neutral	3	6	12	13	1	
Somewhat comfortable	0	3	15	32	6	
Very comfortable	0	0	3	15	3	
How would you rate the quality of peer-to-peer feedback you provide to a clinician of the London Ambulance Service, in relation to improving the recipient's performance?						
Very poor	0	0	1	1	0	0.009
Poor	1	4	5	1	1	
Acceptable	2	8	20	33	1	
Good	1	3	10	32	6	
Very good	0	0	2	5	2	
I have not provided any peer-to-peer feedback	0	2	1	1	0	
How satisfied are you with the overall feedback culture within the London Ambulance Service?						
Very dissatisfied	2	2	6	1	0	0.001
Dissatisfied	1	8	19	27	2	
Neither satisfied nor dissatisfied	0	6	12	29	5	
Satisfied	1	1	1	16	3	
Very satisfied	0	0	1	0	0	
What is your gender?						
Woman	1	11	18	36	5	0.781
Man	3	6	21	36	5	
Non-binary/gender diverse	0	0	0	1	0	

Table 4. Statistical analysis of providing positive/reinforcing feedback.

PROVIDING POSITIVE FEEDBACK

A higher percentage of clinicians who were somewhat or very comfortable provided positive feedback often or always (39%, $n = 56$) compared to never or rarely (2%, $n = 3$). A lower percentage of clinicians who were very or somewhat uncomfortable rarely or never provided positive feedback (6%, $n = 9$) compared to often or always (9%, $n = 13$). A higher percentage of clinicians who sometimes provided positive feedback were somewhat or very comfortable (13%, $n = 18$) compared to very or somewhat uncomfortable (6%, $n = 9$). A total of 8% ($n = 12$) of clinicians who felt neutral provided any feedback sometimes compared to rarely or never (6%, $n = 9$) or often or always (10%, $n = 14$). P-value = 0.002.

How often did you provide constructive peer-to-peer feedback (a critique, or feedback regarding something that did not go well) to a clinician of the London Ambulance Service, in the past 30 days?	Never	Rarely	Sometimes	Often	Always	p Value
Please indicate the years you have worked as an ambulance service clinician.						
2 years or less	3	8	10	2	1	0.113
3 years -10 years	8	28	31	8	1	
11 years -15 years	1	3	10	8	0	
16 years or more	4	4	5	5	1	
Please indicate your current clinical grade.						
Non-paramedic	6	12	15	9	1	0.752
Paramedic	10	31	41	14	4	
Have you received any form of training in providing peer-to-peer feedback?						
Yes	4	17	33	12	2	0.104
No	12	26	23	11	3	
How comfortable do you feel in providing peer-to-peer feedback to a clinician of the London Ambulance Service?						
Very uncomfortable	2	2	2	1	0	<0.001
Somewhat uncomfortable	3	13	7	1	0	
Neutral	8	12	12	3	0	
Somewhat comfortable	2	14	29	9	2	
Very comfortable	1	2	6	9	3	
How would you rate the quality of peer-to-peer feedback you provide to a clinician of the London Ambulance Service, in relation to improving the recipient's performance?						
Very poor	1	1	0	0	0	<0.001
Poor	2	8	2	0	0	
Acceptable	9	23	28	4	0	
Good	2	9	22	16	3	
Very good	0	0	4	3	2	
I have not provided any peer-to-peer feedback	2	2	0	0	0	
How satisfied are you with the overall feedback culture within the London Ambulance Service?						
Very dissatisfied	3	3	3	2	0	0.281
Dissatisfied	6	20	24	6	1	
Neither satisfied nor dissatisfied	5	15	21	10	1	
Satisfied	1	5	8	5	3	
Very satisfied	1	0	0	0	0	
What is your gender?						
Woman	7	25	27	9	3	0.745
Man	9	18	28	14	2	
Non-binary/gender diverse	0	0	1	0	0	

Table 5. Statistical analysis of providing constructive feedback.

PROVIDING CONSTRUCTIVE FEEDBACK

A higher percentage of clinicians who were somewhat or very uncomfortable never or rarely provided constructive feedback (14%, $n = 20$) compared to often or always (1%, $n = 2$). A higher percentage of clinicians who were somewhat or very comfortable provided constructive feedback often or always (16%, $n = 23$) compared to never or rarely (13%, $n = 19$). A higher percentage of clinicians who sometimes provided constructive feedback were somewhat or very comfortable (24%, $n = 35$) compared to very or somewhat uncomfortable (6%, $n = 9$). A total of 8% ($n = 12$) of clinicians who felt neutral provided constructive feedback sometimes compared to rarely or never (14%, $n = 20$) or often or always (2%, $n = 3$). P -value = <0.001.

SELF-RATED QUALITY OF FEEDBACK INFLUENCE ON PEER-TO-PEER FEEDBACK PROVISION*PROVIDING ANY FEEDBACK*

A higher percentage of clinicians who rated their quality of feedback provision as good or very good provided any feedback often or always (24%, n = 34) compared to rarely or never providing any feedback (6%, n = 9). A higher percentage of clinicians who rated their quality of feedback provision as poor or very poor provided any feedback rarely or never (5%, n = 7) compared to often or always (1%, n = 2). A higher percentage of clinicians who sometimes provided any feedback rated their feedback quality as good or very good (13%, n = 18) compared to poor or very poor (4%, n = 5). A total of 20% of clinicians (n = 29) that rated their quality of feedback as acceptable gave any feedback sometimes compared to rarely or never (15%, n = 22) or often or always (9%, n = 13). P-value = 0.002.

PROVIDING POSITIVE FEEDBACK

A higher percentage of clinicians who rated their quality of feedback provision as good or very good provided positive feedback often or always (31%, n = 45) compared to never or rarely (3%, n = 4). A similar percentage of clinicians who rated their quality of feedback provision as poor or very poor provided positive feedback rarely or never (3%, n = 5) or often or always (2%, n = 3). A higher percentage of clinicians who sometimes provided positive feedback rated their feedback quality as good or very good (8%, n = 12) compared to poor or very poor (4%, n = 6). A total of 14% of clinicians (n = 20) that rated their quality of feedback as acceptable gave positive feedback sometimes compared to rarely or never (7%, n = 10) or often or always (24%, n = 34). P-value = 0.009.

PROVIDING CONSTRUCTIVE FEEDBACK

A higher number of clinicians who rated their quality of feedback provision as very poor or poor provided constructive feedback rarely or never (8%, n = 12) compared to zero clinicians (n = 0) providing it often or always. A higher percentage of clinicians who rated their quality of feedback as good or very good provided constructive feedback (17%, n = 24) compared to never or rarely (8%, n = 11). A higher percentage of clinicians who sometimes provided constructive feedback rated their feedback quality as good or very good (18%, n = 26) compared to poor or very poor (1%, n = 2). A total of 20% of clinicians (n = 28) that rated their quality of feedback as acceptable gave constructive feedback sometimes compared to rarely or never (22%, n = 32) or often or always (3%, n = 4). P-value = < 0.001.

SATISFACTION WITH FEEDBACK CULTURE INFLUENCE ON PEER-TO-PEER FEEDBACK PROVISION*PROVIDING ANY FEEDBACK*

There was no statistical significance between satisfaction with feedback culture and providing any feedback (p-value = 0.057).

PROVIDING POSITIVE FEEDBACK

A higher percentage of clinicians who were satisfied or very satisfied with the organizational feedback culture provided positive feedback often or always (13%, n = 19) compared to rarely or never (1%, n = 2). A higher percentage of clinicians who were

dissatisfied or very dissatisfied provided positive feedback often or always (21%, $n = 30$) compared to rarely or never (9%, $n = 13$). A higher percentage of clinicians who provided positive feedback sometimes were dissatisfied or very dissatisfied with the organizational feedback culture (18%, $n = 25$) compared to satisfied or very satisfied (1%, $n = 2$). A total of 8% of clinicians ($n = 12$) that were neither satisfied or dissatisfied with the organizational feedback culture gave positive feedback sometimes compared to never or rarely (4%, $n = 6$) or often or always (24%, $n = 34$). P -value = 0.001.

PROVIDING CONSTRUCTIVE FEEDBACK

There was no statistical significance between satisfaction with feedback culture and providing constructive feedback (p -value = 0.281).

GENDER INFLUENCE ON PEER-TO-PEER FEEDBACK PROVISION

There was no statistical significance between gender and providing any feedback (p -value = 0.431), positive feedback (p -value = 0.781), or constructive feedback (p -value = 0.745).

DISCUSSION

Our results add to the out-of-hospital literature base by describing how often emergency ambulance clinicians provided peer-to-peer feedback and the statistical significance between various factors. Emergency ambulance clinicians provided positive peer-to-peer feedback more frequently than constructive or other types. The frequency of peer-to-peer feedback was associated with factors such as training, perceptions of organization culture, quality of feedback provided, and how comfortable emergency ambulance clinicians felt in providing feedback. Our results show no statistical significance between the frequency of emergency ambulance clinicians providing peer-to-peer feedback and experience, clinical grade, or gender.

Although over half of our sample set did not receive any training in providing peer-to-peer feedback, this is comparable to other healthcare settings where most clinical teachers in medicine receive little or no instruction in providing feedback (Cantillon & Sargeant, 2008; Joyce, Cantillon, & Geoghegan, 2022). Having trained feedback facilitators promotes active engagement from clinicians and is heavily integrated as part of Crew Resource Management to increase system safety (Hunter, 2016). Peer-to-peer feedback is not emphasized in training programs, leaving staff underequipped to provide or recognize feedback, and engage with feedback processes (Joyce et al., 2022). Feedback training is primarily aimed at managers or mentoring staff to deliver feedback through formal mechanisms such as performance reviews. However, there should be consideration for not limiting feedback training to managerial levels, as all emergency ambulance clinicians commonly desire feedback (Eaton-Williams et al., 2020b; McGuire et al., 2021; Morrison et al., 2017; Wilson et al., 2022). Clinicians perceive existing formal feedback mechanisms as inadequate and providing them with effective training on giving peer-to-peer feedback represents an opportunity for organizations to reduce this perceived feedback gap by increasing rates through informal means (Cash et al., 2017; Persse et al., 2002). This clinician curiosity for this domain should prompt organizations or education providers to include training in feedback provision within the hard curricula for personal and professional development. This should emphasize the wider contextual benefits before clinicians engage with professional normalization and integration of the hidden

curricula. Our results indicate that in the absence of feedback training, rates of constructive feedback decrease. When constructive feedback is not provided to correct behaviors, clinicians often rely on guesswork, potentially at the expense of patients, thus creating a risk to patient safety (Cantillon & Sargeant, 2008). However, providing peers with constructive feedback contains barriers and risks to the provider and recipient if not appropriately delivered.

Training in feedback provision should emphasize the provision of constructive feedback to remove some of the personal discomfort experienced (Kelly & Richards, 2019). Peer-to-peer feedback is often positively skewed, which is also reflected in our results, and is attributed to a reasonable unwillingness of clinicians to upset colleagues (Joyce et al., 2022; Subha Ramani et al., 2017; Stockdill et al., 2023; Tham, Burr, & Boohan, 2017). A clear position of positive intent should be established early in any feedback process to reduce the likelihood of constructive feedback being interpreted as a personal attack, or not being recognized as feedback (Cantillon & Sargeant, 2008; Joyce et al., 2022; Kelly & Richards, 2019). This is relevant in the out-of-hospital environment as emergency ambulance clinicians often work in close-knit teams and upsetting the crew dynamic by incorrectly providing constructive feedback could reduce the ability to form cohesive teams in high-stress environments (Patterson et al., 2012). There is a balance of providing constructive feedback based on context because clinicians often have a finite capacity to deal with feedback, and not all events require feedback (Brown et al., 2019). Our results indicate that emergency ambulance clinicians rarely provide no feedback at all, reinforcing the existing literature they are supportive of their peers and want to provide at least some degree of feedback or support (Eaton-Williams et al., 2020b; Wilson et al., 2022). This study did not explore the delivery methods of how clinicians provided peer-to-peer feedback. However, existing methods may not be suitable in the out-of-hospital environment.

Within healthcare, some well-rehearsed examples of feedback models include informal feedback, the feedback sandwich, the Pendleton model, and reflective feedback conversations (Cantillon & Sargeant, 2008; Pendleton, 1984; Sargeant, Mann, van der Vleuten, & Metsemakers, 2009). These feedback methods have been widely implemented across other healthcare settings and often form feedback frameworks in the out-of-hospital environment. However, they were developed within a medical education context and may not fully address the needs of the unique out-of-hospital environment (Wilson et al., 2023b). Providing a standardized feedback process has been shown to improve emergency ambulance clinician compliance with documentation and interventions through modifying behaviors (Choi et al., 2014; Landman et al., 2013; O'Connor & Megargel, 1994; Persse et al., 2002). As a result, either a bespoke or tailored model based on existing frameworks for the out-of-hospital environment should be implemented to improve consistency and reduce the feedback inequalities commonly experienced by emergency ambulance clinicians (Eaton-Williams et al., 2020b; Tham et al., 2017; Wilson et al., 2022). Our results also indicate that emergency ambulance clinicians generally feel comfortable and perceive their feedback as adequate quality. However, the feedback content and model used, if any, were not explored in this study. It is recognized that feedback should be delivered promptly in a controlled setting, however, this is only sometimes possible due to the unique out-of-hospital environment (Eaton-Williams et al., 2020b; Kelly & Richards, 2019). Appropriate content compliments the timing of feedback and should be

specific, describe actions, and prompt self-reflection of the recipient to improve future performance (Cantillon & Sargeant, 2008; Lyon, Clarke, Milligan, & Clegg, 2012; Watling & Ginsburg, 2019). The credibility of the person providing the feedback is essential, as senior paramedic training officers highly value structured feedback from higher sources of clinical authority (Avery, Thompson, & Cowburn, 2023; Bing-You et al., 2017). However, this historic top-down feedback approach within healthcare should be challenged. Feedback frameworks should encourage a bi-directional system where all grades and experience levels are encouraged to engage in peer-to-peer feedback and share individual perspectives of an event (Joyce et al., 2022). Alongside appropriate content and feedback models, the underlying organizational culture can influence how feedback frameworks are developed (Berger, Stalmeijer, Marty, & Berendonk, 2023).

Organizations should be encouraged to establish their feedback culture aligned with the institutional and staff needs (Brown et al., 2019). Our results show that most clinicians are dissatisfied with the organizational feedback culture despite high peer-to-peer feedback rates. Interestingly, there was a statistically significant association between dissatisfaction with organizational culture and providing positive feedback. This suggests emergency ambulance clinicians still wish to provide higher rates of positive feedback because of the sheer willingness regardless of factors, or clinicians are frustrated with the culture and wish to invoke positive changes from within their practice. However, promoting a culture of niceness does not always facilitate honest feedback and being overly polite tends to avoid peers providing constructive feedback, which may be reflected in this study (S. Ramani, Könings, Ginsburg, & van der Vleuten, 2019; Subha Ramani et al., 2017). Consequently, there is an opportunity for organizations to promote an open and honest feedback culture where each instance of feedback is reinforced as an everyday learning opportunity (Hunter, 2016; Stretton, 2020; Tham et al., 2017). This honest or 'just' culture should also emphasize an underlying principle of trust between peers because clinicians should feel safe in their environment to proactively seek feedback from their peers without fear of reprimand (S. Ramani et al., 2019). Organizations, however, generally provide quantitative feedback with varying success when staff are not meeting expected performance against expected quality assurance benchmarks (O'Connor & Megargel, 1994; Persse et al., 2002). There is an opportunity for a cultural shift to increase the availability of personalized qualitative feedback developed around the recipient and provided with context (Brown et al., 2019). This is supported by out-of-hospital qualitative studies that identified emergency ambulance clinicians strongly value targeted feedback despite its labor-intensive process and describe it as an essential aspect of personal, emotional, and professional development (Eaton-Williams et al., 2020b; Morrison et al., 2017; Wilson et al., 2022). Modern healthcare systems now employ a diverse range of staff and the effects of demographics on feedback provision should not be discounted.

Although we found no statistical significance in this study, the role of experience, skill grade, and gender may still influence feedback provision. Higher clinical grades often provide more feedback as they are more likely to receive feedback and have higher exposure to feedback processes (Cash et al., 2017). Consequently, the importance of implementing feedback systems for all clinicians, and not ones limited to having clinical responsibility should be emphasized. Our results indicated that experience was not an associated factor in providing peer-to-peer feedback and contrasted existing out-of-hospital feedback literature where clinicians with less than two years of experience or with

higher clinical grades were more likely to receive feedback (Cash et al., 2017; McGuire et al., 2021). Senior emergency ambulance clinicians are often overlooked, however, it is noted that this group of staff may not recognize when feedback is being delivered due to their experience and seniority (Cash et al., 2017). Most clinicians in our study had similar years of experience and clinical grade and were perhaps more comfortable in providing feedback to their equivalent peers. At a professional and organizational level, it should be emphasized that feedback is a continuum provided throughout the clinician's career rather than condensing into key learning or consolidation periods (van de Ridder, McGaghie, Stokking, & ten Cate, 2015). In contrast to previous studies, we had an equal gender split, while similar studies had higher male response rates (Cash et al., 2017; McGuire et al., 2021). Although we did not examine the exact recipient of peer-to-peer feedback, the role of biases could have influenced the type of feedback amongst peers because there is a documented negative bias against women and non-white staff within health-care (Gopal, Chetty, O'Donnell, Gajria, & Blackadder-Weinstein, 2021). Additionally, each clinician's interpretation of feedback and their own beliefs and experiences would have influenced any peer-to-peer feedback provided.

LIMITATIONS

The study has a low response rate of approximately three percent, which may limit the generalizability of results. However, this aligns with previous research, where a national EMS feedback study in the USA yielded a five percent response rate (Cash et al., 2017). A higher proportion of experienced, qualified paramedics participated in this survey, which is comparable to existing studies and may not represent the broader emergency ambulance service (McGuire et al., 2021). This study was conducted in a busy metropolitan ambulance service that may have different feedback requirements from other emergency ambulance settings. Participants may have experienced recall bias because the survey asked about feedback provision within the last 30 days. Self-selection bias may be present as those who were more interested in feedback would respond. This paper only reports if the results were significant and further analysis including effect sizes, odds-ratio or relative-risks, would have strengthened the results. The term 'feedback' is a broad topic within healthcare and was not defined in this study. As a result, it relied on the clinician's interpretation of what feedback entailed and may not capture all feedback instances.

PRACTICAL IMPLICATIONS

While individualized feedback is often resource-intensive, peer-to-peer feedback represents a low resource and practical method to promote on-the-job learning opportunities. Organizations and education providers should provide feedback provision training within the hard curricula to all clinical grades and experience brackets to improve recognition and engagement with feedback processes. The negative connotations of constructive feedback should be addressed as this type of feedback is essential for patient safety and personal and professional development. A standardized feedback framework will improve consistency and help reduce feedback inequalities.

FUTURE RESEARCH

Future longitudinal studies should explore the effects of providing emergency ambulance clinicians with training in peer-to-peer feedback provision. Further studies should

also acquire the method and content of peer-to-peer feedback provision alongside the specific requirements desired from feedback. Emergency ambulance clinicians' input should be gathered to develop an out-of-hospital feedback framework.

CONCLUSION

Out-of-hospital emergency ambulance clinicians tended to give higher rates of positive peer-to-peer feedback compared to other types of feedback and scarcely provided no feedback at all. There was a statistical significance between feedback provision and training, organizational culture, clinician comfort in the provision, and self-rated quality of feedback. There is an organization incentive to promote an honest feedback culture to address personal and professional feedback requirements. All emergency ambulance clinicians should receive feedback training to increase engagement with the feedback process and there is opportunity for training to be built into education curricula to increase awareness of the benefits of constructive feedback. Clinicians felt comfortable providing peer-to-peer feedback and rated their quality of feedback as adequate. Developing a standardized out-of-hospital feedback framework should reduce feedback inequalities. Associated factors for peer-to-peer feedback, such as experience, clinical grade, or gender, were not statistically significant.

REFERENCES

- Avery, P., Thompson, C., & Cowburn, P. (2023). Training the trainers: Improving the quality of education delivered to paramedics through a simulation-debrief model. *British Paramedic Journal*, 7(4), 51–56. <https://doi.org/10.29045/14784726.2023.3.74.51>
- Berger, S., Stalmeijer, R. E., Marty, A. P., & Berendonk, C. (2023). Exploring the impact of entrustable professional activities on feedback culture: A qualitative study of anesthesiology residents and attendings. *Academic Medicine*, 98(7), 836–843. <https://doi.org/10.1097/acm.0000000000005188>
- Bing-You, R., Hayes, V., Varaklis, K., Trowbridge, R., Kemp, H., & McKelvy, D. (2017). Feedback for learners in medical education: What is known? A scoping review. *Academic Medicine*, 92(9), 1346–1354. <https://doi.org/10.1097/acm.0000000000001578>
- Brown, B., Gude, W. T., Blakeman, T., van der Veer, S. N., Ivers, N., Francis, J. J., et al. (2019). Clinical performance feedback intervention theory (CP-FIT): A new theory for designing, implementing, and evaluating feedback in health care based on a systematic review and meta-synthesis of qualitative research. *Implementation Science*, 14(1), 40. <https://doi.org/10.1186/s13012-019-0883-5>
- Cantillon, P., & Sargeant, J. (2008). Giving feedback in clinical settings. *BMJ*, 337, a1961. <https://doi.org/10.1136/bmj.a1961>
- Cash, R. E., Crowe, R. P., Rodriguez, S. A., & Panchal, A. R. (2017). Disparities in feedback provision to emergency medical services professionals. *Prehospital Emergency Care*, 21(6), 773–781. <https://doi.org/10.1080/10903127.2017.1328547>
- Choi, B., Tsai, D., McGillivray, C. G., Amedee, C., Sarafin, J. A., & Silver, B. (2014). Hospital-directed feedback to emergency medical services improves prehospital performance. *Stroke*, 45(7), 2137–2140. <https://doi.org/10.1161/STROKEAHA.114.005679>
- Eaton-Williams, P., Mold, F., & Magnusson, C. (2020a). Effective clinical feedback provision to ambulance clinicians: A literature review. *Journal of Paramedic Practice*, 12(3), 109–117. <https://doi.org/10.12968/jpar.2020.12.3.109>

- Eaton-Williams, P., Mold, F., & Magnusson, C. (2020b). Exploring paramedic perceptions of feedback using a phenomenological approach. *British Paramedic Journal*, 5(1), 7–14. <https://doi.org/10.29045/14784726.2020.06.5.1.7>
- Ende, J. (1983). Feedback in clinical medical education. *JAMA*, 250(6), 777–781. <https://jamanetwork.com/journals/jama/article-abstract/387652>
- Gopal, D. P., Chetty, U., O'Donnell, P., Gajria, C., & Blackadder-Weinstein, J. (2021). Implicit bias in healthcare: Clinical practice, research and decision making. *Future Healthcare Journal*, 8(1), 40–48. <https://doi.org/10.7861/fhj.2020-0233>
- Health & Care Professions Council. (2023). *The standards of proficiency for paramedics*. <https://www.hcpc-uk.org/standards/standards-of-proficiency/paramedics>
- Hunter, L. A. (2016). Debriefing and feedback in the current healthcare environment. *Journal of Perinatal & Neonatal Nursing*, 30(3), 174–178. <https://doi.org/10.1097/jpn.0000000000000173>
- Ivers, N., Jamtvedt, G., Flottorp, S., Young, J. M., Odgaard-Jensen, J., French, S. D., et al. (2012). Audit and feedback: Effects on professional practice and healthcare outcomes. *Cochrane Database of Systematic Reviews*, 2012(6), CD000259. <https://doi.org/10.1002/14651858.CD000259.pub3>
- Joyce, J., Cantillon, P., & Geoghegan, R. (2022). Peer feedback in graduate training: A phenomenological investigation of possibilities. *Medical Teacher*, 44(12), 1362–1367. <https://doi.org/10.1080/0142159X.2022.2094229>
- Kelly, E., & Richards, J. B. (2019). Medical education: Giving feedback to doctors in training. *BMJ*, 366, l4523. <https://doi.org/10.1136/bmj.l4523>
- Kim, H. Y. (2017). Statistical notes for clinical researchers: Chi-squared test and Fisher's exact test. *Restorative Dentistry & Endodontics*, 42(2), 152–155. <https://doi.org/10.5395/rde.2017.42.2.152>
- Landman, A. B., Spatz, E. S., Cherlin, E. J., Krumholz, H. M., Bradley, E. H., & Curry, L. A. (2013). Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: Perspectives from key hospital staff. *Annals of Emergency Medicine*, 61(2), 185–195. <https://doi.org/10.1016/j.annemergmed.2012.10.009>
- Lyon, R. M., Clarke, S., Milligan, D., & Clegg, G. R. (2012). Resuscitation feedback and targeted education improves quality of pre-hospital resuscitation in Scotland. *Resuscitation*, 83(1), 70–75. <https://doi.org/10.1016/j.resuscitation.2011.07.016>
- McGuire, S. S., Luke, A., Klassen, A. B., Myers, L. A., Mullan, A. F., & Sztajnkrzyer, M. D. (2021). It's time to talk to prehospital providers: Feedback disparities among ground-based emergency medical services providers and its impact on job satisfaction. *Prehospital and Disaster Medicine*, 36(4), 486–494. <https://doi.org/10.1017/s1049023x21000601>
- Morrison, L., Cassidy, L., Welsford, M., & Chan, T. M. (2017). Clinical performance feedback to paramedics: What they receive and what they need. *AEM Education and Training*, 1(2), 87–97. <https://doi.org/10.1002/aet2.10028>
- O'Connor, R. E., & Megargel, R. E. (1994). The effect of a quality improvement feedback loop on paramedic skills, charting, and behavior. *Prehospital and Disaster Medicine*, 9(1), 35–39. <https://doi.org/10.1017/s1049023x00040814>
- Pendleton, D. (1984). *The consultation: An approach to learning and teaching*. Oxford University Press.

- Patterson, P. D., Weaver, M. D., Weaver, S. J., Rosen, M. A., Todorova, G., Weingart, L. R., et al. (2012). Measuring teamwork and conflict among emergency medical technician personnel. *Prehospital Emergency Care*, 16(1), 98–108. <https://doi.org/10.3109/10903127.2011.616260>
- Persse, D. E., Key, C. B., & Baldwin, J. B. (2002). The effect of a quality improvement feedback loop on paramedic-initiated nontransport of elderly patients. *Prehospital Emergency Care*, 6(1), 31–35. <https://doi.org/10.1080/10903120290938742>
- Ramani, S., Könings, K. D., Ginsburg, S., & van der Vleuten, C. P. M. (2019). Twelve tips to promote a feedback culture with a growth mind-set: Swinging the feedback pendulum from recipes to relationships. *Medical Teacher*, 41(6), 625–631. <https://doi.org/10.1080/0142159x.2018.1432850>
- Ramani, S., Post, S. E., Könings, K., Mann, K., Katz, J. T., & van der Vleuten, C. (2017). “It's just not the culture”: A qualitative study exploring residents' perceptions of the impact of institutional culture on feedback. *Teaching and Learning in Medicine*, 29(2), 153–161. <https://doi.org/10.1080/10401334.2016.1244014>
- Sargeant, J. M., Mann, K. V., van der Vleuten, C. P., & Metsemakers, J. F. (2009). Reflection: A link between receiving and using assessment feedback. *Advances in Health Sciences Education*, 14(3), 399–410. <https://doi.org/10.1007/s10459-008-9124-4>
- Stockdill, M., Hendricks, B., Barnett, M. D., Bakitas, M., & Harada, C. N. (2023). Peer observation of teaching: A feasible and effective method of physician faculty development. *Gerontology & Geriatrics Education*, 44(2), 261–273. <https://doi.org/10.1080/02701960.2021.2019030>
- Stretton, P. (2020). The ‘just culture’: Why it is not just, and how it could be. *British Journal of Nursing*, 26(11), 304–310. <https://doi.org/10.12968/bjhc.2020.0058>
- Tavares, W., Eppich, W., Cheng, A., Miller, S., Teunissen, P. W., Watling, C. J., et al. (2020). Learning conversations: An analysis of the theoretical roots and their manifestations of feedback and debriefing in medical education. *Academic Medicine*, 95(7), 1020–1025. <https://doi.org/10.1097/acm.0000000000002932>
- Tham, T. C., Burr, B., & Boohan, M. (2017). Evaluation of feedback given to trainees in medical specialties. *Clinical Medicine*, 17(4), 303–306. <https://doi.org/10.7861/clinmedicine.17-4-303>
- van de Ridder, J. M., McGaghie, W. C., Stokking, K. M., & ten Cate, O. T. (2015). Variables that affect the process and outcome of feedback, relevant for medical training: A meta-review. *Medical Education*, 49(7), 658–673. <https://doi.org/10.1111/medu.12744>
- von Elm, E., Altman, D. G., Egger, M., Pocock, S. J., Gøtzsche, P. C., & Vandenbroucke, J. P. (2007). Strengthening the reporting of observational studies in epidemiology (STROBE) statement: Guidelines for reporting observational studies. *BMJ*, 335(7624), 806–808. <https://doi.org/10.1136/bmj.39335.541782.AD>
- Watling, C. J., & Ginsburg, S. (2019). Assessment, feedback and the alchemy of learning. *Medical Education*, 53(1), 76–85. <https://doi.org/10.1111/medu.13645>
- Wilson, C., Howell, A.-M., Janes, G., & Benn, J. (2022). The role of feedback in emergency ambulance services: A qualitative interview study. *BMC Health Services Research*, 22(1), 296. <https://doi.org/10.1186/s12913-022-07676-1>
- Wilson, C., Janes, G., Lawton, R., & Benn, J. (2023a). Feedback for emergency ambulance staff: A national review of current practice informed by realist evaluation methodology. *Healthcare (Basel)*, 11(16). <https://doi.org/10.3390/healthcare11162229>

Wilson, C., Janes, G., Lawton, R., & Benn, J. (2023b). Types and effects of feedback for emergency ambulance staff: A systematic mixed studies review and meta-analysis. *BMJ Quality & Safety*, 32(10), 573–588. <https://doi.org/10.1136/bmjqs-2022-015634>

APPENDIX

SURVEY QUESTIONS

1. How often did you provide any type of peer-to-peer feedback to a clinician of the London Ambulance Service, in the past 30 days?
 - A. Never
 - B. Rarely
 - C. Sometimes
 - D. Often
 - E. Always
2. How often did you provide positive/reinforcing peer-to-peer feedback (a praise, compliment, or feedback regarding something that went well) to a clinician of the London Ambulance Service, in the past 30 days?
 - A. Never
 - B. Rarely
 - C. Sometimes
 - D. Often
 - E. Always
3. How often did you provide constructive peer-to-peer feedback (a critique, or feedback regarding something that did not go well) to a clinician of the London Ambulance Service, in the past 30 days?
 - A. Never
 - B. Rarely
 - C. Sometimes
 - D. Often
 - E. Always
4. Please indicate the years you have worked as an ambulance service clinician
 - A. 2 years or less
 - B. 3 years – 10 years
 - C. 11 years – 15 years
 - D. 16 years or more
5. Please indicate your current clinical grade
 - A. ER/FPOS
 - B. NETS
 - C. T/AAP
 - D. AAP
 - E. T/EMT
 - F. EMT
 - G. NQP1
 - H. NQP2
 - I. Band 6 paramedic
 - J. Band 7 paramedic
 - K. Other: please specify
6. Have you received any form of training in providing peer-to-peer feedback?
 - A. Yes
 - B. No

7. How comfortable do you feel in providing peer-to-peer feedback to a clinician of the London Ambulance Service?
 - A. Very uncomfortable
 - B. Somewhat uncomfortable
 - C. Neutral
 - D. Somewhat comfortable
 - E. Very comfortable
8. How would you rate the quality of peer-to-peer feedback you provide to a clinician of the London Ambulance Service, in relation to improving the recipient's performance?
 - A. Very poor
 - B. Poor
 - C. Acceptable
 - D. Good
 - E. Very good
 - F. I have not provided any peer-to-peer feedback
9. How satisfied are you with the overall feedback culture within the London Ambulance Service?
 - A. Very dissatisfied
 - B. Dissatisfied
 - C. Neither dissatisfied nor satisfied
 - D. Satisfied
 - E. Very satisfied
10. What is your gender?
 - A. Woman
 - B. Man
 - C. Non-binary / gender diverse
 - D. My gender isn't listed. I identify as (please type below):
 - E. Prefer not to say



Seconds can save lives

When time is critical, rely on the network that puts you first

Reliable communication is critical for positive patient outcomes. That's why FirstNet® is here. It's the **only** network built with and for first responders – including **EMTs and paramedics** like you – with:

- **Prioritized access** – never competing with commercial traffic
- **Heightened security** – to help you keep patient data safe
- And the **mission-critical tools** you need to get the job done

All on the **only** wireless network built with and for public safety.



Visit **FirstNet.com**
to learn more

RESEARCH REPORTS

EVALUATING AUDITORY FEEDBACK FOR ACCURATE COMPRESSION RATES

Patrick D. Horan Jr., MBA, NRP, NHDC*^{1,2,3}; Kirstie E. Breneman, NRP, EMS-I, CCEMTP¹; Vickie Martin, BS, NRP, CPC^{4,1}

Author Affiliations: 1. Wakefield EMS, Peach Bottom, PA, USA; 2. Haz Mat 2 Environmental Fire Rescue Company, Manheim, PA, USA; 3. Manheim Township Ambulance Association, Lancaster, PA, USA; 4. Lancaster EMS, Lancaster, PA, USA.

Recommended Citation: Horan Jr, P., Breneman, K., & Martin, V. (2026). Evaluating auditory feedback for accurate compression rates. *International Journal of Paramedicine*. (14). 44-48. <https://doi.org/10.56068/VXSH5619>

Keywords: CPR, compressions, feedback, auditory, metronome, music, resuscitation, simulation, CRM, emergency medical services, EMS, paramedicine

Disclosures: None.

Funding: No external funding was used for this project.

Received: September 9, 2025

Revised: November 28, 2025

Revised: December 20, 2025

Revised: February 5, 2026

Accepted: February 22, 2026

Published: April 14, 2026

***Corresponding Author:**

phoran@wakefieldems.org

ABSTRACT

The American Heart Association (AHA) updated its recommendations for resuscitation science in 2015. Among several updates, the use of audiovisual feedback during real-time CPR was considered reasonable, receiving a Class IIb recommendation based on weak clinical evidence (Saving American Hearts, Inc., 2020). Evidence regarding the effectiveness of audio feedback in improving chest compression rate has been mixed, with disparities observed between lay persons, hospital personnel, and professional rescuers (Kleinman et al., 2015).

This study investigated whether different forms of auditory feedback influence chest compression rates among professional rescuers. Participants were screened and randomized into four groups: A control with no feedback, a metronome at 110 beats per minute (BPM), a music track at 104 BPM, and a music track at 114 BPM. Music selections were chosen for tempo, recognizability, and prior association with AHA training materials. Chest compression rates were measured using a Laerdal QCPR manikin.

No clinically significant differences were observed between groups. While all feedback groups achieved compression rates within current AHA recommendations, none demonstrated statistically significant improvement compared with control.

These findings suggest that routine auditory feedback may not enhance chest compression performance among professional rescuers. Although music and metronome cues supported maintenance of appropriate rates, they conferred no advantage over standard practice. Furthermore, background noise introduced by auditory feedback may disrupt team communication, a factor associated with medical errors in high-stakes environments. Strategies emphasizing crew resource management, such as preserving a “sterile cockpit” during critical phases of resuscitation, may provide greater benefit in optimizing team function and patient safety.


THE USAGE OF AUDITORY FEEDBACK DURING CPR IN THE PROFESSIONAL RESCUER

In 2015, the American Heart Association (AHA) recommended that all rescuers consider using audiovisual feedback devices to improve chest compression performance (Kleinman et al., 2015). During this period, the AHA also mandated the use of feedback devices during the training of professional rescuers (American Heart Association, n.d.-b). Despite limited supporting evidence,

Interview

Audio Pacing Compressions

Do metronomes or music help or hinder rescuers with compression rate compliance?



International Journal of Paramedicine

Video Interview:

<https://youtu.be/U8tXvjJV74I>

Copyright © 2026 by the National EMS Management Association and the authors. This work is licensed under Creative Commons Attribution-NoDerivatives 4.0 International. To view a copy of this license, visit <https://creativecommons.org/licenses/by-nd/4.0/>.

the AHA reaffirmed in 2020 its 2015 recommendation that audiovisual feedback devices be used during CPR, citing one study showing improved hospital discharge rates after cardiac arrest. Given the limited and somewhat conflicting evidence, we aimed to evaluate whether auditory feedback, such as a metronome or music, effectively helps professional rescuers maintain an appropriate chest compression rate during simulated resuscitation. For the purpose of this study, a professional rescuer was defined as an individual who is 18 years of age or older, holds current Basic Life Support (BLS) certification adhering to American Heart Association standards, and possesses an active emergency medical service license.

Data points explicitly excluded from analysis in this research included subject compensation status (compensated or uncompensated employee), gender, years of service, chest compression depth, and chest compression recoil. The primary objective of this study was solely to evaluate chest compression rate and determine if auditory feedback influenced the participant's ability to maintain that rate.

METHODS

This study was designed as a randomized controlled trial. We recruited professional rescuers with backgrounds in firefighting and emergency medical services from South Central Pennsylvania and Northern Maryland. Data collection began in March 2025 and concluded in April 2025. In total, we evaluated 57 professionally trained rescuers across various auditory feedback conditions. Chest compression performance was measured using Laerdal QCPR manikins.

Each participant performed two minutes of continuous chest compressions on a manikin positioned on a firm surface at an appropriate height. Chest compressions commenced once the participant heard the assigned auditory feedback cue, except for participants in the control group who performed compressions without audio feedback. At the conclusion of the two minutes, the manikin provided a report detailing the number of chest compressions delivered during that period.

RANDOMIZATION AND AUDIO FEEDBACK SELECTION

Following eligibility screening, participants were randomly assigned to one of four auditory feedback conditions. Each then entered the testing area and performed two minutes of chest compressions under their assigned condition. Upon completion, manikin data were immediately recorded on a standardized form, and the setup was reset for the next participant.

RESULTS

Across all four groups, professionally trained rescuers were generally able to perform chest compressions within the expected standards. The metronome group exhibited the lowest variability, with a standard deviation of 8 compressions per minute, while the Music A group had the highest deviation at 12. Both the metronome and silence (control) groups had the same number of participants fall outside the acceptable compression range.

To assess performance accuracy, each group was evaluated within a predefined tolerance: ± 1 BPM of the auditory feedback for the metronome and music groups, and a target

range of 100–120 BPM for the silence group, consistent with American Heart Association guidelines (Kleinman et al., 2015).

Despite the lower standard deviation, only 42% of participants in the metronome group matched the auditory cue's exact rate. The Music A and Music B groups achieved match rates of 33% and 36%, respectively. In contrast, 84% of participants in the silence group maintained compression rates within the recommended 100–120 BPM range.

These findings indicate that, in this sample, the silence (control) group more consistently adhered to guideline-compliant chest compression rates than any of the auditory feedback groups.

DISCUSSION

This randomized controlled trial evaluated the effectiveness of auditory feedback—including a metronome and music on the ability of professional rescuers to maintain appropriate chest compression rates during simulated cardiac arrest. Despite prior recommendations by the American Heart Association (AHA) endorsing the use of audiovisual feedback during CPR, our results indicate that auditory feedback alone does not enhance performance in this specific domain (Kleinman et al., 2015).

While the metronome group exhibited the lowest variability in compression rate, only 42% of its participants matched the target beat rate. The music groups performed similarly, with 33% and 36% match rates. In contrast, the silence (control) group demonstrated superior performance, with 84% of participants maintaining compression rates within the AHA-recommended range of 100–120 compressions per minute. These findings suggest that professional rescuers may not derive additional benefit from external auditory cues in achieving guideline-compliant chest compression rates.

One possible explanation for the control group's superior performance is that trained professionals may rely more effectively on internalized pacing, developed through repeated training and field experience, rather than external feedback. Additionally, external auditory cues may introduce cognitive distraction or interfere with team communication.

Our findings are consistent with the mixed evidence regarding auditory feedback described in prior guidelines. While certain studies cited by the AHA have demonstrated improved outcomes with audiovisual feedback (Kleinman et al., 2015), these often included visual elements, longer training interventions, or layperson participants. By contrast, our study isolated auditory cues and assessed their impact in a controlled, real-time simulation environment among certified EMS professionals.

LIMITATIONS

This study has several limitations. First, it was conducted in a simulated environment, which, although standardized, may not fully replicate the stress and dynamic conditions of real-world cardiac arrest scenarios. Second, chest compression quality was assessed only in terms of rate; other critical metrics such as depth, recoil, and hand positioning were excluded from analysis. Third, while auditory cues were standardized, individual differences in music recognition or preference could have influenced performance in the music groups.

Additionally, the relatively short duration of compressions (two minutes) may not fully capture the effects of fatigue or long-term auditory feedback utility. Finally, the study was limited to a geographically specific cohort of EMS professionals, which may affect the generalizability of findings to broader populations. A study limitation was post-randomization data loss, which reduced the analyzable sample from 57 to 47 participants and may have affected statistical power.

CONCLUSION

In this study, auditory feedback in the form of a metronome or music did not improve—and in some cases may have hindered professional rescuers' ability to maintain guideline-compliant chest compression rates. Given the potential for auditory distractions and the lack of demonstrated benefit in this setting, our findings suggest that the routine use of auditory feedback devices during professional resuscitation efforts may not be necessary. Future research should further explore how feedback modalities influence team performance, communication, and overall resuscitation outcomes in both simulated and clinical settings.

REFERENCES

- American Heart Association. (n.d.-a). *Be the Beat*. <https://cpr.heart.org/en/training-programs/community-programs/be-the-beat>
- American Heart Association. (n.d.-b). *Instrumented directive feedback device requirement highlights*. https://cpr.heart.org/-/media/CPR2-Files/Tools-and-Resources/Training-Updates/AHA_Feedback_Device_Directive_Highlights_ucm_503392.pdf
- Kleinman, M. E., Brennan, E. E., Goldberger, Z. D., Swor, R. A., Terry, M., Bobrow, B. J., Gazmuri, R. J., Travers, A. H., & Rea, T. (2015). Part 5: Adult basic life support and cardiopulmonary resuscitation quality: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*, 132(18 Suppl. 2), S414–S435. <https://doi.org/10.1161/CIR.0000000000000259>
- Saving American Hearts, Inc. (2020, October 28). *BLS 2020 instructor update*. <https://savin-gamericanhearts.com/blog/bls-2020-instructor-update>

APPENDIX

Characteristic	Category	N	Percentage (%)
Age Group (Mean Age: 37)	18 - 20	3	5.3
	21 - 30	18	31.6
	31 - 40	18	31.6
	41 - 50	9	15.8
	51 - 60	6	10.5
	61 - 65	3	5.3
Primary Back-ground	Fire	24	42.1
	EMS	30	52.6
	Combined	3	5.3
EMS License	EMR	0	0.0
	EMT	39	68.4
	AEMT	9	15.8
	Paramedic	7	12.3
	PHRN	1	1.8
	Physician	1	1.8

Note: Percentages may not total 100 because of rounding. Ten cases were excluded from final analysis because of data loss related to recording failure / incomplete capture / file corruption.

Table 1. Participant demographics and background characteristics (N = 57).

Group	Compression Count	Mean	Standard Deviation	% Out of Range
Silence	233, 252, 219, 227, 209, 202, 222, 219, 216, 188, 210, 220	201	10	16.67%
Metronome	221, 229, 222, 195, 207, 220, 220, 220, 220, 212, 216, 256	203	8	16.67%
Music A	219, 209, 209, 208, 195, 207, 216, 210, 215, 230, 197, 186	192	12	25.00%
Music B	232, 260, 221, 226, 216, 232, 225, 186, 224, 223, 226	206	11	18.18%

Note: Music A utilized "Stayin' Alive" by the Bee Gees. Music B utilized "Never Gonna Give You Up" by Rick Astley. "Out of range" was defined as performance outside the predefined target for each study condition. Percentages may not total 100 because of rounding. Ten cases were excluded from final analysis because of data loss related to recording failure / incomplete capture / file corruption.

Table 2. Chest compressions counts by auditory feedback group.




Figure 1. Participant flow through randomization and analysis.



- ✓ COMPLIANCE
- ✓ SCHEDULING
- ✓ EDUCATION
- ✓ QI TRACKING
- ✓ COMMUNICATION




**REQUEST
DEMO!**

ONE SIMPLIFIED SOLUTION.

When working in a highly regulated industry like we all do, life is complex. We juggle compliance issues, scheduling, education, and communication needs all day ... every day.

Ninth Brain helps you meet all aspects of compliance, all in one place. We offer a feature rich, cloud-based software suite that simplifies your day-to-day tasks so you can focus on what you love about your job.

✓ **ALL OF THE ABOVE**



Learn more at
NINTHBRAIN.COM



RESEARCH REPORTS

ASSESSING AUSTRALIAN AND NEW ZEALAND PREHOSPITAL CLINICIANS' TRAINING, EXPERIENCE, AND CONFIDENCE WITH OUT-OF-HOSPITAL CHILDBIRTHS: A MIXED METHODS ONLINE QUESTIONNAIRE

Michella G. Hill, BSc (paramedicine), MMedHlthScRes*¹; Belinda Flanagan, PhD, MPH, MMid²; Sara Hansen, RN, MSN¹; Luke Hopper, PhD³; Brennen W. Mills, PhD¹

Author Affiliations: 1. School of Medical and Health Sciences, Edith Cowan University, Perth, WA, Australia; 2. Tasmanian School of Medicine, University of Tasmania, Alexandria, NSW, Australia; 3. Western Australian Academy of performing Arts (WAAPA), Edith Cowan University, Perth, WA, Australia.

Recommended Citation: Hill, M., Flanagan, B., Hansen, S., Hopper, L., & Mills, B. (2026). Assessing Australian and New Zealand prehospital clinicians' training, experience, and confidence with out-of-hospital childbirths: A mixed methods online questionnaire.

International Journal of Paramedicine.
(14). 50-69. <https://doi.org/10.56068/TQYU1140>

Keywords: volunteers, obstetrics, birth, out-of-hospital birth, born before arrival, emergency medical services, EMS, paramedicine

Disclosures: None.

Funding: This research was undertaken with assistance from a PhD scholarship awarded as part of an Edith Cowan University Vice Chancellor's Research Fellowship.

Acknowledgements: The authors wish to acknowledge the assistance of the Australasian College of Paramedicine (ACP) for assistance with promoting their survey.

Received: October 13, 2025

Revised: January 13, 2026

Accepted: January 17, 2026

Published: April 14, 2026

***Corresponding Author:**

michela.hill@ecu.edu.au

ABSTRACT

Introduction: Unplanned out-of-hospital births (OOHBs) pose significant risks, particularly in rural areas where access to maternity services and response times may be limited. Given that OOHBs are uncommon, prehospital clinicians use these specialized skills infrequently, leading to skill and knowledge decay, impacting clinician preparedness and confidence in managing these presentations. This research investigates prehospital clinicians' perceptions of training, experience, and confidence in managing OOHBs.

Methods: Australian and New Zealand paramedics and volunteers were recruited via social media and asked to complete a cross-sectional mixed-methods questionnaire. Training and exposure were assessed via multiple-choice, matrix, or open-text responses. Confidence in recognizing and managing an OOHB situation (antenatal, second stage, third stage, and postpartum care) was assessed utilizing summed scores of Likert scale responses. Independent samples t-tests compared means between groups.

Results: In total, 222 participants were included in the study, with 147 (66%) being female. Participant ages ranged from 18–72 years old. One hundred and sixty-eight participants (76%) had exposure to laboring or birthing patients prehospitally, and 123 (55%) participants had assisted with at least one OOHB. Complications reported (n=531) included stillbirth, neonatal death, postpartum hemorrhage, and maternal death. Obstetrics refresher training was undertaken by 141 participants in the previous 12 months.

Participants who had previous experience managing an OOHB were significantly more confident recognizing and managing an OOHB compared to participants without previous management experience. Paramedics expressed more confidence recognizing and managing OOHB situations compared to volunteers. However, for participants with children, confidence was only greater for antenatal care (not second stage, third stage, and postnatal care) compared to participants without children.

Conclusion: Participants with prior real-world exposure to OOHBs indicate a greater level of confidence in recognizing and managing OOHB situations. Targeted, practical training and ongoing in-service education are recommended to build capability and improve outcomes in these high-risk, low-frequency events.

Occasionally, births occur before birth parents arrive at their planned birthing location, typically a maternity suite or hospital. Situations where births do not occur in the planned location are known as unplanned out-of-hospital childbirths (OOHB) (Flanagan et al., 2017). In Australia in 2022, 2,622 births occurred in an unintended location outside of a hospital or occurred in a community healthcare center (excluding planned home births). These OOHBs comprise 0.9% of all births in Australia, increasing from 0.4% in 2010 (Australian Institute of Health and Welfare, 2024). Similar increases in OOHBs have been reported in Finland, the United States of America (USA), Israel, and the United Kingdom (UK) (Cash et al., 2022; Ovaskainen et al., 2015; Siman-Tov et al., 2021; Unterscheider et al., 2011). There is some evidence OOHBs were increasing prior to SARS-CoV-2, however there are documented changes to hesitancy to engage with healthcare services following the pandemic, which may contribute to the growing number of OOHBs (Thornton & Dahlen, 2018; Townsend et al., 2021).

Multiple factors contribute to OOHB incidence, including multiparity, inadequate antenatal care, illicit drug use, closure of birthing units in rural regions, or precipitous labor (Beeram et al., 1995; Helen Haines MP, 2024; Javaudin et al., 2019; Lazi & Taka, 2011; Ovaskainen et al., 2015). Some birth parents desire minimal medical intervention and may delay seeking care, while others receive advice to attend the maternity ward when in active labor (Flanagan et al., 2019; Vik et al., 2016). There are reported increases in OOHBs associated with a decline in maternity services in Australia, the USA, Norway, and Sweden (Engjom et al., 2014; MacDorman & Declercq, 2019; Örtqvist et al., 2021).

Birthing events are rare for prehospital clinicians, forming <0.05% of all callouts (Flanagan et al., 2017). Skills rarely practiced, such as those required for OOHBs, are subject to rapid decay, with classroom-acquired competencies often returning to baseline within 12 months (Woodman et al., 2021). Australian undergraduate education for paramedic students usually involves didactic and workshop simulation training; however, exposure to birthing is unlikely (Hill et al., 2023). Opportunities for in-service or continuing professional development (CPD) can overlook less common complaints, such as OOHBs, for more frequent events, such as falls causing traumatic injury (Corman et al., 2025; Hill et al., 2023). This can lead to educational 'blind spots' where there are absences in understanding of a condition (Tackett et al., 2022). Consequently, prehospital clinicians report feeling unprepared to manage OOHB cases in the absence of regular upskilling (Hill et al., 2024; Hill et al., 2023; Persson et al., 2019; Vagle et al., 2019).

Increased distances to maternity care for rural parents increase the likelihood of prehospital clinician's, including volunteer ambulance officers (VAOs), assisting with births (Dietsch et al., 2010). Registered paramedics require a bachelor's degree; however, VAOs are reliant on in-service training to understand the management of any condition (South Australia Ambulance Service, 2025b, 2025a). Metropolitan regions are serviced by paramedics, while rural and remote regions have greater dependence on VAOs to attend emergency ambulance requests. VAOs typically provide supportive care without invasive treatments such as cannulation and fluid resuscitation (Hill et al., 2024).

Unplanned OOHBs have worse outcomes than in-hospital or planned homebirths. Studies report OOHB neonates have a mortality rate five times higher than those born in hospital (Hilde M Engjom et al., 2017; Ovaskainen et al., 2015). Commonly identified OOHB complications include postpartum hemorrhage and perineal tears for the birth parent,

and hypothermia or prematurity for the neonate (Javaudin et al., 2019; McLelland et al., 2018; Thornton & Dahlen, 2018). These complications can be life-threatening and require a competent clinician to prevent adverse outcomes (Hänninen et al., 2023; Vagle et al., 2019).

While these presentations may be rare, prehospital clinician's must be adequately trained and competent in these situations, particularly as parts of Australia and New Zealand can be many hours from definitive maternity care. Given the high-risk nature of OOHBs and the limited resources available in the prehospital setting, the preparedness of prehospital clinicians is central to ensuring safe and effective care for both the birth parent and neonate. This research sought to determine the perceived levels of experience, training, and confidence in recognizing and managing OOHb presentations of Australian and New Zealand paramedics, ambulance officers (AO), and VAOs (collectively known as prehospital clinicians). VAOs were included because they frequently attend OOHBs in rural settings, despite limited entry-to-practice and more foundational training than registered paramedics. As their exposure to OOHBs is potentially similar, examining all prehospital clinician groups provides a more accurate picture of capability and training needs across the workforce.

METHODOLOGY

STUDY DESIGN

Participants completed an embedded mixed-methods online cross-sectional questionnaire delivered through Qualtrics software (Provo, UT) and promoted via social media networks (Facebook, LinkedIn, and Twitter). A non-probability sampling methodology was utilized, including convenience and snowball sampling. Additionally, the survey was promoted via one Australian state-based ambulance service [service redacted], and advertised through the ACP (Australian College of Paramedicine) website, the leading paramedic professional body in Australia and New Zealand (Australasian College of Paramedicine, n.d.).

The questionnaire was based on a previous survey for medical students undergoing an obstetrics clerkship and modified for this research, as the focus aligned with training, experience, and confidence (Sabourin et al., 2014). It was further refined using prehospital obstetrics training materials from two Australian universities, with additional expert input from a midwifery academic. The number of items assigned to each stage of labor was informed by the breadth and complexity of presentations typically encountered in prehospital obstetric care. This process ensured coverage of the most clinically relevant recognition and management tasks for prehospital clinicians. Questionnaire face and content validity were established through consultation with four registered paramedics, two of whom were dual-qualified midwives; all reviewers teach at tertiary institutions, and consideration was given to prehospital clinical environments, paramedic scope of practice, and current clinical practice guidelines. The questionnaire (see supplementary material) included two sections: (1) demographic factors; and (2) experience, training, and confidence regarding OOHBs.

Experience questions considered seven potential situations the participant may have attended (e.g., 'A mother in active labor, we transported her to hospital') and asked them to quantify how many cases they have attended for each situation. Open-text responses

were available for complications not included in our list. Training questions considered the level and recency of training received (e.g., advanced first aid). Confidence questions were divided into: (1) antepartum (five questions), (2) second stage (29 questions), (3) third stage (two questions), and (4) postpartum (six questions) concerning confidence in recognizing a situation, and confidence in managing the situation. Confidence questions utilized Likert scales ranked on a 6-point scale (1=low confidence, 6=high confidence). All other questions were forced response/dichotomous response options.

Two elective open-ended questions were also included:

1. What are the factors that most contribute to any fears/anxieties you might have about obstetric emergencies and OOHBs?
2. Are there any barriers to training regarding OOHb?

PARTICIPANTS

Inclusion criteria included being a registered paramedic (which also includes AOs and intensive care paramedics or similar roles) or VAO, residency in Australia or New Zealand, employment with an emergency ambulance service within the previous five years, and aged 18+ years. The survey was active from 21 July 2021 until 31 December 2022. Participants with a dual qualification in Midwifery were excluded due to their advanced obstetric qualifications. Based on Australian Health Practitioner Regulation Agency (Ahpra) 2021 data for operative paramedics, 138 respondents were an appropriate sample size based on a 95% confidence interval and an estimated 90% of prehospital clinicians lacking confidence with childbirth, using the Australian Bureau of Statistics sample size calculator (Australian Bureau of Statistics, 2023; Paramedicine Board Ahpra, 2021; Persson et al., 2019).

PROCEDURE

Participants clicked on the generic survey link circulated through social media, email, or the ACP website, directing them to the Qualtrics survey platform. After reading the information letter, participants confirmed consent to participate in the research. Completion of the questionnaire took approximately 15 minutes. Upon completion, participants received a message confirming responses were recorded and were thanked for their participation.

ETHICS

The research was approved by the Edith Cowan University Human Research Ethics Committee (2021-02390). Governance was approved through the [redacted] ambulance service research governance committee. All responses were anonymous, with no identifiable information collected.

ANALYSIS

QUANTITATIVE DATA

Questionnaire data were downloaded into IBM SPSS 24.0 (SPSS Inc., Chicago, Ill., USA). Demographic, training, and experience questions were analyzed using descriptive statistics. Responses for perceived confidence in recognizing and managing care were summed to create a composite (mean) score for each participant. Internal consistency

of the scale was evaluated using Cronbach's alpha, which reports a number between 0 and 1. Reliability determines how accurately a questionnaire measures a variable, with a Cronbach's alpha above 0.7 indicating good reliability (Kılıç, 2016). The internal consistency was $\alpha = 0.76$ (Kılıç, 2016).

Independent samples t-tests were conducted to compare mean summed scores for confidence in recognizing and managing OOHBs and complications between paramedics and VAOs; between prehospital clinicians who have children compared to those without children; and between prehospital clinicians with prior experience/exposure to OOHBs and those without. Significance level was set at $\alpha = 0.05$ (Petrie & Sabin, 2019). Effect size was determined by Cohen's d. An effect size is a value measuring the strength of a relationship between two variables in a population. According to Cohen's (2013) guidelines, an effect size of 0.2 is small, while 0.7 represents a moderate to large practical impact (Cohen, 2013; National University, 2024).

QUALITATIVE DATA

Word frequency tables and mind maps were generated using NVivo software (NVivo 12 Plus) to provide an overview of free-text responses. An iterative approach was undertaken to code transcripts, where two researchers (MH, BM) established an open-coding protocol identifying key themes in the questionnaire's free-text responses. From these responses, selective coding then formed overarching themes within the data (Braun & Clarke, 2006).

RESULTS

Altogether, 271 participants commenced the online questionnaire, however, 49 participants were removed from analysis due to not completing all demographic questions ($n=14$), not meeting inclusion criteria ($n=25$), or not completing a minimum 75% of the questionnaire ($n=10$) including key demographic, experience, training, and confidence questions, with 222 participants included in the final analysis. No statistical differences were found for any demographic information between those excluded and included.

DEMOGRAPHIC RESULTS

Age, gender, role, and place of residence are described in Tables 1–4. Cumulative years of employment equaled 362 years across all roles (Table 3). Most participants were aged <45 years ($n=172$; 77.5%), were female ($n=147$; 66.2%), and were registered paramedics ($n=133$; 59.9%). Participants represented New Zealand and all Australian States and Territories.

Three participants identified as Aboriginal or Torres Strait Islander (1.4%) and one preferred not to say (0.5%). Slightly over half of the participants were childless ($n=116$, 52%), with four preferring not to say (1.8%).

Age Bracket (n=222)	Total Participants	Percent
18-25	36	16.2%
26-35	93	41.9%
36-45	43	19.4%
46-55	43	19.4%
56-65	5	2.2%
66-72	2	0.9%

Table 1. Demographics – Participant age breakdown.

Gender (n=222)	Total Participants	Percent
Female	147	66.2%
Male	71	32.0%
Non-binary	2	0.9%
Prefer not to say	2	0.9%

Table 2. Demographics – Participant gender breakdown.

Role (n=222)	Total Participants	Percent Total Participants	Cumulative Years Worked in these Roles	Bachelor's Degree Held	Metro	Rural
Paramedic	133	59.9%	183	117	98	35
Ambulance Officer (AO)	18	8.1%	62	7	14	4
Intensive Care/Critical Care/ Mobile Intensive Care Paramedic or similar*	31	14.0%	36	26	21	10
Volunteer Ambulance Officer (VAO)	40	18.0%	81	2	14	26

*Note: * Denotes advanced practitioners trained to manage high-acuity patients using skills beyond those of standard paramedics*

Table 3. Participant roles, bachelor's degree (paramedical science or similar), and rural or metropolitan location.

OBSTETRICS TRAINING

Participants disclosed the recency of their last obstetric training activity (Table 5). Participants could select multiple options. One-third of participants suggested completing training in the previous two years through their employer. CPD received the largest response for undertaking OOH training within the last two years, with a reliance on online courses as opposed to in-person training.

Place of residence (n=222)	Total Participants	Percent
New Zealand	15	6.7%
Australian Capital Territory	7	3.2%
New South Wales	20	9.0%
Northern Territory	4	1.8%
Queensland	18	8.1%
South Australia	11	5.0%
Tasmania	4	1.8%
Victoria	56	25.2%
Western Australia	87	39.2%

Table 4. Demographics – Country, state, or territory where participants reside.

Participants were asked the extent to which they felt their current training had prepared them to attend an OOH (Figure 1). The scale was ranked from 0 (unprepared) to 10 (very prepared). Most participants selected between zero and five (n=154), indicating lower preparedness, with only one intensive care paramedic selecting 10.

EXPERIENCE WITH OOHs

Participants were asked which birthing situations they had attended, with responses recorded in Table 6. The largest exposure to birthing was in the early stages of active labor, where the birth parent could still contact their midwife or obstetrician and be transported to the planned place of birth.

Overall, 123 participants (55%) reported assisting with a birth, with an estimated 474 births occurring across the 222 participants. Sixty-four participants with >10 years' service assisted with 331 (70%) births. Rural births accounted for 101 cases (21%), averaging 3.33 births per rural participant, compared to 373 metropolitan births with an average of 4.29 births per participant. Six births occurred in VAO care, averaging 2 births per VAO participant.

Table 7 depicts complications encountered. An estimated 531 complications were managed throughout the labor and birthing process, with 135 participants (61%) experiencing at least one complication.

Altogether 130 complications were managed by 33 rural participants, averaging 3.94 complications per participant, compared to 401 metropolitan complications managed by

Level of Training	Percentage Completed this within the Last 2 Years $n=x/222^* (x\%)$	Number of Participants Completed at any Time $n=x/222^* (x\%)$
Completed an obstetrics course as part of a Paramedical Science degree	27 (12.2%)	159 (71.6%)
Completed obstetrics training as part of an advanced first aid course	25 (11.3%)	49 (22.1%)
Completed annual refresher course in obstetrics through my employer	72 (32.5%)	141 (63.5%)
Completed a course in obstetrics as part of my Continuing Professional Development (not through your employer)	30 (13.5%)	47 (21.2%)
Read or completed an online course about obstetrics, complications, and out-of-hospital childbirth as part of my Continuing Professional Development	91 (41%)	111 (50%)
Other types of training not already listed [Free Text] • Post-graduate studies – diploma or degree (n=11) • Self-directed learning (n=5) • Employer induction training (n=3) • Placement with OBGYN/maternity service (n=3) • Mandatory in-service training (n=3) • Undergraduate nursing/midwifery degree completed/partially completed (n=2) • Obstetric emergency course (n=2) • Session with midwife (n=2) • As part of the registered nurse role (n=1) • Training for the birth of own child (n=1) • Hypno-birthing (n=1) • Undergraduate medical training (n=1)	15 (6.8%)	35 (15.8%)

*Note: *Denotes that participants had the ability to respond to more than one section, so percentages will not add up to 100.*

Table 5. Participant descriptions and approximate timing of obstetrics training level received.




Figure 1. Participant rankings of the extent they felt their training had prepared them for attending OOHBs.

Birthing Presentations (n=168, 54 participants with no experience):	Participants Responding 'yes' (%)	Average Number of Experiences Per Participant with at least one experience
A mother in the early stages of labor. We left her at home and advised her to contact her midwife or obstetrician when in active labor.	40 (23.8%)	4.93
A mother in the early stages of labor. We drove her to the hospital or maternity clinic.	142 (84.5%)	6.35
A mother in active labor. We drove her to the hospital.	145 (86.3%)	5.78
A mother in active labor. We waited until her midwife arrived for an expected home birth.	22 (13.1%)	2.95
A mother in active labor. I helped with the birth.	123 (73.2%)	3.85
A mother who had given birth before my arrival, but the placenta had not birthed.	120 (71.4%)	3.48
A mother who had given birth before my arrival, and the placenta had birthed.	60 (35.7%)	3.27

Table 6. Participant prior birth situation experience.

102 prehospital clinicians averaging 3.93 complications per participant. Rural participants managed seven neonatal cardiopulmonary resuscitations, seven stillbirths, and one maternal death. Three VAOs managed four complications: one premature labor, one neonatal cardiopulmonary resuscitation, one stillbirth, and one miscarriage.

CONFIDENCE ATTENDING AN OOHB

Participants' confidence in attending various birth situations and emergencies (five antenatal, 29 second stage, two third stage, six postpartum) was graded from

1=low confidence to 6=high confidence. Supplementary file 1 depicts the birth situations and emergencies posed and includes a question requesting participants rate their confidence in how well they feel they would (1) recognize the situation/complication, and (2) effectively manage the situation/complication. Responses were analyzed as a summed confidence score for each participant for both recognition and management of the OOHB stage. Cohort means are recorded in Table 8.

Birthing Complications* (n=168; 54 participants have never attended an obstetric case):	Participants Responding 'yes'
Premature labor (earlier than 38 weeks gestation)	101
Antepartum hemorrhage	71
Postpartum hemorrhage	75
Vaginal tear	39
Breech presentation	22
Face presentations	10
Shoulder dystocia	19
Cord prolapse	26
Nuchal cord (Umbilical cord around the neonate's neck)	33
Any other malpresentation	10
Neonate requiring respiratory assistance (ventilations)	41
Neonate requiring cardio-pulmonary resuscitation	26
Multiple birth	16
Stillbirth	26
Death of the mother	5
Other [Free Text] • Meconium in amniotic fluid (n=1) • En Caul (n=1) • Amniotic fluid embolism at home (n=1) • Failure to progress from the maternity unit (n=1) • In the field C-section, due to cardiac arrest of the mother (n=1) • Miscarriage (n=2) • Uterine inversion and postpartum hemorrhage (n=1) • Low blood glucose in baby (n=1) • No comment left (n=2)	11

Table 7. Participant experiences with birthing complications.

All Participants	Antenatal (/30) – 5 items		Second stage (/174) – 29 items		Third stage (/12) – 2 items		Postpartum (/36) – 6 items		Total Combined Score (/252) – 42 items	
	Recognition	Management	Recognition	Management	Recognition	Management	Recognition	Management	Recognition	Management
Mean	19.77	18.68	121.94	103.27	9.45	8.36	29.08	26.39	180.61	157.21
Standard Deviation	4.78	4.71	32.43	28.24	2.50	2.31	6.20	6.10	42.79	38.13

Table 8. Confidence with OOHBs - Recognition and management of OOHb stages.

		Mean	Standard Deviation	Two-sided p [^]	Mean Difference	Std. Diff	Cohens d
Antenatal Recognition (/30) 5 items	Paramedic	20.41	4.37	<0.001 [^]	3.59	0.96	0.78
	VAO	16.82	5.59				
Antenatal Management (/30) 5 items	Paramedic	19.47	4.31	<0.001 [^]	4.41	0.79	1.00
	VAO	15.05	4.85				
Second Stage Recognition (/174) 29 items	Paramedic	126.55	29.72	<0.001 [^]	28.74	6.48	0.93
	VAO	97.81	36.33				
Second Stage Management (/174) 29 items	Paramedic	107.99	26.63	<0.001 [^]	29.36	5.52	1.12
	VAO	78.63	24.21				
Third Stage Recognition (/12) 2 items	Paramedic	9.74	2.30	0.007 [^]	1.77	0.61	0.73
	VAO	7.96	3.01				
Third Stage Management (/12) 2 items	Paramedic	8.60	2.16	0.002 [^]	1.48	0.47	0.66
	VAO	7.11	2.71				
Postpartum Recognition (/36) 6 items	Paramedic	29.92	5.29	0.004 [^]	5.38	1.74	0.91
	VAO	24.54	8.59				
Postpartum Management (/36) 6 items	Paramedic	27.14	5.52	0.004 [^]	4.84	1.55	0.82
	VAO	22.31	7.55				
Total Combined Score (Recognition) (/252) 42 items	Paramedic	186.96	38.67	<0.001 [^]	39.07	9.15	0.94
	VAO	147.88	50.63				
Total Combined Score (Management) (/252) 42 items	Paramedic	162.24	33.69	<0.001 [^]	38.31	7.56	1.12
	VAO	123.92	36.18				

Note: *Alpha = 0.05, ^Remains significant after applying Bonferroni correction for multiple comparisons.

Table 9. Independent samples T-test: Confidence with OOHBs – Comparison between paramedics and volunteers (VAOs).

Paramedics reported feeling more confident with all components of birthing (antenatal care, second stage, third stage, and postpartum care) compared to VAOs (Table 9). Effect sizes were medium-to-large, indicating the difference between the two groups was meaningful (Table 9).

Participants with children reported feeling more confident with recognition and management of antenatal care compared to participants without children, but no differences were found for second stage, third stage, and postpartum care (Table 10).

Participants who had previously attended at least one OOHb reported feeling more confident with all components of birthing (antenatal care, second stage, third stage, and postpartum care) compared to participants with no prior exposure, reaching statistical significance for both recognition and management of these situations (Table 11). Effect sizes were medium to large, indicating the difference between the two groups was meaningful (Cohen, 2013).

		Mean	Standard Deviation	Two-sided p [^]	Mean Dif- ference	Std. Diff	Cohens d
Antenatal Recognition (/30) 5 items	Paramedic	20.77	4.25	0.005 [^]	1.82	0.65	0.39
	VAO	18.96	5.00				
Antenatal Management (/30) 5 items	Paramedic	19.46	4.29	0.027	1.42	0.64	0.31
	VAO	18.04	4.87				
Second Stage Recognition (/174) 29 items	Paramedic	32.97	3.66	0.907	0.60	5.07	0.02
	VAO	32.29	3.50				
Second Stage Management (/174) 29 items	Paramedic	103.78	27.63	0.718	1.59	4.39	0.06
	VAO	102.19	28.92				
Third Stage Recognition (/12) 2 items	Paramedic	9.33	2.51	0.596	-0.21	0.39	-0.08
	VAO	9.54	2.53				
Third Stage Management (/12) 2 items	Paramedic	8.43	2.36	0.586	0.20	0.36	0.08
	VAO	8.24	2.28				
Postpartum Recognition (/36) 6 items	Paramedic	28.84	6.44	0.709	-0.36	0.98	-0.06
	VAO	29.20	6.05				
Postpartum Management (/36) 6 items	Paramedic	26.18	6.54	0.810	-0.23	0.96	-0.04
	VAO	26.40	5.68				
Total Combined Score (Recognition) (/252) 42 items	Paramedic	181.68	42.64	0.718	2.42	6.70	0.06
	VAO	179.25	43.09				
Total Combined Score (Management) (/252) 42 items	Paramedic	158.59	36.65	0.544	3.61	5.94	0.10
	VAO	154.98	39.25				

Note: *Alpha = 0.05, ^Remains significant after applying Bonferroni correction for multiple comparisons.

Table 10. Independent samples T-test confidence with OOHBs – Comparison between participants with children vs without.

		Mean	Standard Deviation	Two-sided p [^]	Mean Dif- ference	Std. Diff	Cohens d
Antenatal Recognition (/30) 5 items	Paramedic	20.55	0.36	<0.001	3.16	0.82	0.67
	VAO	17.39	0.83				
Antenatal Management (/30) 5 items	Paramedic	19.54	4.37	<0.001	4.00	0.79	0.89
	VAO	15.54	5.09				
Second Stage Recognition (/174) 29 items	Paramedic	127.34	29.96	<0.001	24.09	6.16	0.77
	VAO	103.25	36.06				
Second Stage Management (/174) 29 items	Paramedic	108.47	26.30	<0.001	24.10	5.30	0.90
	VAO	84.38	29.14				
Third Stage Recognition (/12) 2 items	Paramedic	9.80	2.27	0.005	1.71	0.57	0.70
	VAO	8.09	3.02				
Third Stage Management (/12) 2 items	Paramedic	8.68	2.12	0.003	1.65	0.52	0.73
	VAO	7.03	2.74				
Postpartum Recognition (/36) 6 items	Paramedic	30.07	5.43	0.003	4.78	1.52	0.80
	VAO	25.29	8.02				
Postpartum Management (/36) 6 items	Paramedic	27.22	5.57	0.007	4.09	1.43	0.69
	VAO	23.23	7.50				
Total Combined Score (Recognition) (/252) 42 items	Paramedic	187.73	38.91	<0.001	32.73	8.20	0.78
	VAO	155.00	49.22				
Total Combined Score (Management) (/252) 42 items	Paramedic	164.02	34.93	<0.001	32.56	8.06	0.90
	VAO	131.45	41.54				

Note: *Alpha = 0.05, ^Remains significant after applying Bonferroni correction for multiple comparisons.

Table 11. Independent samples T-test confidence with OOHb – Comparison between participants with prior experience vs participants without prior experience.

Factors contributing to fears and anxieties		Barriers to training	
Comment	Number of responses	Comment	Number of responses
Lack of exposure or experience with OOHB	107	Desire for obstetrics placements (midwife, hospital)	33
Lack of training, skill decay, and lack of practice	57	Poor opportunity or access to obstetrics training	33
Managing complications	26	Need adequate equipment or facilities to train with	27
Distance to definitive care, delays in care, and remoteness	18	Low exposure = low confidence	20
Lack of equipment, resources to manage an emergency	16	Need high-fidelity simulations during training	15
Lack of clinical support	13	Need qualified trainers	14
Reassuring the patient, managing emotions in an adverse event	13	Time limitations	14
Recall of guidelines, maneuvers	11	Lack of practice	8

Table 12. Quantified high-frequency responses to open-text questions concerning OOHBs.

QUALITATIVE ANALYSIS

The question regarding factors contributing to fears and anxieties with OOHB received 179 responses, while barriers to training received 163 responses. The most popular responses to each question are depicted in Table 12.

Qualitative analysis of the open-text responses was combined, as similar themes emerged from both questions (Rouder et al., 2021). Analysis identified four themes:

- Low exposure to birthing impacts confidence
- Minimal ongoing training impacts confidence and competence
- Organizational resourcing impacts confidence
- The complexities of scene management

LOW EXPOSURE TO BIRTHING IMPACTS CONFIDENCE

A major factor affecting confidence in managing OOHBs was the lack of prior exposure to birthing, with 129 comments related to this concept. The quote below reflects many opinions:

Lack of exposure. We do not get to see what a birth looks like, be it normal or complicated. [Service redacted] needs to come to an agreement with the obstetric hospitals around [city redacted] to allow hands-on, real-life training/experience. It is absolutely insane that we are taught the basics, with no hospital practicum[s], don't do annual refresher training, and then we are expected to go out and manage a complicated birth. What also annoys everyone is how hard it is to get a placement at an obstetrics hospital to observe or participate in delivering a baby. (Participant 35)

This cohort has a cumulative 362 years of service with 474 births attended, which equates to approximately 1.3 births per year. The limited exposure and practical application of specialized obstetrics competencies impact not only confidence but recall of relevant information in an emergency. 18 participants offered concerns regarding the ability to remember clinical guidelines and specialized maneuvers, which have the potential to impact patient care and outcomes:

I feel unsure about preventative measures such as not touching the placenta during labor. I am anxious about small errors which may lead to extreme deterioration due to lack of knowledge and experience. (Participant 148)

MINIMAL ONGOING TRAINING IMPACTS CONFIDENCE AND COMPETENCE

Challenges relating to training and development were frequently mentioned (n=102). The lack of training commenced with undergraduate studies and persisted into organizational training, with many comments regarding minimal in-service obstetrics training provided by ambulance services (n=21):

Very poor university training- no Obstet[ric]s/Maternity placements (compared to UK where students help deliver more than 10 babies), very minimal exposure and only occasional refreshers with often very minimal simulation time. Due to the lack of training (initial and ongoing), lack of exposure, rapidly developing nature of emergencies (i.e. neonatal resus) and complexities of care, obstetrics jobs with abnormal outcomes are arguably my biggest fear. (Participant 109)

During induction school, obstetrics training was one day only, on mannequins. There was no clinical placement or realistic scenarios to prepare us. (Participant 42)

Training not offered by employer. (Participant 41)

Limited interdisciplinary placements shadowing midwives were raised, highlighting obstacles to effective obstetrics education (n=12). The quotes below indicate difficulties in organizing practica and reflect a need to understand differing scopes of practice between the disciplines:

Lack of exposure to maternity wards. I was fortunate to have 4 days on maternity ward and had staff reluctant to provide training as their perception was that I was "jumping the queue" by only being there for a short time. They did not recognize that this was our only exposure and training prior to becoming the only clinician on-scene. (Participant 5)

Previous experiences where the outcome was poor - I attended a spontaneous cord prolapse and the baby died. I had no skills to help in that situation. The hospital staff didn't come outside to meet us after we patched, and were waiting in the delivery suites. The emergency center staff took us to theatre, but the whole wing was empty because they were all in the birthing suite. Then the father got code blacked because nobody was helping his wife and child. The women's hospital staff sometimes tend to treat paramedics like idiots, which is a major barrier to learning. (Participant 4)

Barriers to attending training courses included cost, distance, and time (n=24). Realistic high-fidelity simulations were preferred yet lacking (n=28). It was acknowledged some training could be undertaken online; however, the opportunity to shadow a midwife was preferred (n=46):

Time, cost, available free resources (Participant 112)

Lack of exposure, lack of maternity placements/observation days for existing staff, poor quality and quantity of simulation. (Participant 109)

ORGANIZATIONAL RESOURCING IMPACTS CONFIDENCE

Concerns with organization barriers, such as the availability of appropriate infrastructure and equipment to facilitate skills practice, were raised (n=37):

Lack of resources- for some reason we can't have training equipment at our depots. (Participant 32)

Seventeen participants suggested inexperienced facilitators often provided training, and they would prefer facilitators with specialized obstetrics training:

Also, very few paramedics with appropriate qualifications to be teaching (e.g. dual registered paramedic/midwife). (Participant 4)

Twenty-three participants commented on the limited obstetrics equipment available on the ambulance and lack of clinical support, particularly in rural locations. Another consideration voiced by nine participants was the experience and knowledge of their partner, as this could be a VAO in rural locations with limited ability to provide interventions:

Lack of exposure and equipment to deal with obstetric emergencies. Often lengthy delays to theatre or whole blood. (Participant 3)

Living rural with no Doctor in town at the moment and worrying about things going wrong. (Participant 156)

SCENE MANAGEMENT

Some comments concerned managing bystanders, handling emotive situations, and even prehospital clinicians managing their own emotions during adverse events were reported (n=26). Additionally, the complexity of one patient becoming two was raised, with the potential for life-threatening complications with both patients (n=15):

Scene management. How do I coordinate a newborn resusc[itation] and a PPH [postpartum hemorrhage] for example. Where do I place the baby so mum can see but not be traumatized... how do I keep mum in focus when newborn resus is happening. Very aware of a mother feeling dehumanized in the experience. (Participant 146)

I have not had any births out of hospital that I have had to manage yet. It is hard to imagine the situation without actual experience. Also knowing that the care you provide may have a lasting impact/consequence for the child and their family. That is stressful. (Participant 116)

Some participants mentioned factors such as having minimal antenatal information or previous birthing history, impacting optimal care. Obstetrics complications are often time-critical, and extrication can be difficult, further impacting prehospital clinicians' anxieties. Some participants working in rural locations discussed distances to definitive care being a considerable concern.

DISCUSSION

The results of this research suggest prior exposure to an OOHb leads to increased confidence attending these cases. Preparation and training are important aspects of medical care, particularly with vulnerable patient groups such as OOHb patients (Persson et al., 2019; Svedberg et al., 2020). Multiple studies report prehospital clinicians feel under-prepared and lack confidence managing OOHbs (Gardiner, 2024; Hill et al., 2023, 2024; Persson et al., 2019; Sheikhi & Heidari, 2024; Vagle et al., 2019). Whilst OOHbs are infrequent, they do occur and can have life-threatening complications for both birth parent and neonate (Hilde M Engjom et al., 2017; Flanagan et al., 2017; Lazi & Taka, 2011; McLelland et al., 2018), which places an obligation on emergency ambulance services and prehospital

clinicians to ensure they are adequately trained in management of complications to ensure patient safety and optimal outcomes. Many participants in this study expressed a desire for practical experience beyond high-fidelity simulations, with placement in a maternity unit to gain vital exposure to birthing and practice obstetric skills.

Australian universities often provide one semester of obstetrics coursework for paramedic students; rarely is a maternity placement provided. Courses may combine obstetrics care with other special populations, such as pediatrics (CQ University Australia, 2024; Edith Cowan University: School of Medical and Health Sciences, 2022; University of the Sunshine Coast, n.d.). By necessity, prehospital clinicians are generalists and not specialists (Newman, 2022); however, it is difficult to imagine another aspect of healthcare where a clinician is expected to lead care of medical emergencies involving (potentially) life-threatening complications with so little prior exposure, preparation, or training. Additionally, ambulance resources are severely limited compared to hospital resources (Svedberg et al., 2020), meaning obstetrics care is extremely constrained in the prehospital environment.

In Australia, approximately 67% of the population live in metropolitan areas, while 99.3% of the Australian landmass is considered regional, rural, or remote (Australian Bureau of Statistics, 2022; National Rural Health Alliance, 2025). In metropolitan areas, registered paramedics provide emergency care, whereas rural and remote emergency ambulance organizations rely on hybrid paramedic-VAO subcenters or VAO-operated subcenters (The Council of Ambulance Authorities, 2011). VAOs have less medical education and training than paramedics and are limited to providing first aid and supportive care (St John Ambulance WA, 2022). Therefore, no invasive, potentially life-saving interventions can be administered by a VAO, such as cannulation and intravenous fluids or medications. A recent investigation reported on the challenges of VAOs accessing clinical support in rural emergencies, the lack of obstetric equipment on some ambulances, and the long distances to definitive care, yet VAOs are still expected to handle obstetric emergencies (Hill et al., 2024). This research confirmed that rural clinicians manage as many complications as metropolitan clinicians, including fatalities and stillbirths. Some ambulance services provide telehealth services for prehospital clinicians to access during obstetric emergencies (Gardiner, 2024; The Royal Children's Hospital Melbourne, n.d.). This resource provides excellent clinical expertise and support when required and would be beneficial throughout Australia and New Zealand.

This research suggests there are barriers to accessing obstetrics CPD, including cost, availability, and time restrictions. An additional challenge to maintaining obstetrics proficiency is the requirement for specialized equipment (e.g., birthing manikins) to practice with. Furthermore, inadequate/unavailable equipment is a barrier to provision of in-service high-fidelity simulation training, which was desired by our participants. Obstetric emergencies have little overlap with other prehospital emergencies, meaning these skills are not practiced with other medical or trauma presentations, further exacerbating atrophy of obstetrics competencies (Thornton & Dahlen, 2018; Woodman et al., 2021). Foregoing real-life exposure to birthing, high-fidelity simulations may better prepare prehospital clinicians for OOHBs. A systematic review of 15 studies concerning high-fidelity simulation for neonatal resuscitation indicated moderate to large benefits of high-fidelity simulation in skill performance with single-arm or randomized control trials (RCTs), moderate improvements in knowledge with RCTs, and small improve-

ments in knowledge when comparing high-fidelity to low-fidelity simulations (Huang et al., 2019). Simulations are considered an effective educational method in medicine when clinical experiences are limited; however, high-fidelity classroom simulations can be resource-intensive in terms of physical resources and facilitators' time (Astbury et al., 2021). A novel approach is the use of digital technologies, which may be suitable to bridge this theory-practice gap, reducing reliance on training facilitators, established infrastructure requirements, and associated resources. Digital technologies have been successfully utilized in simulation training to provide experiential exposure and enable practice of high-risk procedures in a low-risk environment in medicine and midwifery; however, these technologies are less common in paramedicine (Birtill et al., 2021; Elendu et al., 2024; Georgieva-Tsaneva et al., 2024). Given the low on-road exposure to birthing, experiential exposure to OOHBs via virtual reality could enhance knowledge retention, improve accessibility and active engagement with simulation training, and provide a safe learning environment for this rare presentation (Elendu et al., 2024).

Our participants reported that scene management could be anxiety-provoking for OOHBs. Some fear stems from managing complex emotions in the event of adverse outcomes, such as neonatal resuscitation or death (Hill et al., 2024). Midwives also navigate these difficult presentations. A recent systematic review indicated that midwives who are older and more experienced are better equipped to manage these situations. Coping strategies included empathetic listening skills, communicating with peers, training, and institutional support (Garcia-Catena et al., 2023). Another meta-synthesis interpreting parents' experiences of perinatal loss suggested many clinicians struggle with managing complex emotions, demonstrating compassion, and communicating appropriately with grieving parents (Berry et al., 2021). Research should be expanded into the prehospital environment to produce educational frameworks and content to aid prehospital clinicians' communication skills during difficult discussions, which occur without support from hospital mental health teams.

Other avenues for research include investigation into prehospital clinician confidence attending OOHBs versus actual competence, to determine shortfalls in clinical education and improve patient safety and outcomes. Additionally, this research reveals prehospital clinicians who have been exposed to childbirth are more confident attending an OOHB. Accordingly, practicum opportunities should be explored for prehospital clinicians to ensure experiential exposure to birthing before attendance at an OOHB with possible catastrophic outcomes. Obstetrics placements would also provide interdisciplinary exposure, enabling clinicians from differing specialties to understand each other's scope of practice and competencies. More research into the long-term patient outcomes from actual OOHBs should also occur, to identify where prehospital care can be improved to minimize adverse sequelae.

LIMITATIONS

Online questionnaire data were self-reported and anonymous. Given the self-selection recruitment methodology, participants with an interest in OOHBs may be more likely to participate, contributing to response bias. Additionally, the information participants provided is potentially subject to recall bias and may not be accurate. Open-text responses provided insight into prehospital clinicians' fears and anxieties regarding OOHB; however, are unable to provide an in-depth exploration that qualitative inquiry might.

Further, confidence does not equate to competence in the management of OOHB care (Flanagan et al., 2024); nonetheless, prehospital clinicians without confidence are unlikely to be proficient in managing an OOHB with complications. Given the non-probability sampling method, the sample may not reflect the demographic profile of the wider prehospital clinician workforce. Accordingly, findings should be interpreted as reflecting the views of respondents rather than a representative population sample. Furthermore, results may not be generalizable beyond Australia and New Zealand. However, these results provide insight into OOHB educational gaps and service limitations, which could serve as a benchmark to improve these aspects of prehospital care.

CONCLUSION

This online mixed-methods questionnaire reviewed the training, exposure to, and confidence with attending OOHBs amongst 222 Australian and New Zealand prehospital clinicians. While exposure to a laboring patient wasn't uncommon, assisting with an actual birth occurred rarely, with many serious complications encountered. Participants who had assisted with an OOHB were more confident in their ability to effectively manage these presentations, compared to participants with no prior exposure. Similarly, registered paramedics were more confident than their VAO colleagues, attributable to the higher level of education required for paramedics. Continuing, frequent, and effective education needs to be undertaken in obstetrics care to ensure prehospital clinicians' recency of practice for these vital skills.

REFERENCES

- Astbury, J., Ferguson, J., Silverthorne, J., Willis, S., & Schafheutle, E. (2021). High-fidelity simulation-based education in pre-registration healthcare programmes: A systematic review of reviews to inform collaborative and interprofessional best practice. *Journal of Interprofessional Care*, 35(4), 622–632. <https://doi.org/10.1080/13561820.2020.1762551>
- Australasian College of Paramedicine. (n.d.). *Advancing Paramedicine*. Retrieved December 10, 2024, from <https://paramedics.org>
- Australian Bureau of Statistics. (2022). *Location Census*. <https://www.abs.gov.au/statistics/people/people-and-communities/location-census/latest-release>
- Australian Bureau of Statistics. (2023). *Sample size calculator*. <https://www.abs.gov.au/web-sitedbs/d3310114.nsf/home/sample+size+calculator>
- Australian Institute of Health and Welfare. (2024). *Australia's mothers and babies: Place of birth*. <https://www.aihw.gov.au/reports/mothers-babies/australias-mothers-babies/contents/labour-and-birth/place-of-birth>
- Beeram, M., Solarin, K., Young, M., & Abedin, M. (1995). Morbidity and mortality of infants born before arrival at the hospital. *Clinical Pediatrics*, 34(6), 313–316. <https://doi.org/10.1177/000992289503400604>
- Berry, S. N., Marko, T., & Oneal, G. (2021). Qualitative interpretive metasynthesis of parents' experiences of perinatal loss. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 50(1), 20–29. <https://doi.org/10.1016/j.jogn.2020.10.004>
- Birtill, M., King, J., Jones, D., Thyer, L., Pap, R., & Simpson, P. (2021). The use of immersive simulation in paramedicine education: a scoping review. *Interactive Learning Environments*, 1–16. <https://doi.org/10.1080/10494820.2021.1889607>
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2), 77–101. <https://doi.org/10.1191/1478088706qp0630a>

- Cash, R. E., Kaimal, A. J., Clapp, M. A., Samuels-Kalow, M. E., & Camargo Jr, C. A. (2022). Change in emergency medical services-attended out-of-hospital deliveries during COVID-19 in the United States. *Prehospital Emergency Care*, 27(3), 303–309. <https://doi.org/10.1080/10903127.2022.2074179>
- Cohen, J. (2013). *Statistical power analysis for the behavioral sciences* (2nd ed.). routledge. <https://doi.org/10.4324/9780203771587>
- Corman, M. K., Phillips, P., & McCann, L. (2025). The future of paramedic education: Problematizing the translucent curriculum in paramedicine. *Paramedicine*, 22(4), 205–214. <https://doi.org/10.1177/27536386251338525>
- CQ University Australia. (2024). *PMSC12003 Special populations in paramedic practice*. <https://handbook.cqu.edu.au/he/units/view/PMSC12003>
- Dietsch, E., Shackleton, P., Davies, C., Alston, M., & McLeod, M. (2010). ‘Mind you, there’s no anaesthetist on the road’: Women’s experiences of labouring en route. *Rural and Remote Health*, 10(2), 241–249. <https://doi.org/10.22605/rrh1371>
- Edith Cowan University: School of Medical and Health Sciences. (2022). *Bachelor of Science (Paramedical Science)*. <https://www.ecu.edu.au/degrees/courses/bachelor-of-science-paramedical-science>
- Elendu, C., Amaechi, D. C., Okatta, A. U., Amaechi, E. C., Elendu, T. C., Ezech, C. P., & Elendu, I. D. (2024). The impact of simulation-based training in medical education: A review. *Medicine*, 103(27), e38813. <https://doi.org/10.1097/MD.00000000000038813>
- Engjom, Hilde M, Morken, N.-H., Høydahl, E., Norheim, O. F., & Klungsøyr, K. (2017). Increased risk of peripartum perinatal mortality in unplanned births outside an institution: a retrospective population-based study. *American Journal of Obstetrics and Gynecology*, 217(2), 210-e1. <https://doi.org/10.1016/j.ajog.2017.03.033>
- Engjom, Hilde Marie, Morken, N., Norheim, O. F., & Klungsøyr, K. (2014). Availability and access in modern obstetric care: a retrospective population-based study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(3), 290–299. <https://doi.org/10.1111/1471-0528.12510>
- Flanagan, B., Fitzpatrick, D., Andreis, F., & Jackson, R. (2024). A cross-sectional study of paramedic management of out-of-hospital obstetric emergencies. *British Journal of Midwifery*, 32(12), 644–653. <https://doi.org/10.12968/bjom.2024.0061>
- Flanagan, B., Lord, B., & Barnes, M. (2017). Is unplanned out-of-hospital birth managed by paramedics ‘infrequent’, ‘normal’ and ‘uncomplicated’? *BMC Pregnancy and Childbirth*, 17(1), 436. <https://doi.org/10.1186/s12884-017-1617-9>
- Flanagan, B., Lord, B., Reed, R., & Crimmins, G. (2019). Listening to women’s voices: The experience of giving birth with paramedic care in Queensland, Australia. *BMC Pregnancy and Childbirth*, 19(1), 1–9. <https://doi.org/10.1186/s12884-019-2613-z>
- Garcia-Catena, C., Ruiz-Palomino, P., Saavedra, S., & Gonzalez-Sanz, J. D. (2023). Nurses’ and midwives’ perceptions and strategies to cope with perinatal death situations: A systematic literature review. *Journal of Advanced Nursing*, 79(3), 910–921. <https://doi.org/10.1111/jan.15572>
- Gardiner, M. (2024). STORC-delivering midwifery-led care for WA women with St John Ambulance. *Women and Birth*, 37. <https://doi.org/10.1016/j.wombi.2024.101719>
- Georgieva-Tsaneva, G., Serbezova, I., & Beloeva, S. (2024). Application of virtual reality, artificial intelligence, and other innovative technologies in healthcare education (nursing and midwifery specialties): Challenges and strategies. *Education Sciences*, 15(1), 11. <https://doi.org/10.3390/educsci15010011>


- Hänninen, J., Pylväs, L., Wallin, A., & Eskola, J. (2023). Unplanned out-of-hospital births: Stories about the *competence of paramedics and midwives*. *European Journal of Midwifery*, 7(Supplement 1). <https://doi.org/10.18332/ejm/171935>
- Helen Haines MP. (2024). *Maternity care in the regions is vital*. <https://www.helenhaines.org/media/maternity-care-in-the-regions-is-vital>
- Hill, M., Flanagan, B., Hansen, S., Hopper, L., & Mills, B. (2024). Out-of-hospital birth training, experience and confidence of Australian rural volunteer ambulance officers. *Rural and Remote Health*, 24(4). <https://doi.org/10.22605/RRH8788>
- Hill, M., Flanagan, B., Mills, B., Hansen, S., & Hopper, L. (2023). Paramedic training, experience, and confidence with out-of-hospital childbirth (OOHB) in Australia. *Australian Emergency Care*, 26(2), 119–125. <https://doi.org/10.1016/j.auec.2022.08.008>
- Huang, J., Tang, Y., Tang, J., Shi, J., Wang, H., Xiong, T., Xia, B., Zhang, L., Qu, Y., & Mu, D. (2019). Educational efficacy of high-fidelity simulation in neonatal resuscitation training: A systematic review and meta-analysis. *BMC Medical Education*, 19(1), 1–10. <https://doi.org/10.1186/s12909-019-1763-z>
- Javaudin, F., Hamel, V., Legrand, A., Goddet, S., Templier, F., Potiron, C., Pes, P., Bagou, G., & Montassier, E. (2019). Unplanned out-of-hospital birth and risk factors of adverse perinatal outcome: Findings from a prospective cohort. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 27(1), 26. <https://doi.org/10.1186/s13049-019-0600-z>
- Kılıç, S. (2016). Cronbach's alpha reliability coefficient. *Journal of Mood Disorders*, 6(1), 47–48. <https://doi.org/10.5455/jmood.20160307122823>
- Lazi, Z., & Taka, I. (2011). Outcomes and risk factors for unplanned delivery at home and before arrival to the hospital. *Wiener Klinische Wochenschrift*, 123. <https://doi.org/10.1007/s00508-010-1505-z>
- MacDorman, M. F., & Declercq, E. (2019). Trends and state variations in out-of-hospital births in the United States, 2004–2017. *Birth*, 46(2), 279–288. <https://doi.org/10.1111/birt.12411>
- McLelland, G., McKenna, L., Morgans, A., & Smith, K. (2018). Epidemiology of unplanned out-of-hospital births attended by paramedics. *BMC Pregnancy and Childbirth*, 18(1), 1–9. <https://doi.org/10.1186/s12884-017-1638-4>
- National Rural Health Alliance. (2025). *Rural Health in Australia Snapshot 2025*. <https://www.ruralhealth.org.au/wp-content/uploads/2025/02/NRHA-Rural-Health-in-Australia-Snapshot-2025.pdf>
- National University. (2024). Statistics Resources. *Academic Success Centre*. <https://resources.nu.edu/statsresources/cohensd>
- Newman, M. (2022). Research protocol for delivering on the front line: A qualitative exploration of paramedics' experiences of providing pre-hospital maternity care in the United Kingdom. *British Paramedic Journal*, 7(3), 44–50. <https://doi.org/10.29045/14784726.2022.12.7.3.44>
- Örtqvist, A. K., Haas, J., Ahlberg, M., Norman, M., & Stephansson, O. (2021). Association between travel time to delivery unit and unplanned out-of-hospital birth, infant morbidity and mortality: A population-based cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 100(8), 1478–1489. <https://doi.org/10.1111/aogs.14156>

- Ovaskainen, K., Ojala, R., Gissler, M., Luukkaala, T., & Tammela, O. (2015). Out-of-hospital deliveries have risen involving greater neonatal morbidity: Risk factors in out-of-hospital deliveries in one University Hospital region in Finland. *Acta Paediatrica*, 104(12), 1248–1252. <https://doi.org/10.1111/apa.13117>
- Paramedicine Board Ahpra. (2021). 2020/21 Annual Summary. Annual Report. <https://www.paramedicineboard.gov.au/News/Annual-report.aspx>
- Persson, A.-C., Engström, Å., Burström, O., & Juuso, P. (2019). Specialist ambulance nurses' experiences of births before arrival. *International Emergency Nursing*, 43, 45–49. <https://doi.org/10.1016/j.ienj.2018.08.002>
- Petrie, A., & Sabin, C. (2019). *Medical statistics at a glance (Third)*. John Wiley & Sons.
- Rouder, J., Saucier, O., Kinder, R., & Jans, M. (2021). What to do with all those open-ended responses? Data visualization techniques for survey researchers. *Survey Practice*, August. <https://doi.org/10.29115/SP-2021-0008>
- Sabourin, J. N., Van Thournout, R., Jain, V., Demianczuk, N., & Flood, C. (2014). Confidence in performing normal vaginal delivery in the obstetrics clerkship: A randomized trial of two simulators. *Journal of Obstetrics and Gynaecology Canada*, 36(7), 620–627. [https://doi.org/10.1016/S1701-2163\(15\)30542-9](https://doi.org/10.1016/S1701-2163(15)30542-9)
- Sheikhi, R. A., & Heidari, M. (2024). The challenges of delivery in pre-hospital emergency medical services ambulances in Iran: A qualitative study. *BMC Emergency Medicine*, 24(1), 156. <https://doi.org/10.1186/s12873-024-01073-z>
- Siman-Tov, M., Strugo, R., Podolsky, T., & Blushtein, O. (2021). An assessment of treatment, transport, and refusal incidence in a National EMS's routine work during COVID-19. *American Journal of Emergency Medicine*, 44, 45–49. <https://doi.org/10.1016/j.ajem.2021.01.051>
- South Australia Ambulance Service. (2025a). *Opportunities within SAAS*. <https://saambulance.sa.gov.au/work-with-us/who-we-employ>
- South Australia Ambulance Service. (2025b). *SAAS Volunteer*. <https://saambulance.sa.gov.au/volunteer-with-us>
- St John Ambulance WA. (2022). *Clinical Resources. Skills Matrix*. <https://clinical.stjohnwa.com.au/general/skills-matrix>
- Svedberg, E., Strömbäck, U., & Engström, Å. (2020). Women's experiences of unplanned pre-hospital births: A pilot study. *International Emergency Nursing*, 51, 100868. <https://doi.org/10.1016/j.ienj.2020.100868>
- Tackett, S., Steinert, Y., Whitehead, C. R., Reed, D. A., & Wright, S. M. (2022). Blind spots in medical education: How can we envision new possibilities? *Perspectives on Medical Education*, 11(6), 365–370. <https://doi.org/10.1007/s40037-022-00730-y>
- The Council of Ambulance Authorities. (2011). The factors affecting the supply of health services and medical professionals in rural areas. <https://www.aph.gov.au/DocumentStore.ashx?id=bdccdbb5-bfcd-4440-ac8a-ee4f8ae8c157>
- The Royal Children's Hospital Melbourne. (n.d.). *PIPER - Paediatric Infant Perinatal Emergency Retrieval*. Retrieved August 22, 2023, from <https://www.rch.org.au/piper>
- Thornton, C. E., & Dahlen, H. G. (2018). Born before arrival in NSW, Australia (2000–2011): A linked population data study of incidence, location, associated factors and maternal and neonatal outcomes. *BMJ Open*, 8(3), e019328. <https://doi.org/10.1136/bmjopen-2017-019328>

- Townsend, R., Chmielewska, B., Barratt, I., Kalafat, E., van der Meulen, J., Gurol-Urganci, I., O'Brien, P., Morris, E., Draycott, T., Thangaratinam, S., Doare, K. L., Ladhani, S., von Dadelszen, P., Magee, L. A., & Khalil, A. (2021). Global changes in maternity care provision during the COVID-19 pandemic: A systematic review and meta-analysis. *EClinicalMedicine*, 37, 100947. <https://doi.org/10.1016/j.eclinm.2021.100947>
- University of the Sunshine Coast. (n.d.). *Bachelor of Paramedicine*. Retrieved December 18, 2024, from <https://www.usc.edu.au/study/courses-and-programs/bachelor-degrees-undergraduate-programs/bachelor-of-paramedicine#program-detail>
- Unterscheider, J., Ma'Ayeh, M., & Geary, M. P. (2011). Born before arrival births: Impact of a changing obstetric population. *Journal of Obstetrics and Gynaecology*, 31(8), 721–723. <https://doi.org/10.3109/01443615.2011.605484>
- Vagle, H., Haukeland, G. T., Dahl, B., Aasheim, V., & Vik, E. S. (2019). Emergency medical technicians' experiences with unplanned births outside institutions: A qualitative interview study. *Nursing Open*, 6(4), 1542–1550. <https://doi.org/10.1002/nop2.354>
- Vik, E. S., Haukeland, G. T., & Dahl, B. (2016). Women's experiences with giving birth before arrival. *Midwifery*, 42, 10–15. <https://doi.org/10.1016/j.midw.2016.09.012>
- Woodman, S., Bearman, C., & Hayes, P. (2021). Understanding skill decay and skill maintenance in first responders. *Australian Journal of Emergency Management*, 36(4), 44–49. <https://doi.org/www.doi.org/10.47389/36.4.44>



YOUR SUPPLIES ON AUTOPILOT



Say goodbye to the hassle of reordering supplies!
Our easy-to-set-up subscription feature keeps you organized and ensures
consistent supply levels, making your job easier and more efficient.

Reordering Made Simple

- ✓ Personalized Recommendations Based on Purchase History
- ✓ Bulk Set Up and Manage Multiple Products
- ✓ Replicate Subscriptions on Multiple Ship-To's
- ✓ Monthly or Weekly Ordering Cadence
- ✓ Skip, Modify or Cancel Options
- ✓ Email Reminder and Modification Notifications



Bound Tree

BOUNDTREE.COM | 800.533.0523

RESEARCH REPORTS

EDUCATING FOR THE PARAMEDICINE OF TODAY: EXPLORATORY FINDINGS RELATED TO PRIMARY CARE PARAMEDIC TRAINING IN NORTHERN ONTARIO

Alexis Starkes, MHSc, RN*¹; Helle Møller, PhD¹

Author Affiliations: 1. Department of Health Sciences, Lakehead University, Thunder Bay, ON, Canada.

Recommended Citation: Starkes, A., & Møller, H. (2026). Educating for the paramedicine of today: Exploratory findings related to primary care paramedic training in northern Ontario. *International Journal of Paramedicine*. (14). 71-85. <https://doi.org/10.56068/YQJZ0292>

Keywords: social justice, social responsibility, paramedic students, education, qualitative research, emergency medical services, EMS, paramedicine

Disclosures: There are no conflicts of interest to report.

Funding: External funding was not used to support this work.

Received: October 29, 2025

Revised: January 12, 2026

Revised: March 3, 2026

Accepted: March 9, 2026

Published: April 14, 2026

**Corresponding Author:*

aharvey5@lakeheadu.ca

ABSTRACT

Background: Long distance ground and air transportation is often used in Canada to ensure that rural and remote communities have access to medical care. This, coupled with the increasing utilization of community paramedicine, positions paramedics in an increasingly autonomous role. As such, it is important to consider how these professionals are being prepared to work in socially just and socially responsible ways with the diverse populations they serve. Scant literature examines health care provider (HCP) students' preparedness to provide socially just and responsible care overall, and even less focuses specifically on paramedic students. This study explored HCP students' perceived preparation to enact social justice and social responsibility (SJSR) in practice.

Methods: Part of a larger qualitative explorative case study, findings discussed in this article focus on paramedic students. Based in a constructivist ontology, semi-structured qualitative walking interviews (Carpiano, 2009) were conducted with primary care paramedicine (PCP) students at one college in a northern region of Canada. Once transcribed, interviews were analyzed using thematic analysis (Peel, 2020).

Results: Participants reported a mixture of feeling prepared and uneasy about enacting SJSR. Students' personal backgrounds and work and academic experiences impacted their sense of preparation. Students listed several areas of concern including: a devaluing of SJSR within their curriculum and marking structure, poor role-modelling, and a superficiality of SJSR-related content.

Conclusions: While the study had few paramedic student participants, considering results within the context of the larger Canadian PCP education landscape may be beneficial. Currently, efforts are in place to educate future paramedics on SJSR; however, enhancements and additional work may help to guide PCP curriculum and create more robust accreditation standards within Canada. Considerations include restructuring curriculum to incorporate SJSR longitudinally, connecting SJSR to the role of the paramedic, and long-term, to change the current PCP diploma programs to baccalaureate degrees, potentially recruiting learners with previous post-secondary certifications.

BACKGROUND

In Canada, paramedicine is, like nursing and other health professions, regulated at the provincial level. Yet despite lobbying by the profession, primary care paramedicine in Ontario, is not regulated by its own college (Ontario Paramedic Association, n.d.-c). Rather, two entities regulate the profession: the Emergency

Health Services Branch of the Ministry of Health and Long-Term Care (MOHLTC) and eight Base Hospital programs associated with the MOHLTC (Ontario Paramedic Association, n.d.-b). Before entry to practice, Ontario paramedics must pass a two-year primary care paramedic (PCP) course to earn their diploma and write the Advanced Emergency Medical Care Assistant exam, passing with 70% or greater (Ontario Paramedic Association, n.d.-a). Only advanced paramedicine training programs require accreditation, which is currently done through the Canadian Medical Association. The general 2-year PCP training programs in Ontario have no accreditation requirement (Ontario Paramedic Association, n.d.-b) impacting curriculum standardization and quality assurance.

For many people, the expansive geography of northern Ontario necessitates air or long-distance ground transportation to access health and medical care. Care and support during travel is generally provided by paramedics who are often patients' first points of contact with the healthcare system. Ontario paramedics play an increasingly vital role in providing safe and equitable care through, for example, community paramedicine, providing in-home care to seniors with extensive care needs awaiting long-term care admission (Ontario, 2014; Ontario, 2021; Shannon et al., 2022). However, recent reports from Ontario recount instances of unsafe care and prejudicial attitudes held by paramedics (Blackburn, 2022; Grimaldi, 2021; Loriggio, 2022). This is not new to healthcare, but other professions such as nursing (Canadian Association of Schools of Nursing [CASN], 2022) and undergraduate medicine (Committee on Accreditation of Canadian Medical Schools [CACMS], 2023) have implemented quality assurance measures like accreditation guidelines to address the issue. Accreditation and standardization have led to initiatives and movements in health education including an increased focus on cultural competency (Gallegos et al., 2008), cultural safety (Ramsden, 2002), cultural humility (Stubbe, 2020), and the emergence of social accountability (Boelen & Heck, 1995; Global Consensus for Social Accountability of Medical Schools, 2010). Educating about these and concepts such as intersectionality (Crenshaw, 1989), social determinants of health (SDOH) (Mikkonen & Raphael, 2010), anti-racism (Blanchet Garneau et al., 2018), and anti-colonialism (Binagwaho et al., 2022) is considered part of educating on SJSR. However, with no accreditation requirements, mandatory inclusion of these topics has yet to be seen in Ontario's PCP programs (Allana & Pinto, 2021). In place of accreditation requirements, paramedics in Ontario have entry-to-practice competency requirements that are set out by the Paramedic Association of Canada and include general objectives including acknowledgement of cultural differences and "valu[ing] patient advocacy" (Paramedic Association of Canada, 2011, p. 30).

In addition to entry-to-practice competencies, PCP programs have listed program standards as a part of the Ontario public college system, which helps guide program structuring and learning outcomes. Of importance are the guidelines which emphasize effective and appropriate communication with patients; utilizing relevant theory and best practice; and meeting ethical, professional, and legal responsibilities (Ontario, 2008). Ontario colleges also require students to take a general education component so "that graduates have been engaged in learning that exposes them to at least one discipline outside their main field of study ... increas[ing] their awareness of the society and culture in which they live and work" (Ontario, 2008, Requirement section, para. 2). Yet, while these concepts are presented as integral to the role of a paramedic, clarity on how they are best taught and demonstrated within primary care paramedicine is lacking. For

example, while the standards exemplify effective and appropriate communication with “advocat[ing] for patient’s rights”, how advocacy is enacted in the PCP role is not defined (Ontario, 2008, The vocational learning outcomes). Allana & Pinto (2021) assert that the PCP curriculum does not emphasize curriculum regarding SDOH such as “assessing social risks, integration with community services and patient advocacy” (p. 71), despite the fact “that many emergency calls are non-urgent, exacerbated by social factors ... and related to gaps in primary care” (p. 69).

The social accountability and multicultural education movements in nursing and medicine discussed above ultimately resulted in a lack of conceptual clarity across North America and in the emergence of two broad approaches: cultural competence and critical culturalism (Reitmanova, 2011). These two approaches seem to continually govern many health care programs today. This means that students are taught to either become competent in their knowledge of an “other” or to think critically about the circumstances and power dynamics that perpetuate health inequities between various demographic groups (Reitmanova, 2011). This is but one example, and much is being done across the health disciplines to help learners acquire this knowledge.

Other examples include programs which have engaged peer-to-peer cross-cultural interaction to help learn about social determinants of health, and health inequities by partnering mainstream public health students with Indigenous health-focused public health students (Dickson & Manolo, 2014), or have used community-based learning wherein students are partnered with a family facing health inequities and are encouraged to create care plans and interventions that work for their designated clients (Biswas et al., 2020).

Despite a lack of agreement on what constitutes best practice, O’Meara and colleagues posit that education is an enabling factor for the expanding role of the paramedic profession (O’Meara et al., 2014). That is, if paramedics are to be working in increasingly community-based roles, their education will have to prepare them for how to do that in an equitable and safe manner.

Given the expanding scope of paramedics in Ontario, its geographically large northern region, the diversity of the patient population, and reports of inequitable, unsafe, and prejudicial care, the focus of this study is whether PCP students in one northern Ontario region felt prepared to enact socially just and socially responsible care in future practice.

POSITIONALITY

Acknowledging that all research is conducted from a particular standpoint, shaped by the researcher’s own social identities, experiences, and perspectives, we start the next section by positioning ourselves. At the time of writing, the principal investigator (PI) Alexis Starkes is a graduate-trained nursing student located in northwestern Ontario, Canada. In addition to being a researcher, she is also a healthcare worker, health educator, and staunch supporter of health and healthcare equity and access. This background has informed and influenced the work herein and the perspectives that are held related to the content and structure of this research. Dr. Helle Møller is an Associate Professor in Health Sciences at Lakehead University where she teaches graduate-level students. She is a medical anthropologist and former registered nurse with work and research experience in northern contexts including Greenland, Nunavut, and northern Ontario. Her

work focuses on SDOH, social justice and equity in the context of health, healthcare and health education, locally, nationally and internationally.

METHODS

Guided by social constructivist ontology, the larger explorative qualitative study was constructed as a multiple case study involving as different “cases” institutions within one northern community that educate health professionals (nursing, undergraduate medicine, and paramedicine). Reporting on one of the student groups within one case study that comprised PCP, practical nursing, and baccalaureate nursing programs, this article focuses on the experiences of the college-enrolled PCP students. The guiding principle of social constructivism holds that all meaning is constructed socially within and between people, their environments, and their contexts. This principle lends itself well to understanding complex fields like education and the subjective experiences of individuals within them (Creswell & Poth, 2017). Constructivist ontology supports the exploration of phenomena and allows “for multiple facets of [a] phenomenon to be revealed and understood” (Baxter & Jack, 2008, p. 544). After receiving ethical approval from the participating institutions’ ethics boards (Protocol [redacted]), data collection occurred from October 2022 to December 2022.

RECRUITMENT

Using purposive recruitment (Campbell et al., 2020), students were invited to participate through flyers, direct recruitment via faculty and instructors, in-class recruitment presentations provided by the PI, and snowball recruitment (Chan, 2020).

INTERVIEWS

Semi-structured walking interviews (Carpiano, 2009) were used to gather participant perspectives regarding their academic preparation. Semi-structured interviews allow for the flexibility that is required to construct meaning while also providing structure to guide the flow of conversation (Adams, 2015). Interviews were audio recorded and transcribed verbatim by the PI using Express Scribe Transcription Software Version 11.10.

THEMATIC ANALYSIS

Interview transcripts were de-identified before being uploaded to NVivo® (Lumivero, 2023) for coding and support with thematic analysis (Peel, 2020). A mix of inductive and deductive coding was used. A priori themes were established through review of the pertinent literature on educating healthcare students on SJSR in healthcare, while new codes and themes emerged through repeated engagement with transcripts. This organic development of new themes aligns with a social constructivist approach where meaning is constructed between participants’ expressed experience and the researchers’ understanding of their experience, inductively developing a “pattern of meaning” (Creswell & Poth, 2017, p. 24). Findings were organized into basic, organizing, and global themes. Basic themes consisted of individual participant quotes, while organizing themes consisted of clusters of similar quotes. Global themes are what are presented here and are a synthesis of the lower groupings. Analysis of the larger study occurred until data saturation (Creswell & Poth, 2017) was reached, indicated by the lack of emergence of new themes

across case data (in this instance, composed of PCP, baccalaureate nursing, and practical nursing student interviews).

While data saturation was met as evidenced by a lack of emergence of new themes across each case within this multiple case study, saturation of themes as they relate to solely PCP students may be seen as unsubstantiated. However, the themes reported on within the larger study were supported by the data provided across the PCP student subgroup.

Additionally, an environmental scan of institutional documents (retrieval and analysis of curriculum outlines and institutional initiatives related to SJSR) allowed for an adaptive triangulation (Carter et al., 2014) to support or refute the interview data findings. Refer to the original study for a more robust description of the thematic analysis (Harvey, 2023).

With regards to the data published within this paper, triangulation was limited given that documents pertaining to this specific program within the case were difficult to retrieve. Additionally, findings reported by students included lived experiences and perceptions of preparation and thus were unable to be substantiated given the methodology used within this study (i.e. no use of observation to corroborate reported occurrences, or qualitative scales to corroborate perception).

RESULTS

Of the 24 participants interviewed for the larger project, four were PCP students. Interviews varied in length from 45 minutes to 1.5 hours. The main findings from PCP interviews included: 1) students feeling prepared enough, 2) the fine line between valuing and devaluing of SJSR throughout their programs (as compared to other course material), 3) the sense that only so much is taught about SJSR and that more exists, and 4) the influence of instructors and mentors on the student experience. Findings are referenced with numbers that correspond to de-identified transcripts which have been anonymized to protect the participants' identities. The themes discussed are part of the larger case. PCP focused findings should be considered exploratory because of the small number of PCP participants.

PREPARED ENOUGH

Of the PCP students interviewed, three reported that they felt prepared to enact social justice and social responsibility (SJSR); however, most qualified this stating that they would be learning much on the job: "... learning on the fly. You're going to just hope that the program is recruiting, like good people, who ... ultimately want the best for the community" (PCPT3). Participant transcripts are titled as "PCPT#" to maintain that the authors are operating with transcripts that portray participant stories rather than portraying participants as numbers.

A sense of confidence in their abilities to enact SJSR in their work, despite how they felt the program was disseminating the information, appeared to correlate with having had relevant background experience. While participant identities and experiences may influence their understanding of the concepts of SJSR. This topic is beyond the scope of this paper. For more discussion and information on this, refer to the larger study: Harvey, A. (2023). Student perspectives on preparation to be just and socially responsible providers:




Figure 1. Main themes reported by PCP participants.

A northwestern Ontario qualitative case study [Master's thesis, Lakehead University]. Lakehead University Knowledge Commons. <https://knowledgecommons.lakeheadu.ca/items/6d66819d-1ec5-4bdb-8e27-4ef47520ac04>

Such experience was gained either from working a person-facing profession, volunteering, or from time spent in other post-secondary academic programs (PCPT1, PCPT2, PCPT3, PCPT4).

While most PCP students felt that they were being prepared somewhat by their current program and everyone mentioned a required "Human Diversity" course which reportedly included topics such as "SDOH," "population health," and "diversity" (PCPT1, PCPT2, PCPT3, PCPT4), no single course or pedagogical model was felt to be the most effective for teaching SJSR. Students cited exposure to SJSR concepts through "lecture-based [courses] and just doing ... assignments and projects" (PCPT2), watching "documentaries" (PCPT4), reading books such as "The Seven Fallen Feathers" (PCPT1), and doing "scenarios as students together ... [and] talk[ing] about it after" (PCPT1).

THE FINE LINE BETWEEN VALUING AND DEVALUING SOCIAL JUSTICE AND SOCIAL RESPONSIBILITY

While all PCP students referred to the Human Diversity course when asked whether they had a designated course focused on SJSR-related concepts, reservations were reported about the effectiveness of course delivery and implementation. Two students noted that the Human Diversity course was comparable to an elective as the grading scheme was different from their other required courses (PCPT3, PCPT4). Although in-class participation marks were given, attendance was not mandated, resulting in many students

not attending regularly (PCPT3): with “40 to 50% of [the] class ... missing” daily (PCPT4). The structuring of the course marking system and the low “50% [to pass] in that class” compared to “70% in any of [their] A-B classes” (such as Anatomy & Physiology) resulted in an “expectation difference, between an elective and core courses” (PCPT4). This was reported to cause students to prioritize other courses and dismiss these topics as unnecessary to succeed in their field (PCPT4). While the environmental scan confirmed that the course was, as the program’s website posited, a “forced” elective, the specifics of the grading scheme could not be confirmed (Confederation College, 2025, p. 8).

ONLY SO MUCH IS TAUGHT ABOUT SOCIAL JUSTICE AND SOCIAL RESPONSIBILITY

Despite the focus on SJSR-related concepts in the Human Diversity course, students felt that that kind of content “we kind of just learn on the road” (PCPT1). Students described the course as lecture-based (PCPT2, PCPT3, PCPT4), with minimal discussion, reflective practice, or application of learned concepts. One student stated that although “social determinants [of health] gets touched on very briefly ... a bit of anti-racism, anticolonialism does come up ... no real discussion actually happens between the professor and the students. So, the concepts are discussed ... but there’s no reflection” (PCPT3). Students also relayed how the Human Diversity course touched on different populations and their circumstances but did not link these topics to “SDOH” (PCPT4) or “advocacy” (PCPT1). Within the environmental scan, the course description on the institution’s website states the course is meant to teach students about diverse populations using an anti-oppressive and social justice framework (Confederation College, n.d.). However, with no access to a course syllabi or further information regarding course delivery, pedagogical methods could not be ascertained.

THE INFLUENCE OF INSTRUCTORS AND MENTORS

Lastly, students talked about multiple experiences with challenging community practice that contradicted the learned curriculum (PCPT1, PCPT2, PCPT4). While students reported being taught about diversity and respectful communication, several instances were mentioned where discriminatory language was utilized while in placement: bariatric-sized equipment referred to as “fat mat[s]” instead of trademarked names like “Mega-Mover[s]” (PCPT4), or Indigenous clientele being labeled as “HBD or has been drinking” without confirmation of blood alcohol content (PCPT1). Furthermore, students felt that many healthcare professionals were facing pressure due to high demands across the field, often leading to lackluster care, and for paramedics, a lack of leadership related to the outflux of senior paramedics during the COVID-19 pandemic (PCPT2, PCPT4).

DISCUSSION

As evidenced by the expanding scope of paramedicine across Canada into more community-based work, there is a need for curriculum that departs from the typical focus of emergency response (O’Meara et al., 2014; Weber et al., 2024). However, it would be remiss not to discuss the implications of such a change within the context of our study. As PCP participants and current literature point to, the case’s program context is constrained due to the condensed 2-year program model (Colleges Ontario, 2025; O’Meara et al., 2014), an outpouring of senior leadership and thus mentors (PCPT2, PCPT4; Glazier, 2023), and a healthcare system that is consistently burdened with understaffing and high

demand (Glazier, 2023). These points are important as no data within a social constructivist study can be separated from its context (Creswell & Poth, 2017).

Thus, we proceed with our discussion of our exploratory findings while considering the local and contemporary context (i.e., location, current workforce limitations, curricular models, and lack of standardized requirements), as well as the limited number of PCP student participants. Feeling prepared enough (rather than well prepared) to enact social justice and social responsibility (SJSR) within their future practice appears to be the result of a combination of experiences: (a) being somewhat exposed to SJSR through various methods; (b) not having enough time to learn all aspects of the profession; and (c) not spending time on discussion, reflection, or applying SJSR-related theoretical concepts—resulting in learning (or not) while on the job rather than prior to practice. As was mentioned earlier, much work has been done in undergraduate medicine and nursing to bring SJSR into curriculum, and thus many of the pedagogical methods discussed by participants (e.g., fictional literature-guided curriculum, use of films, and scenario or case-based learning) have been seen throughout the literature within other health-related disciplines instructing on SJSR (Mkandawire-Valhmu et al., 2019; Ryder et al., 2013; Uy & Dimaano, 2019). Thus, it is possible that implementation of such pedagogy would translate well to instructing PCP students on SJSR. The reflection, discussion, and debriefing that students relayed as missing from their Human Diversity course are important for the development of critical practices that not solely recognize the other culture and background of a client, but understand the history, context, and power dynamics that may have led to the development of the health inequities they live with. These are all key components of culturally safe practice (Curtis et al., 2019). In this same vein the importance of interweaving SJSR-related content longitudinally throughout curriculum (rather than offering a stand-alone course) has been advocated for within the literature on health professions education to better support students in developing an understanding of health inequities and an ability to reflect on them (Beavis et al., 2015; Chooniedass et al., 2025; Dogra et al., 2009; Forsyth et al., 2019).

The fine line between valuing and devaluing of social justice and social responsibility is related to having a stand-alone course dedicated to SJSR with a grading scheme that differed from other mandatory coursework, as relayed by students. When considered in tandem with participants' reports that only so much is taught about SJSR, and with the lack of critical discussion-based reflection and connection between SJSR curriculum and their future practice, a disconnect between good intent and effective outcomes appears to exist. While the program is reported to have meaningful content that students can discuss when prompted, students lack a meaningful connection of SJSR curriculum to their reality as future paramedics—a crucial component within the field of adult learning (Palis & Quiros, 2014).

Lacking clarity in how these concepts relate to their field of work indicates a focus on teaching about multiculturalism rather than a focus on developing cultural safety or cultural humility among students (i.e., critical culturalism according to Reitmanova, 2011). Multiculturalism, rather than focusing on students gaining an understanding of intersectionality, power dynamics, and how to work with and for individuals from differing backgrounds, teaches students cultural and other “facts” about different population groups. Banks (2014) describes this as being a consequence of Anglocentrism in curriculum, which Kline (2013) posits, often results in multicultural education being included as

an add-on course rather than strategically positioned throughout curriculum. Additionally, critical pedagogues cite the need for particularly adult learners to see the relevance of the curriculum and make connections to their own experience and lives to maintain engagement (Palis & Quiros, 2014). That is, students will not effectively learn if they have no stake in the topics being taught, whether this is through a grading scheme impacting their average, or understanding how intersectionality and power dynamics create health inequities that affect different populations, including populations with which the learners may identify or serve in their future practice.

A move away from dedicated courses for multicultural education and onto integrative approaches such as community placements and multi-year courses and workshops has been seen elsewhere (Murray et al., 2012; Ross et al., 2014, 2019) and may also be evolving in PCP programs. The constraints posed by the 2-year timeframe of the PCP program is raised across the field and is gaining traction locally, which may lead to curriculum reform (Colleges Ontario, 2025). Related to time constraints, theory and in-class instruction is only part of the learned curriculum; role-modelling and the influence of instructors and mentors is another.

Students' reports suggested that practice often contradicted the classroom curriculum. They reported hearing derogatory and stereotypical remarks about patients under their care from role models while in practicum. While these instances may be attributed to provider burnout due to the current demands on the system (Kuilanoff, 2021), such negative role-modelling may lead to trainees internalizing preceptor biases and teachings, as suggested in the review by Alshareef and Flemban (2025). Role modelling contributes to a "hidden curriculum" which has been described as "more than simple transmission of knowledge and skills, it is also a socialization process ... The hidden curriculum consists of what is implicitly taught by example day to day, not the explicit teaching of lectures" (Mahood, 2011, p. 983). Hidden curriculum through role modeling poses the risk of perpetuating racism and discrimination across health professions, systems, and society (Hopkins et al., 2016). Role-modelling can serve as a very positive tool within education, or it can work to spread biased attitudes (Alshareef & Flemban, 2025) and create a culture of biomedical superiority with health professionals seen as experts and clients as inferior—an outright contradiction of SJSR.

This last point is particularly important considering the tension that exists between the standard models of PCP education and professional expectations and the tenets that underlie SJSR. PCP has traditionally been focused on emergency medical management which requires unilateral decision-making and knowledge of what is best for the client, whereas SJSR highlights power dynamics, the importance of cultural safety, and patient-centred care. Although SJSR tenets appear to misalign with PCP practice, with the profession moving into community paramedic roles and consequently working within the primary care model, these tenets in fact align well (Butscher, 2025).

CONCLUSION

The PCP student-related findings discussed in this study are exploratory given the small number of participants. However, they provide information worthy of consideration within the scope of the community paramedic. Findings suggest that a potential need for curricular reform exists and is worthy of further exploration when reconsidering profes-

sional priorities within PCP locally. As such, findings should be seen as the beginning of a much larger conversation demonstrating the need for additional research on the topic. The following conclusions are not generalizable to the whole of Canada or the PCP profession but are discussed considering the perspectives of the study's PCP participants and the contemporary context within which they learn and work.

With seemingly little space for curricular reform, and much to learn in the way of SJSR, efforts across other health disciplines may not be a good fit for PCP. While the expansion of paramedicine into a 4-year degree is possible and beginning to take root in Canada (e.g., University of Toronto Scarborough, 2023), the current demand for paramedics in Canada seems to outweigh the appetite for a 4-year PCP program (Rowland & Brydges, 2023). However, a focus on restructuring curriculum to incorporate more reflective practice exercises within the greater curriculum on SJSR-related topics may be worthwhile. Similarly, the devaluing of SJSR content via weighting of marks and the lack of conceptual connection to the profession of paramedicine is important to examine. While literature examining this phenomenon is absent, efforts to balance the weighting of marking schemes across the curriculum and/or better highlighting the connection between SJSR and the profession's expanding roles may result in students focusing more effort on SJSR-related content instead of prioritizing other courses as reported. Furthermore, making SJSR content more relevant to professional practice through more instruction on SDOH, intersectionality, and the connection to health inequities could potentially be implemented without further straining the curriculum.

Appropriate role modelling is important. The context of the current study is one in which the medical system is struggling to align health care needs and available human resources while navigating severe burnout following the COVID-19 pandemic. Ensuring appropriate role modelling involves a lot more than providing training to preceptors and educational staff. It may involve remedying a medical system that was not built to sustainably handle current demands—a topic beyond the scope and length of this article. Kuilanoff (2021) provides an excellent discussion of the topic. Lastly, incorporating critical reflection exercises and debriefing to foster students' development of critical practice and deeper understanding of themselves and the contexts within which they work may be more lucrative. This has been utilized elsewhere, through incorporation into already-existing curriculum (Crampton et al., 2016; Denizard-Thompson et al., 2021; Essa-Hadad et al., 2015; Harrison et al., 2020; Snyman & Geldenhuys, 2019; Uy & Dimaa-no, 2020; van den Heuvel et al., 2014).

These exploratory results provide a starting point for a much larger conversation around students' preparation and the efforts to equip PCP students across northern Ontario to work towards SJSR. Should future studies result in similar findings, certain initiatives may be warranted. These include consideration of additive versus longitudinal curriculum on SJSR-related content, though we acknowledge the challenges this would introduce given the condensed nature of two-year PCP programs. It may also be worthwhile to consider long-term initiatives. These include creating more baccalaureate degree programs for PCP throughout the province and continuing to recruit learners with previous degrees or experience in the social and health sciences to ensure that future paramedics are coming into the field with a good understanding of SJSR-related topics.

Ultimately, future research into this phenomenon should employ a larger sample of participants from several educational institutions across Ontario and or Canada to better elucidate trends in preparation to enact SJSR. These approaches would provide more robust data to better understand this phenomenon.

REFERENCES

- Adams, W. (2015). *Conducting semi-structured interviews*. In J. S. Wholey, H. P. Hatry, & K. E.
- Allana, A., & Pinto, A.D. (2021). Paramedics have untapped potential to address social determinants of health in Canada. *Healthcare Policy*, 16(3):67-75. <https://doi.org/10.12927/hcpol.2021.26432>
- Alshareef, M. H., & Flemban, A. F. (2025). How preceptor behaviour shapes the future of medical professionals. *Advances in medical education and practice*, 16, 135–144. <https://doi.org/10.2147/AMEP.S481620>
- Banks, J. A. (2014). *An Introduction to Multicultural Education* (5th Ed.). Pearson Education Inc.
- Baxter, P., & Jack, S. (2008). Qualitative case study methodology: Study design and implementation for novice researchers. *The Qualitative Report*, 12(4), 544-559. <https://doi.org/10.46743/2160-3715/2008.1573>
- Beavis, A. S. W., Hojjati, A., Kassam, A., Choudhury, D., Fraser, M., Masching, R., & Nixon, S. A. (2015). What all students in healthcare training programs should learn to increase health equity: Perspectives on postcolonialism and the health of Aboriginal Peoples in Canada. *BMC Medical Education*, 15, Article 155. <https://doi.org/10.1186/s12909-015-0442-y>
- Blackburn, M. (2022, September 16). Onigaming First Nation chief says paramedics refused to come into community while man overdosed. *APTN News*. <https://www.aptnnews.ca/national-news/onigaming-first-nation-chief-says-paramedics-refused-to-come-into-community-while-man-overdosed>
- Blanchet Garneau, A., Browne, A. J., & Varcoe, C. (2018). Drawing on antiracist approaches toward a critical antidiscriminatory pedagogy for nursing. *Nursing inquiry*, 25(1). <https://doi.org/10.1111/nin.12211>
- Binagwaho, A., Ngarambe, B., & Mathewos, K. (2022). Eliminating the White supremacy mindset from global health education. *Annals of global health*, 88(1), 32. <https://doi.org/10.5334/aogh.3578>
- Biswas, S., Douthit, N. T., Mazuz, K., Morrison, Z., Patchell, D., Ochion, M., Eidelman, L., Golan, A., Alkan, M., Dwolatzky, T., Norcini, J., Waksman, I., Solomonov, E., & Clarfield, A. M. (2020). Implementing a practical global health curriculum: The benefits and challenges of patient-based learning in the community. *Frontiers in Public Health*, 8, Article 283. <https://doi.org/10.3389/fpubh.2020.00283>
- Boelen, C., & Heck, J. E. (1995). Defining and measuring the social accountability of medical schools. *World Health Organization*. <https://apps.who.int/iris/handle/10665/59441>
- Butscher, M. (2025, July 14). From sirens to solutions: Guiding paramedics to a patient-centered mindset. *EMS1*. <https://www.ems1.com/community-paramedicine/from-sirens-to-solutions-guiding-paramedics-to-a-patient-centered-mindset>
- Campbell, S., Greenwood, M., Prior, S., Shearer, T., Walkem, K., Young, S., Bywaters, D., & Walker, K. (2020). Purposive sampling: Complex or simple? Research case examples. *Journal of Research in Nursing*, 25(8), 652–661. <https://doi.org/10.1177/1744987120927206>

- Canadian Association of Schools of Nursing. (2020). *CASN accreditation standards and framework*. http://accred.casn.ca/content/user_files/2017/04/EN-CASN-Accreditation-Standards-Feb-4-2022.pdf
- Carpiano, R. M. (2009). Come take a walk with me: The “Go-Along” interview as a novel method for studying the implications of place for health and well-being. *Health & Place*, 15(1), 263-272. <https://doi-org/10.1016/j.healthplace.2008.05.003>
- Carter, N., Bryant-Lukosius, D., DiCenso, A., Blythe, J., & Neville, A. J. (2014). The use of triangulation in qualitative research. *Oncology nursing forum*, 41(5), 545-547. <https://doi.org/10.1188/14.ONF.545-547>
- Chan, J. T. (2020). Snowball sampling and sample selection in a social network. In A. de Paula, E. Tamer, & M. Voia (Eds.), *Advances in econometrics: Vol. 42. The econometrics of networks* (pp. 61-80). Emerald Publishing Limited.
- Chooniedass, R., Reekie, M., Denison, J., Mercuri, A., Nawara, R., Purcell, N., Oelke, M., & Janke, R. (2025). Embedding cultural safety in nursing education: A scoping review of strategies and approaches. *Journal of Professional Nursing*, 56, 113-129. <https://doi.org/10.1016/j.profnurs.2024.11.005>
- Colleges Ontario. (2025). Strengthening Ontario’s paramedicine talent pipeline: Transitioning to a three-year primary care paramedicine degree program across the public college system. [Issue Brief]. *Colleges Ontario*. https://www.nosda.net/images/NOSDA-Board-/2025/Board-Agenda-2025/colleges_ontario_oapc_briefing_note_june_12_2025.pdf
- Committee on Accreditation of Canadian Medical Schools. (2023). *CACMS 101: A primer on Accreditation of Canadian MD programs*. Retrieved August 22, 2023, from <https://cacms-cafmc.ca/wp-content/uploads/2023/03/CACMS101-A-Primer-on-CACMS-Accreditation.pdf>
- Confederation College. (n.d.). *Paramedic courses*. Retrieved January 12, 2026, from <https://www.confederationcollege.ca/program/paramedic/courses>
- Confederation College. (2025). *Primary care paramedic program manual – 2025/26 diploma certificate 0694*. <https://www.confederationcollege.ca/sites/default/files/2025-08/Paramedic%20Program%20Manual%202025-26%20-%20Version%206.0.pdf>
- Crampton, P., Hetherington, J., McLachlan, J., & Illing, J. (2016). Learning in under-served UK areas: A novel approach. *The Clinical Teacher*, 13(2), 102–106. <https://doi.org/10.1111/tct.12385>
- Crenshaw, K. (1989). Demarginalizing the intersection of race and sex: A Black feminist critique of antidiscrimination doctrine, feminist theory and antiracist politics. *University of Chicago Legal Forum*, 1989(1), Article 8. <http://chicagounbound.uchicago.edu/uclf/vol1989/iss1/8>
- Creswell, J. W., & Poth, C. N. (2017). *Qualitative inquiry & research design: Choosing among five approaches* (4th ed.). SAGE.
- Curtis, E., Jones, R., Tipene-Leach, D., Walker, C., Loring, B., Paine, S., & Reid, P. (2019). Why cultural safety rather than cultural competency is required to achieve health equity: A literature review and recommended definition. *International Journal for Equity in Health*, 18, Article 174. <https://doi.org/10.1186/s12939-019-1082-3>

- Denizard-Thompson, N., Palakshappa, D., Vallevand, A., Kundu, D., Brooks, A., Di-Giacobbe, G., Griffith, D., Joyner, J., Snavelly, A. C., & Miller, D. P. (2021). Association of a health equity curriculum with medical students' knowledge of social determinants of health and confidence in working with underserved populations. *JAMA Network Open*, 4(3), e210297. <https://doi.org/10.1001/jamanetworkopen.2021.0297>
- Dickson, M., & Manalo, G. (2014). The beyond borders initiative: Aboriginal, Torres Strait Islander and international public health students: Engaging partners in cross-cultural learning. *Education for Health*, 27(2), 132–137. <https://doi.org/10.4103/1357-6283.143729>
- Dogra, N., Reitmanova, S., & Carter-Pokras, O. (2009). Teaching cultural diversity: Current status in U.K., U.S., and Canadian medical schools. *Journal of General Internal Medicine*, 25(2), 164–168. <https://dx.doi.org/10.1007%2Fs11606-009-1202-7>
- Essa-Hadad, J., Murdoch-Eaton, D., & Rudolf, M. C. J. (2015). What impact does community service learning have on medical students' appreciation of population health? *Public Health*, 129(11), 1444–1451. <https://doi.org/10.1016/j.puhe.2015.05.009>
- Forsyth, C., Irving, M., Short, S., Tennant, M., & Gilroy, J. (2019). Strengthening Indigenous cultural competence in dentistry and oral health education: Academic perspectives. *European Journal of Dental Education*, 23(1), e37–e44. <https://doi.org/10.1111/eje.12398>
- Gallegos, J., Tindall, C., & Gallegos, S. (2008). The need for advancement in the conceptualization of cultural competence. *Advances in Social Work*, 9(1), 51–62. <https://doi.org/10.18060/214>
- Glazier R. H. (2023). Our role in making the Canadian health care system one of the world's best: How family medicine and primary care can transform-and bring the rest of the system with us. *Canadian family physician Medecin de famille canadien*, 69(1), 11–16. <https://doi.org/10.46747/cfp.690111>
- Global consensus for social accountability of medical schools. (2010). Retrieved May 25, 2022, from <https://healthsocialaccountability.sites.olt.ubc.ca/files/2011/06/11-06-07-GCSAEnglish-pdf-style.pdf>
- Grimaldi, J. (2021, February 9). Investigation underway at York Paramedics after 'offensive' tweets emerge. *Toronto Star*. https://www.thestar.com/news/gta/investigation-underway-at-york-paramedics-after-offensive-tweets-emerge/article_05b3aa4d-f6fa-56f3-8a74-8e19e3d82681.html
- Harrison, S. G. D., Scheepers, J., Christopher, L. D., & Naidoo, N. (2020). Social determinants of health in emergency care: An analysis of student reflections on service-learning projects. *African Journal of Health Professions Education*, 12(1), 22–26. <https://doi.org/10.7196/AJHPE.2020.v12i1.1152>
- Harvey, A. (2023). Student perspectives on preparation to be just and socially responsible providers: A northwestern Ontario qualitative case study [Master's thesis, Lakehead University]. *Lakehead University Knowledge Commons*. <https://knowledgecommons.lakeheadu.ca/items/6d66819d-1ec5-4bdb-8e27-4ef47520ac04>
- Hopkins, L., Saciragic, L., Kim, J., & Posner, G. (2016). The hidden curriculum: Exposing the unintended lessons of medical education. *Cureus* 8(10), e845. <https://doi.org/10.7759/cureus.845>
- Kline, C., Godolphin, W., Chhina, G., & Towle, A. (2013). Community as teacher model: Health profession students learn cultural safety from an aboriginal community. *Michigan Journal of Community Service Learning*, 20(1), 5–17. <http://hdl.handle.net/2027/spo.3239521.0020.101>

- Kuilanoff, E. (2021). Burnout and our professional identity crisis as clinical educators. *Academic Medicine* 96(5), 616–617. <https://doi.org/10.1097/ACM.0000000000003994>
- Loriggio, P. (2022, January 18). Paramedics who treated fatally wounded teen receive 18 months' conditional sentence. CP24. <https://www.cp24.com/news/paramedics-who-treated-fatally-wounded-teen-receive-18-months-conditional-sentence-1.5744586>
- Lumivero (2023). NVivo (Version 14) [computer software]. Lumivero.
- Mahood S. C. (2011). Medical education: Beware the hidden curriculum. *Canadian Family Physician*, 57(9), 983–985. <https://www.cfp.ca/content/57/9/983>
- Mikkonen, J., & Dennis Raphael, D. (2010). *Social determinants of health: The Canadian facts*. York University School of Health Policy and Management, Toronto.
- Mkandawire-Valhmu, L., Weitzel, J., Dressel, A., Neiman, T., Hafez, S., Olukotun, O., Kreuziger, S., Scheer, V., Washington, R., Hess, A., Morgan, S., & Stevens, P. (2019). Enhancing cultural safety among undergraduate nursing students through watching documentaries. *Nursing inquiry*, 26(1), e12270. <https://doi.org/10.1111/nin.12270>
- Murray, R., Larkins, S., Russell, H., Ewen, S., & Prideaux, D. (2012). Medical schools as agents of change: Socially accountable medical education. *Medical Journal of Australia*, 196(10), 653–653. <https://doi.org/10.5694/mja11.11473>
- O'Meara, O., Ruest, M., & Stirling, C. (2014). Community paramedicine: Higher education as an enabling factor. *Australasian Journal of Paramedicine*, 11(2). <https://doi.org/10.33151/ajp.11.2.22>
- Ontario Paramedic Association. (n.d.-a). *Becoming a paramedic*. Retrieved September 1, 2024, from <https://www.ontarioparamedic.ca/curriculum/become-a-paramedic>
- Ontario Paramedic Association. (n.d.-b). *Frequently asked questions*. Retrieved December 24, 2021, from <https://www.ontarioparamedic.ca/self-regulation/faq>
- Ontario Paramedic Association. (n.d.-c). *Paramedic self-regulation*. Retrieved December 24, 2021, from <https://www.ontarioparamedic.ca/self-regulation>
- Ontario. (2008). *College program standard: Paramedic*. <https://www.ontario.ca/page/college-program-standard-paramedic>
- Ontario. (2014, January 21). *Ontario expanding community role for paramedics*. <https://news.ontario.ca/en/release/28189/ontario-expanding-community-role-for-paramedics>
- Ontario. (2021, October 22). *Ontario expands Community Paramedicine for Long-Term Care Program*. <https://news.ontario.ca/en/release/1001022/ontario-expands-community-paramedicine-for-long-term-care-program>
- Palis, A. G., & Quiros, P. A. (2014). Adult learning principles and presentation pearls. *Middle East African Journal of Ophthalmology*, 21(2), 114–122. <https://doi.org/10.4103/0974-9233.129748>
- Paramedic Association of Canada. (2011). *National occupational competency profile for paramedics*. <https://www.paramedic.ca/uploaded/web/documents/2011-10-31-Approved-NOCP-English-Master.pdf>
- Peel, K. L. (2020). A beginner's guide to applied educational research using thematic analysis. *Practical Assessment, Research, and Evaluation*, 25, Article 2. <https://doi.org/10.7275/ryr5-k983>
- Ramsden, I. M. (2002). *Cultural safety and nursing education in Aotearoa and Te Waipounamu*. [Unpublished doctoral dissertation, Victoria University of Wellington, Wellington, NZ].

- Reitmanova, S. (2011). Cross-cultural undergraduate medical education in North America: Theoretical concepts and educational approaches. *Teaching and Learning in Medicine*, 23, 197-203. <https://doi.org/10.1080/10401334.2011.561761>
- Ross, B., Daynard, J., & Greenwood, D. (2014). Medicine for somewhere: The emergence of place in medical education. *Educational Research and Reviews*, 9(22), 1250-1265. <https://doi.org/10.5897/ERR2014.1948>
- Ross, B. M., Cameron, E., & Greenwood, D. (2019). A qualitative investigation of the experiences of students and preceptors taking part in remote and rural community experiential placements during early medical training. *Journal of Medical Education and Curricular Development*, 6. <https://doi.org/10.1177/2382120519859311>
- Rowland, E., & Brydges, M. (2023). Paramedics. Optometrists. In I. Bourgeault (Ed.), *Introduction to Health Occupations in Canada*. (pp. 295-310). Ottawa: Canadian Health Workforce Partners, Inc.
- Ryder, C., Yarnold, D., Hayes, C., MacKean, L., Sjöberg, D., & Porter, M. (2013). Teaching and learning: Demonstrating cultural safety in communication through standardised role play. In C. Lochert (Ed.), *LIME Good Practice Case Studies: Vol. 2*. (pp. 19-23). Onemda VicHealth Koori Health Unit, The University of Melbourne. <https://search.informit.org/doi/10.3316/informit.048922940559496>
- Shannon, B., Eaton, G., Lanos, C., Leyenaar, M., Nolan, M., Bowles, K. A., Williams, B., O'Meara, P., Wingrove, G., Heffern, J. D., & Batt, A. (2022). The development of community paramedicine; a restricted review. *Health & Social Care in the Community*, 30(6), e3547-e3561. <https://doi.org/10.1111/hsc.13985>
- Snyman, S., & Geldenhuys, M. (2019). Exposing an interprofessional class of first years to an underserved community contributed to students' contextualisation of the determinants of health. *Journal of Interprofessional Care*, 33(3), 280-290. <https://doi.org/10.1080/13561820.2019.1566219>
- Stubbe D. E. (2020). Practicing cultural competence and cultural humility in the care of diverse patients. *Focus (American Psychiatric Publishing)*, 18(1), 49-51. <https://doi.org/10.1176/appi.focus.20190041>
- University of Toronto Scarborough. (2023, June 8). *Department of Health and Society to lead Paramedicine program*. <https://www.utscc.utoronto.ca/healthsociety/department-health-and-society-lead-paramedicine-program>
- Uy, T., & Dimaano, C. (2019). Lessons learned from "The Spirit Catches You and You Fall Down": Student perspectives on how cultural differences can lead to health disparities. *Health Education Journal*, 79(1), 73-81. <https://doi.org/10.1177/0017896919862592>
- van den Heuvel, M., Au, H., Levin, L., Bernstein, S., Ford-Jones, E., & Martimianakis, M. A. T. (2014). Evaluation of a social pediatrics elective: Transforming students' perspective through reflection. *Clinical Pediatrics*, 53(6), 549-555. <https://doi.org/10.1177/0009922814526974>
- Weber, A., Devenish, S., & Lam, L. (2024). Exploring the alignment between paramedicine's professional capabilities and competency frameworks for current and evolving scopes of practice: A literature review. *BMC Medical Education*, 24(1), Article 31. <https://doi.org/10.1186/s12909-023-04992-w>



EMS|MC

Built for EMS

In EMS, progress isn't just about innovation in the field.

It's about building smarter systems that protect compliance, strengthen revenue, and let EMS teams focus on what matters most: patients.

EMS|MC partners with fire, EMS, and mobile healthcare organizations nationwide to provide billing, compliance, education, and advisory services—without losing the human connection this industry depends on.

We combine proven technology with experienced people who understand the realities of EMS operations, reimbursement, and regulatory change.

Revenue. Compliance. Operations. Simplified.

Learn more at emsmc.com

Proud sponsor of NEMSMA

RESEARCH REPORTS

ZOOM FATIGUE AMONG PARAMEDICINE STUDENTS: A CROSS-SECTIONAL STUDY

Talal AlShammari, PhD¹; Christine King, PhD²; Ala'a Oteir, PhD³; Saeed Alqahtani, PhD⁴; Yu-Tung Chang, PhD⁵; Salem Aldossary, PhD¹; Brett Williams, PhD^{*1}

Author Affiliations: 1. Department of Emergency Medical Care, College of Applied Medical Sciences, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia; 2. C-King Community, Brisbane, Australia; 3. Department of Applied Medical Sciences, Jordan University of Science and Technology, Irbid, Jordan; 4. Department of Emergency Medical Services, Prince Sultan College for EMS, Riyadh, Saudi Arabia; 5. College of Health Technology, National Taipei University of Nursing and Health Sciences, Taipei, Beitou District, Taiwan.

Recommended Citation: AlShammari, T., King, C., Oteir, A., Alqahtani, S., Change, Y., & Williams, B. (2026). Zoom fatigue among paramedicine students: A cross-sectional study. *International Journal of Paramedicine*. (14). 87-96. <https://doi.org/10.56068/YWRA5644>

Keywords: zoom fatigue, zoom exhaustion and fatigue scale, COVID-19, higher education, fatigue mitigation, emergency medical services, EMS, paramedicine

Disclosures: The authors declare no conflict of interest.

Funding: External funding was not used for this project.

Acknowledgements: The authors would like to thank the students for taking part in this research.

Received: December 27, 2025

Accepted: February 22, 2026

Published: April 14, 2026

***Corresponding Author:**
bawilliams@iau.edu.sa

ABSTRACT

The COVID-19 global pandemic changed how higher education was delivered in response to frequent lockdowns and social distancing rules. Universities around the world transformed quickly, often with little planning, from classroom-based face-to-face learning to remote online learning, particularly using Zoom conferencing. Elements of this still occur today. Despite the obvious benefits of Zoom, which enabled continued communication with work, family, and friends, extended and frequent Zoom meetings quickly turned into video conferencing fatigue, or what has become known as 'Zoom fatigue'.

Our study aimed to answer three research questions: Did paramedicine students experience Zoom fatigue after transitioning to online learning during COVID-19? If so, were there differences in the level of fatigue experienced by students in different years of the degree? And did gender influence the level of fatigue experienced?

This cross-sectional study used the Zoom Exhaustion and Fatigue (ZEF) scale with students from all 3 years of the Bachelor of Paramedicine at Monash University in Australia.

Of the 224 students who participated, 61.1% identified as female, 36.3% as male, and 1.8% as non-binary. Most students were in the third year of the degree (48.7%), while 27.4% and 23.9% were in the first and second year, respectively. Our study found that students did experience Zoom fatigue. General and motivational fatigue were experienced most by all students. Students in year 2 experienced less fatigue than students in year 1 and year 3. For example, the mean general fatigue score differed significantly between years, $F(2,223) = 4.288$, $p = .015$. Female students experienced more fatigue than male students across all factors, including general, visual, social, motivational, and emotional fatigue.

This study provides empirical support for the existence of Zoom fatigue among paramedicine students and suggests it increases with meeting frequency and is greater for female students. More research is required to explore its contextual, methodological, and practical aspects.

In 2020 and 2021, the COVID-19 global pandemic changed the way that higher education is delivered in response to frequent lockdowns and the adherence to social distancing rules. Universities around the world transformed quickly, without much plan-

ning, from classroom-based face-to-face learning to remote online learning, particularly using Zoom conferencing. Despite the obvious benefits of Zoom that enabled continued communication with work, family, and friends, extended and frequent Zoom meetings quickly turned into video conferencing fatigue (Dobson, 2021; Massner, 2021). Video conference fatigue is therefore a recent phenomenon that has emerged during the COVID-19 pandemic and is defined as the degree to which people feel exhausted, tired, or worn out, attributed to engaging in video conferencing (Bennett et al., 2021; Massner, 2021). Some definitions suggest that the definition includes extensive and extended use (Massner, 2021). Video conference fatigue is synonymous with 'Zoom fatigue' as Zoom became the leading software, proving to be an easy-to-use and robust tool for productivity, learning, and social interaction (Bailenson, 2021). Bennett et al. (2021) note that videoconference fatigue is similar to other fatigue constructs, such as compassion fatigue (Williams et al., 2022) and citizenship fatigue (Bolino et al., 2015), but it has distinct antecedents and a unique temporal structure, making it a unique phenomenon. For example, compassion fatigue occurs after cumulative experiences, but videoconference fatigue can occur after a one-off event. Video conferencing has been shown to impact people differently, and some of the differences mentioned in the literature include a person's gender, age, culture, and personality type (Bennett et al., 2021; Fauville et al., 2023; McConnon, 2021). For example, women experience more Zoom fatigue than men (Fauville et al., 2023), and younger students and workers are more susceptible to Zoom fatigue than older students and workers (Beyea et al., 2025; Epstein, 2020), and introverts experienced higher levels of fatigue than extroverts (Dobson, 2021). Zoom fatigue has also been shown to increase with meeting frequency and timing (Asgari et al., 2021; Bennett et al., 2021). To capture the complexity of Zoom fatigue, some researchers have developed models, such as Massner (2021), whose model is comprised of situational, individual traits, environmental, and communication factors. Bailenson (2021) describes nonverbal communication in face-to-face as remarkable, explaining that it is simultaneously effortless and incredible complex; and compares this to the nonverbal communication required for videoconferencing is not only complex but also requires a person to work hard to deliver and interpret signals and messages. Most studies about Zoom fatigue are in the context of the workplace (Epstein, 2020; Toney et al., 2021); however, some studies have focused on Zoom fatigue in higher education (Fauville et al., 2023; McArthur, 2021; Peper et al., 2021). In a study by (Rouse, 2020), university students who were asked if they had experienced Zoom fatigue after transitioning over to online learning. All responded 'yes', regardless of whether they had only taken part in a few online classes or had the majority of their classes online. In another study by Peper et al. (2021), 80% of students found it harder to focus their attention and stay present during online classes and reported experiencing more isolation, anxiety, and depression, than in face-to-face classes. Fauville et al., (2021) explored the impact of Zoom fatigue on nursing students and found that Zoom fatigue increased with the frequency of teleconference meetings and was also influenced by participant characteristics such as age, gender, and attitude. Rather than trying to understand the Zoom fatigue phenomenon through the perspective of the student, (McArthur, 2021) explored ways that teachers in higher education modified, altered, or transformed their face-to-face nonverbal behaviors into nonverbal behaviors more suitable for online learning environments, including what strategies they used to reduce Zoom fatigue. Many reasons for Zoom fatigue are mentioned in the literature. Epstein (2020) mentions a range of issues that cause virtual interactions to be very hard on the brain by increas-

ing the intensity of focus required to absorb the content. These include communication not always being synchronous, being distracted using chat boxes or navigating to unmute or ask questions, challenging the brain's central vision by seeing multiple people at the same time, paying attention with a constant gaze, and limited sensory dynamism by only being able to take in visual information. Bailenson (2021) provides four arguments on why the Zoom interface is likely to lead to Zoom fatigue through nonverbal overload. These include:

- Excessive amounts of close-up eye gaze that violate interpersonal distance rules
- Cognitive load
- Increased self-evaluation
- Constraints on physical mobility

In a study by Asgari et al. (2021), reasons for Zoom fatigue included unreliable internet access, work-life balance issues, a lack of motivation, focus, peer support, private space to attend classes, and clear guidelines from instructors.

While a recent meta-analysis by Beyea et al., (2025) synthesized the Zoom fatigue literature, finding important contributing and conditioning factors across the higher education sector, our study recognizes the limited research on Zoom fatigue in higher education, with no studies identified in the field of paramedicine. Our study also assumes that paramedicine educators and higher education in general, need to understand the complexity inherent in Zoom fatigue as suggested by Ozainne et al. (2023). It aimed to answer three research questions:

- Did paramedicine students experience Zoom fatigue after transitioning to online learning during COVID-19?
- If so, were there any differences in Zoom fatigue between students in different years of the degree?
- Did gender influence the level of fatigue experienced?

This study explored this using the Zoom Exhaustion and Fatigue (ZEF) scale with students from all three years of the Bachelor of Paramedicine at Monash University in Australia.

METHODS

STUDY DESIGN

This was a cross-sectional study. The study was designed and reported consistently with the STROBE guidelines (Vandenbroucke et al., 2007). No formal sample size was calculated as the study was exploratory in nature.

PARTICIPANTS

Students were invited to participate in the study if they enrolled in the Bachelor of Paramedicine, Monash University. No exclusion criteria were applied. All students enrolled in the Bachelor program were invited to participate in the study to reduce selection bias. Data were collected from a cohort of undergraduate paramedicine students from a large Australian university. Students were provided with an explanatory statement and were informed that participation and completion of the questionnaire were voluntary and

anonymous. The paper-based questionnaire took less than 10 minutes to complete. No follow-ups were undertaken.

PROCEDURE

The paper-based questionnaire was provided to all willing students, and they were asked to read through the explanatory statement before considering participating in the study. Completed questionnaires were returned to a non-teaching research assistant.

INSTRUMENTATION

The questionnaire included two parts: the demographics and the ZEF questionnaire. The demographic section collected demographic data including the year of course, age group, and gender. The second section included the Zoom Exhaustion & Fatigue Scale developed by Fauville et al. (2021b). This is a 15-item scale where items are scored on a 5-point Likert scale with 1= "Strongly Disagree" and 5= "Strongly Agree", with higher scores indicating a higher level of Zoom exhaustion & fatigue. The 15 items represent 5 factors, including General Fatigue (items 1-3), Visual Fatigue (items 4-6), Social Fatigue (items 7-9), Motivational Fatigue (items 10-12), and Emotional Fatigue (items 13-15). The ZEF scale is a valid and reliable measure for Zoom fatigue and limited any measurement bias in this study.(Fauville et al., 2021; Riedl et al., 2023; Simbula et al., 2024)

ANALYSIS

The Statistical Package for Social Sciences (SPSS) version (27) was used for all data analysis. Descriptive statistics were reported as count and proportions and mean and standard deviations. Differences in the mean score of fatigue levels across age groups, gender, and year level were assessed using analysis of variance (ANOVA) and Student t-test as appropriate. A two-tailed p-value of <0.05 will be considered statistically significant.

ETHICS

The study was approved by the Monash University Human Ethics Committee (Approval #: 29964). Implied consent was provided through participation and completion of the questionnaire.

RESULTS

DEMOGRAPHICS

A cohort of 224 (overall 53% response rate) undergraduate paramedicine students from a large Australian University participated in the study. Table 1 presents the frequency and percentages of participants in each category. Among the 224 participants included in the study, 61.1% identified as female, 36.3% identified as male, and 1.8% identified as non-binary. Most students were in the third year of the Bachelor's degree (48.7%), and 27.4% and 23.9% were in the first and second year, respectively. Approximately half (50.9%) of the students were in the

Category	Variable	Frequency	%
Age	< 21	89	39.4
	21-25	115	50.9
	>25	20	8.9
Gender	Female	138	61.1
	Male	82	36.3
	Non-binary	4	1.8
Year Level	1	62	27.4
	2	54	23.9
	3	108	48.2

Table 1. Participant demographics.

21-25 age group, and almost 40% of the students were under 21 years of age.

ZEF

Table 2 illustrates the item responses and scale reliability, showing the mean answers to each item between students and the Cronbach's Alpha (α) of each scale corresponding to each of its items. The analysis shows that the mean and standard deviation of answers ranged from 2.04 ± 1.18 (Item 7) to 3.62 ± 1.031 (Item 1). The Cronbach alpha coefficient is acceptable for all scales as they range from .86 for the motivational and social scales to .88 for the emotional scales. This indicates a very good internal consistency between items. This means that the questions are holding the meaning of their scale, and we can rely on these in testing this specific type of fatigue.

Factor	Item	Mean (SD)	α
General fatigue	1	3.62 (1.03)	.87
	2	2.99 (1.11)	
	3	3.53 (1.12)	
Visual fatigue	4	2.42 (1.31)	.86
	5	2.65 (1.28)	
	6	2.08 (1.16)	
Social fatigue	7	2.04 (1.18)	.86
	8	2.23 (1.23)	
	9	2.44 (1.30)	
Motivational fatigue	10	2.63 (1.27)	.88
	11	3.11 (1.27)	
	12	2.88 (1.24)	
Emotional fatigue	13	2.54 (1.28)	.88
	14	2.38 (1.30)	
	15	2.28 (1.22)	

Table 2. Mean score of ZEF and the reliability value.

For the general fatigue scale, the mean in year 1 was 10.45 ± 2.83 , year 3 was 10.45 ± 2.99 , and year 2 was 9.13 ± 2.71 . For the visual fatigue scale, the mean in year 1 was 7.74 ± 3.17 , year 3 was 7.44 ± 3.43 , and year 2 was 5.89 ± 2.99 . For the social fatigue scale, the mean in year 1 was 7.16 ± 3.51 , year 3 was 6.93 ± 3.41 , and year 2 was 5.76 ± 2.85 . For the motivational fatigue scale, the mean in year 1 was 9.48 ± 3.58 , year 3 was 8.71 ± 3.22 , and year 2 was 7.43 ± 3.26 . For the emotional fatigue scale the mean in year 1 was 7.85 ± 3.42 , year 3 was 7.49 ± 3.61 , and year 2 was 5.85 ± 2.69 .

The results of the ANOVA tests show that the mean general fatigue score is significantly different between students of different years $f(2,223) = 4.29, p = .015$. Also, the mean visual fatigue score is significantly different between students of different years $f(2,223) = 5.49, p = .005$. The mean social fatigue score is significantly different between students of different years $f(2,223) = 3.03, p = .05$. The mean motivational fatigue score is significantly different between students of different years $f(2,223) = 5.597, p = .04$, and the mean emotional fatigue score is significantly different between students of different years $f(2,223) = 5.94, p = .003$. The results show that when the mean fatigue score for each scale is calculated for each year group and then compared with each other, there is a difference in fatigue scores between the students, and the difference has not happened to chance. That is, students in year 1 and year 3 experienced more fatigue than students in year 2, with students in year 1 experiencing the most fatigue.

Table 4 presents the descriptive analysis of each fatigue scale by gender. There were higher levels of fatigue among female

Factor	Mean Score Across the Year Level			F-Value	P-Value
	Year 1 (n=62)	Year 2 (n=54)	Year 3 (n=110)		
General fatigue	10.45 (2.83)	9.13 (2.71)	10.45 (2.99)	4.29	.015
Visual fatigue	7.74 (3.17)	5.89 (2.99)	7.44 (3.43)	5.49	.005
Social fatigue	7.16 (3.51)	5.76 (2.85)	6.93 (3.41)	3.03	.050
Motivational fatigue	9.48 (3.58)	7.43 (3.26)	8.71 (3.22)	5.59	.004
Emotional fatigue	7.85 (3.42)	5.85 (2.69)	7.49 (3.61)	5.94	.003

Table 3. Differences in the mean factor score of fatigue level across year level (ANOVA).

students for all factors (general, visual, social, motivational, and emotional). For example, the mean score for general fatigue for women was 10.8, and the mean for men was 9.07 ($p = .000$). Since the p -value is less than 0.05, the study can conclude that women have significantly higher general fatigue levels than men.

Fatigue levels for the other factors were also significantly higher for women than men, with mean differences of 2.038, 1.512, 1.68, and 1.268 for visual, social, motivational, and emotional fatigue, respectively. The greatest difference was for visual fatigue, and the least difference was for emotional fatigue. In addition, general and motivational fatigue were the two highest experienced forms of fatigue by both female and male students.

DISCUSSION

This study explored the impact of Zoom meetings on undergraduate university students and found that students experienced Zoom fatigue. General and motivational fatigue were experienced the most by all students. Second, students in year 2 experienced less fatigue than students in year 1 and year 3. Finally, results indicated that female students experienced more fatigue than male students for all factors, including general, visual, social, motivational, and emotional fatigue. Our results can be compared with other studies. One study with 597 nursing university students in the Philippines Oducado et al., (2021) showed that high and very high levels of Zoom fatigue were experienced by 46.9% and 19.8% of students, respectively, using the ZEF scale. The composite mean score for these was $3.82 \pm .7$. Higher levels of fatigue were also experienced by students who were female, younger, had lower income status, poorer academic performance, unstable internet connection, longer and more frequent meetings, and had a negative attitude toward videoconferencing, where gender and academic performance were the two highest influencers (Oducado et al., 2021). The effects of Zoom fatigue also seem to be compounding, with a study by Shockley et al., (2021) showing that fatigue not only affects same-day meeting performance but also the performance of next-day meetings. Nesher Shoshan & Wehrt, (2022) also conducted a study to compare video conference meetings to meetings during the pandemic to rule out the possibility that Zoom fatigue was just meeting fatigue and found that Zoom fatigue was its own type of fatigue.

Similar findings were reported in Zoom fatigue studies in the workplace. For example, Fauville et al., (2023) found that daily usage predicts the amount of fatigue. They also showed that women reported 13.8% higher Zoom fatigue than men. In our study women experienced 16%, 26%, 21%, 18%, and 16.5% higher Zoom fatigue than men for general, visual, social, motivational, and emotional fatigue, respectively. One explanation given in Fauville et al's study is that women often have longer meetings and shorter breaks between meetings than men, accounting for women experiencing higher overall Zoom fatigue. In addition, Fauville et al., (2023) also showed in their study that women are highly susceptible to visual fatigue, and confirmed that mirror anxiety leading to visual fatigue mediates the gender difference in fatigue. Visual fatigue was also the highest influencer

Factor	Females (n=138)	Males (n=82)	P- Value
General fatigue	10.80 (2.67)	9.07 (2.98)	.000
Visual fatigue	7.86 (3.24)	5.82 (3.04)	.000
Social fatigue	7.23 (3.45)	5.72 (2.73)	.001
Motivational fatigue	9.25 (3.25)	7.57 (3.34)	.000
Emotional fatigue	7.70 (3.43)	6.43 (3.24)	.007

Table 4. Mean factor score of fatigue level in males compared to females (Student t-test).

for gender difference in our study; however, we saw gender differences across all factors. Several studies refer to mirror anxiety that occurs when a person is exposed to digital and physical mirrors, and how this heightens (Clanton, 2021; Fauville et al., 2023) 'self-focused attention' that can lead to depression. Shockley et al. (2021) particularly looked at the impact of camera use on videoconference fatigue over 4 weeks with 103 employees (recording 1408 daily observations) and found that having a camera on produced more fatigue than the camera being off, with women and new employees experiencing the most fatigue when the camera was on. This finding of new employees experiencing more fatigue may also explain, in part, the higher levels of fatigue in our first-year students (in conjunction with more daily use). A possible explanation for this is that people who feel more connected to others in meetings are less likely to experience fatigue (Kaplan & Berman, 2010). Although this is speculation, we do know that year 1 and year 3 students in our study did experience more Zoom meetings than year 2 students.

Given that videoconferences have continued beyond the COVID-19 pandemic, it is important to provide clear practical recommendations on how to reduce videoconference fatigue. Some studies have focused on reducing videoconference fatigue (Bennett et al., 2021; Massner, 2021; Rouse, 2020). Samara & Monzon (2021) highlight the challenges that arose in medical education because of the pandemic, the major difficulty being Zoom burnout. They suggest that to combat Zoom burnout, there is a need to use different technology, such as virtual reality, creating an authoritative presence by directly looking at the camera, and interspersing Zoom meetings with other learning activities to limit screen time and provide variety. Other suggestions include holding meetings earlier in the workday, enhancing the perceptions of group belongingness, muting your microphone to reduce stress related to maintaining a quiet atmosphere (Bennett et al., 2021), activity switching, online small groups, and asynchronous lectures (Toney et al., 2021), and enabling instructors or supervisors to reflect on their practice in terms of new research on videoconferencing fatigue to make better decisions in videoconference meeting design (McArthur, 2021; Nesher Shoshan & Wehrt, 2021).

Rößler et al. (2021) explored how the emotions of 35 students influenced the outcomes of videoconference meetings during a one-semester course where Zoom meetings were held twice a week, with students divided into eight groups. Emotion was tracked through snapshots of both the supervisor and the student using facial emotion recognition that recognized six emotions: happy, sad, fear, anger, neutral, and surprise. Findings included:

- The happier the speaker is, the happier and less neutral the audience is
- The more neutral the speaker is, the less surprised the audience is
- Triggering diverse emotions such as happiness, neutrality, and fear leads to a higher presentation score
- Triggering too much neutrality among the participants leads to a lower presentation score

In addition, they found that keeping the audience constantly happy is not very engaging and a good presenter needs to challenge the audience by puzzling it and providing unexpected and even temporarily painful information, which is then resolved throughout the presentation (Rößler et al., 2021). Just as Oducado et al. (2021) concluded that nursing schools should consider the undesirable impact of videoconferences on students and seek protective factors against videoconference fatigue, we suggest this for paramedicine

schools as well. In addition, both nursing and paramedicine are disciplines that require a large degree of hands-on learning with a large focus on problem-solving approaches and critical thinking. These are similar qualities that Asgari et al. (2021) mention about engineering education (i.e., content-centered, hands-on, design-oriented, critical thinking skills) shows that urgent and careful planning is needed to mitigate the negative effects of abrupt conversions of conventional face-to-face instruction in these types of disciplines.

LIMITATIONS

Although our study shows that paramedic students experienced Zoom fatigue in all its forms and that some students experienced it more than others, there are still opportunities to gain a greater and more detailed understanding of this area. Our study was simply a cross-sectional study with a self-reporting questionnaire and is limited by response bias and non-response bias. The results of this study are also limited by using students from one university and we did not collect any data on the extent of Zoom use and time.

FUTURE RESEARCH

There are several opportunities for future research that stem from the findings of this research. Firstly, research into Zoom fatigue is new, and more research is needed to understand causes and consequences of Zoom fatigue for different groups (e.g. gender, culture, age groups) in different contexts. Secondly, since this research is in its infancy, there is limited understanding of the long-term effects of Zoom fatigue, as well as studies exploring the longitudinal aspects of Zoom fatigue. For example, Fauville et al. (2021a) suggest exploring how Zoom fatigue accumulates and dissipates over time over a week. Third, research with paramedicine students that incorporates additional significant aspects (e.g., culture, age group, personality type) should be included. Finally, a focus on interventions and ways to reduce Zoom fatigue would seem a more proactive approach to Zoom fatigue research.

CONCLUSION

Higher education, including paramedicine education, is continually shaped by information technology and online learning, influencing the student's learning journey. Although video conferencing technology has been available for more than a decade, COVID-19 transitioned students over to this technology rapidly and normalized it in higher education. As such, Zoom meetings became essential rather than an add-on or optional tool for educators and continues to this day. This study contributes to the limited literature on understanding the life of the university student during the COVID-19 pandemic, providing empirical support for the existence of 'Zoom fatigue' and how Zoom fatigue increases with meeting frequency and is greater for female students. We believe that universities can only fully support their students when they understand in more detail the complexity of this type of fatigue. Identifying characteristics, as well as ways to reduce Zoom fatigue, can inform both teaching theory and practice, particularly about how video conference lessons are designed and evaluated.

REFERENCES

- Asgari, S., Trajkovic, J., Rahmani, M., Zhang, W., Lo, R. C., & Sciortino, A. (2021). An observational study of engineering online education during the COVID-19 pandemic. *Public Library of Science One*, 16(4), 0250041–0250041. <https://doi.org/10.1371/journal.pone.0250041>
- Bailenson, J. (2021). Nonverbal Overload: A theoretical argument for the causes of Zoom Fatigue. *Technology, Mind, and Behaviour*, 2(1), 1–6. <https://doi.org/10.1037/tmb0000030>
- Bennett, A. A., Campion, E. D., Keeler, K. R., & Keener, S. K. (2021). Videoconference fatigue? Exploring changes in fatigue after videoconference meetings during COVID-19. *Journal of Applied Psychology*, 106(3), 330–344. <https://doi.org/10.1037/apl0000906>
- Beyea, D., Lim, C., Lover, A., Foxman, M., Ratan, R., & Leith, A. (2025). Zoom fatigue in review: A meta-analytical examination of videoconferencing fatigue's antecedents. *Computers in Human Behavior Reports*, 17, 100571. <https://doi.org/10.1016/j.chbr.2024.100571>
- Bolino, M. C., Hsiung, H.-H., Harvey, J., & LePine, J. A. (2015). Well, I'm tired of tryin'!" Organizational citizenship behavior and citizenship fatigue. *Journal of Applied Psychology*, 100(1), 56–74. <https://doi.org/10.1037/a0037583>
- Clanton, N. (2021). Study: "Zoom fatigue" is worse for women: "Self-focused attention" produces negative emotions. *The Atlanta Journal-Constitution*, 1.
- Dobson, S. (2021). Understanding "Zoom fatigue" and how to embrace the potential. *Canadian HR Reporter*, 34(5), 8–10.
- Epstein, H.-A. B. (2020). Virtual Meeting Fatigue. *Journal of Hospital Librarianship*, 20(4), 356–360. <https://doi.org/10.1080/15323269.2020.1819758>
- Fauville, G., Luo, M., Queiroz, A. C. M., Bailenson, J. N., & Hancock, J. (2021). Zoom Exhaustion & Fatigue Scale. *Computers in Human Behavior Reports*, 4, 100119. <https://doi.org/10.1016/j.chbr.2021.100119>
- Fauville, G., Luo, M., Queiroz, A. C. M., Lee, A., Bailenson, J. N., & Hancock, J. (2023). Video-conferencing usage dynamics and nonverbal mechanisms exacerbate Zoom Fatigue, particularly for women. *Computers in Human Behavior Reports*, 10, 100271. <https://doi.org/10.1016/j.chbr.2023.100271>
- Kaplan, S., & Berman, M. G. (2010). Directed Attention as a Common Resource for Executive Functioning and Self-Regulation. *Perspectives on Psychological Science*, 5(1), 43–57. <https://doi.org/10.1177/1745691609356784>
- Massner, C. K. (2021). *Zooming in on Zoom fatigue: A case study of videoconferencing and Zoom fatigue in higher education*. ProQuest Dissertations Publishing.
- McArthur, J. A. (2021). From classroom to Zoom room: Exploring instructor modifications of visual nonverbal behaviors in synchronous online classrooms. *Communication Teacher*, 1–12. <https://doi.org/10.1080/17404622.2021.1981959>
- McConnon, A. (2021). Zoom fatigue: The differing impact on introverts and extroverts. Video tools take a toll on both kinds of personalities sometimes in surprising ways. *The Wall Street Journal*. <https://www.wsj.com/articles/Zoom-fatigue-the-differing-impact-on-introverts-and-extroverts-11615291202>
- Nesher Shoshan, H., & Wehrt, W. (2022). Understanding "Zoom fatigue": A mixed-method approach. *Applied Psychology*, 71(3), 827–852. <https://doi.org/10.1111/apps.12360>

- Oducado, R., Fajardo, M., Parreño-Lachica, G., Maniago, J., Villanueva, P., Dequilla, M., Montaña, H., & Robite, E. (2021). Predictors of Videoconference Fatigue: Results From Undergraduate Nursing Students in the Philippines. *Asian Journal for Public Opinion Research*, 9(4).
- Ozainne, F., Rauss, L., & Stuby, L. (2023). Psychological State and Exam Performance among Paramedics' Students in Geneva during the COVID-19 Pandemic: A Mixed Methods Study. *International Journal of Environmental Research and Public Health*, 20(4), 3736. <https://doi.org/10.3390/ijerph20043736>
- Peper, E., Wilson, V., Martin, M., Rosegard, E., & Harvey, R. (2021). Avoid Zoom fatigue: Be present and learn. *NeuroRegulation*, 8(1), 47–56. <https://doi.org/10.15540/nr.8.1.47>
- Riedl, R., Kostoglou, K., Wriessnegger, S. C., & Müller-Putz, G. R. (2023). Videoconference fatigue from a neurophysiological perspective: Experimental evidence based on electroencephalography (EEG) and electrocardiography (ECG). *Scientific Reports*, 13(1), 18371. <https://doi.org/10.1038/s41598-023-45374-y>
- Rouse, E. (2020). Zoom fatigue beginning to affect university students. *University Wire*.
- Samara, O., & Monzon, A. (2021). Zoom burnout amidst a pandemic: Perspective from a medical student and learner. *Therapeutic Advances in Infectious Disease*, 8, 204993612110267. <https://doi.org/10.1177/20499361211026717>
- Shockley, K. M., Gabriel, A. S., Robertson, D., Rosen, C. C., Chawla, N., Ganster, M. L., & Ezerins, M. E. (2021). The fatiguing effects of camera use in virtual meetings: A within-person field experiment. *Journal of Applied Psychology*, 106(8), 1137–1155. <https://doi.org/10.1037/apl0000948>
- Simbula, S., Paganin, G., & Molino, M. (2024). Videoconference fatigue: Validation of the Italian translated Zoom Exhaustion and Fatigue Scale (ZEFS). *Fatigue: Biomedicine, Health & Behavior*, 12(1), 43–57. <https://doi.org/10.1080/21641846.2023.2290137>
- Toney, S., Light, J., & Urbaczewski, A. (2021). Fighting Zoom fatigue: Keeping the Zoom-bies at bay. *Communications of the Association for Information Systems*, 48, 40–46. <https://doi.org/10.17705/1CAIS.04806>
- Vandenbroucke, J. P., Von Elm, E., Altman, D. G., Gøtzsche, P. C., Mulrow, C. D., Pocock, S. J., Poole, C., Schlesselman, J. J., Egger, M., & for the STROBE Initiative. (2007). Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): Explanation and Elaboration. *PLoS Medicine*, 4(10), e297. <https://doi.org/10.1371/journal.pmed.0040297>
- Williams, B., King, C., & Ling, D. (2022). *Compassion and humanity for paramedicine students: An observational pilot study*.

The Hidden Cost of EMS Claim Denials

New data on how much revenue ambulance agencies lose to denials and why most of it is never recovered.

BY THE NUMBERS

\$4.9B

Estimated annual revenue lost to EMS claim denials nationwide

NAEMT / GAO analysis

15%

Average denial rate for ambulance transport claims

CMS data

68%

Of EMS denials are never appealed

HFMA / industry est.

\$86

Average cost to manually rework a single denied claim

MGMA benchmark

42d

Average days to resolve an EMS denial through appeal

Industry avg.

For a mid-size agency running 20K transports per year, that's roughly **\$600K in recoverable** revenue sitting untouched.

EMERGING SOLUTIONS ✱ Ambra

What AI-powered denials management could change for EMS agencies.

10mins

Per-denial rework time

80%

Successful overturn rate

15%

Reimbursement lift

Ambra is an AI platform purpose-built for EMS revenue cycle management, from documentation to reimbursement.

See how Resolve works →



RESEARCH REPORTS

ATTITUDES OF FIRST RESPONDERS TOWARDS SUPERVISED CONSUMPTION SERVICES FOR PEOPLE WHO USE DRUGS: A CROSS-SECTIONAL SURVEY USING MORAL FOUNDATIONS THEORY

Em M. Pijl, PhD, RN^{*1}; Neil McDonald, PhD, ACP^{2,3}; Erin Weldon, MD, FRCPC^{2,3}; Robert P. Dryden, PhD¹; Michael A. Golding, MSc¹; Christopher J. Fries, PhD⁴; John Serieux, PhD⁵; Souradet Y. Shaw, PhD⁶; Rusty Souleymanov, PhD⁷; Corey Guest, MSc³; Jonny Mexico, BA⁸

Author Affiliations: 1. College of Nursing, University of Manitoba, Winnipeg, MB, Canada; 2. Department of Emergency Medicine, University of Manitoba, Winnipeg, MB, Canada; 3. Winnipeg Fire Paramedic Service, Winnipeg, MB, Canada; 4. Department of Sociology and Criminology, University of Manitoba, Winnipeg, MB, Canada; 5. Department of Economics, University of Manitoba, Winnipeg, MB, Canada; 6. College of Community and Global Health, University of Manitoba, Winnipeg, MB, Canada; 7. Faculty of Social Work, University of Manitoba, Winnipeg, MB, Canada; 8. Manitoba Harm Reduction Network, Winnipeg, MB, Canada.

Recommended Citation: Pijl, E., McDonald, N., Weldon, E., Dryden, R., Golding, M., Fries, C., Serieux, J., Shaw, S., Souleymanov, R., Guest, C., & Mexico, J. (2026). Attitudes of first responders towards supervised consumption services for people who use drugs: A cross-sectional survey using moral foundations theory. *International Journal of Paramedicine*. (14). 98-111. <https://doi.org/10.56068/EIYD5296>

Keywords: firefighters, paramedics, first responders, moral foundations theory, supervised consumption services, harm reduction, emergency medical services, EMS, paramedicine

Disclosures: The authors declare no competing interests.

Funding: Funding was provided by a University of Manitoba University Collaborative Research Program.

Received: January 8, 2026

Revised: February 9, 2026

Accepted: February 20, 2026

Published: April 14, 2026

***Corresponding Author:**
em.pijl@umanitoba.ca

Abstract

Objectives: This study aimed to determine the degree to which first responders' moral foundations predict attitudes toward supervised consumption services (SCS).

Methods: This cross-sectional study surveyed first responders working in Winnipeg, Canada. The survey used validated instruments to explore attitudes toward SCS using moral foundations theory (MFT). We used correlation, ANOVA, and multiple OLS and logistic mediated regression techniques to test our hypotheses. We used first responders' professional designation (0 = firefighter, 1 = paramedic), and the Moral Foundations Questionnaire as the primary predictor and mediator variables, respectively. Attitudes towards SCS (1 = strongly oppose, 5 = strongly support) served as the primary dependent variable. We transformed this dependent variable by removing responses of 'neither oppose nor support' to test an additional logistic mediated regression model.

Results: Paramedics (n=91) had higher levels of individualizing moral foundations and lower levels of binding moral foundations relative to firefighters (n=51). Individualizing moral foundations predicted greater support for SCS, whereas binding moral foundations predicted lower support. These two categories of moral foundations mediated relationships between first responders' professional designation and their support for SCS.

Conclusions: Paramedics and firefighters differ in their moral foundations and level of support for SCS. These findings can inform policymakers and decision-makers in developing strategies to consider first responders as essential stakeholders in implementing SCS.

Supervised consumption services (SCS) are safe spaces for people who use drugs (PWUD) to consume substances bought off-site under the supervision of health care professionals. They often provide ancillary services such as medical care, substance

use treatment, case management, and counseling. Research shows that SCS are cost-effective ways to decrease mortality from substance use, increase access to addiction treatment and medical care, reduce rates of viral transmission, and decrease substance use and syringe litter in public (Kennedy et al., 2017; Kral & Davidson, 2017; Kral et al., 2020; Lange & Bach-Mortensen, 2019; Potier et al., 2014; Wood et al., 2004). Among approximately 120 SCS worldwide, no fatal overdoses have been recorded (Kral et al., 2020). Support for SCS among community members and public sector professionals, such as first responders, is critical to implementing these services effectively (Lange & Bach-Mortensen, 2019; Strike et al., 2015).

Emergency medical technicians, paramedics, and firefighters have unique insight into the burden of substance use in their communities because of their daily work with PWUD, but only a small body of literature has examined their attitudes toward SCS. Existing studies outline a range of views and opinions, covering concerns related to implementation, accompanying services, impact on the community, and effect on responder call volume and work experience (Fockele et al., 2024; Pennington et al., 2021; Pennington et al., 2023; Perlmutter et al., 2023; Taverner & OACP Substance Abuse Committee, 2012; Watson et al., 2012). Among different settings and designs, these studies highlight both positive and negative views towards SCS, as well as the collaborative nature of stakeholder involvement in SCS implementation (Kryszejtys et al., 2022; Lange & Bach-Mortensen, 2019; Pennington et al., 2021; Pennington et al., 2023; Taverner & OACP Substance Abuse Committee, 2012; Watson et al., 2012). Additionally, Pennington et al. (2021) identified a sense of duty as the most common shared theme among firefighters working close to an SCS, indicating that the moral foundations of these responders are closely linked to their attitudes to SCS. This finding connects to a growing body of research that explores differences in personal values and their relationship to divergent opinions towards PWUD in general and SCS in particular. One approach to this research employs Moral Foundations Theory (MFT), a social psychological theory that posits that people's moral concerns do not originate from conscious cognition (Haidt, 2001), but rather from the extent to which they value and prioritize five moral foundations: care/harm, fairness/cheating, loyalty/betrayal, authority/subversion, and purity/contamination (Graham et al., 2008; Graham et al., 2009). Simply put, MFT posits that a person's underlying value system triggers strong emotions like anger, contempt, and disgust in response to a perceived moral violation. Widely deployed in a variety of settings, MFT has recently been applied to the public's view of harm reduction measures (Christie et al., 2019; Pijl et al., 2025), but not specifically to emergency responders.

The five interrelated moral foundations can be broadly organized into the categories of individualizing moral foundations and binding moral foundations (Graham et al., 2009; Haidt et al., 2009). Individualizing moral foundations combine the care/harm and fairness/cheating moral foundations, whereas binding moral foundations combine the loyalty/betrayal, authority/subversion, and purity/contamination moral foundations (Nilsson, 2023; Zakharin & Bates, 2021). Individualizing moral foundations focus on fostering the dignity, agency, and health of every individual; binding moral foundations focus on protecting the safety, order, and health of the community and/or group (Davies et al., 2014; Graham et al., 2009). Individualizing foundations are positively associated with politically liberal ideologies, as well as general support for SCS and other harm reduction strategies, whereas binding foundations are positively associated with politically conser-

vative ideologies as well as general opposition towards SCS and other harm reduction strategies (Christie et al., 2019; Davies et al., 2014; Pijl et al., 2025; Zakharin & Bates, 2021).

SCS implementation has been extensively debated across local, regional, and national levels. In a context where substance use continues to exact a social cost and burden emergency resources, policy makers require evidence that can inform policy solutions. Existing research explicitly calls for more research related to the impact of underlying attitudes on views toward SCS as well as perspectives of different responder roles (Perlmutter et al., 2023). Therefore, the purpose of our study was to address this research gap and describe attitudes of firefighters and paramedics towards SCS and their relationship with MFT.

METHODS

DESIGN AND SETTING

This is a cross-sectional survey of employees of an emergency medical services (EMS) agency in central Canada. The Winnipeg Fire Paramedic Service (WFPS) provides emergency fire and medical coverage for the city of Winnipeg, Manitoba (population approximately 750,000) and responded to over 140,000 total calls for service per year at the time of the study (City of Winnipeg Fire and Paramedic Service, 2021). With approximately 1,200 employees in all roles, it uses a tiered-response model for medical calls. Within the overall organization, the Fire Department delivers basic life support (BLS) first response on apparatus staffed by firefighters and cross-trained firefighter-paramedics. The emergency medical services division provides mixed BLS and advanced life support (ALS) continuing care and transport by ambulance. Under national licensing terminology, BLS and ALS providers in this service are Primary Care and Advanced Care paramedics, respectively, and are generally referred to as paramedics with additional designation for role (firefighter-paramedic).

Reporting of this study conforms to the Checklist for Reporting of Survey Studies (CROSS; Sharma et al., 2021). Study conduct was overseen by the University of Manitoba Research Ethics Board (HE2022-0328).

DATA COLLECTION

The survey instrument consisted of six sections with 88 questions in total. (The survey is available as Supplemental File 1: Survey Instrument.) Questions reflected a mix of choice among pre-determined responses (such as professional role), Likert-scale answers, and 3 long answers. Participants completed one section related to demographic information (15 questions); remaining sections reproduced existing and previously validated instruments related to MFT (30 questions), stigma (9 questions), and attitudes towards and proximity to people who use drugs (PWUD; 14 questions), and posed direct questions related to professional designation (5 questions) and to attitudes towards SCS (10 questions).

As part of Section 2 of the survey, participants completed the Moral Foundations Questionnaire (MFQ 30; Davies et al., 2014; Graham et al., 2009). This is a 30-item self-report measure that assesses the extent to which individuals prioritize five moral domains: care/harm, fairness/cheating, loyalty/betrayal, authority/subversion, and purity/con-

tamination (Davies et al., 2014). The instrument consists of two 15-item (plus two attention-check questions) subscales, each of which is scored on a 7-point Likert scale. The first subscale assesses the relevance respondents ascribe to each foundation in response to the following prompt: “When you decide whether something is right or wrong, to what extent are the following considerations relevant to your thinking?” The second subscale requires respondents to indicate the degree to which they agree or disagree with a range of moral statements (Davies et al., 2014; Graham et al., 2008; Graham et al., 2011).

Prior research reports Cronbach’s alpha values for the five moral foundation subscales ranging from poor to good based on standard conventions: care/harm=0.61; fairness/cheating =0.59; loyalty/betrayal=0.61; authority/subversion=0.61; purity/contamination=0.76 (Nilsson, 2023; Zakharin & Bates, 2021). However, in keeping with theoretical considerations (Graham et al., 2009) and past research (Alper & Yilmaz, 2019; Barnett et al., 2018; Christie et al., 2019), combining the care/harm and fairness/cheating subscales into an individualizing moral foundations scale, and the loyalty/betrayal, authority/subversion, and purity/contamination subscales into a binding moral foundations scale greatly improved psychometric reliability (individualizing moral foundations Cronbach’s $\alpha = 0.77$; binding moral foundations Cronbach’s $\alpha = 0.84$).

After consultation with senior WFPS leadership and first responder labor groups, we disseminated the survey via memo, emails, and posters. Recruitment began in June 2023, with reminder emails sent in September 2023. The survey was administered electronically using Qualtrics Research Suite®. It was voluntary, anonymous, and accessible via direct link via respondents’ work email and QR codes. Participants had the opportunity to register for a \$20 gift card in recognition of their time, with no connection between identifying information and survey responses. To avoid duplicate entries into the study, we asked respondents to declare, following the consent checkbox, that they had not previously completed the survey; we were unable to eliminate duplicate entries by IP address as many respondents completed the survey while at their place of work with a shared IP address. As no prior research has applied MFT to this population, no sample size calculation was performed. The survey closed in December 2023.

STATISTICAL ANALYSIS

Our primary goals were twofold. We sought to assess: (1) the degree to which first responders’ moral foundations predict attitudes toward SCS; and (2) whether differences between firefighters and paramedics in their moral foundations could explain their views towards SCS. As such, our a priori hypotheses were as follows: [H₁] Paramedics, as the professional designation whose training involves greater focus on providing immediate medical attention to individuals, will report greater support for SCS; [H₂] Paramedics will have higher levels of individualizing moral foundations and lower levels of binding moral foundations relative to firefighters; [H₃] Individualizing moral foundations will positively predict support for SCS and binding moral foundations will negatively predict support for SCS; [H₄] Moral foundations will mediate the relationships between first responders’ professional designation and their support for SCS.

Participant characteristics (age, gender, education, role) are presented with descriptive statistics. To explore associations between moral foundations and attitudes towards SCS, we first used univariate analysis of variance (ANOVA) to determine how to categorize

firefighter-paramedics. Although they are cross-trained, firefighter-paramedics are organized and operate within the Fire Department in all phases of their work; this alignment informed initial exploration of their categorization.

After coding all participants by professional role, we then collapsed results from the MFT questionnaire into binding and individualizing domains. Participants reported their support or opposition to SCS in response to the following prompt “Overall, how supportive are you of supervised consumption services for people who use drugs?” (1 = strongly oppose; 5 = strongly support). A plurality of firefighters (42%) reported strong opposition to SCS whereas a plurality of paramedics reported strong support (41%). Firefighter-paramedics had a relatively even distribution across response options (see Supplemental Figure 1 for full details). We also transformed this variable from its original 5-point scale into a dichotomous variable by re-coding responses of ‘strongly oppose’ and ‘somewhat oppose’, and responses of ‘strongly support’ and ‘somewhat support’ into (0 = oppose, 1 = support). For this transformation, we removed 16 responses of ‘neither oppose or support,’ and treated them as missing data. The continuous support variable was used in all analyses except for the logistic regression model.

We first analyzed the correlations between role and support for SCS. We next assessed the indirect predictive associations between first responders’ professional designation via individualizing and binding moral foundations on support for SCS in two parallel mediation models (one OLS regression model and one logistic regression model). The logistic regression model using the dichotomous support for/against SCS was included to provide further context and complementary results to the primary regression model. This logistic regression model allows for greater ecological validity of inference regarding the relationships between professional designation, moral foundations, and the odds of either supporting or opposing SCS. We examined the indirect predictive relationships of the regression-based path models based on 5000 bootstrap samples (Hayes, 2013).

Among incomplete responses, age was the variable with the highest number of missing entries ($n=10$), which represented 6% of the total sample. We performed Little’s missing completely at random (MCAR) test for missing data (Little, 1988). Little’s test was not significant ($p = .298$), indicating MCAR data. Given the low number of missing entries, we followed the recommendations of Meyers et al (2017) by using listwise deletion where applicable. All analyses were performed with IBM SPSS Statistics version 29.0.2.0.

RESULTS

A total of 165 first responders participated in this study (approximate response rate of 14%). Of these, 51 were firefighters, 91 were paramedics, and 23 were firefighter-paramedics. The mean age was 42 (range = 24-68). The majority of first responders were male (70.3%) and had a diploma or higher level of education (50.9%). The remaining sample had either a certificate or completed high school (49.1%).

ANOVA testing showed that firefighter-paramedics did not differ from firefighters in terms of individualizing moral foundations ($M_s = 38.00$ vs. 37.43 , $p = .78$), binding moral foundations ($M_s = 48.52$ vs. 48.47 , $p = .987$), gender ($M_s = 1.00$ vs. 1.21 , $p = .11$), or education ($M_s = 2.64$ vs. 2.83 , $p = .50$). Similarly, firefighter-paramedics did not differ from paramedics regarding individualizing moral foundations ($M_s = 38.00$ vs. 40.65 , $p = .16$), or education ($M_s = 2.64$ vs. 3.03 , $p = .14$). However, firefighter-paramedics had signifi-

cantly higher binding moral foundations than paramedics ($M_s = 48.52$ vs. 41.10 , $p < .001$), and a greater proportion were males ($M_s = 1.00$ vs. 1.40 , $p = .001$). Thus, we classified firefighter-paramedics as firefighters for all subsequent analyses, driven largely by their similar scores on binding moral foundations. Firefighter-paramedics were significantly younger ($M = 35.52$) than both firefighters ($M = 40.15$, $p = .02$) and paramedics ($M = 47.88$, $p < .001$).

CORRELATIONS (TABLE 1)

As predicted, first responders' professional designation correlated with their moral foundations, such that paramedics had higher levels of individualizing ($r = .19$, $p < .001$), and lower levels of binding ($r = -.29$, $p < .001$) moral foundations. In further support of our hypotheses, individualizing moral foundations had a positive association with support for SCS ($r = .34$, $p < .001$), whereas binding moral foundations showed a virtually equivalent but opposite relationship ($r = -.36$, $p < .001$).

	Variable	1	2	3	4	5	6	7
1.	Age	-						
2.	Gender	.05	-					
3.	Education	.13	.16*	-				
4.	Professional Designation	-.20*	.24*	.12	-			
5.	Individualizing Foundations	-.13	-.07	-.09*	.19*	-		
6.	Binding Foundations	.06*	-.21*	-.13	-.29*	.14	-	
7.	Support for Supervised Consumption Services (SCS)	-.23*	.04	-.05	.31*	.34*	-.36*	-
	M	41.72	1.29	2.92	.55	39.28	44.41	3.17
	SD	9.08	.53	1.12	.50	8.22	12.92	1.61

Note: Correlations were calculated using pairwise deletion N range = 155-161. Firefighters coded as 0, paramedics coded as 1. Males coded as 1, females coded as 2.
* $p < .05$ (two-tailed tests).

Table 1. Zero-order correlations of study variables.

MEDIATION MODELS (TABLE 2, FIGURES 1 & 2)

In support of our hypotheses [H_{2-4}], we found that the designation of paramedic (vs. firefighter) predicted an increase in individualizing moral foundations [$\beta = .40$, $p = .020$, 95% CI = .063 to .729] and a decrease in binding moral foundations [$\beta = -.51$, $p = .002$, 95% CI = -.834, to -.183]. In turn, individualizing moral foundations predicted higher levels of support for SCS [$\beta = .51$, $p < .001$, 95% CI = .281 to .735] and binding moral foundations predicted lower levels of support for SCS [$\beta = -.65$, $p < .001$, 95% CI = -.834, to -.183]. Accordingly, the indirect association with being a paramedic (vs. firefighter) through individualizing moral foundations was significant in a positive direction [$\beta = .20$, 95% CI = .250 to .841], as was the indirect relationship through binding moral foundations [$\beta = .33$, 95% CI = .128 to .607]. Contrary to our hypothesis [H_1], the direct predictive effect of professional designation was not significant [$\beta = .37$, $p = .134$, 95% CI = -.117 to .863].

An additional logistic regression model using the transformed dichotomous measure of support (vs. opposition) to SCS replicated our first model, with stronger results. Specifically, being a paramedic (vs. firefighter) predicted higher individualizing moral foundations [$\beta = .51$, $p = .005$, 95% CI = .157 to .855], and lower binding moral foundations [$\beta = -.51$, $p = .005$, 95% CI = -.851, to -.152]. These foundations predicted increased odds of supporting SCS [OR = 2.19, $p = .002$, 95% CI = 1.378 to 3.509], and decreased odds of supporting SCS [OR = 0.38, $p = .002$, 95% CI = .237 to .620], respectively. In accordance with the first model, the indirect relationships between professional designation (paramedic vs. firefighter) through individualizing and binding moral foundations both significant-

ly predicted increased odds for support of SCS [OR = 1.49, 95% CI = 1.048 to 2.476; OR = 1.62, 95% CI = 1.176 to 3.055, respectively]. Once again, professional designation did not have a significant direct predictive effect on support for SCS [OR = 2.34, 95% CI = .959 to 5.725].

EXPLORATORY MEDIATION MODELS

To further explore unique characteristics associated with first responders' professional designation, we tested supplemental parallel OLS and logistic parallel mediation models that examined firefighter-paramedics as a separate independent group. Results remained consistent in models examining potential differences between paramedics and firefighter-paramedics; paramedics were predicted to have higher individualizing moral foundations, and lower binding moral foundations relative to firefighter-paramedics. Firefighters were predicted to have slightly higher levels of both individualizing and binding moral foundations relative to firefighter-paramedics. These relationships were not statistically significant, likely due to the decrease in statistical power caused by the substantial reduction in sample size.

DISCUSSION

This study examined the attitudes of firefighters and paramedics in a mid-size Canadian city toward SCS, and the relationships between these attitudes and moral foundations. We found that paramedics had higher levels of individualizing moral foundations, and lower levels of binding moral foundations relative to firefighters. The magnitude of these associations was substantial, with paramedics (vs. firefighters) predicted to have one-half of a standard deviation difference for both categories of moral foundations. Similarly, a

Predictor variable	Individualizing Foundations		Binding Foundations		Support for SCS (Continuous)	
	β	95% CI	β	95% CI	β	95% CI
Age	-.07	-.229, .092	.03	-.131, .183	-.21	-.434, .015
Gender	-.20	-.497, .106	-.26	-.552, .038	-.10	-.525, .327
Education	-.08	-.222, .060	-.07	-.203, .072	-.08	-.279, .116
Professional Designation	.40*	.063, .729	-.51*	-.834, -.183	.37	-.117, .863
Individualizing Foundations	-	-	-	-	.51*	.281, .735
Binding Foundations	-	-	-	-	-.65*	-.887, -.423
R2	.06		.12		.33	
Predictor variable	Individualizing Foundations		Binding Foundations		Support for SCS (Dichotomous)	
	β	95% CI	β	95% CI	OR	95% CI
Age	-.07	-.235, .093	.04	-.126, .203	0.70	.464, 1.066
Gender	-.20	-.521, .115	-.20	-.516, .121	0.74	.275, 2.021
Education	-.12	-.267, .033	-.09	-.241, .060	0.88	.600, 1.276
Professional Designation	.51*	.157, .855	-.50*	-.851, -.152	2.34	.959, 5.725
Individualizing Foundations	-	-	-	-	2.19*	1.378, 3.509
Binding Foundations	-	-	-	-	0.38*	.237, .620
R2	.09		.11		.38	
Note: SCS = Supervised Consumption Services; CI = confidence interval; OR = odds ratio. N = 155 (top); N = 140 (bottom). Firefighters coded as 0, paramedics coded as 1. Males coded as 1, females coded as 2. The standardized results presented above the dividing line modeled support for SCS as a continuous variable; the standardized results presented below the dividing line modeled support for SCS as a dichotomous variable (support vs. oppose).						
* <i>p</i> < .05 (two-tailed tests).						

Table 2. Regression coefficients for mediation models.




Figure 1. Relationships between professional designation, moral foundations, and attitudes towards SCS (continuous).

Note: Firefighters coded as 0, paramedics coded as 1. Estimates obtained from a regression-based parallel mediation model with 95% bootstrapped confidence intervals. Bootstrap N = 5,000. Figure 1 presents support for SCS as a continuous variable (N = 155). Gender, age, and education were included as covariates for all outcomes. The slopes showing relationships between professional designation and moral foundations are presented in a partially standardized metric demonstrating predicted differences in moral foundations for paramedics relative to firefighters. The slopes showing relationships between moral foundations and support for SCS are presented in a fully standardized metric.




Figure 2. Relationships between professional designation, moral foundations, and attitudes towards SCS (dichotomous).

Note: OR = odds ratio; firefighters coded as 0, paramedics coded as 1. Estimates obtained from a regression-based parallel mediation model with 95% bootstrapped confidence intervals. Bootstrap N = 5,000. Figure 2 presents support for SCS as a dichotomous variable (N = 140). Gender, age, and education were included as covariates for all outcomes. The slopes showing relationships between professional designation and moral foundations are presented in a partially standardized metric demonstrating predicted differences in moral foundations for paramedics relative to firefighters. The slopes showing relationships between moral foundations and support for SCS are presented in a partially standardized odds ratio metric.

one standard deviation increase in individualizing moral foundations predicted a one-half standard deviation increase in support for SCS, while a one standard deviation increase in binding moral foundations predicted a reduction in support for SCS by nearly two-thirds of a standard deviation.

These effect sizes became more noteworthy when support for SCS was transformed into a dichotomous (support vs. oppose) variable. This mediation model showed that a one standard deviation increase in individualizing moral foundations predicted an increase of 119% in the odds of supporting SCS, while a one standardized unit increase in binding moral foundations predicted a decrease of 62% in the odds of supporting SCS. It is important to note that removing responses of 'neither oppose nor support' for the logistic regression model enhanced the strength of results by pushing responses toward their respective extremes. However, the results of both models are consistent in showing that there may be large and meaningful differences between firefighters and paramedics in terms of their moral foundations, which in turn are strong predictors of support for SCS.

Further, while those in the combined role of firefighter-paramedics resemble paramedics in terms of individualizing moral foundations, we found a large difference in binding moral foundations, indicating that moral foundations among firefighter-paramedics more closely resemble firefighters. The similarities between firefighters and firefighter-paramedics in their moral foundations align with the organizational and operational divisions within the workplace. However, this is a novel finding that future studies should investigate. This will help to determine if our findings represent firefighter-paramedics in general, or if they are an artifact of our relatively small and localized sample.

Among prior related research, a systematic review of stakeholder perceptions of SCS included representation from EMS and fire agencies (Lange & Bach-Mortensen, 2019). This review documented ambivalent attitudes towards SCS, describing perceptions of both benefit and harm. It also noted misconceptions about SCS that persisted within those groups, as well as the importance of language in how goals are communicated to stakeholders (Lange & Bach-Mortensen, 2019), confirming the importance not only of stakeholder opinion, but also underlying attitudes in shaping perceptions. Among research directly involving firefighters and paramedics, an earlier study by Pennington et al. (2021) surveyed firefighter-emergency medical responders on their perspectives on working near SCS facilities in Vancouver, British Columbia. Among four themes identified in the qualitative portion of the survey, a "sense of duty" appeared in over 35% of responses. A more recent study described the views of emergency service providers (68% of whom were firefighters or paramedics) towards SCS implementation (Perlmutter et al., 2023). This study identified three themes that express concerns over safety, perceptions of alternative strategies for managing substance use in the community, and the appropriate use of emergency services (Perlmutter et al., 2023). While neither of these studies is directly aligned with MFT, their findings can be seen to reflect the characteristics primarily of binding moral foundations as concerned with the safety, order, and health of the community and/or group.

A recent study by Pijl et al. (2025) helps to contextualize our findings regarding first responders' levels of moral foundations. The authors found that among the general population of the Canadian prairie provinces average levels of individualizing moral foun-

dations ($M = 41.5$) were comparable to both firefighters ($M = 37.7$) and paramedics ($M = 40.7$). However, like firefighters ($M = 48.5$), the general population's binding moral foundations ($M = 47.4$) were considerably higher than paramedics' ($M = 41.1$). This study provides additional evidence suggesting that paramedics may have lower average levels of binding moral foundations and higher average levels of support for SCS relative to other relevant populations. These differences may be due, in part, to factors such as workplace culture, training, leadership messaging, call types, or previous experience with SCS. In the context of existing research and ongoing policy debate that involves paramedics and firefighters as professional stakeholders, the findings of this study focus on underlying moral attitudes to offer a path to dialogue that addresses foundational beliefs.

LIMITATIONS AND FUTURE DIRECTIONS

This study used a cross-sectional design with no experimental manipulation. As such, it does not allow for causal inference regarding the relationships between first responders' moral foundations and their support for SCS. This notwithstanding, our correlational models are appropriate for examining the role of moral foundations as mediators. Theoretically, moral foundations develop early in life and are thus considered to have temporal precedence over most observed behaviors and attitudes (Graham et al., 2013). However, studies demonstrate that models examining moral foundations as mediators are valid for investigating different patterns of relationships, rather than establishing causal pathways (Baldner & Pierro, 2019; Giacomantonio et al., 2017; Lasaleta et al., 2024).

Additionally, although the survey included items designed to eliminate repeat survey risk, it is possible that one or more first responders may have taken the survey twice. However, this risk is minimal given the survey safeguards, and the length of the survey relative to the potential compensation. Another limitation pertains to how our convenience sample of one agency in one location may not accurately represent the characteristics of the whole population, including the wider population of first responders in Canada or North America. We also did not recruit any police officers for this study, who represent another critical component of the first responder population. First responder role was also not further characterized outside of paramedic, firefighter, and cross trained paramedic-firefighter.

Identifying the moral foundations of a subset of paramedics who work primarily in non-urgent roles focused on preventative medicine and follow-up (termed community paramedics) would provide a more comprehensive understanding of front-line attitudes towards SCS. Given community paramedicine's role in the overall EMS system and given the findings of the current study, the attitudes of community paramedics towards SCS would be expected to represent a strong advocacy point for SCS concept and operationalization. Further research with a large sample size comprising different types of first responders in assessing role-specific findings is warranted. It is also worth noting that, at the time of publication, there is not a currently operating SCS in the community where the study population works. Future research investigating how proximity to an existing SCS may impact the attitudes and beliefs about SCS among first responders and the public, would help to clarify the findings of the current study. For example, first responders' attitudes towards SCS may change depending on whether they are strictly conceptual, or if they are based upon their actual experience working in a community with an SCS.

CONCLUSION

Overdose deaths doubled between 2019 and 2020 in Manitoba and rates continue to rise further (Coubrough, 2021). Effective evidence-based strategies such as SCS are urgently needed to curb mortality and morbidity. Support for SCS from public sector professionals, such as firefighters and paramedics, is critical to effectively implementing these services.

By understanding the moral foundations that inform attitudes towards SCS, we can engage in more meaningful, authentic, and productive dialogue (Alderman et al., 2010). In a social context increasingly characterized by rising human needs and widening ideological polarization, novel interdisciplinary insights are needed to empower public discourse to explore the middle ground (Mills, 2023). Establishing new ways to explore differences of opinion regarding SCS is the first step towards fruitful discourse and enhanced service provision. For example, our findings suggest that addressing the morality-based concerns of those who oppose SCS may be a productive avenue for building cooperation and enacting policy. These concerns may include issues pertaining to security, cleanliness, proximity to schools and community centers, and the provision of addiction treatments, among others.

This study builds an understanding of the factors that predict attitudes and perceptions of SCS among first responders in terms of moral foundations. As few studies have addressed the interface of first responders and SCS in Canada (and none in Manitoba), the current findings contribute to the literature on SCS by deepening an understanding of the overlap between both kinds of services (first responders and SCS), and how the perspectives of first responders may affect the linkage between points of care. These findings can inform researchers, policymakers, and decision-makers in developing strategies to consider first responders as essential stakeholders in implementing and accepting SCS in Manitoba.

REFERENCES

- Alderman, J., Dollar, K. M., & Kozlowski, L. T. (2010). Understanding the origins of anger, contempt, and disgust in public health policy disputes: Applying moral psychology to harm reduction debates. *Journal Of Public Health Policy*, 31(1), 1-16. <https://doi.org/10.1057/jphp.2009.52>
- Alper, S., & Yilmaz, O. (2019). Does an abstract mind-set increase the internal consistency of moral attitudes and strengthen individualizing foundations? *Social Psychological and Personality Science*, 11(3), 326-335. <https://doi.org/10.1177/1948550619856309>
- Baldner, C., & Pierro, A. (2019). Motivated prejudice: The effect of need for closure on anti-immigrant attitudes in the United States and Italy and the mediating role of binding moral foundations. *International Journal of Intercultural Relations*, 70, 53-66. <https://doi.org/10.1016/j.ijintrel.2019.03.001>
- Barnett, M. D., Öz, H. C. M., & Marsden, A. D. (2018). Economic and social political ideology and homophobia: The mediating role of binding and individualizing moral foundations. *Archives of Sexual Behavior*, 47(4), 1183-1194. <https://doi.org/10.1007/s10508-017-0989-2>
- Christie, N. C., Hsu, E., Iskiwitch, C., Iyer, R., Graham, J., Schwartz, B., & Monterosso, J. R. (2019). The moral foundations of needle exchange attitudes. *Social Cognition*, 37(3), 229-246. <https://doi.org/10.1521/soco.2019.37.3.229>

- City of Winnipeg Fire Paramedic Service. (2021). *Substance Use Totals 2016-01-01 to 2021-06-30*.
- Coubrough, J. (2021, April 20, 2021). Drug overdose deaths in Manitoba surge by 87% in 2020. *CBC News*. <https://www.cbc.ca/news/canada/manitoba/manitoba-drug-overdose-2020-wfpcbc-cbc-1.5994178>
- Davies, C., Sibley, C., & Liu, J. (2014). Confirmatory factor analysis of the Moral Foundations Questionnaire: Independent scale validation in a New Zealand sample. *Social Psychology*, 45, 431-436. <https://doi.org/10.1027/1864-9335/a000201>
- Fockele, C. E., Frohe, T., McBride, O., Perlmutter, D. L., Goh, B., Williams, G., Wettemann, C., Holland, N., Finegood, B., Oliphant-Wells, T., Williams, E. C., & van Draanen, J. (2024). Harm Reduction in the Field: First Responders' Perceptions of Opioid Overdose Interventions. *Western Journal of Emergency Medicine*. <https://doi.org/10.5811/WESTJEM.18033>
- Giacomantonio, M., Pierro, A., Baldner, C., & Kruglanski, A. (2017). Need for closure, torture, and punishment motivations. *Social Psychology*, 48(6), 335-347. <https://doi.org/10.1027/1864-9335/a000321>
- Graham, J., Haidt, J., Koleva, S., Motyl, M., Iyer, R., Wojcik, S. P., & Ditto, P. H. (2013). Moral Foundations Theory. *Advances in Experimental Social Psychology*, 55-130. <https://doi.org/10.1016/b978-0-12-407236-7.00002-4>
- Graham, J., Haidt, J., & Nosek, B. (2008). *The Moral Foundations Questionnaire (MFQ-30)*. Retrieved March 15, 2021 from <https://www.MoralFoundations.org>
- Graham, J., Haidt, J., & Nosek, B. A. (2009). Liberals and conservatives rely on different sets of moral foundations. *Journal of Personality & Social Psychology*, 96(5), 1029. <https://doi.org/10.1037/a0015141>
- Graham, J., Iyer, R., Nosek, B. A., Haidt, J., Koleva, S., & Ditto, P. H. (2011). Mapping the moral domain. *Journal of Personality & Social Psychology*, 101(2), 366. <https://doi.org/10.1037/a0021847>
- Haidt, J. (2001). The emotional dog and its rational tail: A social intuitionist approach to moral judgment. *Psychological Review*, 108(4), 814. <https://doi.org/10.1037/0033-295X.108.4.814>
- Haidt, J., Graham, J., & Joseph, C. (2009). Above and below left-right: Ideological narratives and moral foundations. *Psychological Inquiry*, 20(2/3), 110-119. <https://doi.org/10.1080/10478400903028573>
- Hayes, A. F. (2013). *Introduction to Mediation, Moderation, and Conditional Process Analysis: A Regression-Based Approach*. Guilford
- Kennedy, M. C., Karamouzian, M., & Kerr, T. (2017). Public health and public order outcomes associated with supervised drug consumption facilities: A systematic review. *Curr HIV/AIDS Rep*, 14(5), 161-183. <https://doi.org/10.1007/s11904-017-0363-y>
- Kral, A. H., & Davidson, P. J. (2017). Addressing the nation's opioid epidemic: Lessons from an unsanctioned supervised injection site in the U. S. *American Journal of Preventive Medicine*, 53(6), 919-922. <https://doi.org/10.1016/j.amepre.2017.06.010>
- Kral, A. H., Lambdin, B. H., Wenger, L. D., & Davidson, P. J. (2020). Evaluation of an unsanctioned safe consumption site in the united states. *The New England Journal Of Medicine*, 383(6), 589-590. <https://doi.org/10.1056/NEJMc2015435>

- Kryszejtys, D. T., Xavier, J., Rudzinski, K., Guta, A., Chan Carusone, S., & Strike, C. J. (2022). Stakeholder preferences for supervised consumption site design, staff, and ancillary services: A scoping review of feasibility studies. *Drug and alcohol dependence*, 230, 109179. <https://doi.org/10.1016/j.drugalcdep.2021.109179>
- Lange, B. C. L., & Bach-Mortensen, A. M. (2019). A systematic review of stakeholder perceptions of supervised injection facilities. *Drug and alcohol dependence*, 197, 299-314. <https://doi.org/10.1016/j.drugalcdep.2019.02.006>
- Lasaleta, J. D., Wildschut, T., & Sedikides, C. (2024). Nostalgia increases punitiveness by intensifying moral concern. *Scientific Reports*, 14(1), 11425. <https://doi.org/10.1038/s41598-024-61858-x>
- Little, R. (1988). A test of missing completely at random for multivariate data with missing values. *Journal of the American Statistical Association*, 83, 1198-1202. <https://doi.org/10.2307/2290157>
- Meyers, L. S., Gamst, G., & Guarino, A. J. (2017). *Applied Multivariate Research: Design and Interpretation (Third ed.)*. SAGE <https://doi.org/10.4135/9781071802687>
- Mills, B. (2023). Morality analysis: Reducing moral backlash to public policy. *Canadian Public Administration*, 66(2), 230-246. <https://doi.org/10.1111/capa.12522>
- Nilsson, A. (2023). Measurement invariance of moral foundations across population strata. *J Pers Assess*, 105(2), 163-173. <https://doi.org/10.1080/00223891.2022.2074853>
- Pennington, M. L., Dupree, J., Coe, E., Ostiguy, W., Kimbrel, N. A., Meyer, E. C., & Gulliver, S. B. (2021). Working near a supervised injection facility: A qualitative study of perspectives of firefighter/emergency medical responders. *American journal of industrial medicine*, 64(4), 296-300. <https://doi.org/10.1002/ajim.23224>
- Pennington, M. L., Dupree, J., Hoffman, K., Beattie, E. H., Coe, E., Ostiguy, W., Kimbrel, N. A., Meyer, E. C., & Gulliver, S. B. (2023). First responder attitudes regarding working near a supervised injection facility: Relationship to burnout, secondary traumatic stress, and compassion satisfaction. *Workplace Health & Safety*, 21650799231188364. <https://doi.org/10.1177/21650799231188364>
- Perlmutter, D., Wettemann, C., Fockele, C. E., Frohe, T., Williams, W., Holland, N., Oliphant-Wells, T., Meischke, H., & van Draanen, J. (2023). "Another tool in the toolkit"—Perceptions, suggestions, and concerns of emergency service providers about the implementation of a supervised consumption site. *International Journal of Drug Policy*, 115, 104005. <https://doi.org/10.1016/j.drugpo.2023.104005>
- Pijl, E. M., Golding, M., Gudi, S. K., Nayak, N., Serieux, J., Fries, C. J., Billings, A., Shaw, S., Rabbani, R., Laurencelle, F., Guest, C., & Mexico, J. (2025). Moral foundations underpinning attitudes toward supervised consumption services across Canada's prairie provinces. *Harm Reduction Journal*, 22(1), 69. <https://doi.org/10.1186/s12954-025-01208-w>
- Potier, C., Laprevote, V., Dubois-Arber, F., Cottencin, O., & Rolland, B. (2014). Supervised injection services: What has been demonstrated? A systematic literature review. *Drug & Alcohol Dependence*, 145, 48-68. <https://doi.org/10.1016/j.drugalcdep.2014.10.012>

- Sharma, A., Minh Duc, N. T., Luu Lam Thang, T., Nam, N. H., Ng, S. J., Abbas, K. S., Huy, N. T., Maruši, A., Paul, C. L., Kwok, J., Karbwang, J., de Waure, C., Drummond, F. J., Kizawa, Y., Taal, E., Vermeulen, J., Lee, G. H. M., Gyedu, A., To, K. G., Verra, M. L., Jacqz-Aigrain, É. M., Leclercq, W. K. G., Salminen, S. T., Sherbourne, C. D., Mintzes, B., Lozano, S., Tran, U. S., Matsui, M., & Karamouzian, M. (2021). A Consensus-Based Checklist for Reporting of Survey Studies (CROSS). *Journal of General Internal Medicine*, 36(10), 3179-3187. <https://doi.org/10.1007/s11606-021-06737-1>
- Strike, C., Watson, T. M., Kolla, G., Penn, R., & Bayoumi, A. M. (2015). Ambivalence about supervised injection facilities among community stakeholders. *Harm Reduction Journal*, 12, 26. <https://doi.org/10.1186/s12954-015-0060-3>
- Taverner, R., & OACP Substance Abuse Committee. (2012). *Supervised Injection Sites: A Position Paper by Ontario's Police Leaders*.
- Watson, T. M., Bayoumi, A. M., Kolla, G., Penn, R., Fischer, B., Luce, J., & Strike, C. (2012). Police perceptions of supervised consumption sites (SCSs): A qualitative study. *Substance Use & Misuse*, 47(4), 364-374. <https://doi.org/10.3109/10826084.2011.645104>
- Wood, E., Kerr, T., Small, W., Li, K., Marsh, D. C., Montaner, J. S., & Tyndall, M. W. (2004). Changes in public order after the opening of a medically supervised safer injecting facility for illicit injection drug users. *Canadian Medical Association Journal*, 171(7), 731-734. <https://doi.org/10.1503/cmaj.1040774>
- Zakharin, M., & Bates, T. C. (2021). Remapping the foundations of morality: Well-fitting structural model of the Moral Foundations Questionnaire. *PLoS One*, 19(5), e0258910. <https://doi.org/10.1371/journal.pone.0258910>



**JOIN
NEMSMA**

With nearly 800 members, NEMSMA represent CEO's, chiefs, and managers from every state and type of service, offering voice and vision for professional development and leadership.

NEMSMA is a frequent participant in panels, workgroups, and boards involving EMS in both governmental and non-governmental sectors.



NATIONAL
EMS
MANAGEMENT
ASSOCIATION

RESEARCH REPORTS

SELF-REPORTED ADHD IN A CONVENIENCE SAMPLE OF EMS CLINICIANS

Nicole Hansen, EdD, EMT-P^{*1}; Charles A. Foat, PhD, NRP, FAEMS²

Author Affiliations: 1. NYU Langone Hospital - Long Island, Mineola, NY, USA; 2. Emergency Medical Science, Johnson County Community College, Overland Park, KS, USA.

Recommended Citation: Hansen, N. & Foat, C. (2026). Self-reported ADHD in a convenience sample of EMS clinicians. *International Journal of Paramedicine*. (14). 113-127. <https://doi.org/10.56068/BGSR7685>

Keywords: adult learners, educational barriers, attention deficit hyperactivity disorder, EMS workforce, neurodiversity, Wender Utah Rating Scale, emergency medical services, EMS, paramedicine

Disclosures: No compensation, licensing fees, or material support were provided to the authors in relation to use of the WURS-45 in this study. The authors report there are no competing interests to declare.

Funding: External funding was not used to support this work.

Acknowledgements: The authors thank Barrie Marchant for his guidance in navigating the nuance of the WURS-45. We would also like to thank all the EMS professionals who participated in this study.

Presentation: This study was presented as a poster at the 2025 PCRFS EMS International Scientific Symposium, October 20-25, 2025, in Indianapolis, Indiana.

Received: January 20, 2026

Revised: March 16, 2026

Accepted: March 17, 2026

Published: April 14, 2026

**Corresponding Author:*

nicoledietschehansen@gmail.com

ABSTRACT

Background: ADHD is a neurobehavioral disorder marked by challenges with attention, hyperactivity, and/or impulsivity, often impairing functioning across academic, occupational, and social domains. While ADHD affects approximately 5% of children and 2.5% of adults, recent research suggests that this decline in prevalence may not reflect true symptom remission but the freedom to gravitate toward novel, fast-paced environments—such as emergency medical services (EMS)—where previously inhibiting traits promote success. This study examines the prevalence of ADHD traits within the EMS workforce.

Methods: This cross-sectional, descriptive study received prospective IRB review and exemption. Participants included EMS professionals who completed an anonymous online survey consisting of a demographic questionnaire and the Wender Utah Rating Scale (WURS-45), a validated retrospective self-report instrument for recalling childhood symptoms, behaviors, and traits associated with ADHD. The WURS-45 includes the WURS-25 core items and additional factor items to generate fitted diagnostic values. The survey was administered via Microsoft Forms and distributed through social media and email lists from February 2 to February 24, 2025.

Results: A total of 554 respondents met inclusion criteria. Of the full non-probability sample, 322 (58%) reported a formal ADHD diagnosis, while 145 (26%) reported no formal psychiatric diagnosis. Based on WURS-25 scoring, 338 of 554 participants (61%) scored above the clinical cutoff of 30. Linear and multivariate regression analyses were conducted to determine if relationships existed between ADHD-indicators (formal diagnosis and/or positive screening) and (1) the number of barriers to completing EMS education and (2) the highest level of EMS certification attained. Although individuals with formal ADHD diagnosis and/or a positive screening experienced statistically more barriers to EMS attainment, no statistically significant relationship existed between a positive diagnosis/screening and EMS certification achievement.

Conclusions: The prevalence of ADHD traits in this EMS sample far exceeds that of the general adult population. However, neither a formal ADHD diagnosis nor elevated WURS-25 scores predicted lower EMS educational outcomes.

INTRODUCTION

Attention deficit hyperactivity disorder (ADHD) is a commonly diagnosed neurobehavioral life span disorder associated with challenges with attention, hyperactivity, and/or impulsivity (American Psychiatric Association, 2013). An ADHD brain has fewer dopamine receptors in the reward center than a neuro-

typical brain, making daily routine under-stimulating and often leaving the individuals seeking novel, dynamic, and unpredictable experiences (Friedman, 2014; Moëll et al., 2015). Clinically, ADHD is associated with comorbid psychiatric disorders, including anxiety, depression, substance abuse disorder (SUD), and posttraumatic stress disorder (PTSD), which may complicate diagnosis and/or treatment (Howlett et al., 2018; Mohammadi et al., 2021).

ADHD impacts an estimated 5% of children and impairs daily functioning across multiple settings, including academic, occupational, and social environments, with up to 70% of individuals reporting persistent challenges (Cortese et al., 2023; London & Landes, 2022; Varrasi et al., 2022). Although it is generally believed that adult ADHD is less prevalent due to symptom improvement or resolution (London & Landes, 2022), a recent systematic review and meta-analysis of global data estimate the prevalence of persistent adult ADHD and symptomatic ADHD to be 2.58% and 6.76%, respectively (Song et al., 2021).

Research investigating the phenomenon behind how individuals “grow out” of their ADHD symptoms suggests that the freedom of adulthood allows young adults to pursue opportunities best suited to their interests, compensatory strategies, and neurodiverse strengths (Lasky et al., 2016; Sedgwick et al., 2019). In the correct environment, childhood symptoms previously labeled as undesirable “weaknesses” are reframed as skills and strengths, such as pattern recognition, working well under pressure, creative problem solving, hands-on skills, and hyperfocus (Friedman, 2014; Johnson & Ahluwalia, 2025; Lasky et al., 2016; Sedgwick et al., 2019; Taylor et al., 2024). The dynamic, unpredictable nature of the prehospital setting may be highly appealing for individuals with ADHD, but despite the inherent qualities of this occupational environment, there is a lack of information regarding rates of ADHD in the emergency medical services (EMS) workforce. However, the literature does support that EMS personnel experience mental health conditions, such as anxiety, depression, PTSD, and SUD, at rates far exceeding that of the general population (Alzahrani et al., 2025; Hruska & Barduhn, 2021; Morrison et al., 2021; Petrie et al., 2018; Wagner et al., 2020).

The purpose of this study was to quantify the frequency of EMS clinicians in a convenience sample who self-report and/or screen positive for ADHD on a validated instrument. The secondary aim was to explore relationships between ADHD indicators and educational outcomes. Symptomatology associated with ADHD can create unique challenges for EMS professionals, including, but not limited to, difficulties attaining desired learning outcomes, obstacles to ongoing career development, development of mental health comorbidities, and persistent burnout. Better understanding the frequency of ADHD in this population and the relationships between ADHD-related indicators and educational outcomes can better inform program design to support learning and mental health needs.

METHODS

STUDY DESIGN AND SETTING

This study employed a cross-sectional, descriptive research design, which received prospective IRB determination of exemption before data collection. EMS professionals were recruited via social media posts and email distribution lists. Respondents completed

an online questionnaire hosted in Microsoft Forms between February 2 and February 24, 2025. The questionnaire included a demographic survey and the 45-item Wender Utah Rating Scale (WURS-45), a validated screening tool described below. The online questionnaire did not employ forced-response items; participants were allowed to skip any question they did not wish to answer. As a result, item-level sample sizes may vary across variables. In addition, participants were provided with space to add free text comments if desired.

MEASURES

DEMOGRAPHIC SURVEY

The demographic survey consisted of 15 items and collected information regarding age, ethnicity, EMS level attained, traditional educational level attained, diagnoses (before age 18, after age 18, after starting EMS), and compliance with prescribed therapies (if any).

The final item on the survey asked participants to describe the obstacles they experienced while completing their EMS education by selecting all applicable options from a list of nine potential barriers.

WENDER UTAH RATING SCALE (WURS)-45

The WURS-45 is a 45-item retrospective self-report instrument used to assess childhood symptoms of ADHD and persistence into adulthood (Gift et al., 2021; Reimherr et al., 2021; Reimherr, 2022). Each item is rated on a 5-point Likert scale from zero (“Not at all or very slightly”) to four (“Very much”). Responses to these 45 items are then calculated to produce six scores: a raw score calculated by adding the values from the 25 items that comprise the WURS-25, and five factor scores—Disruptive Mood/Behavior, ADHD, Academic, Social, and Anxiety/Dysphoria.

WURS-25 scores of 30 or higher most accurately identify ADHD in community samples (sensitivity = 91%, specificity = 92%, PPV = 93%, NPV = 90%). In clinical settings, scores of 46 or higher perform best (sensitivity = 62%, specificity = 86%, PPV = 72%, NPV = 79%). Cross-referencing calculated factor scores substantially improves accuracy by more effectively differentiating ADHD from major depressive disorder (MDD) and generalized anxiety disorder (GAD). In community settings, this method yields a sensitivity of 92%, a specificity of 89%, a positive predictive value of 89%, and a negative predictive value of 90%. In clinical settings, the corresponding indices are as follows: sensitivity = 80%, specificity = 93%, positive predictive value = 87%, and negative predictive value = 89%.

RESULTS

DESCRIPTIVE ANALYSIS

DEMOGRAPHICS

Five hundred fifty-four respondents met the inclusion criteria—279 (50%) males, 273 (49%) females, and 2 (0.3%) individuals who chose “other” or declined to respond. The average age of respondents was 52. As seen in Figure 1, participants self-reported as identifying as the following ethnic backgrounds: 496 (89.5%) White, 18 (3.2%) Hispanic, 1 (0.1%) Black, 4 (0.7%) Asian, 3 (0.5%) American Indian or Alaska Native, and 28 (5%) Bi- or Multi-racial.

Regarding traditional education, respondents were asked to share the highest level of traditional education they attained. In the United States, there is no consensus regarding mandating a degree requirement for EMS professionals, and only 23 universities in the United States offer EMS-related degrees (Engel, 2022; National Highway Traffic Safety Administration (NHTSA), 2021). In addition, 32% of American EMS providers reported their highest level of education to be a high school degree (Engel, 2022), which closely aligns with the findings of this study. Participants were relatively evenly distributed between a high school diploma/GED, associate's degree, and bachelor's degree, 158 (28.5%), 184 (33.2%), and 132 (23.8%), respectively, while 66 (11.9%) held a master's degree, and 14 (2.5%) obtained a doctorate. Participants were not asked to share their academic major or degree history; therefore, it is unknown how many had completed an associate's or bachelor's degree prior to obtaining their EMS certification.




Figure 1. Ethnic background.

Of respondents who reported holding a master's degree or a doctorate degree, 82.7% were also certified as a paramedic or specialty paramedic (38% female, 60% male). Figure 2 displays the gender breakdown between each level of traditional education achieved.

Participants were asked to identify the highest level of EMS certification attained: EMT, AEMT, paramedic, or specialty paramedic. In the survey, the term "specialty paramedic" was defined as any EMS-specific certifications that were obtained after paramedic certi-




Figure 2. Traditional education levels.

fication, such as critical care, community paramedic, and/or flight paramedic. The majority of respondents (299, 54%) were paramedics; 115 (20.8%) were EMTs, 45 (8.1%) were certified as AEMTs, and 95 (17.1%) obtained specialty paramedic certifications. Figure 3 details the gender breakdown of each certification level.




Figure 3. EMS attainment levels.

SELF-REPORTED CHALLENGES TO EMS CERTIFICATION

Respondents were asked to clarify the challenges they experienced while completing their EMS education, with 46% of respondents reporting that they found completing their EMS education to be a challenge. Further clarification was requested regarding the nature of the challenges by asking participants to select all barriers they perceived from a list of 9 options. Respondents were asked to choose from the following barriers:

I struggled to allocate appropriate time for studying and completing assignments.

I had difficulty remembering important deadlines and exam dates or bringing necessary materials.

I experienced challenges in keeping track of study materials, schedules, and certification requirements.

I struggled to complete and submit required shift or skills documentation on time.

I experienced challenges in maintaining concentration during long training sessions or while studying complex material.

I had difficulty absorbing and retaining large amounts of procedural information.

I was easily sidetracked during practical training or written exams.

I struggled with timed exams or multiple-choice questions due to attention issues.

I felt overwhelmed by the certification or performance pressures.

The primary obstacle experienced by all respondents, regardless of subclassification (i.e., gender, EMS level) was “challenges in maintaining concentration.” Difficulty allocating

appropriate time and absorbing information were also frequently selected as major barriers to completing certification. Figure 4 details the frequency of reported barriers.




Figure 4. Barriers to EMS education.

On average, respondents experienced 2.1 barriers to completing their EMS education ($SD = 2.81$). When stratified by sex, female respondents reported a slightly higher mean number of barriers (2.24, $SD = 2.87$) than male respondents (2.9, $SD = 2.75$). The large standard deviations in both groups indicate substantial variability in the number of barriers reported by individual participants.

When stratified by timing of ADHD diagnosis, respondents who self-reported an ADHD diagnosis before age 18 reported a mean of 2.8 barriers ($SD = 2.80$), those diagnosed after age 18 reported 2.75 barriers ($SD = 2.81$), and those diagnosed after starting their EMS career reported 2.99 barriers ($SD = 2.81$). Subgroup means all exceeded the overall sample mean of 2.1 barriers.

Given the historical perception of ADHD as a male-only disorder (Attoe & Climie, 2023), the sample was also stratified by sex and timing of ADHD diagnosis to determine if female respondents were more significantly impacted by struggles related to under- or later-in-life diagnosis. Of 114 individuals self-reported having a diagnosis of ADHD prior to 18 years old, 66 were female, reporting an average of 2.3 barriers ($SD = 2.86$) and 48 were male, reporting an average of 2.77 barriers ($SD = 2.72$). 208 participants self-reported an ADHD diagnosis after age 18, 106 were female, reporting an average of 2.0 barriers ($SD = 2.88$), and 102 were male, reporting an average of 2.2 barriers ($SD = 2.75$). Of the 184 individuals who self-reported an ADHD diagnosis after starting their EMS career, 100 were female, reporting an average of 2.0 barriers ($SD = 2.86$), and 84 were male, reporting an average of 1.98 barriers ($SD = 2.75$).

Across sex and diagnosis-timing strata, sex differences are small and inconsistent in direction, which does not support the idea that female EMS clinicians are more burdened by educational barriers associated with under- or late-diagnosis. ADHD is linked to more barriers than the general sample and is broadly comparable between genders within each diagnosis-timing group.

*SELF-REPORTED DIAGNOSES**FORMAL DIAGNOSES*

Respondents were asked to identify if they were ever formally diagnosed with ADHD and/or commonly associated comorbid conditions including autism, dyslexia, dyscalculia, dyspraxia, MDD, GAD, substance use disorder (SUD), and posttraumatic stress disorder (PTSD). Participants were also asked to indicate whether their diagnosis occurred before age 18, after age 18, or after they began their EMS career.

As detailed in Figure 5, 322 (58%) respondents reported a formal ADHD diagnosis and of those participants, 59 reported a formally diagnosed co-morbid condition. No respondents reported a formal diagnosis of MDD, GAD, or PTSD. This finding differs from previously reported prevalence rates in both EMS and ADHD populations (Britt et al., 2016; Howlett et al., 2018; Hruska & Barduhn, 2021; Mohammadi et al., 2021), likely reflecting under-recognition, under-diagnosis, or under-reporting rather than true absence.




Figure 5. Formal diagnoses.

TREATMENT

Respondents with formal diagnoses reported adhering to the treatments outlined in Table 1.

WURS-45 SCREENING RESULTS

All respondents completed the WURS-45 inventory in full. Responses to the WURS-45 portion of the questionnaire were computed to generate a WURS-25 score and five factor scores by using the equations provided in the Handbook of Utah Scales for the Assessment and Treatment of ADHD in Adults, version 1 (Reimherr, 2022).

WURS-25 SCREENING

To classify screen-positive results, WURS-25 scores were analyzed using the pre-specified published community-setting cut-point of 30. Although no respondents self-reported formal MDD, GAD, or PTSD diagnoses, given the inherent nature and risk of EMS work, the existence of unrecognized or undiagnosed comorbid psychiatric concerns is statistically more likely (Britt et al., 2016; Hruska & Barduhn, 2021). Therefore, to increase sensitivity of the screening, the population was further stratified using the clinical setting cut point of 46.

Of respondents, 338 (61%) scored above the clinical cut-off of 30. Of those 338 participants scoring above 30, 186 participants scored 46 or higher representing 57% of the positive screening group and 33.6% of the cohort.

WURS-45 FACTOR SCORE SCREENING

The strength of the WURS-45 is the ability to calculate fitted “factor scores” to distinguish ADHD from confounding psychiatric diagnoses such as MDD and GAD. This is particularly useful in individuals who screened positive but scored less than 46 on the WURS-25 component of the inventory (Reimherr et al., 2021; Reimherr, 2022). Factor scores greater than 2 indicate an area of concern requiring further investigation (Reimherr, 2022). Factor scores were analyzed and cross-referenced for additional insight, as outlined in Table 2.

All 26 respondents had a WURS-25 score above 30, and 23 scored above 46. Within this subgroup, 100% had positive ADHD and Anxiety/Dysthymia factor scores; 16 (61.5%) respondents had positive Disruptive Mood/Behavior factor scores; and 18 (69%) had positive Academic factor scores. Of the full cohort, 26 (4.5%) individuals screened positive for a possible comorbid diagnosis of MDD or GAD. None of the respondents had a positive Social factor screening.

Treatment	Before 18	After 18	After Starting EMS Career
Medication	139	269	248
Talk Therapy	85	151	148
CBT	52	91	82
Other/Unspecified	26	32	28
Multiple Therapies	114	220	321

Table 1. Self-reported treatment modalities.

Factor	Number of Respondents with Positive Factor Score (>2) Stratified by WURS-25 Score		
	Total Cohort (n=554)	30-45 (n=152)	46+ (n=186)
Disruptive Mood/Behavior	71 (19%)	2	69
ADHD	178	52	118
Academic	84 (15%)	23	55
Social	11 (2%)	6	5
Anxiety/Dysthymia	148	38	103

Table 2. Cross-referenced WURS-25 screen & positive factor score.

Additionally, 8 individuals (6 female, 2 male) had a negative WURS-25 screen but a positive ADHD factor score. Of these, three had a formal ADHD diagnosis and reported adherence to at least one therapeutic intervention.

STATISTICAL ANALYSIS

Descriptive statistics were calculated to summarize participant characteristics and key study variables for the full sample and, where relevant, stratified by sex and by level of EMS certification. Linear and multivariate regression analyses were conducted to identify if any relationships existed between positive ADHD diagnosis and/or screening and EMS certification achievement. Linear and multivariate regression analyses were also conducted to identify if any relationships existed between positive ADHD diagnosis and/or screening and the number of barriers to EMS certification experienced.

INFERENTIAL STATISTICS

Analyses revealed no statistically significant relationships between ADHD indicators and EMS certification achievement. Although individuals with higher WURS-25 scores reported a greater number of perceived barriers to EMS certification attainment ($r = 0.312$), no statistically significant relationship exists between the number of barriers experienced and the level of EMS certification achieved ($R^2 = 0.002$, $p = 0.297$).

DISCUSSION

In this convenience sample of EMS clinicians, 58% of respondents reported a formal ADHD diagnosis, and 61% screened positive on the WURS-25 using the community cut-point of 30. These proportions are dramatically higher than published estimates of persistent and symptomatic adult ADHD in the general population of 2.6% and 6.8%, respectively (Song et al., 2021). The observed difference likely reflects a combination of factors rather than a true 10- to 20-fold elevation in prevalence. First, topic-aware, self-selected recruitment may have preferentially attracted EMS clinicians with prior diagnosis or heightened interest in ADHD. Second, EMS work may genuinely appeal to individuals with ADHD traits, given its novelty, time pressure, and need for rapid problem-solving, concentrating neurodivergent professionals within this workforce. Third, increasing awareness and destigmatization of ADHD in adulthood may lead to higher rates of diagnosis among EMS clinicians. Given the older average age of the cohort (52), and the higher number of respondents diagnosed after age 18 (208), it is most likely that neurodivergent individuals entered the EMS occupation prior to official diagnosis. Accordingly, these findings should be interpreted as descriptive of this sample rather than as representative of prevalence estimates for the broader EMS workforce.

Lack of awareness of the prevalence of ADHD in the EMS population creates a synergistic effect in two pre-existing gaps: unsatisfactory preparation for EMS educators in accommodating neurodiverse students and inadequate mental health resources for EMS providers. People with ADHD typically possess skills that make them well-suited for EMS work, such as high-level problem-solving, creative and innovative thought processes, empathy, and excelling in chaotic and novel environments (Johnson & Ahluwalia, 2025). However, failure to acknowledge and cultivate these unique strengths is a missed opportunity to improve instructional methods and incorporate additional mental health training in EMS curricula.

SEX DIFFERENCES

This study included approximately equal numbers of male and female EMS clinicians, allowing for basic sex-stratified descriptive comparisons. Female respondents reported a slightly higher mean number of perceived educational barriers than male respondents; however, in regression models, sex was not significantly associated with the highest level of EMS certification attained. While these exploratory findings suggest potential sex-related differences in perceived challenges during EMS education, they do not indicate a sex-related disadvantage in ultimate certification achievement. Future studies with larger, probability-based samples and prespecified hypotheses should further investigate how sex and gender may interact with ADHD symptomology and/or timing of ADHD diagnosis and educational experiences in EMS training programs.

EMS EDUCATION

The 2021 National Education Standards indicate that the requirement for EMS educators is to “have a proper background, relevant knowledge and a degree or recognized and credible credential in the topic” (NHTSA, 2021). In a vast majority of EMS programs in the United States, providers are often educated and certified outside of the traditional higher education system by educators with little to no postsecondary education or formal qualifications in teaching or education (National EMS Advisory Council (NEMSAC), 2016; NHTSA, 2021). Many EMS educators do not have formal qualifications in teaching or education beyond state requirements to attain an instructor certification. The National Association of State EMS Officials’ (NASEMSO) standards for educators require only that educators have a high school diploma and are certified to the EMS level (i.e., EMT, paramedic) to which they are teaching (National Association of State EMS Officials, 2010). This may result in educators failing to recognize students with ADHD, and struggling to implement evidence-based teaching strategies or classroom management techniques better suited for neurodivergent students (Bailey et al., 2024).

Specific educator training on ADHD is an important component of influencing the frequency of applying effective classroom management techniques (Szép et al., 2021). Providing EMS educators with additional training and resources to manage a neurodiverse classroom may improve learning outcomes and provide long term benefits for EMS professionals. Current EMS instructional strategies may not be well-suited to the learning needs of individuals with ADHD. As supported by this study, respondents found many of the prevalent learning modalities to hinder their success, finding it challenging to sit for long lectures, prepare for frequent testing, absorb large quantities of knowledge in a short period of time, and complete self-directed learning (such as textbook reading).

Modifying classrooms to include more neurodiverse-informed learning strategies not only accommodates students with ADHD but may optimize learning outcomes for all students. Generalizable approaches, such as emphasizing organizational skills (i.e., interactive class calendars, detailed syllabus, digital reminders), active learning techniques (i.e., hands-on, simulation, group work), gamification of the classroom, and computer-aided instruction can help calibrate learning, improve executive functioning, and help trigger the neurological reward circuits to drive engagement and improve student outcomes (Friedman, 2014; Lasky et al., 2016). In addition, initiatives such as mindfulness training can also benefit all EMS professionals, regardless of neurodivergence, as it helps

improve inattention, emotional regulation, hyperactivity, working memory, cognitive inhibition, impulsivity, and performance monitoring.

It is important to distinguish between educational attainment and clinical performance. Our findings demonstrate that neither a formal ADHD diagnosis nor an elevated WURS-25 score was associated with lower EMS certification levels; however, we did not evaluate on-the-job performance, quality of care, or patient outcomes. No inferences can be drawn from this study regarding how ADHD traits may affect day-to-day clinical performance. Future research incorporating objective performance metrics is needed to examine potential relationships between ADHD symptomatology, educational experiences, and quality of work in the field.

MENTAL HEALTH OUTCOMES

Despite research exploring various protective factors that EMS professionals exhibit against developing PTSD, psychological impairments amongst this population are significantly higher than the general population (Brooks & Brooks, 2021; Hruska & Barduhn, 2021). Previous studies determined the prevalence of PTSD in ambulance personnel to be approximately 11% as compared to 3.5% as seen across the general population of the United States and 1.1% internationally (Petrie et al., 2018). The EMS population also has a higher-than-average prevalence of anxiety (15%), depression (15%), and general psychological distress (27%) than the general American population (Petrie et al., 2018).

Neurodivergence, specifically ADHD, is closely associated with other psychiatric comorbidities such as anxiety disorders, depression, and substance abuse (Johnson & Ahluwalia, 2025; Mohammadi et al., 2021). In a longitudinal study of American soldiers, it was determined that soldiers with ADHD are more likely to experience anxiety and depression, developing PTSD post-deployment (Howlett et al., 2018). Like the armed services, EMS is a profession with an above-average risk profile for mental health struggles including anxiety, depression, and PTSD due to the high potential for consistent exposure to traumatic stressors (Britt et al., 2016; Hruska & Barduhn, 2021). Given the lack of research regarding ADHD within the EMS workforce, it is essential to explore the possibility that the combination of trauma exposure, un- or misdiagnosed ADHD, and limited education in managing well-being, resilience, and effective coping mechanisms are contributing to the ongoing mental health crisis in this population (Alzahrani et al., 2025; Ntamatamala & Adams, 2021; Petrie et al., 2018).

LIMITATIONS

Several important limitations of the study are noted. Recruitment relied on topic-aware convenience sampling, which may introduce selection and coverage bias. As a non-probability sample, findings are not generalizable to broader populations. Given the open and convenient recruitment, as well as participant awareness, the findings are descriptive and not intended as population prevalence estimates. In addition, although the WURS-25 is considered the criterion standard for ADHD self-reporting, and application of the additional 20 items included in the WURS-45 boosts performance, as a self-report inventory, the possibility of recall bias exists. Additionally, the survey platform did not require forced responses. Participants could leave items unanswered, which may have introduced item non-response, reducing the effective sample size for some variables.

Because respondents could selectively omit sensitive or burdensome items, missing data may not be completely at random, potentially biasing some descriptive estimates.

The cross-sectional survey design limits interpretations to associations only, without temporal or causal inference. Data collection occurred over a short period, which increases the potential for missing or duplicate responses. Analyses are unweighted; estimates for small subgroups may be unstable. Further research is encouraged by repeating the study with a stronger, topic-blind approach to sampling. Including items in the demographic survey specific to common challenges experienced by adult learners is recommended for a more robust analysis of barriers to EMS education.

Although the WURS-45 is a validated and reliable self-report instrument, patients with complicated psychiatric presentations (i.e., substance dependence/abuse, PTSD, etc.) may reduce the efficacy of the instrument (Reimherr, 2022). Given the self-reporting nature of the demographic survey, as well as the possibility of under- or misdiagnosis of psychiatric comorbidities in the EMS population, the sensitivity and specificity of the WURS-45 may be reduced in this population. A formal ADHD diagnosis requires a psychological interview with a qualified clinician.

CONCLUSIONS

The frequency of ADHD traits in this EMS sample far exceeds that of the general adult population. EMS professionals are at a higher-than-average risk for developing secondary psychological issues due to their chosen occupation. Confirmatory studies using representative samples are encouraged to better understand the prevalence of primary risk factors within the population, such as ADHD.

Neurodiversity is only a disability when in an environment not suited to the diverse strengths (Johnson & Ahluwalia, 2025). Despite the increased frequency of formal ADHD diagnoses and positive WURS-25 screenings, there was no correlation with lower EMS certification attainment. Although individuals with formal diagnoses and positive screenings self-reported experiencing more challenges during their EMS education than those without a diagnosis or positive screening, it was not a limiting factor to attaining EMS certification. Rather, positive factor score screenings associated with ADHD-specific symptomatology, such as academic difficulties and anxiety, may contribute to the increased perception of obstacles. Despite this, neither a formal ADHD diagnosis nor an elevated WURS-25 score corresponded to lower EMS educational outcomes. Further investigation regarding ADHD-related indicators and educational outcomes is warranted to better inform program design to focus on targeted supports for learning and mental health needs of neurodivergent individuals without assuming inherent academic disadvantage.

REFERENCES

- Alzahrani, A., Keyworth, C., Alshahrani, K. M., Alkhelaifi, R., & Johnson, J. (2025). Prevalence of anxiety, depression, and post-traumatic stress disorder among paramedic students: a systematic review and meta-analysis. *Social Psychiatry and Psychiatric Epidemiology*, 60(3), 563–578. <https://doi.org/10.1007/s100127-024-02755-6>

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders: DSM-5* (5th ed.). American Psychiatric Publishing, Inc.. <https://doi.org/10.1176/appi.books.9780890425596>
- Attoe, D. E. & Climie, E. A. (2023). Miss. Diagnosis: A systematic review of ADHD in adult women. *Journal of Attention Disorders*, 27(7), 675-657. <https://doi.org/10.1177/10870547231161533>
- Bailey, A., Grotowski, M., & Bailey, S. (2024). Medical education: accommodating students with ADHD. *Medical Teacher*, 46(7), 925-930. <https://doi.org/10.1080/0142159X.2023.2287984>
- Britt, T. W., Jennings, K. S., Cheung, J. H., Pury, C. L., Zinzow, H. M., Raymond, M. A., & McFadden, A. C. (2016). Determinants of mental health treatment seeking among soldiers who recognize their problem: implications for high-risk occupations. *Work & Stress*, 30(4), 318-336. <https://doi.org/10.1080/02678373.2016.1246490>
- Brooks, D., & Brooks, R. (2021). A systematic review: what factors predict post-traumatic stress symptoms in ambulance personnel? *British Paramedic Journal*, 5(4), 18-24. <https://doi.org/10.29045/14784726.2021.3.5.4.18>
- Cortese, S., Song, M., Farhat, L. C., Yon, D. K., Lee, S. W., Kim, M. S., Park, S., Oh, J. W., Lee, S., & Cheon, K.-A. (2023). Incidence, prevalence, and global burden of ADHD from 1990 to 2019 across 204 countries: data, with critical re-analysis, from the Global Burden of Disease study. *Molecular Psychiatry*, 28(11), 4823-4830. <https://doi.org/10.1038/s41380-023-02228-3>
- The National Association of State Emergency Medical Services Officials. (2010). *EMS Instructor Qualifications*. <https://nasemso.org/wp-content/uploads/EMSInstructorQualificationsFinal.pdf>
- Engel, R. (2022). Poll Analysis: how prevalent are degrees in EMS and are they necessary? *EMS1*. <https://www.ems1.com/ems-education/articles/poll-analysis-how-prevalent-are-degrees-in-ems-and-are-they-necessary-ebzE3DBQeFCupkGM>
- Friedman, R. A. (2014). A natural fix for ADHD. *New York Times*. <https://nyti.ms/1u2QVaW>
- Gift, T. E., Reimherr, M. L., Marchant, B. K., Steans, T. A., & Reimherr, F. W. (2021). Wender Utah Rating Scale: Psychometrics, clinical utility and implications regarding the elements of ADHD. *Journal of Psychiatric Research*, 135, 181-188. <https://doi.org/10.1016/j.jpsychires.2021.01.013>
- Howlett, J. R., Campbell-Sills, L., Jain, S., Heeringa, S. G., Nock, M. K., Sun, X., Ursano, R. J., & Stein, M. B. (2018). Attention deficit hyperactivity disorder and risk of posttraumatic stress and related disorders: A prospective longitudinal evaluation in US Army soldiers. *Journal of Traumatic Stress*, 31(6), 909-918. <https://doi.org/10.1002/jts.22347>
- Hruska, B., & Barduhn, M. S. (2021). Dynamic psychosocial risk and protective factors associated with mental health in Emergency Medical Service (EMS) personnel. *Journal of Affective Disorders*, 282, 9-17. <https://doi.org/10.1016/j.jad.2020.12.130>
- Johnson, J.-A., & Ahluwalia, S. (2025). Neurodiversity in the healthcare profession. *Postgraduate Medical Journal*, 101(1192), 167-171. <https://doi.org/10.1093/postmj/qgae108>
- Lasky, A. K., Weisner, T. S., Jensen, P. S., Hinshaw, S. P., Hechtman, L., Arnold, L. E., Murray, D. W., & Swanson, J. M. (2016). ADHD in context: Young adults' reports of the impact of occupational environment on the manifestation of ADHD. *Social Science & Medicine*, 161, 160-168. <https://doi.org/10.1016/j.socscimed.2016.06.003>

- London, A. S., & Landes, S. D. (2022). Attention deficit hyperactivity disorder and the age pattern of adult mortality. *Biodemography and Social Biology*, 67(1), 28–39. <https://doi.org/10.1080/19485565.2021.2020618>
- Moëll, B., Kollberg, L., Nasri, B., Lindefors, N., & Kaldo, V. (2015). Living SMART—A randomized controlled trial of a guided online course teaching adults with ADHD or sub-clinical ADHD to use smartphones to structure their everyday life. *Internet Interventions*, 2(1), 24–31. <https://doi.org/10.1016/j.invent.2014.11.004>
- Mohammadi, M.-R., Zarafshan, H., Khaleghi, A., Ahmadi, N., Hooshyari, Z., Mostafavi, S.-A., Ahmadi, A., Alavi, S.-S., Shakiba, A., & Salmanian, M. (2021). Prevalence of ADHD and its comorbidities in a population-based sample. *Journal of Attention Disorders*, 25(8), 1058–1067. <https://doi.org/10.1177/1087054719886372>
- Morrison, K., Su, S., Keck, M., & Beidel, D. C. (2021). Psychometric properties of the PCL-5 in a sample of first responders. *Journal of Anxiety Disorders*, 77, 102339. <https://doi.org/10.1016/j.janxdis.2020.102339>
- National Highway Traffic Safety Administration. (2021). *National EMS Education Standards*. https://www.ems.gov/assets/EMS_Education-Standards_2021_FNL.pdf
- National Emergency Medical Services Advisory Council. (2016). *Formalized EMS Education Credentialing Transition*. https://www.ems.gov/assets/NEMSAC_Final_Advisory_Formalized_EMS_Education_Credentialing_Transition.pdf
- Ntatamala, I., & Adams, S. (2021). P-75 Correlates of Post-Traumatic Stress Disorder (PTSD) among ambulance personnel in the Western Cape Province, South Africa. In: BMJ Publishing Group Ltd. <https://doi.org/10.1136/OEM-2021-EPL187>
- Petrie, K., Milligan-Saville, J., Gayed, A., Deady, M., Phelps, A., Dell, L., Forbes, D., Bryant, R. A., Calvo, R. A., & Glozier, N. (2018). Prevalence of PTSD and common mental disorders amongst ambulance personnel: A systematic review and meta-analysis. *Social Psychiatry and Psychiatric Epidemiology*, 53(9), 897–909. <https://doi.org/10.1007/s00127-018-1539-5>
- Reimherr, F. W., Marchant, B. K., Gift, T. E., Steans, T. A., & Reimherr, M. L. (2021). Psychometric data and versions of the Wender Utah Rating Scale including the WURS-25 & WURS-45. *Data in Brief*, 37, 107232. <https://doi.org/10.1016/j.dib.2021.107232>
- Reimherr, F. W., Marchant, B. K., Gift, T. E., Steans, T. A., Wilson, M., & Pommerville, C. (2022). *Handbook of Utah Scales for the Assessment and Treatment of ADHD in Adults*. <https://perma.cc/F4VS-TMU5>
- Sedgwick, J. A., Merwood, A., & Asherson, P. (2019). The positive aspects of attention deficit hyperactivity disorder: A qualitative investigation of successful adults with ADHD. *ADHD Attention Deficit and Hyperactivity Disorders*, 11(3), 241–253. <https://doi.org/10.1007/s12402-018-0277-6>
- Song, P., Zha, M., Yang, Q., Zhang, Y., Li, X., & Rudan, I. (2021). The prevalence of adult attention-deficit hyperactivity disorder: A global systematic review and meta-analysis. *Journal of Global Health*, 11, 04009. <https://doi.org/10.7189/jogh.11.04009>
- Szép, A., Dantchev, S., Zemp, M., Schwinger, M., Chavanon, M.-L., & Christiansen, H. (2021). Facilitators and barriers of teachers' use of effective classroom management strategies for students with ADHD: A model analysis based on teachers' perspectives. *Sustainability*, 13(22), 12843. <https://doi.org/10.3390/su132212843>
- Taylor, A., Miller, S., & Davies, L. (2024). Neurodivergence among healthcare professionals and implications for midwifery: A literature review. *New Zealand College of Midwives Journal*, 60. <https://doi.org/10.12784/nzcomjnl.246006>

- Varrasi, S., Boccaccio, F. M., Guerrera, C. S., Platania, G. A., Pirrone, C., & Castellano, S. (2022). Schooling and occupational outcomes in adults with ADHD: Predictors of success and support strategies for effective learning. *Education Sciences*, 13(1), 37. <https://doi.org/10.3390/educsci13010037>
- Wagner, S. L., White, N., Regehr, C., White, M., Alden, L. E., Buys, N., Carey, M. G., Corneil, W., Fyfe, T., & Matthews, L. R. (2020). Ambulance personnel: Systematic review of mental health symptoms. *Traumatology*, 26(4), 370. <https://doi.org/10.1037/trm0000251>

REVIEWS

THE EVOLVING PROFESSIONALIZATION OF PARAMEDICINE: A SCOPING REVIEW

Fintan Feerick, MSc, H-Dip-AP^{*1,2}; Eoin Coughlan, MA, MSc, PhD²; Shane Knox, PhD, MSc, H-Dip-AP^{1,2}; Adrian Murphy, MB, BCh, MRCS^{2,3}; Ivan O'Grady, MPhil Ed, MSc, H-Dip-AP^{1,2}; Conor Deasy, MB, BAO, BCh^{2,3}

Author Affiliations: 1. National Ambulance Service College, Tallaght, Dublin, Ireland; 2. College of Medicine, University College Cork, University College, Cork, Ireland; 3. Department of Emergency Medicine, Cork University Hospital, Wilton, Cork, Ireland.

Recommended Citation: Feerick, F., Coughlan, E., Knox, S., Murphy, A., O'Grady, I., & Deasy, C. (2026). The evolving professionalization of paramedicine: A scoping review. *International Journal of Paramedicine*. (14), 128-149. <https://doi.org/10.56068/GSTD7876>

Keywords: professionalism, professionalization, professional development, regulation, registration, emergency medical services, EMS, paramedicine

Disclosures: The authors declare no conflict of interest in this publication.

Funding: No funding was made available for this study.

Received: December 19, 2025

Revised: January 24, 2026

Accepted: January 26, 2026

Pre-Issue Published: March 3, 2026

Published: April 14, 2026

**Corresponding Author:*
fintanfeerick@gmail.com

ABSTRACT

Introduction: Paramedicine has rapidly evolved in recent years, with practitioners now working across diverse healthcare settings, exercising increased autonomy and clinical responsibility. Despite this progress, the professionalization of paramedicine remains uneven across jurisdictions due to variability in education, regulation, and role clarity. This scoping review, conducted in accordance with the Joanna Briggs Institute framework, explores the extent and characteristics of paramedicine's professionalization and the key factors influencing its development.

Method: A scoping review methodology was used to map the breadth of literature related to the professionalization of paramedicine. Fifteen academic databases were searched, supplemented by grey literature sources including Google, Google Scholar, and Consensus AI. A total of 1,377 records were screened, with 63 studies meeting the inclusion criteria.

Results: Six overarching categories emerged: (1) attributes of professionalism unique to paramedicine, (2) the development of professional identity, (3) the role of regulation and registration, (4) ethical practice and professional codes of conduct, (5) education and continuing professional development, and (6) challenges facing the profession. These categories collectively illustrate the complex, evolving nature of professionalization in paramedicine and highlight areas of both progress and ongoing uncertainty.

Conclusion: The professionalization of paramedicine is dynamic and multifactorial, underpinned by robust ethical frameworks, evolving regulatory structures, and increasing academic and clinical education. However, challenges persist, including emotional labor, unclear professional boundaries, and underrepresentation in scholarly discourse. These issues highlight the need for enhanced support structures, clearer role definitions, and further empirical research. While advances in education, regulation, and practice are evident, gaps in research and global variation continue to challenge the full realization of paramedicine as a profession. Future studies should aim to strengthen the profession's identity and guide policy and practice across diverse healthcare contexts.

INTRODUCTION

Professionalism is well established in traditional healthcare professions such as medicine and nursing and is commonly understood as a constellation of values and behaviors encompassing

clinical competence, ethical practice, accountability, regulatory oversight, and commitment to ongoing professional development (Kirk, 2007, Mahony, 2003, Reynolds, 2004, Townsend & Luck, 2019a, Williams & Webb, 2015). Professionalization extends beyond individual clinical skills to a broader social and structural process involving education, regulation, ethical responsibility, and the development of a coherent professional identity (Freidson, 1994; Lynch et al., 2004). In emerging professions such as paramedicine, the meaning and scope of professionalism remain fluid and contested.

Historically rooted in vocational, technician-based models, paramedicine has transitioned toward a more autonomous, evidence-informed healthcare profession, generating ongoing debate about how professionalism is defined within practice and recognized within wider healthcare systems (Evetts, 2011; Gallagher, Vyvyan, et al., 2016; Knox & Batt, 2018; Trede, 2009; Wynd, 2003). This process remains uneven internationally, with substantial variation in educational pathways, regulatory frameworks, and role clarity across jurisdictions (Bowen & Williams, 2020; Freidson, 1994; Newton, 2014; P. F. O'Meara et al., 2012a). Building on the foundational work of Reed et al. (2019), this scoping review examines how professionalism is conceptualized within paramedicine, the factors influencing its professionalization, and the implications for practice, education, and policy. By synthesizing current international literature, the review seeks to clarify areas of convergence and divergence in understandings of professionalism and to identify priorities for supporting paramedicine's continued development as a recognized healthcare profession.

PROFESSIONALISM IN HEALTHCARE AND PARAMEDICINE

Within healthcare, professionalism shapes interactions with patients, colleagues, and communities and is typically underpinned by standardized education, licensure, regulatory oversight, ethical codes, and continuing professional development (CPD) (Collings-Hughes et al., 2022; Mahony, 2003; Reynolds, 2004). In paramedicine, professionalism is being reshaped by evolving educational and regulatory structures and the growing recognition of paramedics as autonomous practitioners (Givati et al., 2018; P. L. James, 2013; Johnston & Bilton, 2020). As the profession expands across diverse clinical and community contexts, professionalism increasingly incorporates critical thinking, leadership, adaptability, ethical decision-making, and effective communication alongside technical competence (McCann & Granter, 2019; McEwen & Trede, 2014; Tavares et al., 2016). Establishing clearer and contextually relevant definitions of professionalism will be essential for strengthening professional identity, enhancing practice, and supporting recognition of paramedicine within modern healthcare systems.

METHODS

REVIEW DESIGN

A scoping review methodology was selected to map the breadth of literature related to the professionalization of paramedicine and to identify key concepts, evidence gaps, and areas for future study. The review followed the Joanna Briggs Institute (JBI) framework for scoping reviews (Peters et al., 2015), based on the Arksey and O'Malley model (Arksey & O'Malley, 2005), and adhered to the PRISMA-ScR (Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews) reporting guidelines for scoping reviews. The protocol was prospectively registered on the Open

Science Framework (OSF) (Reference Redacted). A wide range of sources including peer-reviewed articles, policy documents, professional guidelines, and grey literature was examined to capture diverse perspectives on professionalization. Multiple databases accessed via EBSCOhost provided coverage across healthcare, emergency medicine, and professional studies. The review aimed to synthesize existing knowledge, build on prior work (Reed et al., 2019), and provide an updated overview of how professionalization is conceptualized within paramedicine.

SEARCH STRATEGY

A qualified health sciences librarian from University College Cork supported the development of the search strategy, refining search terms, Boolean operators, and indexing to enhance sensitivity and precision. The Peer Review of Electronic Search Strategies (PRESS) checklist guided an independent assessment of the search strategy to ensure methodological robustness. Grey literature searches were conducted on Google and Google Scholar to identify additional sources not captured in database searches. Reference lists of included studies were screened to identify further relevant literature. An example free-text search conducted through EBSCOhost is presented in Table 1.

SEARCH CRITERIA (PCC FRAMEWORK)

Eligibility criteria were guided by the JBI Population–Concept–Context (PCC) framework.

- Population: Studies involving paramedics, as well as other prehospital professionals (e.g., EMTs (Emergency Medical Technicians)) whose roles intersect with or inform the professionalization of paramedicine, particularly in advanced emergency or community-based care contexts. Both registered and non-registered practitioners were included. In some jurisdictions, particularly the United States, nursing professionals may hold paramedicine-adjacent roles (e.g., flight or critical care transport nurses). Studies focused exclusively on nursing practice were therefore excluded unless they explicitly examined interprofessional models, role boundaries, or issues directly informing the professionalization of paramedicine.
- Concept: Professionalization of paramedicine, including professional identity, education and accreditation, regulation and registration, CPD, ethical practice, scope of practice, and the cultural or structural factors influencing recognition of the profession. Studies examining barriers and enablers to professionalization were also eligible.
- Context: No geographic, system-level, or healthcare setting restrictions were applied. Studies from emergency medical services, community and primary care, education, leadership, and other paramedicine-related environments were included to capture global variation.

INCLUSION CRITERIA

Eligible sources were English-language publications with full-text availability through open access platforms, the University College Cork Library, and the Health Service Executive Library. No date limits were applied to maximize coverage. Studies were included if they met the JBI PCC criteria and examined professionalism or the professionalization of paramedicine. Eligible source types included peer-reviewed articles, policy documents, reports, and grey literature. The initial search (July–August 2024) spanned 15

Search	Query
S1	Paramedic*, paramedic or EMS or emergency medical service or prehospital or pre-hospital or ambulance or emergency medical technician or EMT, paramedic or ambulance or pre-hospital, paramedics or paramedic or emergency medical service or EMT or ambulance, paramedicine, paramedics or paramedic, paramedic or pre-hospital or ambulance, paramedic or pre-hospital or ambulance, paramedics or paramedic or emergency medical service or EMT or ambulance or emergency medical technician or pre-hospital, paramedic or ambulance, paramedic practice.
S2	Professionalism*, professionalism or professional or profession, professionalism in healthcare, professionalism in the workplace, professionalism in education. Professional development, professional development or professional learning or professional training or professional education, professional development or professional learning, professional development plan.
S3	S1 AND S2
S4	Regulation*, regulation or law or policy or legislation, regulations or policies or legislation or laws, regulations and laws, regulations and policies, regulations or policies or legislation or laws or policy, regulations or laws, regulations in healthcare.
S5	S3 AND S4

Table 1. EBSCOhost free search term combinations.

academic databases. Grey literature searches on Google and Google Scholar used combinations of terms such as paramedicine professionalism, professionalization, professional identity, regulation, education, and codes of conduct. The first 200 results from each search engine were screened, and citation chaining was conducted to capture additional sources. All records were imported into EndNote and de-duplicated manually and automatically. Title/abstract and full-text screening were performed independently by two reviewers, with disputes resolved by a third. Exclusion criteria included lack of relevance to paramedicine, absence of a professionalism focus, insufficient conceptual depth, or non-English language.

DATA EXTRACTION

A standardized extraction form, based on JBI guidance, was used to collect data on authorship, year, country, study design, population, aims, and findings. Data extraction was performed by one reviewer and independently verified by a second, with discrepancies resolved through discussion or by a third reviewer when required, in accordance with JBI guidance.

DATA ANALYSIS

Data were analyzed descriptively using basic qualitative content analysis. Recurrent concepts were coded and organized into six overarching categories reflecting key dimensions of professionalism and professionalization identified in the literature, including professional identity, regulation, ethics, and education (Freidson, 1994; Lynch et al., 2004; Reed et al., 2019). The resulting categories were: (1) attributes of professionalism, (2) professional identity, (3) regulation, (4) ethics and codes of conduct, (5) education and continuing professional development, and (6) future challenges.

RESULTS

Across database and grey literature searches, 1,377 records were identified. Records excluded before screening included 285 duplicates, 193 non-English records, and 26 records for which full text was unavailable. The remaining 873 titles and abstracts were screened, with 63 full-text sources meeting the eligibility criteria and included in the final review. The study selection process is summarized in the PRISMA-ScR flow diagram (Figure 1).




Figure 1. PRISMA flow chart.

The review of 63 studies identified six broad categories that describe the factors shaping professionalism and the professionalization process within paramedicine. These categories provide a descriptive overview of recurring concepts in the literature:

- The attributes of professionalism unique to paramedic practice;
- The formation and evolution of professional identity;
- The role of regulatory frameworks in establishing standards and accountability;
- The influence of ethics and professional codes of conduct in guiding practice;
- The significance of education and continuous professional development in fostering competency; and
- The various challenges that affect the growth and recognition of the profession.

ATTRIBUTES OF PROFESSIONALISM IN PARAMEDICINE

The literature reflects growing interest in professionalism within paramedicine, though much of it is produced by a small group of recurring authors and with limited representation from women or front-line licensed prehospital and EMS (Emergency Medical Service) practitioners. This likely reflects the emerging academic profile of the profession (Berkes et al., 2024; Gourevitch et al., 2019; Olaussen et al., 2021). Studies span qualitative analyses (Reed et al., 2022a), quantitative and psychometric work (Bowen & Williams, 2020), cross-sectional and comparative designs (Brainard & Brislen, 2007; Williams, 2011, 2021; Williams & Webb, 2015), opinion pieces, and empirical studies (First et al., 2012). Across this literature, professionalism remains difficult to define or measure consistently (First et al., 2012; Williams & Webb, 2015). The absence of an agreed framework limits comparisons across jurisdictions, and several authors argue that professionalism is dynamic and context dependent rather than a static attribute (Brainard & Brislen, 2007; First et al., 2012; Reed et al., 2022). Historically, paramedicine has been framed as a technical or emergency response role rather than a healthcare profession, though recent work demonstrates a shift toward broader professional recognition (Eastwood et al., 2023; Joyce et al., 2009; McCann et al., 2015; Williams et al., 2012c).

Public and intra-professional perceptions continue to lag behind this evolution, with some stakeholders still viewing paramedics primarily as technical responders (Klepacka et al., 2018; Murcot et al., 2014). Studies further link professionalism to workplace pressures, emotional labor, and role ambiguity, although interventions to support professional behavior in high-stress environments remain underexplored (Bowen & Williams, 2020; First et al., 2012; Reed et al., 2022b; Townsend, 2017b; Williams et al., 2010c).

REGULATION AND REGISTRATION

Regulation is widely regarded as a cornerstone of professionalization (Gourevitch et al., 2019; Reed et al., 2019, 2021, 2022b, 2022a, 2023, 2024; Townsend, 2017b). The United Kingdom (UK) model is often cited as a benchmark, while jurisdictions without formal regulatory structures report challenges related to credibility, accountability, and workforce standardization (Reed et al., 2019; Townsend, 2017b). Countries with established regulation, such as the UK and Australia, demonstrate clearer progression toward professional recognition (Eastwood et al., 2023; Reed et al., 2019; Townsend, 2017b; van der Gaag & Donaghy, 2013). Australian studies highlight the benefits of regulation for enhancing accountability but also note challenges such as increased administrative demands and tensions between professional autonomy and medical oversight (FitzGerald & Bange,

2015; Munro et al., 2018; P. O'Meara et al., 2018; Reed et al., 2021, 2022b, 2023, 2024). Paramedics express mixed views: some see regulation as legitimizing the profession, while others perceive it as bureaucratic. Regulation is also strongly linked to CPD engagement and reflective practice (Knox et al., 2016; Lloyd-Jones, 2015a; Reed et al., 2019, 2021).

The implementation of regulation in Australia has been well documented, outlining legal and practical complexities (Moritz, 2017, 2018), as well as disparities between self-regulation and externally governed systems (A. Batt & Knox, 2017; Munro et al., 2018; Reed et al., 2021). Although not universally accepted, regulation is consistently positioned as a major milestone in the shift from occupation to profession, with evidence from Australia and Ireland suggesting its importance in shaping professional practice and CPD participation (A. Batt & Knox, 2017; Knox et al., 2016; Moritz, 2018; Reed et al., 2019).

Overall, regulation is viewed as essential but insufficient on its own to ensure consistent professional development and improvements in patient care (Alt & Naamati-Schneider, 2021; A. Batt & Knox, 2017; A. M. Batt et al., 2025; R. R. Bowles et al., 2017; FitzGerald & Bange, 2015; Knox et al., 2016; Lloyd-Jones, 2015a; Moritz, 2017, 2018; Munro et al., 2018; P. O'Meara et al., 2018; Sandars & Cleary, 2011; Todaro, 2022; van der Gaag & Donaghy, 2013).

EDUCATION AND CPD

Education is closely tied to professionalization, though training standards and their influence on professionalism vary internationally (Bowen & Williams, 2020; Williams & Edlington, 2019; Williams & Webb, 2015). Research focuses on graduate attributes and the development of tools to assess student professionalism (Williams, 2011, 2021; Williams et al., 2010b, 2012a), though evidence of long-term predictive validity is limited. The transition from vocational training to university-based education (including higher education delivered through universities and community or college-based institutions, depending on jurisdiction) has opened pathways to academic careers but also introduced challenges such as role ambiguity and institutional misalignment (Birden et al., 2013; Bowen et al., 2017; I. Brooks et al., 2018; Caffrey et al., 2019; Munro et al., 2019; O'Brien et al., 2014; P. O'Meara, 2014; Williams et al., 2010b, 2015). Professionalism is shaped not only by formal education but also by workplace culture, mentorship, and experiential learning, suggesting the need for stronger integration of professionalism within curricula (Birden et al., 2013; Bowen et al., 2017; Brainard & Brislen, 2007; Munro et al., 2019; O'Brien et al., 2014; P. O'Meara, 2014; Townsend, 2017b; Williams et al., 2010b, 2015; Williams & Webb, 2015). Studies highlight gaps in preparedness among new graduates entering prehospital practice and document evolving expectations as paramedicine expands into community and primary care roles (Chom towska et al., 2021; Hill & Eaton, 2023; P. F. O'Meara et al., 2017a; Williams et al., 2010d, 2010a).

Research also identifies longstanding tensions between traditional paramedic culture and emerging academic expectations, with early work describing paramedic academics as occupying a "no man's land" (Meadley et al., 2022; Munro et al., 2018). CPD remains uneven across jurisdictions: Irish studies highlight barriers to participation, UK research identifies workload pressures, and Australian literature emphasizes flexibility and self-directed learning (A. Batt & Cummins, 2016; Bryant et al., 2023; Donaghy, 2018; Ellis et al., 2016; Gent, 2016; Handyside & Watson, 2024; L. Hobbs et al., 2021; L. R. Hobbs, 2019; Knox, Cullen, et al., 2015; Knox, Dunne, et al., 2015a, 2015b; Knox et al., 2013a, 2013b, 2014;

Knox & Dunne, 2013; Williams & Edlington, 2019). Professional identity formation is closely tied to educational experiences, yet inconsistencies persist in how professionalism is taught across programs (Belgraver et al., 2022; Johnston & Bilton, 2020; Munro et al., 2018).

PROFESSIONAL IDENTITY

Paramedicine has historically lacked a clearly defined professional identity compared with other healthcare professions (Brainard & Brislen, 2007; McCann et al., 2015; Reed et al., 2019). Identity formation is shaped by education, regulatory structures, and workplace experiences, and continues to evolve as the scope of practice broadens into community care and specialized roles (Brydges et al., 2022; Hill & Eaton, 2023; Long et al., 2018; Majchrowska et al., 2021; Munro et al., 2018; P. F. O'Meara et al., 2012b). Student paramedics often struggle to articulate their professional identity due to shifting expectations throughout training and early practice (Hill & Eaton, 2023; Johnston & Bilton, 2020; Long et al., 2018). Ethnographic studies highlight the influence of workplace culture, noting that high-pressure environments create a strong occupational identity but can also foster resistance to change and emotional strain (Brydges et al., 2022; Candra et al., 2023; Fitzgerald, 2020; Johnston & Bilton, 2020; McCann et al., 2015; Todaro, 2022). Several studies suggest that professional identity is shaped more by real-world experience than by formal education (Brydges et al., 2022; Hill & Eaton, 2023; Majchrowska et al., 2021; Meadley et al., 2022). Regulatory frameworks further influence perceptions of autonomy, responsibility, and professional status within the broader healthcare system (Fitzgerald, 2020; Johnston & Bilton, 2020; Klepacka et al., 2018; Murcot et al., 2014).

ETHICS AND CODES OF CONDUCT

Ethical reasoning in paramedicine is highly contextual, shaped by time pressures, unpredictable environments, and competing demands. Studies show that ethical considerations are often secondary to immediate operational or clinical imperatives in emergency settings. As a result, ethical reasoning relies heavily on situational judgment rather than strict adherence to formal frameworks (Campbell et al., 2024; Campeau, 2016; Williams, 2009; Williams & Ross, 2020). Several authors argue for stronger integration of ethics into paramedic education, with greater emphasis on real-world dilemmas, simulation, and reflective practice rather than abstract theory. Paramedics frequently experience ethical tensions related to system constraints, patient needs, and institutional policies, occasionally leading to ethical distress (Williams, 2009; Williams & Ross, 2020). Structured support systems such as debriefing, ethics committees, and CPD-based ethical training have been recommended. A recent scoping review by Collings-Huges et al, 2023, highlights the role of professional codes of conduct in setting behavioral expectations, though paramedics' understanding and use of these codes varies widely. This variability underscores the need to ensure ethical guidelines are practical and relevant to the realities of prehospital care. As paramedicine evolves, ethical expectations must be continually updated to reflect emerging challenges (Campeau, 2016; Collings-Hughes et al., 2023; Strong et al., 2013).

FUTURE CHALLENGES

Key challenges to professionalization relate to regulation, ethical frameworks, identity formation, education, and workplace culture. Although paramedicine's knowledge base

is expanding, concerns persist regarding limited practitioner and female author representation, (Berkes et al., 2024; Sanders et al., 2012; Seweryn, n.d.; Ward, 2023).

REGULATION AND CODES OF CONDUCT

Although codes are essential for professional legitimacy, many paramedics rely on experiential judgment rather than formal guidelines due to limited understanding or perceived relevance (Brown & Gardner, 1999; Caulkins, 2022; Collings-Hughes et al., 2023; Eaton, 2023; Gallagher, Snook, et al., 2016; Weber et al., 2021).

PROFESSIONAL IDENTITY AND RECOGNITION

Public and institutional understanding of paramedic roles remains limited, influenced in part by underrepresentation in leadership and policy positions. Transitioning into academic roles also presents identity challenges for practitioners (Bartle, 2014; Brown Jr et al., 2005; A. Devenish et al., 2014; Hill & Eaton, 2023; Lloyd-Jones, 2015b; Munro et al., 2018; Panchal et al., 2015).

EDUCATION AND TRAINING

The shift to university-based education has created tensions between academic and practice discourses, complicating socialization into the profession. CPD implementation requires a cultural shift toward self-directed learning, which remains difficult for many practitioners and organizations (Bennett et al., 2022; A. Devenish et al., 2016; Martin, 2006; Paterson, 2019; Sanders et al., 2024; Turner, 1985; Williams et al., 2012b).

WORKPLACE CULTURE AND MORALE

Low morale, high sickness rates, and strained relationships between staff and management hinder professionalization efforts. A “targets culture” and concerns about job security further challenge paramedics and students. Expanding roles in primary care, community health, rural practice, and telemedicine demand supportive policies, enhanced training, and mental health resources (Alruwaili, 2024; Bigham et al., 2013; Blaber, 2012; S. Devenish et al., 2020; Eaton et al., 2021; Ford Jones & Daly, 2022; Joyce et al., 2009; Larkin, 1999; McCann et al., 2015; Newton, 2012; P. F. O’Meara et al., 2012a; Risambessy, 2023; Wankhade et al., 2015; Williams et al., 2010d).

DISCUSSION

The professionalization of paramedicine is a multifactorial and dynamic process shaped by education, regulation, workplace culture, and public perception. Although substantial progress has been made, continued variation in training standards, regulatory structures, and professional identity reflects the evolving nature of the profession. Key themes across the literature include professional identity, regulation, ethics, and CPD (R. Bowles, 2009; Makrides et al., 2022; McDonnell, 2009; Williams et al., 2021). This review complements and extends the earlier work of Reed (Reed et al., 2019). Whereas their scoping review highlighted definitional ambiguity and the limited application of sociological theory, the present review provides an updated, practice-oriented synthesis organized into six applied categories: professionalism attributes, professional identity, regulation, ethics, education, and future challenges. Together, the two reviews trace both the theo-

retical foundations and the operational realities of professionalization, offering a more comprehensive understanding of current drivers and barriers.

PROFESSIONAL IDENTITY AND THE EVOLUTION OF PARAMEDICINE

Professional identity continues to shift as paramedics increasingly work in community, urgent care, and primary care settings rather than solely in emergency response roles (Givati et al., 2018; Johnston & Bilton, 2020). This expansion presents identity tension, with practitioners navigating changing expectations from employers, regulators, and patients (Acker, 2016; Bettin, 2024; Lloyd-Jones, 2015a; McCann, 2022). Consolidating a coherent professional identity will require a deeper understanding of how paramedics internalize their roles and adapt to new models of care.

THE ROLE OF REGULATION IN PROFESSIONALIZATION

Regulation is widely recognized as central to professionalization, providing legitimacy, accountability, and patient safety (Knox et al., 2016; Reed et al., 2021, 2023, 2024). National registration systems in Australia and the UK have strengthened public trust, though concerns persist regarding administrative burden and potential constraints on autonomy (Ali & Bradburn, 2018; Bell et al., 2021; Burford et al., 2011; B. James & Lindstrom, 2004; Luck & Townsend, 2024; Mosca & Kruger, 2022; P. O'Meara, 2009; Shaban et al., 2019; Simmonds et al., 2015; Townsend, 2017a; Weber et al., 2024a). Further research is needed to evaluate how regulatory frameworks influence patient care, retention, and scope of practice in both emergency and non-emergency contexts.

ETHICAL REASONING AND DECISION-MAKING

Ethical reasoning remains a challenging aspect of paramedic practice due to high pressure, time critical environments. Paramedics often rely on experiential judgment rather than formal ethical frameworks when balancing clinical, legal, and patient centered obligations (Campbell et al., 2024; Collings-Hughes et al., 2022, 2023; Grenier et al., 2021; B. James & Lindstrom, 2004; Simmonds et al., 2015; Townsend, 2012, 2017a; Townsend & Luck, 2012b, 2012a, 2019b, 2019a; Williams, 2009; Williams & Ross, 2020). There is a recognized need to strengthen ethics education through realistic scenarios, simulation, mentorship, and structured reflection to support ethical competence.

THE IMPORTANCE OF CPD

Continuing professional development (CPD; referred to in some jurisdictions, including the United States, as continuing education or continuing competency) is essential for maintaining competence and advancing the profession, yet participation varies due to resource limitations, workload pressures, and inconsistent employer support (I. A. Brooks et al., 2016, 2018; Corman et al., 2025; Daly, 2018; Hanna et al., 2021; Knox, Cullen, et al., 2015; Lord, 2003; P. F. O'Meara et al., 2017b; P. O'Meara & Maguire, 2018; Sheahan et al., 2025; Weber et al., 2024b; Williams et al., 2012a). Innovative CPD models, such as online learning, workplace-based training, and peer mentoring—may improve accessibility and engagement.

Aspect	This Review	Reed et al.
Primary focus	Practical exploration of drivers of professionalization	Conceptual and theoretical analysis of professionalism and professionalization
Methodology	15 databases + grey literature; 63 sources	10 databases + grey literature; 53 sources
Timeframe covered	Includes literature up to 2025	Literature published before 2019
Structure of results	Six applied categories: identity, ethics, regulation, education, CPD, challenges	Thematic categories; less structured synthesis
Use of theory	Minimal; focused on applied insights	Strong theoretical foundation (e.g., Freidson, Greenwood, structuralism)
Contribution	Policy- and practice-oriented guidance for the profession	Foundational academic discourse; call for theoretical expansion

Table 2. Comparison between the current scoping review and Reed et al.

FUTURE RESEARCH

Future research should adopt longitudinal and interdisciplinary approaches to examine how education, regulation, workplace culture, and employment conditions influence professional identity, workforce sustainability, and patient care across a paramedic's career. Comparative international studies are needed to identify transferable best practices in regulation, educational pathways, CPD models, and remuneration structures. Further investigation into the long-term effects of professional regulation on autonomy, job satisfaction, retention, and perceptions of professional value is warranted, as is research into how ethical competence develops over time and can be better supported through training and CPD. Additionally, studies addressing paramedic well-being, burnout, and resilience—including the role of pay and benefit equity alongside interventions such as mentorship, psychological support, and workload management—will be essential for sustaining the workforce and supporting ethical, professional practice.

LIMITATIONS

This review emphasized breadth rather than depth, consistent with scoping methodology, and did not conduct formal quality appraisal. Limiting the search to English-language sources introduces potential language bias, and the grey literature search may not have captured all unpublished materials. The literature is dominated by recurring authors with limited representation from women and practicing paramedics, which may skew perspectives. Additionally, most studies originate from high-income English-speaking countries, limiting global applicability. The involvement of studies authored by the review team or their collaborators may introduce bias, mitigated through adherence to JBI protocols and multi-reviewer screening.

CONCLUSION

The professionalization of paramedicine is progressing but remains shaped by ongoing challenges in education, regulation, professional identity, and workplace culture. Achieving an effective balance between standardization and adaptability is central to supporting paramedics' diverse and expanding roles across healthcare systems. As practice settings broaden into primary and community care, regulatory frameworks must remain flexible while upholding core professional values. Professional identity and practitioner well-being are vital to sustaining a competent workforce. The demanding nature of paramedic work including exposure to trauma and ethical complexity

highlights the need for structured support such as mentorship, debriefing, and mental health resources.

This review builds on the foundational conceptual work of Reed et al. (2019) by providing a contemporary, applied synthesis that identifies practical strategies for advancing professionalization. Ongoing collaboration among policymakers, educators, and practitioners will be essential in strengthening the profession and enhancing the quality of patient care.

REFERENCES

- Acker, J. J. (2016). Informing our future: The development of a regulatory framework for registered paramedics in Australia. *Australasian Journal of Paramedicine*, 13, 1–3. <https://doi.org/10.33151/ajp.13.2.526>
- Ali, O., & Bradburn, M. (2018). Professionalism. *Surgery (Oxford)*, 36(9), 443–447. <https://doi.org/10.1016/j.mpsur.2018.07.011>
- Alruwaili, T. A. (2024). The evolving role of Paramedics in modern Healthcare Systems: A Systematic Review. *International Journal of Development Research*, 14(09), 66702–66705. <https://doi.org/10.37118/ijdr.29219.09.2024>
- Alt, D., & Naamati-Schneider, L. (2021). Health management students' self-regulation and digital concept mapping in online learning environments. *BMC Medical Education*, 21(1), 110. <https://doi.org/10.1186/s12909-021-02542-w>
- Arksey, H., & O'malley, L. (2005). Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Bartle, E. (2014). What is professionalism? Three different perspectives. *Clinical Teacher*, 11(3). <https://doi.org/10.1111/tct.12258>
- Batt, A. M., & Cummins, N. M. (2016). E-learning on the road: Online learning and social media for continuing professional competency. *Irish Journal of Paramedicine*, 1(1). <https://doi.org/10.32378/ijp.v1i1.5>
- Batt, A., & Knox, S. (2017). On the path to professionalism: The Irish College of Paramedics. *EMS Gathering 2017*, Kinsale, Ireland. <https://hdl.handle.net/10147/621482>
- Batt, A. M., Bolster, J. L., Lysko, M., Poirier, P., Cassista, D., Austin, M., Cameron, C., Donnelly, E. A., Donelon, B., & Dunn, N. (2025). Representing contemporary paramedic practice in Canada: Development of the national competency framework for paramedics. *Paramedicine*, 22(3), 111–126. <http://doi.org/10.1177/27536386241284092>
- Belgraver, E., Coppoolse, R., van Doorn, L., & Bakker, C. (2022). The personal dimension of allied health professional identity: A scoping review in health sciences literature. *International Journal of Health Professions*, 9(1), 39–58. <http://doi.org/10.2478/ijhp-2022-0004>
- Bell, A., Hammer, S., & Seymour-Walsh, A. (2021). The role of educational theory in the future development of paramedicine as a profession: an integrative review. *Australasian Journal of Paramedicine*, 18, 1–10. <https://doi.org/10.33151/ajp.18.846>
- Bennett, A., Bilton, N., Bear, R., & Townsend, R. (2022). *Australian paramedic understanding of the purpose of continuing professional development (CPD) and mandatory CPD requirements - A qualitative study using a doctrinal framework for comparative analysis*. Retrieved from: <https://researchoutput.csu.edu.au/en/publications/australian-paramedic-understanding-of-the-purpose-of-continuing-p>

- Berkes, E., Marion, M., Milojević, S., & Weinberg, B. A. (2024). Slow convergence: Career impediments to interdisciplinary biomedical research. *Proceedings of the National Academy of Sciences*, 121(32), e2402646121. <https://doi.org/10.1073/pnas.2402646121>
- Bettin, C. (2024). *Book Review: The Paramedic at Work: A Sociology of a New Profession by Leo McCann*. SAGE Publications Sage UK: London, England. <https://doi.org/10.1177/13505084231154072>
- Bigham, B. L., Kennedy, S. M., Drennan, I., & Morrison, L. J. (2013). Expanding paramedic scope of practice in the community: A systematic review of the literature. *Prehospital Emergency Care*, 17(3), 361–372. <https://doi.org/10.3109/10903127.2013.792890>
- Birden, H., Glass, N., Wilson, I., Harrison, M., Usherwood, T., & Nass, D. (2013). Teaching professionalism in medical education: A Best Evidence Medical Education (BEME) systematic review. *BEME Guide No. 25. Medical Teacher*, 35(7), e1252–e1266. <https://doi.org/10.3109/0142159X.2013.789132>
- Blaber, A. (2012). *Foundations for paramedic practice: A theoretical perspective*. McGraw-Hill Education (UK). Available at: <https://books.google.ie/books?id=ddc-EQAAQBAJ>
- Bowen, L. M., & Williams, B. (2020). Assessment of US paramedic professionalism: A psychometric appraisal. *Advances in Medical Education and Practice*, 91–98. <https://doi.org/10.2147/AMEPS231177>
- Bowen, L. M., Williams, B., & Stanke, L. (2017). Professionalism among paramedic students: achieving the measure or missing the mark? *Advances in Medical Education and Practice*, 711–719. <https://doi.org/10.2147/AMEPS146078>
- Bowles, R. (2009). From learning activities to the meaning of life: Fostering professionalism in Canadian paramedic education. *Australasian Journal of Paramedicine*, 7, 1–8. <https://doi.org/10.33151/ajp.7.2.384>
- Bowles, R. R., van Beek, C., & Anderson, G. S. (2017). Four dimensions of paramedic practice in Canada: Defining and describing the profession. *Australasian Journal of Paramedicine*, 14, 1–12. <https://doi.org/10.33151/ajp.14.1.473>
- Brainard, A. H., & Brislen, H. C. (2007). Viewpoint: Learning professionalism: A view from the trenches. *Academic Medicine*, 82(11), 1010–1014. <https://doi.org/10.1097/01.acm.0000285343.95826.94>
- Brooks, I. A., Cooke, M., Spencer, C., & Archer, F. (2015). A review of key national reports to describe the development of paramedic education in England (1966–2014). *Emergency Medicine Journal*, 33(12), 876–881. <https://doi.org/10.1136/emmermed-2015-205062>
- Brooks, I. A., Grantham, H., Spencer, C., & Archer, F. (2018). A review of the literature: The transition of entry-level paramedic education in Australia from vocational to higher education (1961–2017). *Australasian Journal of Paramedicine*, 15, 1–11. <https://doi.org/10.33151/ajp.15.2.584>
- Brown Jr, W. E., Margolis, G., & Levine, R. (2005). Peer evaluation of the professional behaviors of emergency medical technicians. *Prehospital and Disaster Medicine*, 20(2), 107–114. <https://doi.org/10.1017/s1049023x00002284>
- Brown, L. H., & Gardner, T. E. (1999). Is the professional status of paramedics related to licensure or certification? *Prehospital Emergency Care*, 3(2), 179–181. <https://doi.org/10.1080/10903129908958932>
- Bryant, J., Zucca, A., Turon, H., Sanson-Fisher, R., & Morrison, A. (2023). Attitudes towards and engagement in self-directed learning among paramedics in New South Wales, Australia: a cross-sectional study. *BMC Medical Education*, 23(1), 759. <https://doi.org/10.1186/s12909-023-04759-7>

- Brydges, M., Dunn, J. R., Agarwal, G., & Tavares, W. (2022). At odds: How intraprofessional conflict and stratification has stalled the Ontario paramedic professionalization project. *Journal of Professions and Organization*, 9(3), 333–347. <https://doi.org/10.1093/jpo/joac018>
- Burford, B., Carter, M., Morrow, G., Rothwell, C., Illing, J., & McLachlan, J. (2011). *Professionalism and conscientiousness in healthcare professionals*. Durham University School of Medicine and Health. Retrieved from <https://www.hcpc-uk.org/globalassets/resources/reports/professionalism-in-healthcare-professionals.pdf>
- Caffrey, S. M., Barnes, L. C., & Olvera, D. J. (2019). Joint position statement on degree requirements for paramedics. *Prehospital Emergency Care*, 23(3), 434–437. <https://doi.org/10.1080/10903127.2018.1549623>
- Campbell, I., Hill, L., & Copson, J. (2024). Towards an understanding of the embedded nature of everyday ethical reasoning in paramedic education and practice. *Paramedicine*, 21(4), 147–154. <https://doi.org/10.1016/j.paramed.2024.04.002>
- Campeau, A. (2016). Paramedical ethics during acute emergency medical service (Ems) referral. *Australasian Journal of Paramedicine*, 13, 1–7. <https://doi.org/10.33151/ajp.13.1.520>
- Candra, A., Sudiro, A., & Susilowati, C. (2023). The relationship between work professionalism and job satisfaction toward employee performance in mediating of organizational climate. *International Journal of Research in Business and Social Science*, 12(2), 177–186. <https://doi.org/10.20525/ijrbs.v12i2.2428>
- Caulkins, C. (2022). *Why paramedic program accreditation matters and how it could matter more*. <https://doi.org/10.13140/RG.2.2.26340.24960>
- Chom towska, B., Grzebieluch, J., Janiak-Rejno, I., Kiedik, D., & arczy ska-Dobiesz, A. (2021). From learning “doing the work of a paramedic” to “being a paramedic”—the results of research on students of the last year of Wroclaw Medical University. *Annales Universitatis Mariae Curie-Skłodowska, Sectio H–Oeconomia*, 55(2), 33–48. <https://doi.org/10.17951/h.2021.55.2.33-48>
- Collings-Hughes, D., Townsend, R., & Williams, B. (2022). Professional codes of conduct: A scoping review. *Nursing Ethics*, 29(1), 19–34. <https://doi.org/10.1177/09697330211012153>
- Collings-Hughes, D., Townsend, R., & Williams, B. (2023). Paramedic use and understanding of their professional code of conduct. *Nursing Ethics*, 30(2), 258–275. <https://doi.org/10.1177/09697330221130607>
- Corman, M. K., Phillips, P., & McCann, L. (2025). The future of paramedic education: Problematizing the translucent curriculum in paramedicine. *Paramedicine*, 22(4), 205–214. <https://doi.org/10.1177/27536386251338525>
- Daly, J. (2018). Barriers perceived by volunteer EMTs in participating in continuous professional development in Ireland. *Irish Journal of Paramedicine*, 3(2). <https://doi.org/10.32378/ijp.v3i2.115>
- Devenish, A., Clark, M., & Fleming, M. (2014). *The professional socialisation of paramedics: The transition from intern to qualified paramedic*. <https://eprints.qut.edu.au/81413>
- Devenish, A., Clark, M., & Fleming, M. (2016). Experiences in becoming a paramedic: The professional socialization of university qualified paramedics. *Creative Education*, 7(6), 786–801. <https://doi.org/10.4236/ce.2016.76083>

- Devenish, S., Rolley, A., & Long, D. (2020). Investigating career intentions of undergraduate paramedic students studying in Queensland, Australia. *Australasian Journal of Paramedicine*, 17, 1–6. <https://doi.org/10.33151/ajp.17.677>
- Donaghy, J. (2018). Continuing Professional Development: Reflecting on our own professional values and behaviours as paramedics. *Journal of Paramedic Practice*, 10(4), 1–4. <https://doi.org/10.12968/jpar.2018.10.4.1>
- Eastwood, K., Johnson, M., Williams, J., Batt, A. M., & Tavares, W. (2023). Paramedicine: An evolving identity. *Paramedicine*, 20(6), 177–180. <https://doi.org/10.1177/27536386231203401>
- Eaton, G. (2023). Addressing the challenges facing the paramedic profession in the United Kingdom. *British Medical Bulletin*, 148(1), 70–78. <https://doi.org/10.1093/bmb/ldad024>
- Eaton, G., Wong, G., Tierney, S., Roberts, N., Williams, V., & Mahtani, K. R. (2021). Understanding the role of the paramedic in primary care: A realist review. *BMC Medicine*, 19(1), 145. <https://doi.org/10.1186/s12916-021-02020-7>
- Ellis, G., Ryan, G., & Ryan, D. (2016). The uptake of continuous professional competency by prehospital care providers delivered via live presentations and on-line video feed. *EMS Gathering 2016 Proceedings*. Available at: <http://irishparamedicine.com/docs/emsg2016/OBICPC%20poster%20for%20EMS%20G%20final%20draft.pdf>
- Evetts, J. (2011). A new professionalism? Challenges and opportunities. *Current Sociology*, 59(4), 406–422. <https://doi.org/10.1177/0011392111402585>
- First, S., Tomlins, L., & Swinburn, A. (2012). From trade to profession-the professionalisation of the paramedic workforce. *Journal of Paramedic Practice*, 4(7), 378–381. <https://doi.org/10.12968/jpar.2012.4.7.378>
- Fitzgerald, A. (2020). Professional identity: A concept analysis. *Nursing Forum*, 55(3), 447–472. <https://doi.org/10.1111/nuf.12434>
- FitzGerald, G., & Bange, R. (2015). Defining a regulatory framework for paramedics: A discussion paper. *Australasian Journal of Paramedicine*, 5. <https://doi.org/10.33151/ajp.5.2.414>
- Ford-Jones, P. C., & Daly, T. (2022). Filling the gap: Mental health and psychosocial paramedicine programming in Ontario, Canada. *Health & Social Care in the Community*, 30(2), 744–752. <https://doi.org/10.1111/hsc.13401>
- Freidson, E. (1994). *Professionalism reborn: Theory, prophecy, and policy*. University of Chicago Press. <https://doi.org/10.1136/bmj.309.6962.1175>
- Gallagher, A., Snook, V., Horsfield, C., Rutland, S., Vyvyan, E., Juniper, J., & Collen, A. (2016). Experts' perspectives on professionalism in paramedic practice: Findings from a Delphi process. *British Paramedic Journal*, 1(2). <https://doi.org/10.29045/14784726.2016.1.2.9>
- Gallagher, A., Vyvyan, E., Juniper, J., Snook, V., Horsfield, C., Collen, A., & Rutland, S. (2016). Professionalism in paramedic practice: the views of paramedics and paramedic students. *British Paramedic Journal*, 1(2). <https://doi.org/10.29045/14784726.2016.1.2>
- Gent, P. (2016). Continuing professional development for paramedics: A systematic literature review. *Australasian Journal of Paramedicine*, 13. <https://doi.org/10.33151/ajp.13.4.239>
- Givati, A., Markham, C., & Street, K. (2018). The bargaining of professionalism in emergency care practice: NHS paramedics and higher education. *Advances in Health Sciences Education*, 23(2), 353–369. <https://doi.org/10.1007/s10459-017-9802-3>

- Gourevitch, M. N., Curtis, L. H., Durkin, M. S., Fagerlin, A., Gelijns, A. C., Platt, R., Reininger, B. M., Wylie-Rosett, J., Jones, K., & Tierney, W. M. (2019). The emergence of population health in US academic medicine: A qualitative assessment. *JAMA Network Open*, 2(4), e192200–e192200. <https://doi.org/10.1001/jamanetworkopen.2019.2200>
- Grenier, M., van Vuuren, J., & Spelten, E. (2021). Enhancing professional practice and professionalism among Canadian rural paramedics. *Australasian Journal of Paramedicine*, 18, 1–9. <https://doi.org/10.33151/ajp.18.820>
- Handyside, B., & Watson, K. (2024). The experiences of and attitudes towards continuing professional development: An interpretative phenomenological analysis of UK paramedics (EAT CPD). *International Journal of Paramedicine*, 89–103. <https://doi.org/10.56068/LOSH9394>
- Hanna, H., Jordan, Z., Stern, C., & Pearce, J. (2021). Experiences of learning, development, and preparedness for clinical practice among undergraduate paramedicine students, graduate/intern paramedics, and their preceptors: A qualitative systematic review. *JBIE Evidence Synthesis*, 19(9), 2052–2154. <https://doi.org/10.11124/JBIES-20-00218>
- Hill, L., & Eaton, G. (2023). Exploring paramedic professional identity. *British Paramedic Journal*, 8(3), 42–51. <https://doi.org/10.29045/14784726.2023.12.8.3.42>
- Hobbs, L., Devenish, S., Long, D., & Tippet, V. (2021). Facilitators, barriers and motivators of paramedic continuing professional development. *Australasian Journal of Paramedicine*, 18, 1–7. <https://doi.org/10.29045/14784726.2023.12.8.3.42>
- Hobbs, L. R. (2019). *Australasian paramedic attitudes and perceptions about continuing professional development*. <https://ucc.summon.serialssolutions.com/2.0.0/link/0>
- James, B., & Lindstrom, J. (2004). Construct validity of the professional behavior evaluation instrument from the National Standard Paramedic Curriculum. *Prehospital Emergency Care*, 8(4), 434–435. <https://doi.org/10.1080/10903120490905130>
- James, P. L. (2013). Striving for the professionalisation of Australian paramedics. *International Paramedic Practice*, 3(3), 74–78. <https://doi.org/10.12968/ippr.2013.3.3.74>
- Johnston, T., & Bilton, N. (2020). Investigating paramedic student professional identity. *Australasian Journal of Paramedicine*, 17, 1–8. <https://doi.org/10.33151/ajp.17.688>
- Joyce, C. M., Wainer, J., Archer, F., Wyatt, A., & Pitermann, L. (2009). Trends in the paramedic workforce: A profession in transition. *Australian Health Review*, 33(4), 533–540. <https://doi.org/10.1071/AH090533>
- Kirk, L. M. (2007). Professionalism in Medicine: Definitions and considerations for teaching. *Baylor University Medical Center Proceedings*, 20(1), 13–16. <https://doi.org/10.1080/08998280.2007.11928225>
- Klepacka, M., Sholokhova, D., Bakalarski, P., Kupi ski, K., & Leszczy ski, P. (2018). The profession of a paramedic as a new specialty in the health care system-a prospective assessment of social awareness. *Critical Care Innovations*, 1(2), 11–19. [https://www.ird-im.net/ci/issues/1\(2\)11-19.pdf](https://www.ird-im.net/ci/issues/1(2)11-19.pdf)
- Knox, S., & Batt, A. M. (2018). Professionalization of Paramedics-the role of regulation and registration. *Canadian Paramedicine*, 41(5), 6–8. Available at: https://www.researchgate.net/publication/326632797_Professionalisation_of_paramedics_-_the_role_of_regulation_and_registration
- Knox, S., Cullen, W., & Dunne, C. (2013). Continuous professional competence (CPC) for emergency medical technicians in Ireland: educational needs assessment. *BMC Emergency Medicine*, 13(1), 25. <https://doi.org/10.1186/1471-227X-13-25>

- Knox, S., Cullen, W., & Dunne, C. (2014). Continuous Professional Competence (CPC) for Irish paramedics and advanced paramedics: A national study. *BMC Medical Education*, 14(1), 41. <https://doi.org/10.1186/1472-6920-14-41>
- Knox, S., Cullen, W., & Dunne, C. P. (2015). A national study of Continuous Professional Competence (CPC) amongst pre-hospital practitioners. *BMC Health Services Research*, 15(1), 532. <https://doi.org/10.1186/s12913-015-1185-4>
- Knox, S., Cullen, W., & Dunne, C. (2013). Continuous professional competence (CPC) for emergency medical technicians in Ireland: Educational needs assessment. *BMC Emergency Medicine*, 13(1). <https://doi.org/10.1186/1471-227x-13-25>
- Knox, S., Dunne, S., Cullen, W., & Dunne, C. P. (2015). A qualitative assessment of practitioner perspectives post-introduction of the first Continuous Professional Competence (CPC) guidelines for emergency medical technicians in Ireland. *BMC Emergency Medicine*, 15(1), 11. <https://doi.org/10.1186/s12873-015-0035-2>
- Knox, S., Dunne, S. S., Hughes, M., Cheeseman, S., & Dunne, C. P. (2016). Regulation and registration as drivers of continuous professional competence for Irish pre-hospital practitioners: A discussion paper. *Irish Journal of Medical Science* (1971-), 185(2), 327–333. <https://doi.org/10.1007/s11845-015-1319-6>
- Larkin, G. L. (1999). Evaluating professionalism in emergency medicine: Clinical ethical competence. *Academic Emergency Medicine*, 6(4), 302–311. <https://doi.org/10.1111/j.1553-2712.1999.tb00394.x>
- Lloyd-Jones, N. (2015a). *Professionalism in paramedic practice. Fundamentals of Paramedic Practice: A Systems Approach*, 3–13. Available at: <https://www.wiley.com/en-us/Fundamentals+of+Paramedic+Practice%3A+A+Systems+Approach%2C+2nd+Edition-p-9781119462965>
- Long, D. N., Lea, J., & Devenish, S. (2018). The conundrum of defining paramedicine: More than just what paramedics 'do.' *Australasian Journal of Paramedicine*, 15, 1–3. <https://doi.org/10.33151/ajp.15.1.629>
- Lord, B. (2003). The development of a degree qualification for paramedics at Charles Sturt University. *Australasian Journal of Paramedicine*, 1, 1–5. <https://doi.org/10.33151/ajp.1.1.9>
- Luck, M., & Townsend, R. (2024). Paramedic professionalism and sex work: Is it morally permissible for paramedics to also be sex workers? *Sexuality & Culture*, 28(4), 1792–1803. <https://doi.org/10.1007/s12119-024-10206-2>
- Lynch, D. C., Surdyk, P. M., & Eiser, A. R. (2004). Assessing professionalism: A review of the literature. *Medical Teacher*, 26(4), 366–373. <https://doi.org/10.1080/01421590410001696434>
- Mahony, K. (2003). The politics of professionalisation: Some implications for the occupation of ambulance paramedics in Australia. *Australasian Journal of Paramedicine*, 1, 1–8. <https://doi.org/10.33151/ajp.1.1.12>
- Majchrowska, A., Pawlikowski, J., Jojczuk, M., Nogalski, A., Bogusz, R., Nowakowska, L., & Wiechetek, M. (2021). Social prestige of the paramedic profession. *International Journal of Environmental Research and Public Health*, 18(4), 1506. <https://doi.org/10.3390/ijerph18041506>
- Makrides, T., Ross, L., Gosling, C., Acker, J., & O'Meara, P. (2022). From stretcher bearer to practitioner: A brief narrative review of the history of the Anglo-American paramedic system. *Australasian Emergency Care*, 25(4), 347–353. <https://doi.org/10.1016/j.auec.2022.07.004>

- Martin, J. (2006). The challenge of introducing continuous professional development for paramedics. *Australasian Journal of Paramedicine*, 4, 1–7. <https://doi.org/10.33151/ajp.4.1.65>
- McCann, L. (2022). *The paramedic at work: A sociology of A new profession*. Oxford University Press. <https://doi.org/10.1093/oso/9780198816362.001.0001>
- McCann, L., & Granter, E. (2019). Beyond 'blue-collar professionalism': Continuity and change in the professionalization of uniformed emergency services work. *Journal of Professions and Organization*, 6(2), 213–232. <https://doi.org/10.1093/jpo/joz005>
- McCann, L., Granter, E., Hassard, J., & Hyde, P. (2015). Where next for the paramedic profession? An ethnography of work culture and occupational identity. *Emergency Medicine Journal*, 32(5), e6–e7. <https://doi.org/10.1136/emered-2014-204436>
- McCann, L., Granter, E., Hyde, P., & Hassard, J. (2013). Still blue collar after all these years? An ethnography of the professionalization of emergency ambulance work. *Journal of Management Studies*, 50(5), 750–776. <https://doi.org/10.1111/joms.12021>
- McDonnell, A. (2009). The search and development of professionalism in "ambulance." *Australasian Journal of Paramedicine*, 7, 1–5. <https://doi.org/10.33151/ajp.7.2.387>
- McEwen, C., & Trede, F. (2014). The academisation of emerging professions: Implications for universities, academics and students. *Power and Education*, 6(2), 145–154. <https://doi.org/10.2304/power.2014.6.2.145>
- Meadley, B. N., Andrews, T., Delardes, B. J., & Shannon, B. P. (2022). The evolution of clinician-academics in paramedicine: Completing the picture of professionalism. *Prehospital and Disaster Medicine*, 37(5), 574–576. <https://doi.org/10.1017/S1049023X22001146>
- Moritz, D. (2017). *A New Regulatory Framework for Paramedic Practice in Australia*. <https://api.semanticscholar.org/CorpusID:80101575>
- Moritz, D. (2018). The Regulatory Evolution of Paramedic Practice in Australia. *Journal of Law and Medicine*, 25(3), 765–781. <https://pubmed.ncbi.nlm.nih.gov/29978666>
- Mosca, C. G., & Kruger, J. P. (2022). Adopting a 'system of caring' as a leadership strategy toward professionalisation within South African emergency medical services: A grounded theory. *African Journal of Emergency Medicine*, 12(4), 489–497. <https://doi.org/10.1016/j.afjem.2022.08.002>
- Munro, G. G., O'Meara, P., & Mathisen, B. (2018). Paramedic academics in Australia and New Zealand: The 'no man's land' of professional identity. *Nurse Education in Practice*, 33, 33–36. <https://doi.org/10.1016/j.nepr.2018.08.002>
- Munro, G. G., O'Meara, P., & Mathisen, B. (2019). Paramedic transition into an academic role in universities: A qualitative survey of paramedic academics in Australia and New Zealand. *Irish Journal of Paramedicine*, 4(1). <https://hdl.handle.net/10147/620962>
- Murcot, P., Williams, B., Morgans, A., & Boyle, M. (2014). Community perceptions of the professional status of the paramedic discipline. *International Paramedic Practice*, 4(1), 13–18. Available at: <https://www.internationaljpp.com/content/features/community-perceptions-of-the-professional-status-of-the-paramedic-discipline>
- Newton, A. (2012). The ambulance service: The past, present and future. *Journal of Paramedic Practice*, 4(6), 365–368. <https://doi.org/10.12968/jpar.2012.4.6.365>
- Newton, A. (2014). *Ambulance service 2030: The future of paramedics*. <https://doi.org/10.18745/th.15437>
- O'Brien, K., Moore, A., Dawson, D., & Hartley, P. (2014). An Australian story: Paramedic education and practice in transition. *Australasian Journal of Paramedicine*, 11, 1–13. <https://doi.org/10.33151/ajp.11.1.283>

- Olaussen, A., Beovich, B., & Williams, B. (2021). Top 100 cited paramedicine papers: A bibliometric study. *Emergency Medicine Australasia*, 33(6), 975–982. <https://doi.org/10.1111/1742-6723.13833>
- O'Meara, P. (2009). Paramedics marching toward professionalism. *Australasian Journal of Paramedicine*, 7, 1–5. <https://doi.org/10.33151/ajp.7.1.153>
- O'Meara, P. (2014). Student research: The future of paramedicine. *Australasian Journal of Paramedicine*, 11, 1–3. <https://doi.org/10.33151/ajp.11.1.284>
- O'Meara, P. F., Furness, S., & Gleeson, R. A. Y. (2017). Educating paramedics for the future: a holistic approach. *Journal of Health and Human Services Administration*, 40(2), 219–251. <https://doi.org/10.1177/107937391704000204>
- O'Meara, P., Tourle, V., Stirling, C., Walker, J., & Pedler, D. (2012). Extending the paramedic role in rural Australia: A story of flexibility and innovation. *Rural and Remote Health*, 12(2). <https://doi.org/10.22605/rrh1978>
- O'Meara, P., & Maguire, B. (2018). Developing a sustainable academic workforce in paramedicine. *Australian Universities' Review*, 60(1), 54–56. Available at: <https://files.eric.ed.gov/fulltext/EJ1169168.pdf>
- O'Meara, P., Wingrove, G., & McKeage, M. (2018). Self-regulation and medical direction: Conflicted approaches to monitoring and improving the quality of clinical care in paramedic services. *International Journal of Health Governance*, 23(3), 233–242. <https://doi.org/10.1108/IJHG-02-2018-0011>
- Panchal, A. R., Gaither, J. B., Svirsky, I., Prosser, B., Stolz, U., & Spaite, D. W. (2015). The impact of professionalism on transfer of care to the emergency department. *Journal of Emergency Medicine*, 49(1), 18–25. <https://doi.org/10.1016/j.jemermed.2015.02.021>
- Paterson, S. (2019). Paramedic professionalism: The influence of education on acquisition of professional behaviours and values. *College of Paramedics Annual Conference 2019*. Available at: <https://researchonline.gcu.ac.uk/en/publications/paramedic-professionalism-the-influence-of-education-on-acquisiti>
- Peters, M., Godfrey, C., McInerney, P., Soares, C. B., Khalil, H., & Parker, D. (2015). Methodology for JBI scoping reviews. In *The Joanna Briggs institute reviewers manual 2015* (pp. 3–24). Joanna Briggs Institute. Available at: <https://research.monash.edu/en/publications/methodology-for-jbi-scoping-reviews>
- Reed, B., Cowin, L., O'Meara, P., Metusela, C., & Wilson, I. (2023). An exploration of perceptions and experiences of Australian paramedics following the introduction of professional regulation. *International Journal of Health Governance*, 28(4), 438–452. <https://doi.org/10.1108/IJHG-05-2023-0047>
- Reed, B., Cowin, L., O'Meara, P., Metusela, C., & Wilson, I. (2024). Perceptions of Australian paramedics following the introduction of professional regulation: A qualitative exploration. *International Journal of Emergency Services*, 13(1), 98–110. <https://doi.org/10.1108/IJES-05-2023-0037>
- Reed, B., Cowin, L., O'Meara, P., & Wilson, I. (2019). Professionalism and professionalisation in the discipline of paramedicine. *Australasian Journal of Paramedicine*, 16, 1–10. <https://doi.org/10.33151/ajp.16.673>
- Reed, B., Cowin, L., O'Meara, P., & Wilson, I. (2021). Perceptions and knowledge of self-regulation of paramedics in Australia. *Australasian Journal of Paramedicine*, 18, 1–12. <https://doi.org/10.33151/ajp.18.845>

- Reed, B., Cowin, L., O'Meara, P., & Wilson, I. (2022a). A qualitative exploration of the perceptions of professional registration by Australian paramedics during the transition into professional regulation. *Medical Law International*, 22(4), 327–348. <https://doi.org/10.1177/09685332221099067>
- Reynolds, L. (2004). Is prehospital care really a profession? *Australasian Journal of Paramedicine*, 2, 1–6. <https://doi.org/10.33151/ajp.2.1.20>
- Risambessy, A. (2023). The influence of professionalism, work-discipline, and trust on the performance of nurse paramedics. *Research Horizon*, 3(4), 291–299. <https://doi.org/10.54518/rh.3.4.291-299>
- Sanders, J., & Cleary, T. J. (2011). Self-regulation theory: applications to medical education: AMEE Guide No. 58. *Medical Teacher*, 33(11), 875–886. <https://doi.org/10.3109/0142159X.2011.595434>
- Sanders, M. J., Lewis, L. M., McKenna, K., & Quick, G. (2012). *Mosby's paramedic textbook*. Jones & Bartlett Publishers. Available at: https://archive.org/details/mosbysparamedic0000sand_n4f1/page/n9/mode/2up
- Sanders, M. J., McKenna, K., & Surgeons, A. A. of O. (2024). *Sanders' paramedic textbook*. Jones & Bartlett Learning. Available at: https://catalog.nlm.nih.gov/discovery/fulldisplay/alma9917274413406676/01NLM_INST:01NLM_INST
- Shaban, R. Z., Townsend, R., Dalrymple, R., & Willis, S. (2019). *Professional health regulation for paramedicine and ambulance prehospital emergency care*. Available at: <https://researchoutput.csu.edu.au/en/publications/professional-health-regulation-for-paramedicine-and-ambulance-pre>
- Sheahan, J., Duffy, R., & Cunningham, C. (2025). The evolving role of paramedicine educators: A scoping review. *African Journal of Emergency Medicine*, 15(2), 595–601. <https://doi.org/10.1016/j.afjem.2024.12.006>
- Simmonds, B., Clarke, S., Bradley, R., Bengier, J., & Gooberman-Hill, R. (2015). Professionalism and care: The daily bread and butter of a paramedic attending patients who fall. *Emergency Medicine Journal*, 32(5), e6–e6. <https://doi.org/10.1136/emermed-2014-204382>
- Strong, G., Acker, J., Thompson, S., Eastwood, K., Ross, L., & Williams, B. (2013). Paramedic professionalism: An international examination. *Paramedics Australasia International Conference*. Retrieved from <https://researchoutput.csu.edu.au/en/publications/paramedic-professionalism-an-international-examination>
- Tavares, W., Bowles, R., & Donelon, B. (2016). Informing a Canadian paramedic profile: Framing concepts, roles and crosscutting themes. *BMC Health Services Research*, 16(1), 477. <https://doi.org/10.1186/s12913-016-1714-1>
- Todaro, J. (2022). Keep our profession professional: Where's the opposition to the NREMT's misguided move on accreditation? *EMS World*, 51(8), 8–9. Available at: <https://www.ems1.com/certification/articles/naemsp-strongly-opposes-nremt-resolution-to-change-certification-requirements-BcZoyVuan5Q7yNbn>
- Townsend, R. (2012). An introduction to the legal system and paramedic professionalism. *Applied Paramedic Law and Ethics: Australia and New Zealand*, 67. Available at: <https://www.scribd.com/document/425376356/Applied-Paramedic-Law-and-Ethics-Townsend-Luck>
- Townsend, R. (2017a). *The role of the law in the professionalisation of paramedicine in Australia*. <https://researchoutput.csu.edu.au/en/publications/the-role-of-the-law-in-the-professionalisation-of-paramedicine-in>

- Townsend, R. (2017b). What Australian and Irish paramedic registrants can learn from the UK: Lessons in developing professionalism. *Irish Journal of Paramedicine*, 2(2), 1–4. <https://doi.org/10.32378/ijp.v2i2.69>
- Townsend, R., & Luck, M. (2012a). *Applied paramedic law and ethics: Australia and New Zealand*. Elsevier Health Sciences. Available at: <https://researchoutput.csu.edu.au/en/publications/applied-paramedic-law-and-ethics-australia-and-new-zealand>
- Townsend, R., & Luck, M. (2012b). Why introduce paramedics to law, ethics and professionalism? *Applied Paramedic Law and Ethics: Australia and New Zealand*, 1. Available at: <https://researchoutput.csu.edu.au/en/publications/why-introduce-paramedics-to-law-ethics-and-professionalism>
- Townsend, R., & Luck, M. (2019a). *Applied paramedic law, ethics and professionalism: Australia and New Zealand*. Elsevier Health Sciences. Available at: <https://www.inspectioncopy.elsevier.com/book/details/9780729543088>
- Trede, F. (2009). Becoming professional in the 21st century. *Australasian Journal of Paramedicine*, 7, 1–5. <https://doi.org/10.33151/ajp.7.2.381>
- Turner, B. S. (1985). Knowledge, skill and occupational strategy: The professionalisation of paramedical groups. *Australian and New Zealand Journal of Public Health*, 9(1), 38–47. <https://doi.org/10.1111/j.1753-6405.1985.tb00539.x>
- van der Gaag, A., & Donaghy, J. (2013). Paramedics and professionalism: Looking back and looking forwards. *Journal of Paramedic Practice*, 5(1), 8–10. <https://doi.org/10.12968/jpar.2013.5.1.8>
- Wankhade, P., Radcliffe, J., & Heath, G. (2015). Organisational and professional cultures: An ambulance perspective. *Ambulance services: Leadership and management perspectives*, 65–80. https://doi.org/10.1007/978-3-319-18633-9_5
- Ward, A. (2023). *Paramedic principles and practice in the UK-E-Book*. Elsevier Health Sciences. Available at: https://books.google.ie/books/about/Paramedic_Principles_and_Practice_eBook.html?id=D-4EEAAQBAJ&redir_esc=y
- Weber, A., Devenish, S., & Lam, L. (2024a). Exploring the alignment between paramedicine's professional capabilities and competency frameworks for current and evolving scopes of practice: A literature review. *BMC Medical Education*, 24(1), 31. <https://doi.org/10.1186/s12909-023-04992-w>
- Weber, A., Devenish, S., & Lam, L. (2024b). Vocational and university paramedicine education: Implications for professionalism. *International Journal of Paramedicine*, 7, 163–171. <https://doi.org/10.56068/intx9615>
- Weber, A., Lawson, C., & Keen Dyer, H. (2021). *Paramedicine as a profession: Proposition of a signature pedagogy*. <https://hdl.handle.net/10779/cqu.25560543>
- Williams, B. (2009). *Teaching medical professionalism*. SAGE Publications Sage UK: London, England. Retrieved from https://assets.cambridge.org/97811074/95241/frontmatter/9781107495241_frontmatter.pdf
- Williams, B. (2011). *Graduate attributes and the professionalisation of Australian paramedics: an empirical study*. <https://api.semanticscholar.org/CorpusID:74703602>
- Williams, B. (2021). The psychometric properties of the professionalism at work questionnaire for paramedicine students. *International Journal of Emergency Services*, 10(2), 206–221. <https://doi.org/10.1108/IJES-05-2020-0027>
- Williams, B., Beovich, B., & Olaussen, A. (2021). The definition of paramedicine: An international Delphi study. *Journal of Multidisciplinary Healthcare*, 3561–3570. <https://doi.org/10.2147/JMDH.S347811>

- Williams, B., & Edlington, T. (2019). Attitudes towards continuing professional development: A qualitative study of Australian paramedics. *Australasian Journal of Paramedicine*, 16, 1–6. <https://doi.org/10.33151/ajp.16.717>
- Williams, B., Fielder, C., Strong, G., Acker, J., & Thompson, S. (2015). Are paramedic students ready to be professional? An international comparison study. *International Emergency Nursing*, 23(2), 120–126. <https://doi.org/10.1016/j.ienj.2014.07.004>
- Williams, B., Onsman, A., & Brown, T. (2010a). Australian paramedic graduate attributes: a pilot study using exploratory factor analysis. *Emergency Medicine Journal*, 27(10), 794–799. <https://doi.org/10.1136/emj.2010.091751>
- Williams, B., Onsman, A., & Brown, T. (2010b). Paramedic education: the significance of graduate attributes. *Journal of Paramedic Practice*, 2(10), 474–479. <https://doi.org/10.12968/jpar.2010.2.10.79201>
- Williams, B., Onsman, A., & Brown, T. (2010c). The changing Australian healthcare landscape: Implications for paramedics. *Journal of Paramedic Practice*, 2(12), 580–584. Available at: <https://www.paramedicpractice.com/content/features/the-changing-australian-healthcare-landscape-implications-for-paramedics>
- Williams, B., Onsman, A., & Brown, T. (2012). A Rasch and factor analysis of a paramedic graduate attribute scale. *Evaluation & the Health Professions*, 35(2), 148–168. <https://doi.org/10.1177/0163278711407314>
- Williams, B., Onsman, A., & Brown, T. (2012). Is the Australian paramedic discipline a profession? A national perspective. *International Paramedic Practice*, 2(3), 77–84. <https://doi.org/10.12968/ippr.2012.2.3.77>
- Williams, B., & Ross, L. (2020). *Paramedic principles and practice eBook: A clinical reasoning Approach*. Elsevier Health Sciences. Available at: https://books.google.ie/books/about/Paramedic_Principles_and_Practice_eBook.html?id=D-4EEAAQBAJ&redir_esc=y
- Williams, B., & Webb, V. (2015). A national study of paramedic and nursing students' readiness for interprofessional learning (IPL): Results from nine universities. *Nurse Education Today*, 35(9), e31–e37. <https://doi.org/10.1016/j.nedt.2015.05.007>
- Wynd, C. A. (2003). Current factors contributing to professionalism in nursing. *Journal of Professional Nursing*, 19(5), 251–261. [https://doi.org/10.1016/s8755-7223\(03\)00104-2](https://doi.org/10.1016/s8755-7223(03)00104-2)

CONCEPTS

IMPLEMENTATION OF MENTAL HEALTH SUPPORTS FOR CANADIAN PARAMEDIC STUDENTS DURING PRACTICUM PLACEMENTS

Sidney L. Newman¹; Jasmine M. Kayanja^{*1}; Cameron A. Rimstad²; Efrem M. Violato, PhD³

Author Affiliations: 1. University of Alberta, Edmonton, Alberta, Canada; 2. MacEwan University, Edmonton, Alberta, Canada; 3. Centre for Advanced Medical Simulation, Northern Alberta Institute of Technology, Edmonton, Alberta, Canada.

Recommended Citation: Newman, S., Kayanja, J., Rimstad, C., & Violato, E. (2026). Implementation of mental health supports for Canadian paramedic students during practicum placements. *International Journal of Paramedicine*. (14). 150-158. <https://doi.org/10.56068/KYEV3890>

Keywords: students, sustainability, clinical placement, workforce readiness, entry-to-practice, emergency medical services, EMS, paramedicine

Disclosures: The authors acknowledge no information or conflicts that require disclosures.

Funding: External funding was not used to support this work.

Received: August 20, 2025

Revised: October 23, 2025

Revised: November 27, 2025

Accepted: November 30, 2025

Pre-Issue Published: February 24, 2026

Published: April 14, 2026

***Corresponding Author:**

kayanja1@ualberta.ca

ABSTRACT

High stress levels and exposure to traumatic events increase the likelihood that paramedics may develop mental health issues during their practicum and as they transition into professional practice. Implementing mental health support for paramedic students before and during practicum and during transition into the workforce may act as a preventative measure for common challenges such as PTSD, depression and anxiety. We propose four pillars of support that could be implemented including: proactive education, specialization for mental health providers, facilitation of social support, and transitional support. These pillars are embedded within the educational system. Suggestions for implementation and potential obstacles are explored. We believe these solutions can facilitate a smoother transition into practice and help minimize mental health challenges among students and future paramedics.

INTRODUCTION

Mental health vulnerability is a major challenge for paramedics. Paramedics are regularly exposed to traumatizing experiences that can affect their psychological well-being. Research indicates a high prevalence of PTSD, depression, and anxiety in paramedics, particularly paramedic students, who experience higher job-related levels of stress compared to other healthcare professions (Alzahrani et al., 2025; Alzahrani et al., 2023; Hammer et al., 1986). Additionally, compared to the general population, paramedics are more likely to die by suicide (Vigil et al., 2019).

These vulnerabilities can be exacerbated for paramedic students during practicum and can reach levels that exceed paramedic providers and the general population (Alzahrani et al., 2025). Practicum is an essential part of paramedic education, providing students with clinical practice under the supervision of professionals (Ross et al., 2015). Working in the same environment as practicing paramedics means students are just as vulnerable to psychologically challenging experiences that come with the profession (Michael et al., 2025). Practicing paramedics blend

Author Interview:

<https://youtu.be/V4OG3BXI54c>



experience with knowledge to develop a strong self-confidence in practice. Contrastingly, paramedic students lack experience in the field, creating a barrier to understanding how to apply their knowledge, which can cause poor self-confidence and when combined with stressors such as making a clinical mistake, can amplify mental health challenges (Warren-James et al., 2021; Wongtongkam & Brewster, 2017). With constant exposure to life-or-death situations, paramedic students are expected to manage the psychological weight of the profession without the same experience, training, coping skills, and resilience as practicing paramedics (Michael et al., 2025). Additional challenges for paramedic students, such as managing the preceptor-student hierarchy (Poku et al., 2025), fitting into the workplace culture (Kennedy et al., 2015), and the general emotional stresses of clinical education, can make paramedic students particularly vulnerable to mental health challenges.

People who choose to enter the profession of paramedicine tend to have personality traits associated with resiliency (Hebel et al., 2025; Mason et al., 2022), though they also demonstrate other traits such as conscientiousness that are associated with PTSD and burnout (Mirhaghi et al., 2016). While programs to train resiliency can have positive effects, there needs to be continued support to maintain efficacy (Vaughan et al., 2020). The decay effect of training means that targeted mental health support is essential throughout practicum placements and the transition to professional practice. Strengthening support during these periods will help students better manage the psychological and emotional challenges they encounter (Alzahrani et al., 2025). Intervening before, during, and after practicum could prevent paramedic students from experiencing severe adverse effects like PTSD, depression, and anxiety. Literature supports the need to equip students with the tools to approach and navigate the emotional challenges paramedic students face (Kennedy et al., 2015; Michael et al., 2025); however, more is needed in the way of support. We assert that paramedic students' mental health must be supported through structured, evidence-informed approaches during the continuum of transition from practicum to early practice.

This position paper is framed using a four-pillar model embedded within a broader educational ecosystem. The four pillars for strengthening student mental health are proactive education, specialized mental-health providers, social support, and transitional support. These pillars exist in a system of stakeholders that includes paramedic students, educators, preceptors, peers, families, educational institutions, and paramedic services. Interactions among these groups shape both stress response and resilience across the continuum of training and early practice. This framework guides the organization of the paper and clarifies how the proposed pillars may support student well-being, which is an ethical and professional obligation.

ETHICAL AND PROFESSIONAL CONSIDERATIONS

Educators, preceptors, and program administrators share a professional responsibility to prepare students not only for clinical competence but for the emotional realities of the profession. The ethical duty to protect trainees from foreseeable harm underpins the need for structured mental health support in paramedic education. Introducing structured support mechanisms reflects both ethical stewardship and professional accountability to ensure learners' long-term well-being. A shift in the profession can start with

advocating for psychological safety, providing support, and providing information on how to access support.

EVIDENCE AND SUPPORTING ARGUMENTS

PROACTIVE EDUCATION

The first pillar of preparation is proactive education addressing the mental health challenges students may face. A study of paramedics and firefighters found that 100% of participants discussed the need for more mental health education (Jones et al., 2020). Curricula for paramedics should include education on common mental health challenges and available support. This education should also teach healthy coping strategies and warn students about maladaptive mechanisms common in practicing professionals, such as emotional distancing and dissociation (Clompus, 2014).

With paramedicine's deep curriculum, there may not be adequate time to address supporting mental health during practicum (Essington, et., 2019). Tests, assignments, and projects produce the most stress in post-secondary students during their studies (Santiago et al., 2024). Adding a separate class may serve as an additional stressor. However, incorporating small mental health discussions within regular lectures and labs may be beneficial. Educators should also discuss the differences between practicum and practice, and the additional stressors present for paramedic students, like poor self-confidence (Wongtongkam & Brewster, 2017), fitting into the workplace culture as a student (Kennedy et al., 2015), and navigating the preceptor-student hierarchy (Poku et al., 2025). Consistently discussing these stressors could give students a clearer understanding of what practicum entails, and mental health education and support provided throughout practicum placement can be beneficial, as students will likely be exposed to traumatic situations.

MENTAL HEALTHCARE PROVIDERS

The second pillar is the necessity for those who evaluate the mental health of paramedics to be more thorough and improve their evaluations by considering the multitude of factors that play a role in the mental health of paramedics, e.g., length of service, age, relationship status, etc. (Jones et al., 2020). Providing therapists with specialized training can equip them to handle the mental health concerns of paramedics, leading to more efficient support. A concern among practicing paramedics was that those with previous negative therapist experiences were less likely to seek help (Jones et al., 2020). These individuals felt that mental healthcare providers could not relate to or did not understand the nature of their job and lacked training in trauma-informed methods of care. Paramedics preferred a counsellor with a similar background (e.g., a military veteran or former first responder) as they could better relate to paramedic practice (Jones et al., 2020). Educating therapists on supporting paramedics' mental health could lead to better care and more paramedics seeking help.

It can be argued that placing additional work on individuals entering the mental health workforce is unfair, especially to serve only one specific population. Another issue with educating prospective mental-health providers is finding educational methods to help them understand the paramedic profession (Jones et al., 2020). Additional training in the form of micro-credentials could be offered for aspiring mental health workers who spe-

cifically want to work with first responders. Micro-credentials could allow those in the mental health field to observe common calls and traumatic scenes to understand their future patients better. To ensure that mental health providers are adequately prepared to provide the unique care required for those in paramedicine, before entry to a credentialing program, pre-program assessment or qualification should be included to ensure overall competence. This option may decrease negative therapist experiences and equip mental-health providers to relate to paramedics (Jones et al., 2020).

FACILITATING SOCIAL SUPPORT

FAMILY AND CAREGIVERS

The effects of trauma on paramedic mental health can indirectly expose those around them to trauma through secondary injury (Anderson, 2019). As paramedics can be reluctant to share the mental health problems they experience with family due to a desire to “protect” family members (Jones et al., 2020) it would be beneficial to provide family members, especially caregivers, with information regarding how paramedicine may impact the paramedic student and themselves. Schools could provide informational resources such as brochures or pamphlets to students' families at the beginning of students' training. These resources would have basic information about the potential impact of paramedic practice on students and where to seek support. Providing family members with early education on relatives entering the profession can proactively prepare them for possible adverse outcomes.

PEER SUPPORT AMONG STUDENTS

The work culture surrounding paramedicine can be one of stifling emotions, but paramedics are more likely to seek help for their mental health if they have peer support (Jones et al., 2020). Mental health support can be provided through mental health-specific education before the beginning of student practicums. Recognizing the signs of different mental health challenges can allow students to be attentive to their mental health and that of others, increasing the likelihood of noticing any worrying signs. Supporting recognition of peer mental health issues should be done through formal programs such as Simulated Training for Resilience in Various Environments (STRIVE), which focus on psychological first aid and depression/suicidal recognition (Smith & Horton, 2020). These programs can be integrated into the curriculum, reinforced during practicum, and practiced by paramedic services to develop their skills.

Promotion of horizontal peer-to-peer support and openness concerning mental health, if done intentionally and early, can discourage the “every man for himself” mentality often seen in paramedicine. Knowing peers are also experiencing mental health challenges encourages paramedics to seek help themselves. Being able to “offload” emotions by sharing experiences, feelings, and thoughts in less formal environments with friends, colleagues, and family can be beneficial for students (Williams, 2013).

SUPPORT VIA PRECEPTORS

Leaders in paramedicine must foster open, supportive communication about mental health challenges and psychological safety in the workplace. To support vertical preceptor-to-student support, preceptors should be prepared to discuss mental health chal-

lenges with students. During practicum, preceptors take on a mentorship role with their students as they are more qualified and understand the student experience. Beyond preceptors focusing on the technical aspect of the profession, it would benefit students if preceptors could aid in managing students' mental health. Preceptors should also receive mental health training through specific programs, like STRIVE, to be able to have more open discussions during practicum with students (Smith & Horton, 2020). Preceptors learning to notice the signs of mental health struggles in their students can improve student practice, as students are given guidance on handling their mental health, resulting in better performance (Williams, 2013). Debriefing calls with students to review performance and promote communication, open dialogue, and teamwork may help students experiencing mental health issues to seek help and encourage a new culture of openness.

Students must understand that they are not alone in their mental health journey and that challenges can become less of a burden if shared with others. Support from educators who empower students and provide early training, including during practicum, can lead students to take action for mental health rather than suffer silently.

TRANSITIONAL SUPPORT FROM PRACTICUM TO EARLY PRACTICE

The final pillar is transitional support. To ensure a successful transition from practicum to practice and demonstrate ethical stewardship, it is important to continue providing support as students enter practice. If a paramedic student has had a negative psycho-emotional experience during practicum, cessation of support after completing their education may lead to exacerbation of the negative effects as the student enters practice.

Most post-secondary institutions offer mental health support at a free or 'student rate'. Allowing paramedic students to access this discounted support for the first year after entering the workforce may encourage them to seek support. Regular "check-ins" with first-year paramedics may be done through post-secondary institutions. These check-ins could be completed once every 2-3 months by previous program supervisors, structured as a short, casual conversation where student paramedics are free to express feelings, questions, and concerns. Individuals running check-ins are not expected to give psychological support; however, they should be able to evaluate the students and direct them to appropriate resources. Lastly, healthcare worker hotlines and counselling services should be promoted to paramedics during their transition from school. Psychological support openly encouraged in the workplace could lead an individual to explore support options. Paramedic services should affiliate with and promote specialized mental health workers to best support employees' psychological well-being. Developing a "hand-off" period of support between education and practice may facilitate better mental health, psychological well-being, and ultimately paramedic retention, reducing the high rate of attrition in early career paramedics (Middleton et al., 2025; Newton et al., 2024).

RECOMMENDATIONS

The preceding sections have outlined key areas for intervention. The following recommendations are derived from the gaps identified and reviewed above and are evidence-informed. Although direct empirical testing of the specific recommendations proposed is lacking, the recommendations provide actionable pathways for implementation that align with established findings on the challenges faced by paramedic trainees.

- National and provincial/state associations, in collaboration with schools providing paramedic training, should develop curriculum and competency profiles that include guidance and recommendations for integrating mental health support and developing resiliency into curriculum.
 - Acknowledging the potential emergence of mental health challenges during paramedic education underscores the need for a unified effort to prioritize and integrate mental health education throughout the curriculum. To accommodate this, expanding to a degree-level certification could provide additional curricular time to support such integration..
 - High prevalence of PTSD, anxiety, depression, and stress in paramedic students (Alzahrani et al., 2025; Warren-James et al., 2021) and clear evidence of insufficient preparation for psychological demands (Michael et al., 2025; Kennedy et al., 2015) support integrating mental health competencies into formal curriculum structures.
- National and provincial/state associations should work with accrediting bodies for mental health clinicians and providers to develop training focused on paramedics and the unique challenges faced by paramedics.
 - Students and new paramedics may want help but are limited by access due to the abnormal hours that come with shift work. Specialized psychological support should include expanded hours. Digital interventions, which have been shown to moderately reduce symptoms of anxiety, depression and burnout in the workplace can also be implemented (Cameron et al., 2025).
 - Paramedics report negative experiences with mental health providers lacking trauma-informed or role-specific knowledge (Jones et al., 2020), and prefer clinicians with an understanding of first responder work, suggesting the need for specialized training pathways.
- National and provincial/state associations in collaboration with schools providing paramedic education should evaluate existing mental health support programs for first responders, and, as needed, develop new programs, to promote and facilitate social support from family, peers, and educators.
 - Work culture can be a significant barrier, expectations and unspoken rules within the ‘brotherhood’ of paramedicine can cause new paramedics to believe they will not receive the best practicum experience unless they are accepted by senior paramedics (Kennedy, 2015). Acceptance can depend on the new paramedic’s ability to suppress emotion and stay unfazed by traumatic calls. Changing norms around social support may help change culture and mitigate concerns about potential demotion, and confidentiality worries that prevent help-seeking behavior among paramedics (Jones et al., 2020).
 - Evidence shows family systems are affected (Anderson, 2019), peers influence help-seeking (Jones et al., 2020), and supportive educator and preceptor relationships buffer emotional strain (Williams, 2013). These findings support structured social support initiatives.
- Paramedic services and schools should work together to develop a transition pathway for students that maintains and promotes mental health support as students move into the workplace and begin practice.
 - Lack of resources and financial burdens may hinder the implementation of mental health support during students’ transition from school to the para-

medic workforce. To mitigate these costs, larger institutions should establish a provincial support system. Support from a centralized body could help reduce expenses for smaller post-secondary institutions. Students experience stress spikes during practicum and early practice (Michael et al., 2025), and early-career paramedics have high attrition linked to psychological burden (Middleton et al., 2025). Coordinated transition support is logically aligned with these risks.

- While the arguments in this paper are evidence-informed there is a paucity of empirical evidence on the topic. Future research should evaluate the effectiveness of these supports within paramedicine education programs to inform evidence-based policy and accreditation standards, fulfilling the profession's ethical duty to safeguard student well-being.
- This paper, the issues identified, and recommendations made, are based on the author's localization, knowledge, and experience within the Canadian context. However, we believe that if local conditions are taken into consideration, the key areas for intervention identified and the recommendations made can be extended to other countries.

CONCLUSION

There is an ethical imperative to recognize and address the mental health concerns and risks faced by paramedic students, and to provide proper support as they enter a workplace that entails exposure to traumatic events. This can be achieved through proactive education, improved preparation of mental health providers, fostering social support, and implementing transitional support measures. Equipping students with the right tools, resources, and support not only enhances their practicum experience but also facilitates a smoother transition into professional practice. Additionally, increasing awareness of mental health challenges and available support can benefit those involved in students' educational and professional pathways.

Ultimately, improving patient care begins during paramedic students' education and training. Students need to learn how to manage their mental health now to maintain well-being throughout their careers. Building a stronger, more resilient, and effective workforce through mental health supports could positively impact paramedicine and, consequently, the health of the populations paramedics serve.

REFERENCES

- Alzahrani, A., Keyworth, C., Alshahrani, K. M., Alkhelaifi, R., & Johnson, J. (2025). Prevalence of anxiety, depression, and post-traumatic stress disorder among paramedic students: A systematic review and meta-analysis. *Social Psychiatry and Psychiatric Epidemiology*, 60(3), 563–578. <https://doi.org/10.1007/s00127-024-02755-6>
- Alzahrani, A., Keyworth, C., Wilson, C., & Johnson, J. (2023). Causes of stress and poor wellbeing among paramedic students in Saudi Arabia and the United Kingdom: A cross-cultural qualitative study. *BMC Health Services Research*, 23, 444. <https://doi.org/10.1186/s12913-023-09374-y>
- Anderson, L. (2019). The impact of paramedic shift work on the family system: A literature review. *Journal of Paramedic Practice*, 11(8), 335–341. <https://doi.org/10.29045/14784726.2019.03.3.4.43>

- Clompus, S. R. (2014). *How valuable is the concept of resilience in understanding how paramedics 'survive' their work?* University of the West of England. <https://uwe-repository.worktribe.com/output/819078>
- Essington, T., Bowles, R., & Donelon, B. (2019). *The Canadian Paramedicine Education Guidance Document*. Paramedic Association of Canada. <https://paramedic.ca/documents/Paramedic-profile/Paramedic-profile-2016/Canadian%20Paramedicine%20Education%20Guidance%202018%20October%2019%20.pdf>
- Hammer, J. S., Mathews, J. J., Lyons, J. S., & Johnson, N. J. (1986). Occupational stress within the paramedic profession: An initial report of stress levels compared to hospital employees. *Annals of Emergency Medicine*, 15(5), 536–539. [https://doi.org/10.1016/s0196-0644\(86\)80988-x](https://doi.org/10.1016/s0196-0644(86)80988-x)
- Hebel, K., Jaltuszewska, S., Steliga, A., Klosiewicz, T., Slezak, D., & Glowinski, S. (2025). Resilience as a personality trait and stress coping styles: A cross-sectional analysis of a paramedic student cohort. *Journal of Clinical Medicine*, 14(6), 1878. <https://doi.org/10.3390/jcm14061878>
- Jones, S., Agud, K., & McSweeney, J. (2020). Barriers and facilitators to seeking mental health care among first responders: "Removing the Darkness". *Journal of the American Psychiatric Nurses Association*, 26(1), 43–54. <https://doi.org/10.1177/1078390319871997>
- Kennedy, S., Kenny, A., & O'Meara, P. (2015). Student paramedic experience of transition into the workforce: A scoping review. *Nurse Education Today*, 35(10), 1037–1043. <https://doi.org/10.1016/j.nedt.2015.04.015>
- Mason, R., Roodenburg, J., & Williams, B. (2022). The relationship between resilience and psychological characteristics of paramedicine students. *Australasian Emergency Care*, 25(3), 185–190. <https://doi.org/10.1016/j.auec.2021.10.001>
- Middleton, R., Capper, T., King, R., & Devenish, S. (2025). Understanding paramedic attrition: A scoping review exploring why paramedics are leaving the profession. *Australasian Emergency Care*. <https://doi.org/10.1016/j.auec.2025.07.002>
- Michael, T., Chapin, L. A., & Quitorian, C. D. (2025). Paramedicine students' experiences on placement: preparedness for the emotional impacts of witnessing trauma. *BMC Medical Education*, 25, 951. <https://doi.org/10.1186/s12909-025-07277-6>
- Mirhaghi, A., Mirhaghi, M., Oshio, A., & Sarabian, S. (2016). Systematic review of the personality profile of paramedics: Bringing evidence into emergency medical personnel recruitment policy. *Eurasian Journal of Emergency Medicine*, 15(3), 144–149. <https://doi.org/10.5152/eajem.2016.80299>
- Newton, J., Carpenter, T., & Zwicker, J. (2024). Exploring paramedic perspectives on emergency medical service (EMS) delivery in Alberta: A qualitative study. *BMC Emergency Medicine*, 24(1), 66. <https://doi.org/10.1186/s12873-024-00986-z>
- Poku, C. A., Agyare, V. A., Baafi, S., Attafuah, P. Y. A., & Berchie, E. (2025). Perceived power dynamics in nursing education on students' learning experience in Ghana. *PLOS ONE*, 20(8), e0328359. <https://doi.org/10.1371/journal.pone.0328359>
- Ross, L., Bennett, R., & Perera, C. (2015). Clinical placements: Putting theory into practice for paramedic students. *Journal of Contemporary Medical Education*, 3(1), 2. <https://doi.org/10.5455/jcme.20141122082819>

- Santiago, I. S., de Castro e Castro, S., de Brito, A. P. A., Sanches, D., Quintanilha, L. F., Avena, K. de M., & Andrade, B. B. (2024). Stress and exhaustion among medical students: A prospective longitudinal study on the impact of the assessment period on medical education. *BMC Medical Education*, 24(1), 630. <https://doi.org/10.1186/s12909-024-05617-6>
- Smith, S., & Horton, J. (2020). *Simulated Training for Resilience in Various Environments (STRIVE)*. Canadian Medical Association. <https://www.cma.ca/physician-wellness-hub/content/simulated-training-resilience-various-environments-strive>
- Vigil, N. H., Grant, A. R., Perez, O., Blust, R. N., Chikani, V., Vadeboncoeur, T. F., Spaite, D. W., & Bobrow, B. J. (2019). Death by suicide—The EMS profession compared to the general public. *Prehospital Emergency Care*, 23(3), 340–345. <https://doi.org/10.1080/10903127.2018.1514090>
- Vaughan, A. D., Stoliker, B. E., & Anderson, G. S. (2020). Building personal resilience in primary care paramedic students, and subsequent skill decay. *Australasian Journal of Paramedicine*, 17, 1–8. <https://doi.org/10.33151/ajp.17.803>
- Warren-James, M., Hanson, J., Flanagan, B., Katsikitis, M., & Lord, B. (2021). Paramedic students' experiences of stress whilst undertaking ambulance placements—An integrative review. *Australasian Emergency Care*, 24(4), 296–301. <https://doi.org/10.1016/j.auec.2021.03.002>
- Williams, A. (2013). The strategies used to deal with emotion work in student paramedic practice. *Nurse Education in Practice*, 13(3), 207–212. <https://doi.org/10.1016/j.nepr.2012.09.010>
- Wongtongkam, N., & Brewster, L. (2017). Effects of clinical placements on paramedic students' learning outcomes. *Asia Pacific Journal of Health Management*, 12(3), 24–31. <https://doi.org/10.24083/apjhm.v12i3.55>



CONCEPTS

MASS OPIOID EXPOSURE: ENHANCING MEDICAL COUNTERMEASURE PREPAREDNESS

Graydon Lord, MS, NRP^{1,2}; Nellie Byun, PhD¹; Judith Laney, PhD*¹

Author Affiliations: 1. Biomedical Advanced Research and Development Authority, Administration for Strategic Preparedness and Response, US Department of Health and Human Services, Washington, DC, USA; 2. Softtek Government Solutions, Vienna, VA, USA.

Recommended Citation: Lord, G., Byun, N., & Laney, J. (2026). Mass opioid exposure: The need to prepare for the inevitable. *International Journal of Paramedicine*. (14). 159-165. <https://doi.org/10.56068/EAFI4943>

Keywords: fentanyl, synthetic opioid, nalmeferene, naloxone, opioid mass casualty, emergency preparedness, emergency medical services, EMS, paramedicine

Acknowledgements: The authors extend our thanks to Rebecca 'Grace' Golden for technical assistance on manuscript preparation and submission.

Disclosures: The authors report there are no competing interests to declare. The findings and conclusions in this report are those of the authors and do not necessarily represent the views of the U.S. Department of Health and Human Services or its components.

Funding: External funding was not used to support this work.

Received: October 24, 2025

Revised: January 6, 2026

Accepted: January 8, 2026

Pre-Issue Published: March 3, 2026

Published: April 14, 2026

***Corresponding Author:**
judith.laney@hhs.gov

ABSTRACT

The feasibility of using opioids to intentionally cause mass casualties has been demonstrated to horrific effect in the past 25 years, and the current wide availability of high-potency synthetic opioids in the United States raises the risk of their use as a weapon of mass effect on the civilian population. These facts highlight the pressing need to prepare for future events with easily and quickly administered, fast onset, durable medical countermeasures. The recently FDA-approved intranasal nalmeferene was developed to those requirements. Intranasal nalmeferene can increase availability, access, and treatment capacity for emergency response to a mass exposure to synthetic opioids and expand first responders' ability to treat certain opioid overdose patients. Emergency responders and local supplies of naloxone and nalmeferene serve as the first line of defense against a mass opioids incident, with government stock of nasal nalmeferene spray available for resupply to prevent depletion of opioid receptor antagonist products in the community.

INTRODUCTION

The proliferation of opioids, both illicit and prescribed, has led those who plan for chemical disasters, disaster medicine, and mass casualty incidents to worry about mass dispersal of opioids in a closed environment as well as other potential mass exposure routes (Morrell, 2017). Methods to reverse the incapacitating effects of highly potent synthetic opioid exposure quickly and effectively are essential. The evolution of synthetic classes of opioids that are highly potent and capable of causing life-threatening respiratory depression necessitates opioid receptor antagonists that simultaneously are potent enough to reverse the effects of synthetic opioids with a rapid onset of action and last long enough to protect patients from "renarcotizing" into unconsciousness with inadequate breathing. Importantly, for a mass casualty incident, they must also be administered easily without the use of needles (Gold et al., 2025).

The mass release of a highly potent synthetic opioid (fentanyl, alfentanil, carfentanil, or other derivatives) was carried out in-

tentionally in Moscow in 2002 to aid Russian authorities in ending a hostage siege at the Dubrovka Theater (Riches et al., 2012). The event unfolded when 40 Chechen separatists took more than 900 theater-goers hostage, demanding that Russian authorities withdraw troops from Chechnya. After four days, the Russian authorities pumped an “aerosolized anesthetic” into the theater to put everyone to sleep. While the siege did end, the cost was horrific. The aerosolized drugs were all too effective, severely intoxicating everyone in the theater with the exception of a few terrorists who donned gas masks. At least 132 hostages died from exposure to the aerosolized synthetic opioids pumped into the building (BBC News, 2002). There were reports that ambulance personnel attempted to use naloxone to revive some patients but did not have enough—despite authorities later insisting that emergency personnel had 1,000 doses (Chemical and Biological Weapons Nonproliferation Program, 2002). What is unclear is how many patients received even a single dose of naloxone, much less multiple doses.

This event was the first known use of an aerosolized synthetic opioid release with the intent to sedate many people simultaneously. Multiple-victim opioid overdose incidents involving fentanyl are increasingly being reported (Desai, 2024; KOAA NEWS5, 2025; Moreno-Paz & Nguyen, 2024). In the U.S., counterfeit prescription pills contaminated with opioids have threatened public health and emergency systems, exemplified by the 2016 Norco counterfeit drug exposure in California and, more recently, by the 75 overdoses and 9 fatalities during a 2024 opioid overdose outbreak in Austin, Texas (Moreno-Paz & Nguyen, 2024; Vo, 2016). Counterfeit pills are no longer confined to tainted drugs purchased on the “street” or to illicit drug users. Deaths of children and adolescents from illicit fentanyl have increased (Tanz et al., 2022). The Centers for Disease Control and Prevention (CDC) issued a statement in October 2024 warning of the potential public health risk of counterfeit prescription medications sold by illegal online pharmacies (CDC, 2024; U.S. Attorney's Office [USAO], 2024). As synthetic opioids have become more common, the use of aerosolized or fine particulate formulations—either as a weapon of mass effect or as a potential additive to counterfeit pills and aerosolized drugs of abuse—is also becoming more likely. Public health and emergency response authorities need the ability to deploy an overdose rescue treatment capable of rapidly and lastingly reversing the respiratory effects of synthetic opioids. The rising risk of intentional use of opioids to cause harm has not gone unnoticed by federal government planners and medical countermeasure experts. Use of more powerful fentanyl analogs and emergence of other classes of synthetic opioids, including nitazenes, means that as naloxone becomes less effective, renarcotization will continue to become more common (Laffont et al., 2024).

CONCEPT DESCRIPTION

In an effort to address the first surge of fentanyl overdose and to prepare for a mass opioid overdose scenario, the Biomedical Advanced Research and Development Authority (BARDA) within the Administration for Strategic Preparedness and Response, along with the National Institute on Drug Abuse (NIDA) at the National Institutes of Health, both part of the U.S. Department of Health and Human Services, undertook pharmaceutical development of a repurposed, long-lasting opioid receptor antagonist in a new form amenable to rapid administration to many patients. The goal was to develop a rapid-onset opioid receptor antagonist that is easily administered via a nasal spray device with fast onset and long lasting enough to reduce the capacity requirements needed to frequently reevaluate patients for renarcotization and readminister treatment during a

mass exposure response. A mass casualty incident in this context is considered an emergency event in which patient count exceeds local resources and capabilities in a short time, overwhelming the local emergency response and/or hospital healthcare system.

Currently, the predominant opioid receptor antagonist used for reversing opioid overdose is naloxone. In the management of individual patients, naloxone is effective, but due to the shorter half-life of its effect, requires continued vigilance of the patient's respiratory status to ensure that renarcotization does not occur, especially in the presence of synthetic opioid overdoses.

To address the growing concern of synthetic opioids and their potential weaponization, BARDA and NIDA, with the U.S. Food and Drug Administration's (FDA) guidance and fast track designation, supported the development of a previously approved pharmaceutical product that met the requirement for a long-lasting and potent opioid receptor antagonist—nalmefene—but in an efficacious intranasal formulation. A durable opioid receptor antagonist in a familiar nasal spray device was developed to support effective deployment and use in the out-of-hospital environment by first responders. New clinical data from pharmacokinetic studies supported by BARDA and NIDA demonstrated the long half-life of the intranasal form of nalmefene (Crystal et al., 2024; Opiant Pharmaceuticals, 2023). In May of 2023, the FDA approved nalmefene nasal spray in a single-use intranasal administration device for the known or suspected treatment of opioid exposure, including synthetic opioids, such as fentanyl, with a half-life of about 11 hours that provides sustained reversal effects (FDA, 2023; Opiant Pharmaceuticals, 2023). In addition, BARDA funded a pharmacodynamic clinical Phase 2 study required by the FDA that showed the effectiveness of intranasal nalmefene in reversing remifentanyl-induced respiratory depression longer than naloxone in healthy, non-dependent but opioid experienced volunteers (Ellison et al, 2024; Opiant Pharmaceuticals, 2023).

The challenge that first responders will face in a mass opioid exposure incident will be two-fold: availability of opioid receptor antagonists in quantities sufficient to reverse the respiratory depression effects on multiple victims, and the need for responders to continually re-evaluate patients for renarcotization, readministration of treatment, and/or additional resuscitative measures for respiratory failure, such as positive pressure ventilation. This two-fold challenge could be alleviated, in part, by using a potent, long-lasting reversal agent like nasal-administered nalmefene, giving this type of treatment an important place in mass opioid overdose preparations. It is well understood that to enable improved preparedness, medical countermeasures must be readily available and preferably in use day-to-day and “flexed” to support mass care operations. This principle is why nalmefene, particularly the easily administered intranasal form, can be a “force multiplier” in prehospital emergency mass care operations.

DISCUSSION

In patients who have opioid use disorder histories and are susceptible to precipitated withdrawal, naloxone may remain the better treatment (Stolbach et al., 2023). Both naloxone and nalmefene should be available so that the first responder can use the product best suited for the emergency situation. In patients who are naïve to opioids or are occasional users, current evidence indicates that nalmefene can be a better treatment as its long-lasting effect will decrease the likelihood of renarcotization (Laffont, 2024). The

half-life of intranasal nalmeferene, which was determined to be approximately 11 hours in clinic research, is longer than that of naloxone, and this more sustained time in the body to maintain opioid reversal effects decreases the likelihood of readministration to treat fentanyl overdose (Crystal et al., 2024; Opiant Pharmaceuticals, 2023). This may prove critical for patient transport, particularly over longer distances, and during mass care efforts. Clinical results from the pharmacodynamic study on reversal of remifentanyl-induced respiratory depression showed that intranasal nalmeferene (2.7 mg) had a faster onset of action compared to intranasal naloxone (4 mg) widely used by first responders. Additionally, nalmeferene, particularly in the nasal spray form, will provide additional capacity for mass opioid exposure incidents thereby expanding the operational capability of the responders and improving the survivability of patients. Timing of emergency treatment is critical for any opioid overdose scenario, but in a mass opioid exposure incident, the availability of a large number of treatment doses is also crucial.

Stockpiled opioid overdose treatments may take too much time to distribute into the field, so the standard availability and use of naloxone by first responders for daily operations coupled with commercially available nalmeferene nasal spray represent the first line of emergency response in a mass casualty opioids incident. The uptake of nasal nalmeferene spray in the commercial market ensures the availability and additional capacity of an additional countermeasure for daily and mass care use in patients 12 years and older. However, the adoption of nasal nalmeferene spray since its commercial launch has been hampered by barriers including higher cost per unit dose than naloxone, initial shelf life, required approvals for adding to medication lists and pharmacy formularies, and, likely, lack of established guidelines and patient protocols. There are anecdotal concerns raised by certain harm reduction and emergency medicine communities that nalmeferene may precipitate an untoward reaction of withdrawal in the opiate dependent patient (Stolbach et al., 2023). This concern has also influenced the adoption of nalmeferene. However, in a mass exposure event, the vast majority of victims will likely be opioid naïve, and nalmeferene poses no risk of withdrawal and provides a substantial reduction in risk of “renarcotization”. Unlike for nasal nalmeferene spray, prehospital protocols exist for naloxone, the current standard of care in the prehospital environment, and two formulations of intranasal naloxone can now be purchased over-the-counter by individuals. Because nasal nalmeferene spray is an additional medical countermeasure with important use cases that augments, but does not replace naloxone, it is critical to increase awareness and include the new drug in prehospital training and education as well as into field protocols.

Nasal nalmeferene spray is currently being stocked in the U.S. government inventory under vendor management and can be deployed to supplement and resupply local emergency opioid overdose antidote stocks preventing depletion of local and neighboring emergency caches (BARDA, 2024). Unlike nerve agent antidotes, nasal nalmeferene spray has potential everyday life-saving use in the local community (along with naloxone) as well as for responses to mass exposure incidents. Deployment strategies for each EMS system must be based upon their operational environments, including prevalence of risk, available resources (i.e., number of response units), first responder utilization of opioid medical countermeasures (i.e., quantity of nasal opioid antagonist available outside of EMS units), and financial impact of stocking a new medication. By evaluating these and other operational variables, EMS systems and their medical directors can determine their needs for a longer acting opioid antagonist such as nalmeferene. Implementing a standard

operating procedure (SOP) for utilization of a longer acting opioid receptor antagonist might include the determination of patient opioid dependency at the individual patient and/or community setting (e.g., severe opioid use disorder in unhoused populations versus poisonings from adulterated pills in a school/university environment). Having this determination process embedded in a SOP will benefit the patients and enable the availability of a long acting opioid antagonist for the multiple patient scenario.

Future real world clinical studies comparing nasal nalmeferene spray and naloxone in the field are needed to provide data for developing or enhancing SOPs for nalmeferene use in the prehospital setting. Although FDA-required clinical studies in the laboratory setting demonstrated the non-inferiority of nalmeferene with superior pharmacokinetic and pharmacodynamic readouts, as well as durability of opioid reversal, real world assessment in a variety of environments and types of opioids is critical (Ellison et al, 2024; Opiant Pharmaceuticals, 2023). In addition, a pediatric study for intranasal nalmeferene use in patients under 12 years old is planned. Nalmeferene nasal spray was initially developed to address a critical treatment gap for fentanyl overdose when it emerged as the predominant opioid in the public health crisis. Since its approval, the shelf-life of nasal nalmeferene spray has been extended to 4 years, equivalent to nasal naloxone spray. As nasal nalmeferene spray is a new opioid reversal product that can augment naloxone in certain opioid overdose emergencies, it is critical to increase awareness through paramedicine training and education for community use and emergency planning as well as additional field research. With the emergence of the more potent and longer acting fentanyl analog, carfentanil, and an entirely different class of even stronger synthetic opioids, nitazenes, the need for nalmeferene for first responder use has become clear.

REFERENCES

- BBC News. (2002, October 27). Gas “killed Moscow hostages.” *BBC News World Edition*. <http://news.bbc.co.uk/2/hi/europe/2365383.stm>
- Biomedical Advanced Research and Development Authority [BARDA]. (2024, August 26). BARDA procures emergency opioid overdose treatment OPVEE nasal nalmeferene spray from Indivior Inc. under Project BioShield contract. *U.S. Department of Health & Human Services, Administration for Strategic Preparedness and Response*. <https://www.medicalcountermeasures.gov/newsroom/2024>
- Centers for Disease Control and Prevention [CDC]. (2024, October 2). *Potential public health risk among individuals ordering counterfeit prescription medications from online pharmacies*. <https://www.cdc.gov/media/releases/2024/s1002-counterfeit-prescription-online-pharmacies.html>
- Chemical and Biological Weapons Nonproliferation Program. (2002, November 4). The Moscow theater hostage crisis: Incapacitants and chemical warfare. *Middlebury Institute of International Studies at Monterey, James Martin Center for Nonproliferation Studies*. <https://nonproliferation.org/the-moscow-theater-hostage-crisis-incapacitants-and-chemical-warfare>
- Crystal, R., Ellison, M., Purdon, C., & Skolnick, P. (2023). Pharmacokinetic properties of an FDA-approved intranasal nalmeferene formulation for the treatment of opioid overdose. *Clinical Pharmacology in Drug Development*, 13(1). <https://doi.org/10.1002/cpdd.1312>

- Desai, I. (2024, February 12). 3 men, 1 woman found dead at South Lake Tahoe home are identified. Authorities suspect fentanyl. *Sacramento Bee*. <https://www.sacbee.com/news/local/article285399977.html>
- Ellison, M., Hutton, E., Webster, L., & Skolnick, P. (2024). Reversal of opioid induced respiratory depression in healthy volunteers: comparison of intranasal nalmefene and intranasal naloxone. *Journal of Clinical Pharmacology*, 64(7). <https://doi.org/10.1002/jcph.2421>
- Gold, M.S., Milas, B., Cutchins, C., Walsh, S.L., Piotrowski, J., & Boyer, E.W. (2025). Overdose reversal challenges and priorities in the era of synthetic opioids: Insights from the respire expert forum. *Current Addiction Reports*, 12(39), 12:39. <https://doi.org/10.1007/s40429-025-00648-5>
- KOAA News (2025, June 10). Organizers shut down Southern Colorado arts festival due to fentanyl-laced substances. *KOAA News 5*. <http://www.koaa.com/news/covering-colorado/organizers-shut-down-southern-colorado-arts-festival-due-to-fentanyl-laced-substances>
- Laffont, C.M., Purohit, P., Delcamp, N., Gonzalez-Garcia, I., & Skolnick, P. (2024). Comparison of intranasal naloxone and intranasal nalmefene in a translational model assessing the impact of synthetic opioid overdose on respiratory depression and cardiac arrest. *Frontiers in Psychiatry*, 15. <https://doi.org/10.3389/fpsyt.2024.1399803>
- Morell, M.J. (2017, September 3). The opioid crisis becomes a national security threat. *The Cipher Brief*. https://www.thecipherbrief.com/column_article/opioid-crisis-becomes-national-security-threat
- Moreno-Paz , B., & Nguyen, T. (2024, May 2). Officials say opioid “outbreak” in Austin, Texas, linked to 9 deaths and 75 overdoses. *USA Today*. <https://www.usatoday.com/story/news/nation/2024/05/02/austin-texas-opioid-overdose-outbreak/73548183007>
- Opiant Pharmaceuticals. (2023). OPVEE (nalmefene) nasal spray [label]. *U.S. Food and Drug Administration*. https://www.accessdata.fda.gov/drugsatfda_docs/label/2023/217470Orig1s000.pdf
- Riches, J.R., Read, R.W., Black, R.M., Cooper, N.J., & Timperley, C.M. (2012). Analysis of clothing and urine from Moscow theatre siege casualties reveals carfentanil and remifentanil use. *Journal of Analytical Toxicology*, 36(9), 647–656. <https://doi.org/10.1093/jat/bks078>
- Stolbach, A.I., Mazer-Amirshahi, M., Nelson, L.S., & Cole, J.B. (2023, September 28). ACMT & AACT joint position statement on nalmefene should not replace naloxone as the primary opioid antidote at this time. *American College of Medical Toxicology*. <https://www.acmt.net/news/acmt-aact-joint-position-statement-on-nalmefene-should-not-replace-naloxone-as-the-primary-opioid-antidote-at-this-time>
- Tanz, L.J., Dinwiddie, A.T., Mattson, C.L., O'Donnell, J., & Davis, N.L. (2022). Drug overdose deaths among persons aged 10-19 years—United States, July 2019-December 2021. *Morbidity and Mortality Weekly Report*, 71(50). <https://doi.org/10.15585/mmwr.mm7150a2>
- U.S. Attorney's Office, Southern District of New York. (2024, September 30). U.S. Attorney announces charges against 18 defendants in scheme to manufacture and distribute millions of deadly counterfeit pharmaceuticals through fake online pharmacies. <https://www.justice.gov/usao-sdny/pr/us-attorney-announces-charges-against-18-defendants-scheme-manufacture-and-distribute>

- U.S. Food and Drug Administration [FDA]. (2023, May 22). FDA approves prescription nasal spray to reverse opioid overdose. <https://www.fda.gov/news-events/press-announcements/fda-approves-prescription-nasal-spray-reverse-opioid-overdose>
- Vo, K.T., van Wijk, X.M.R., Lynch, K.L., Wu, A.H.B., & Smollin, C.G. (2016). Counterfeit norco poisoning outbreak—San Francisco Bay Area, California, March 25–April 5, 2016. *Morbidity and Mortality Weekly Report*, 65(16), 420–423. <https://doi.org/10.15585/mmwr.mm6516e1>

LITERATURE SURVEILLANCE

PARAMEDICINE CONTENTS: DECEMBER 2025 - MARCH 2026

SECTION EDITORS: Julius McAdams, BME, FP-C, CCP-C^{*1,2,3}; Brad Buck, BS, NRP, CP^{4,5,3}

Section Editor Affiliations: 1. AirLink/VitaLink, Novant Health, Wilmington, NC, USA; 2. International College of Advanced Practice Paramedics (I-CAPP), Washington, DC, USA; 3. International Journal of Paramedicine (IJOP), Hagerstown, MD, USA; 4. Mayo Clinic Ambulance Service, Rochester, MN, USA; 5. Board of Directors, American Paramedic Association (APA), Windsor, CO, USA.

Recommended Citation: McAdams, J., & Buck, B. (2026). Paramedicine contents: December 2025 - March 2026. *International Journal of Paramedicine*. (14). 166-174. <https://doi.org/10.56068/QWGD0631>

Keywords: tables of contents, literature search, literature surveillance, paramedicine, EMS, emergency medical services

Disclosures: None.

Funding: External funding was not used to support this work.

Published: April 14, 2026

**Corresponding Author:*
jmcadamsnc@gmail.com

To help paramedicine professionals keep current with the literature in our discipline, the 'Paramedicine Contents' section shares recent tables of contents of scholarly journals that are primarily focused on the paramedicine discipline.

BRITISH PARAMEDIC JOURNAL

<https://www.ingentaconnect.com/content/tcop/bpj>

DECEMBER 2025

Just-in-Case Medication Use by Ambulance Paramedics Responding to End-of-Life Care in the Community: Protocol for a Multi-Method Study (RELIEF). <https://doi.org/10.29045/14784726.2025.12.10.3.1>

Safety and Compliance Among Newly Qualified Paramedics in a Pre-Hospital Clinical Trial of an Investigational Medicinal Product: A Post-Hoc Analysis of the PACKMaN Randomized Controlled Trial. <https://doi.org/10.29045/14784726.2025.12.10.3.10> (Ingenta Connect)

Emergency Medical Dispatchers' Experiences Using MPDS Protocol 24 for Maternity Telephone Triage: A Questionnaire Study. <https://doi.org/10.29045/14784726.2025.12.10.3.18> (Ingenta Connect)

How Are Incidental Findings Identified and Managed in Urgent and Emergency Care? A Rapid Scoping Review. <https://doi.org/10.29045/14784726.2025.12.10.3.28>

The Self-Reported Opinions of Ambulance Personnel Using a Patient Outcome Feedback System in the Emergency Department. <https://doi.org/10.29045/14784726.2025.12.10.3.38> (Ingenta Connect)

An Investigation into the Experiences of Paramedics Rotating in Primary Care from South Western Ambulance Service: A Qualitative Study. <https://doi.org/10.29045/14784726.2025.12.10.3.47> (Ingenta Connect)

Hanging Cases Attended by North East Ambulance Service, 2020–2024: A Service Evaluation. <https://doi.org/10.29045/14784726.2025.12.10.3.54>

The International Paramedic PhD Registry: An Overview of Paramedic Doctorates. <https://doi.org/10.29045/14784726.2025.12.10.3.63> (ResearchGate)

MARCH 2026

Between the ambulance and academia: rethinking identity and competence in paramedics with reduced clinical exposure. <https://doi.org/10.29045/14784726.2026.3.10.4.3>

A randomized, exploratory study comparing a single episode of feedback with regular feedback and no feedback on ambulance clinician bag-valve-mask ventilation during a simulated cardiac arrest over a six-month time frame. <https://doi.org/10.29045/14784726.2026.3.10.4.8>

Mapping pre-hospital research presented at UK conferences between 2010 and 2023: a bibliometric study. <https://doi.org/10.29045/14784726.2026.3.10.4.18>

The prevalence of burnout in UK emergency ambulance staff: a mixed-methods survey study. <https://doi.org/10.29045/14784726.2026.3.10.4.25>

End-tidal carbon dioxide monitoring to predict hypovolemic shock and the subsequent need for blood transfusions in adult pre-hospital trauma patients: a systematic review. <https://doi.org/10.29045/14784726.2026.3.10.4.34>

Impact of demographic and deprivation factors on paramedic-led pain management: a UK NHS service evaluation. <https://doi.org/10.29045/14784726.2026.3.10.4.62>

PARAMEDICINE

<https://journals.sagepub.com/home/PAM>

JANUARY 2026

From social media opinion to scholarly perspective: Advancing thought leadership in paramedicine. <https://doi.org/10.1177/27536386251396484>

Paramedics' experiences of treating Out-of-Hospital Cardiac Arrest (OHCA) patients during the COVID-19 pandemic in the United Kingdom (UK): A qualitative reflexive thematic analysis. <https://doi.org/10.1177/27536386251380855>

Paramedic professional identity: A qualitative case study using a role theory lens. <https://doi.org/10.1177/27536386251383541>

A realist review of acute pain management in children and young people attended by ambulance. <https://doi.org/10.1177/27536386251356690>

Towards a person-centred holistic consultation framework for paramedics attending non-acute presentations: A multidisciplinary commentary. <https://doi.org/10.1177/27536386251336760>

A constructive critique of Corman et al. (2025): Towards a balanced perspective on social aspects of paramedic education in the UK. <https://doi.org/10.1177/27536386251368582>

Australasian college of paramedicine international conference 2025. <https://doi.org/10.1177/27536386251396393>

Corrigendum to "Pre-hospital mixed methods research: An updated methodological review." <https://doi.org/10.1177/27536386251379596>

Corrigendum to "Redesigning paramedicine systems in Canada with "IMPACC." <https://doi.org/10.1177/27536386251396457>

Corrigendum to "Paramedic occupational violence: A qualitative examination of aggressive behaviour during out-of-hospital care." <https://doi.org/10.1177/27536386251396461>

Corrigendum to "Implementation of a strategy to manage EMS COVID-19 patient disposition with physician consultation: A retrospective descriptive study." <https://doi.org/10.1177/27536386251396455>

VOLUME 23 ISSUE 2, MARCH 2026

Building reliable evidence: Survey design and bias in paramedicine research. <https://doi.org/10.1177/27536386261421673>

Family experiences of out-of-hospital deaths where ambulance services respond in Aotearoa New Zealand. <https://doi.org/10.1177/27536386251404049>

Competencies and behaviours required for membership and leadership of emergency medical service crews: A qualitative study. <https://doi.org/10.1177/27536386251388514>

Pre-hospital mixed methods research: An updated methodological review. <https://doi.org/10.1177/27536386251366694>

The physical preparation of paramedicine students for the paramedic role: A scoping review. <https://doi.org/10.1177/27536386251405917>

Thanks to Reviewers. <https://doi.org/10.1177/27536386261417821>

Towards sociological praxis in paramedic education – A response to Hill and Campbell. <https://doi.org/10.1177/27536386251390504>

Corrigendum to "Where care meets crisis: Rethinking our approach to occupational violence in paramedicine." <https://doi.org/10.1177/27536386251396689>

Corrigendum to "Lessons from the first two years of a new out-of-hospital airway registry in New South Wales." <https://doi.org/10.1177/27536386251396691>

JOURNAL OF EMS MEDICINE

<https://jemsmed.org>

JANUARY 2026

Assessing the need for quality control in direct medical oversight: a survey of emergency medical services providers and medical directors. <https://doi.org/10.35616/jemsm.2025.00199>

The effect of the emergency department deciding to admit patients to internal medicine to resolve overcrowding in emergency medical centers in South Korea. <https://doi.org/10.35616/jemsm.2025.00213>

JOURNAL OF PARAMEDIC PRACTICE

<https://www.paramedicpractice.com/>

DECEMBER 2025

Trust, Trauma, and Transformation: Deciding With the Brain and Leading From the Heart. <https://doi.org/10.12968/jpar.2025.17.12.CPD1>
Fit for the Future? <https://doi.org/10.12968/jpar.2025.0130>
On Pain Management. <https://doi.org/10.12968/jpar.2025.0070>
ECG Case Series for Paramedics: December 2025. <https://doi.org/10.12968/jpar.2025.0123>
The 5-Stage Approach: A Simulation-Based Education Framework. <https://doi.org/10.12968/jpar.2024.0108> (Mago Online Library)
Endotracheal Tube Versus i-gel Airway in Cardiac Arrest in Rural and Urban Settings. <https://doi.org/10.12968/jpar.2024.0091> (Mago Online Library)
Alcohol Withdrawal Syndrome: Paramedic Understanding of a Neglected Condition. <https://doi.org/10.12968/jpar.2024.0101>
Thanking Our 2025 Peer Review Panel. <https://doi.org/10.12968/jpar.2025.17.12.524>

JANUARY 2026

Role of advanced paramedics in primary care, prehospital and hospital settings. <https://doi.org/10.12968/jpar.2026.18.1.CPD1>
Impact of alcohol. <https://doi.org/10.12968/jpar.2025.0144>
Gen AI in paramedic practice: beyond the hype. <https://doi.org/10.12968/jpar.2025.0137>
The use of escape rooms to enhance paramedic resuscitation training. <https://doi.org/10.12968/jpar.2025.0033>
Private event medical services at major incidents: missed opportunities? Part 1. <https://doi.org/10.12968/jpar.2025.0055>
Factors affecting the confidence of paramedics managing end-of-life care. <https://doi.org/10.12968/jpar.2025.0008>
Benefits of technologically integrated teaching in paramedic education. <https://doi.org/10.12968/jpar.2025.0132>
Closing the gap: prehospital strategies for cerebral aneurysm detection. <https://doi.org/10.12968/jpar.2025.0146>
Finding my natural rhythm in work and life. <https://doi.org/10.12968/jpar.2025.0147>
Supporting ambulance apprenticeship students. <https://doi.org/10.12968/jpar.2025.0141>
ECG case series for paramedics: January 2026. <https://doi.org/10.12968/jpar.2025.0148>
Spotlight on Research. <https://doi.org/10.12968/jpar.2025.0138>
Guidelines for peer reviewers. <https://doi.org/10.12968/jpar.2025.18.1.40>

FEBRUARY 2026

Electronic health records: implications for patient safety and continuity of care. <https://doi.org/10.12968/jpar.2026.18.2.CPD1>
'Good' leadership. <https://doi.org/10.12968/jpar.2026.0006>
Consent in the age of Gen AI. <https://doi.org/10.12968/jpar.2026.0005>
ECG case series for paramedics: February 2026. <https://doi.org/10.12968/jpar.2026.0010>
Private event medical services at major incidents: missed opportunities? Part 2. <https://doi.org/10.12968/jpar.2025.0056>
Application safety of airway devices by German paramedics. <https://doi.org/10.12968/jpar.2025.0054>

Exploring the integration of anticholinergic burden scales into prehospital care.

<https://doi.org/10.12968/jpar.2025.0034>

Why plan ahead? <https://doi.org/10.12968/jpar.2026.0002>

Valuing where we are. <https://doi.org/10.12968/jpar.2025.0150>

Spotlight on Research. <https://doi.org/10.12968/jpar.2026.0004>

JOURNAL OF PARAMEDICINE AND EMERGENCY RESPONSE

<http://jper.org>

2025 SPECIAL ISSUE

Bridging the Confidence Gap in Bystander Resuscitation via Public CPR and AED Engagement at Metro Stations. <https://doi.org/10.30216/JPER.202512/SP.0001>

The Relationship Between Organizational Climate and Workplace Bullying Experiences Among Taiwanese Firefighters: An Analysis Using Ordinal Logistic Regression. <https://doi.org/10.30216/JPER.202512/SP.0002>

Impact of Traumatic Hypothermia on Mortality in Major Trauma Patients: A Single-Center Retrospective Study. <https://doi.org/10.30216/JPER.202512/SP.0003>

Scene Time Matters: A Retrospective Analysis of Scene Duration and Neurological Outcomes in Prehospital Cardiac Arrest. <https://doi.org/10.30216/JPER.202512/SP.0004>

Effectiveness of 5G Telemedicine Applications in Prehospital Emergency Transport: A User Satisfaction Analysis in Kaohsiung City. <https://doi.org/10.30216/JPER.202512/SP.0005>

Artificial Intelligence-Enhanced Clinical Judgment: Improving Adaptive Care Capacity During Critical Periods for Heart Failure Patients. <https://doi.org/10.30216/JPER.202512/SP.0006>

Exploring the Learning and Professional Growth Motivation of a Prehospital Emergency Care Instructor. <https://doi.org/10.30216/JPER.202512/SP.0007>

Integrating Flipped Classroom and Experiential Learning in a University General Education First Aid Course. <https://doi.org/10.30216/JPER.202512/SP.0008>

Technology-Enabled First Aid Education: An Analysis of CPR Learning Outcomes Among Junior High School Students Using the QCPR Real-Time Feedback System. <https://doi.org/10.30216/JPER.202512/SP.0009>

Analysis and Improvement Strategies for Ambulance Fee Systems: A Case Study of Taoyuan City. <https://doi.org/10.30216/JPER.202512/SP.0010>

Emergency Medical Technicians in Judicial Court Decisions: Applications of Multimodal Large Language Models. <https://doi.org/10.30216/JPER.202512/SP.0011>

From Minor Abrasions to Early Warning Signs: School-Based Response and Infection Control Experience with MRSA Infection in Adolescent Athletes. <https://doi.org/10.30216/JPER.202512/SP.0012>

The Silent Cardiac Crisis: A Case Discussion of Atypical Acute Coronary Syndrome. <https://doi.org/10.30216/JPER.202512/SP.0013>

Case Study of Agile Project Management: Taiwan Disaster Medical Team's Experience in Earthquake Rescue Operations in the Noto Peninsula, Japan, 2024. <https://doi.org/10.30216/JPER.202512/SP.0014>

From Blind Sticks to Precision Guidance: Clinical Impact of 3D-Guided Venipuncture Technology. <https://doi.org/10.30216/JPER.202512/SP.0015>

"She Only Received a Unit of Blood!" A Case Review of Transfusion-Related Acute Lung Injury (TRALI). <https://doi.org/10.30216/JPER.202512/SP.0016>
Secrets Inside the Medication Bag: The Challenge of Identifying Poisoning in the Prehospital Setting. <https://doi.org/10.30216/JPER.202512/SP.0017>

PREHOSPITAL AND DISASTER MEDICINE | CAMBRIDGE CORE

<https://www.cambridge.org/core/journals/prehospital-and-disaster-medicine>

DECEMBER 2025

A Practical Approach to Minimizing Risk from Multiplicity in Statistical Reporting. <https://doi.org/10.1017/S1049023X25001956>

Performance of Sieve versus SwissPre Prehospital Triage Algorithms in a Simulated Mass-Casualty Incident: A Randomized Open-Label Study. <https://doi.org/10.1017/S1049023X25001828>

Temperature Monitoring in Prehospital Emergency Medical Vehicles – An Observational Study. <https://doi.org/10.1017/S1049023X2500183X>

Telemedicine and Bystander CPR Rates. <https://doi.org/10.1017/S1049023X25001841>

Echocardiography Performed by Combat Medics: A Feasibility Study. <https://doi.org/10.1017/S1049023X25001798>

Blackout in Spain: Urgent Analysis of Impact on Emergency Medical Services. <https://doi.org/10.1017/S1049023X25001865>

Injury Characteristics and Treatment Analysis of 166 Hospitalized Casualties in the Jishishan Earthquake. <https://doi.org/10.1017/S1049023X25001877>

Field Report of the Singapore Emergency Medical Team Deployment Following the 2025 Myanmar Earthquake: Clinical and Operational Insights from a WHO Type-1 Fixed Facility. <https://doi.org/10.1017/S1049023X25001889>

Disaster Report - Petroleum Depot (HAZMAT) Fire and Mass-Casualty Event in Guinea-December 18, 2023. <https://doi.org/10.1017/S1049023X25001907>

ISSUE 1 (UP TO FEBRUARY 2026)

Layout Types and Efficiency Improvement Strategies for Open Points of Dispensing in Vaccine and Antibiotic Distribution: A Scoping Review. <https://doi.org/10.1017/S1049023X26108838>

PREHOSPITAL EMERGENCY CARE

<https://www.tandfonline.com/journals/ipec20>

VOLUME 29 ISSUE 8

Implementation of a Child Maltreatment Screening Tool in the Prehospital Setting. <https://www.tandfonline.com/doi/full/10.1080/10903127.2024.2440905>

Changing Epidemiology of Emergency Medical Services Calls for Children in the United States During the COVID-19 Pandemic and Reopening. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2459201>

- Association Between Response Time and Time from Emergency Medical Service Contact with the Patient to Hospital Arrival as well as Survival and Neurological Outcomes in Pediatric Out-of-Hospital Cardiac Arrest. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2460217>
- EMS Agency Characteristics and Adverse Events in Pediatric Out-of-Hospital Cardiac Arrest Among 49 U.S. EMS Agencies. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2461284>
- Prevalence and Indications for Applying Prehospital Spinal Motion Restriction in Children at Risk for Cervical Spine Injury. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2472269>
- Emergency Medical Services (EMS) Clinician Perspectives on the Pediatric Observation Priority Score (POPS). <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2477213>
- Prehospital and Emergency Department Vital Sign Abnormalities Among Injured Children. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2488062>
- Ventilation Rates and Capnography in Pediatric Out-of-Hospital Cardiac Arrest with Advanced Airways. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2496756>
- Quality of Care and Opportunities for Improvement in Prehospital Care of Critically Ill Pediatric Patients: An Observational, Simulation-Based Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2500715>
- Social Vulnerability and Pediatric EMS Behavioral Health Activations: Trends in Utilization and Sedation Practices. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2506525>
- Rapid Discharge Following Air Transport in Children. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2531074>
- Rural Out-of-Hospital Cardiac Arrest Patients More Likely to Receive Bystander CPR: A Retrospective Cohort Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2024.2443478>
- Longer Total Interhospital Transfer Times for Rural Sepsis Patients Not Associated with Increased Mortality. <https://www.tandfonline.com/doi/full/10.1080/10903127.2024.2447044>
- Combining Conventional and Telemedicine Medical Services to Reduce the Burden on Emergency Medical Services in Rural Areas: A Retrospective Cohort Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2460205>
- Rural Emergency Medical Services Perspectives on Improving Acute Stroke Care: A Qualitative Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2490180>
- Implementation and Validation of Field Assessment Stroke Triage for Emergency Destination (FAST-ED) in a Rural EMS Region. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2498012>
- Non-Invasive Ventilation as a Pre-Oxygenation Strategy During In-Flight Rapid Sequence Intubation: A Case Report. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2457607>
- Prehospital Gastric Lavage for the Treatment of Critically Ill Overdose or Poisonings: A Case Report. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2491757>

Acute Ischemic Stroke in a Marathon Runner: Last Known Well at Mile 22 Case Report. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2500065>

VOLUME 30, ISSUE 1

Epidemiology of Neonatal Prehospital Care at the San Diego (US) – Tijuana (Mexico) International Border. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2476196>

Social Determinants of Health and Emergency Medical Services: A Scoping Review. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2468796>

Disparities of Aspirin Administration for Prehospital Chest Pain and ST Elevation Myocardial Infarctions. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2473684>

Diversity Among EMS Fellows. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2470962>

Disparities in Emergency Medical Services Termination of Resuscitation Practices for Patients with Out-of-Hospital Cardiac Arrest. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2487135>

Paramedic-Administered Fibrinolysis in Older Patients with Prehospital ST-Segment Elevation Myocardial Infarction. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2467792>

Improving Bystander Response: How Long Does It Take to Retrieve an AED From Varying Distances. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2475323>

Bystander Defibrillation and Survival According to Emergency Medical Service Response Time After Out-of-Hospital Cardiac Arrest: A Nationwide Registry-Based Cohort Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2478211>

Ultrasound Detection of Pulseless Rhythm with Echocardiographic Motion (PREM) in Prehospital Cardiac Arrest: A Case-Series. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2543444>

Intra-Arrest Transport and Neurological Outcomes in Out-of-Hospital Cardiac Arrest with Initial Shockable Rhythm Who Failed the First Defibrillation: A Nationwide Study in Limited Prehospital Advanced Cardiac Life Support (ACLS) Settings. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2489036>

A Heterogeneous Legal Landscape Governs Community AED Use: Crowdsourced United States AED Legal Review and Gap Analysis. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2490804>

Creation of a Novel National Dataset Through Linkage of Emergency Medical Services (EMS) Transport Destination and Verified Emergency Department (ED) Capability. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2470286>

Prehospital Blood Lactate Measurements in Ambulances and Associations with Outcomes: A Cohort Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2473034>

Prehospital Sepsis Recognition and Antibiotic Administration: A Retrospective Analysis. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2489034>

Paramedic i-gel® Placement and Perception of Use in Prehospital Airway Management. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2479562>

Ambulance Staff Experiences and Perceptions of Medical Emergencies in Care Homes in the East Midlands, United Kingdom: A Qualitative Interview Study. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2490810>

Effectiveness of Prehospital Critical Care Scene Response for Major Trauma: A Systematic Review. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2483978>

Prehospital Ketamine Administration in Benzodiazepine Refractory Status Epilepticus: A Case Series Review. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2486302>

Genre of Music Festivals as a Predictor for Medical Utilization Rate. <https://www.tandfonline.com/doi/full/10.1080/10903127.2025.2481143>

LITERATURE SURVEILLANCE

**PARAMEDICINE LITERATURE SEARCH: DECEMBER 2025 -
FEBRUARY 2026**

SECTION EDITORS: Shaughn Maxwell, PsyM, EMT-P^{1,2}; Brenda M. Morrissey, DPA, FP-C, FACPE^{*3,4,2}

Section Editor Affiliations: 1. South County Fire and Rescue, Everett, WA, USA; 2. International Journal of Paramedicine (IJOP), Hagerstown, MD, USA; 3. Northwell Health, Great Neck, NY, USA; 4. Second Chance Safety, LLC, Floral Park, NY, USA.

Recommended Citation: Maxwell, S., & Morrissey, B. (2026). Paramedicine literature search: December 2025 - January 2026. *International Journal of Paramedicine*. (14). 175-230. <https://doi.org/10.56068/WPPY3073>

Keywords: literature search, emergency medical services, EMS, paramedicine

Disclosures: None.

Funding: External funding was not used to support this work.

Published: April 14, 2026

**Corresponding Author:*
drbrendamorrissey@gmail.com

To help paramedicine professionals to keep abreast of the literature in our discipline, the Paramedicine Literature Search provides the results of a standardized search of the PubMed database. This search results will include articles from journals that many paramedicine professionals may already be familiar with. The search strategy is also designed to include articles in journals they may not be commonly monitoring, such an article about ambulance care for cancer patients that appeared in an oncology journal.

The formatting of the Paramedicine Literature Search allows the reader to scan the titles of articles and click into the article link, when provided, for additional details.

The authors have made a diligent effort in designing of the search strategy to balance sensitivity (i.e., getting all relevant articles in paramedicine) with the specificity (i.e., excluding articles not relevant to paramedicine). The balance is imperfect. As a result, it should be noted that the results do not include every relevant article and includes some non-relevant articles.

The search strategy is filtered to only include articles published in a time frame listed below. This will include articles with electronic and print publication dates in that date range. Some of the publication dates may fall outside of this range due to how the article metadata was indexed by the publisher.

The following results were obtained on January 4, 2026 from the PubMed website (<https://pubmed.ncbi.nlm.nih.gov/>) using the following search terms and Boolean logic:

"paramedic"[Text Word] OR "paramedics"[Text Word] OR "prehospital"[Text Word] OR "pre-hospital"[Text Word] OR "emergency medical technician"[Text Word] OR "emergency medical technicians"[Text Word] OR "Ambulance"[Text Word] OR "emergency medical services"[Text Word] OR "fire-rescue"[Text Word] OR "fire-rescue"[Text Word]

Search Filter: Publication range of December 1, 2025 to February 28, 2026.

- Advances in rhabdomyolysis: A review of pathogenesis, diagnosis, and treatment. Yang BF. Chin J Traumatol. 2026 Jan;29(1):21-31. doi: 10.1016/j.cjtee.2024.10.005. Epub 2025 Feb 27.. <https://doi.org/10.1016/j.cjtee.2024.10.005>
- Epinephrine in Prehospital Traumatic Cardiac Arrest-Life Saving or False Hope?. Witt CE. Prehosp Emerg Care. 2026;30(1):153-161. doi: 10.1080/10903127.2025.2461283. Epub 2025 Feb 12.. <https://doi.org/10.1080/10903127.2025.2461283>
- Prehospital diagnosis and management of supraventricular tachycardia - a scoping review. Gamberini L. Scand J Trauma Resusc Emerg Med. 2026 Feb 21. doi: 10.1186/s13049-026-01583-8. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01583-8>
- Emergency care for avalanche buried patients - a narrative review. Strapazzon G. Scand J Trauma Resusc Emerg Med. 2026 Feb 20. doi: 10.1186/s13049-026-01543-2. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01543-2>
- Workplace violence and burnout in the prehospital emergency medical services: a cross-sectional study. Avci K. Intern Emerg Med. 2026 Feb 20. doi: 10.1007/s11739-026-04295-0. Online ahead of print.. <https://doi.org/10.1007/s11739-026-04295-0>
- Out-of-hospital emergency medical services in Poland: organization, challenges, and modern solutions. Mitura KM. Front Public Health. 2026 Jan 28;14:1743569. doi: 10.3389/fpubh.2026.1743569. eCollection 2026.. <https://doi.org/10.3389/fpubh.2026.1743569>
- Prehospital emergency services: expectations of patients and companions. Khani J. Int J Emerg Med. 2026 Jan 5;19(1):3. doi: 10.1186/s12245-025-01115-8.. <https://doi.org/10.1186/s12245-025-01115-8>
- The National Pediatric Prehospital Readiness Project: First Comprehensive Assessment of United States Emergency Medical Services Agencies. Adelgaiss KM. Ann Emerg Med. 2026 Feb 20;S0196-0644(26)00024-7. doi: 10.1016/j.annemergmed.2026.01.013. Online ahead of print.. <https://doi.org/10.1016/j.annemergmed.2026.01.013>
- Advancing Prehospital Pediatric Readiness: Formation and Future Directions of the Prehospital Pediatric Readiness Project. Alter R. Prehosp Emerg Care. 2026 Feb 19;1-11. doi: 10.1080/10903127.2026.2630377. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2630377>
- Leadership in emergency medical services: An integrative literature review. Hirvikallio J. Int Emerg Nurs. 2026 Feb;84:101750. doi: 10.1016/j.ienj.2026.101750. Epub 2026 Jan 13.. <https://doi.org/10.1016/j.ienj.2026.101750>
- Improving the safety of prehospital emergency anaesthesia. Nurmi J. Curr Opin Crit Care. 2025 Dec 1;31(6):694-700. doi: 10.1097/MCC.0000000000001316. Epub 2025 Aug 7.. <https://doi.org/10.1097/MCC.0000000000001316>
- Telemedicine and Bystander CPR Rates. Thompson SN. Prehosp Disaster Med. 2025 Dec;40(6):307-312. doi: 10.1017/S1049023X2510160X. Epub 2026 Jan 2.. <https://doi.org/10.1017/S1049023X2510160X>
- Cost effectiveness of pre-hospital extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest - An analysis of the PRECARE study. Zmudzki F. Resusc Plus. 2026 Jan 22;28:101242. doi: 10.1016/j.resplu.2026.101242. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101242>
- Prehospital resuscitative hysterotomy: a practice review. Leech C. Emerg Med J. 2026 Feb 24;43(3):180-185. doi: 10.1136/emered-2025-215327.. <https://doi.org/10.1136/emered-2025-215327>
- Associations Between Hospital Occupancy, Emergency Department Function and Ambulance Delays, With Modelled Mitigation Strategies: Evidence From Acute Queensland Hospitals. Mountain D. Med J Aust. 2026 Feb;224(2):e70148. doi: 10.5694/mja2.70148.. <https://doi.org/10.5694/mja2.70148>
- Contemporary issues in pediatric prehospital airway management. Wang HE. Expert Rev Respir Med. 2026 Feb;20(2):113-120. doi: 10.1080/17476348.2025.2562632. Epub 2025 Sep 22.. <https://doi.org/10.1080/17476348.2025.2562632>
- A Simulation-Based Root Cause Analysis of Pediatric Medication Dosing Errors in Emergency Medical Services. Harmer BM. Prehosp Emerg Care. 2026 Feb 19;1-15. doi: 10.1080/10903127.2026.2634106. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2634106>
- Physiological targets for prehospital adult post-ROSC management. Bray JE. Curr Opin Crit Care. 2025 Dec 1;31(6):707-712. doi: 10.1097/MCC.0000000000001320. Epub 2025 Sep 5.. <https://doi.org/10.1097/MCC.0000000000001320>
- Prehospital Variability of Pediatric Emergency Acuity Assessment Criteria in Japan: A Nationwide Analysis of Fire Department Protocols. Minami S. Acute Med Surg. 2026 Feb 23;13(1):e70124. doi: 10.1002/ams2.70124. eCollection 2026 Jan-Dec.. <https://doi.org/10.1002/ams2.70124>
- Helicopter emergency medical services for elderly patients: clinical outcomes and disease patterns. Suta ir MN. BMC Emerg Med. 2025 Dec 30;26(1):35. doi: 10.1186/s12873-025-01461-z.. <https://doi.org/10.1186/s12873-025-01461-z>
- Application and Effect of the Nurse-Led Pre-Hospital, Intra-Hospital, Post-Hospital Management Model in the Fine Management of Pre-Admitted Surgical Patients. Cao J. J Eval Clin Pract. 2026 Feb;32(1):e70371. doi: 10.1111/jep.70371.. <https://doi.org/10.1111/jep.70371>

- Comparison of outcomes between successful and failed prehospital advanced airway management by paramedic staff in patients with out-of-hospital cardiac arrest. Takayama W. *Eur J Emerg Med*. 2025 Dec 1;32(6):437-444. doi: 10.1097/MEJ.0000000000001231. Epub 2025 Apr 1.. <https://doi.org/10.1097/MEJ.0000000000001231>
- Association of prehospital vs. in-hospital intubation with mortality in hemorrhagic shock after severe trauma: a propensity-matched study. Clavier T. *Eur J Emerg Med*. 2025 Dec 1;32(6):421-429. doi: 10.1097/MEJ.0000000000001278. Epub 2025 Oct 14.. <https://doi.org/10.1097/MEJ.0000000000001278>
- Oral anticoagulant use by emergency medical services patients: an observational study. Wang HE. *Clin Exp Emerg Med*. 2025 Dec;12(4):350-357. doi: 10.15441/ceem.24.369. Epub 2025 Apr 30.. <https://doi.org/10.15441/ceem.24.369>
- Prehospital Sepsis Recognition and Antibiotic Administration: A Retrospective Analysis. Antevy P. *Prehosp Emerg Care*. 2026;30(2):284-289. doi: 10.1080/10903127.2025.2489034. Epub 2025 Apr 14.. <https://doi.org/10.1080/10903127.2025.2489034>
- Statewide Emergency Medical Services Protocols for Field-Initiated Blood Resuscitation. Hayes JM. *Prehosp Emerg Care*. 2026 Feb 18:1-6. doi: 10.1080/10903127.2026.2623431. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2623431>
- Under Recognized Toxicity of Flecainide Overdose. Diederich T. *Prehosp Emerg Care*. 2025 Dec 12:1-5. doi: 10.1080/10903127.2025.2589459. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2589459>
- Peripheral Intravenous Access Rates Obtained by Emergency Medical Services in Pediatric Patients: A Retrospective Study. Samocki P. *Med Sci Monit*. 2025 Dec 7;31:e949115. doi: 10.12659/MSM.949115. <https://doi.org/10.12659/MSM.949115>
- 'The Lightbulb Sign': why socioeconomic clues at scene matter for emergency care. Plumb J. *Emerg Med J*. 2026 Jan 12:emermed-2025-215806. doi: 10.1136/emermed-2025-215806. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215806>
- Mental Health Safety Challenges Among Pre-Hospital Emergency Medical Service Providers: A Scoping Review. McGlynn C. *IJSE Trans Occup Ergon Hum Factors*. 2026 Jan-Mar;14(1):30-61. doi: 10.1080/24725838.2025.2572580. Epub 2025 Oct 31.. <https://doi.org/10.1080/24725838.2025.2572580>
- Prehospital transfusion strategies in haemorrhagic shock. Burns B. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 22;34(1):37. doi: 10.1186/s13049-026-01547-y. <https://doi.org/10.1186/s13049-026-01547-y>
- Typologies of suicidality and suicide presenting to a prehospital South African Emergency Medical Service: a retrospective cross-sectional analysis. Tilley D. *F1000Res*. 2025 Dec 31;14:1201. doi: 10.12688/f1000research.171712.2. eCollection 2025.. <https://doi.org/10.12688/f1000research.171712.2>
- Pre-hospital cardiac arrest: a call for moral agency in modern medical practice. Joerck CL. *BMC Med Ethics*. 2026 Jan 24;27(1):27. doi: 10.1186/s12910-026-01384-9. <https://doi.org/10.1186/s12910-026-01384-9>
- Artificial intelligence to improve patient care in emergency medicine: a workflow-based analysis. Franceschi F. *Intern Emerg Med*. 2026 Jan;21(1):29-33. doi: 10.1007/s11739-025-04155-3. Epub 2025 Nov 14.. <https://doi.org/10.1007/s11739-025-04155-3>
- Feasibility of a Pre-Hospital Virtual Triage and Care Model: A Mixed-Methods Pilot in Emergency Care. Young-Jamieson J. *Emerg Med Australas*. 2025 Dec;37(6):e70168. doi: 10.1111/1742-6723.70168. <https://doi.org/10.1111/1742-6723.70168>
- Can Emergency Medical Services Telehealth Prevent Interfacility Transfers in Patients with Chest Pain?. Davis CA. *Prehosp Emerg Care*. 2026 Feb 23:1-8. doi: 10.1080/10903127.2025.2611050. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2611050>
- Patterns of Injuries in Danish Motorcyclists Requiring Air Ambulance Activation: A 5-Year Review. Cheng KJ. *Air Med J*. 2026 Mar-Apr;45(2):126-132. doi: 10.1016/j.amj.2025.11.002. Epub 2025 Dec 1.. <https://doi.org/10.1016/j.amj.2025.11.002>
- Temperature Monitoring in Prehospital Emergency Medical Vehicles - An Observational Study. Maait Y. *Prehosp Disaster Med*. 2025 Dec;40(6):299-306. doi: 10.1017/S1049023X25101581. Epub 2025 Dec 29.. <https://doi.org/10.1017/S1049023X25101581>
- Response to: Prehospital Management of Suspected Spinal Cord Injuries: Have Vacuum Mattresses Been Inappropriately Maligned?. Millin MG. *Prehosp Emerg Care*. 2026 Feb 20:1-4. doi: 10.1080/10903127.2026.2634930. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2634930>
- Bibliometric Evaluation of Disaster Medicine and Emergency Medical Rescue Research (1992-2024): A Brief Report. Da N. *Disaster Med Public Health Prep*. 2026 Feb 5;20:e29. doi: 10.1017/dmp.2026.10307. <https://doi.org/10.1017/dmp.2026.10307>
- Association between prehospital time and injury severity in traffic crash patients. Hsu LM. *Accid Anal Prev*. 2026 Feb 20;230:108446. doi: 10.1016/j.aap.2026.108446. Online ahead of print.. <https://doi.org/10.1016/j.aap.2026.108446>
- Blackout in Spain: Urgent Analysis of Impact on Emergency Medical Services. Castro-Delgado R. *Prehosp Disaster Med*. 2025 Dec;40(6):319-323. doi: 10.1017/S1049023X25101556. Epub 2025 Dec 12.. <https://doi.org/10.1017/S1049023X25101556>
- Analysis of factors affecting organizational engagement between pre-hospital and hospital emergency departments: a qualitative study. Baghian N. *BMC Emerg Med*. 2025 Dec 16;26(1):21. doi: 10.1186/s12873-025-01444-0. <https://doi.org/10.1186/s12873-025-01444-0>

- Prehospital intensive blood pressure management in intracerebral hemorrhage: current evidence, controversies, and future directions. Liu Q. *Front Med (Lausanne)*. 2026 Feb 9;13:1725724. doi: 10.3389/fmed.2026.1725724. eCollection 2026.. <https://doi.org/10.3389/fmed.2026.1725724>
- Noninvasive Positive Pressure Ventilation Use in the Prehospital Setting: A Preliminary Cross-Sectional Analysis of State Protocols and Nationwide Clinical Practice. Peters GA. *J Emerg Med*. 2026 Mar;82:120-127. doi: 10.1016/j.jemermed.2025.12.023. Epub 2026 Jan 4.. <https://doi.org/10.1016/j.jemermed.2025.12.023>
- Prehospital blood transfusion coalition core competencies for emergency medical services personnel. Krohmer J. *Trauma Surg Acute Care Open*. 2026 Jan 6;11(1):e002132. doi: 10.1136/tsaco-2025-002132. eCollection 2026.. <https://doi.org/10.1136/tsaco-2025-002132>
- Association of pre-hospital shock team implementation with outcomes in ST-segment elevation myocardial infarction patients. Arabi A. *Curr Probl Cardiol*. 2026 Jan 20;51(5):103274. doi: 10.1016/j.cpcardiol.2026.103274. Online ahead of print.. <https://doi.org/10.1016/j.cpcardiol.2026.103274>
- Prehospital rescue treatment of cluster epileptic seizures and status epilepticus. Jensen S. *Neurol Sci*. 2026 Jan 5;47(1):100. doi: 10.1007/s10072-025-08643-4.. <https://doi.org/10.1007/s10072-025-08643-4>
- Emergency medical services utilization among refugees on the Eastern Mediterranean Migration route. Günsoy E. *Eur J Emerg Med*. 2026 Apr 1;33(2):110-117. doi: 10.1097/MEJ.0000000000001306. Epub 2026 Jan 20.. <https://doi.org/10.1097/MEJ.0000000000001306>
- Prehospital Ketamine Administration in Benzodiazepine Refractory Status Epilepticus: A Case Series Review. Finney JD. *Prehosp Emerg Care*. 2026;30(2):323-331. doi: 10.1080/10903127.2025.2486302. Epub 2025 Apr 16.. <https://doi.org/10.1080/10903127.2025.2486302>
- Early diagnosis and treatment of acute heart failure in prehospital and emergency settings. Part 1 of the International Expert Opinion Series on acute heart failure management. Miró J. *Eur J Emerg Med*. 2025 Dec 1;32(6):392-404. doi: 10.1097/MEJ.0000000000001270. Epub 2025 Sep 29.. <https://doi.org/10.1097/MEJ.0000000000001270>
- Stroke Code Missed Activations by Emergency Medical Services: Identifying Gaps and Opportunities for Improvement. Girona San Miguel A. *Prehosp Emerg Care*. 2025 Dec 12:1-6. doi: 10.1080/10903127.2025.2592878. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2592878>
- Tenecteplase: expanding horizons in thrombolytic therapy across various clinical indications. Yogendrakumar V. *Heart*. 2026 Jan 27;112(4):191-198. doi: 10.1136/heartjnl-2024-325249.. <https://doi.org/10.1136/heartjnl-2024-325249>
- Association Between Social Networks and Prehospital Delay in Care of Patients With Acute Ischemic Stroke in China. Gao Z. *Circ Popul Health Outcomes*. 2026 Feb;19(2):e012113. doi: 10.1161/CIRCOUTCOMES.125.012113. Epub 2026 Jan 23.. <https://doi.org/10.1161/CIRCOUTCOMES.125.012113>
- Turnover intention and its predictors among Emergency Medical Services (EMS) professionals: a systematic review and meta-analysis. Zarei E. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 26;34(1):42. doi: 10.1186/s13049-026-01567-8.. <https://doi.org/10.1186/s13049-026-01567-8>
- The impact of EMS transport models on pediatric life-saving interventions and outcomes in emergency care: a prospective observational study based on the REPEM survey. Turan C. *BMC Health Serv Res*. 2025 Dec 24;26(1):132. doi: 10.1186/s12913-025-13890-4.. <https://doi.org/10.1186/s12913-025-13890-4>
- Autoinjector-based delivery of tranexamic acid provides pharmacokinetic efficacy in a porcine model of uncontrolled hemorrhage. Eisenkraft A. *Injury*. 2026 Jan;57(1):112721. doi: 10.1016/j.injury.2025.112721. Epub 2025 Aug 29.. <https://doi.org/10.1016/j.injury.2025.112721>
- Benchmarking speech-to-text robustness in noisy emergency medical dialogues: an evaluation of models under realistic acoustic conditions. Moser D. *JAMIA Open*. 2025 Nov 19;8(6):ooaf147. doi: 10.1093/jamiaopen/ooaf147. eCollection 2025 Dec.. <https://doi.org/10.1093/jamiaopen/ooaf147>
- Progress in Emergency Medicine in Nigeria: Where we are in 2025. Olaomi OO. *Afr J Emerg Med*. 2026 Mar;16(1):100937. doi: 10.1016/j.afjem.2025.100937. Epub 2026 Feb 9.. <https://doi.org/10.1016/j.afjem.2025.100937>
- Qualitative evaluation of ambulance paramedic staff's medication practices and awareness in cardiovascular emergency care. Bawazir S. *BMC Emerg Med*. 2026 Jan 21;26(1):55. doi: 10.1186/s12873-026-01482-2.. <https://doi.org/10.1186/s12873-026-01482-2>
- Managing apnoea in trauma victims: the potential for dispatcher-assisted airway handling - a narrative review. Imbriaco G. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 18;34(1):11. doi: 10.1186/s13049-025-01533-w.. <https://doi.org/10.1186/s13049-025-01533-w>
- Access to physician-based Helicopter Emergency Medical Services in the UK: a service analysis in 2024. Macdonald S. *Emerg Med J*. 2026 Feb 3:emermed-2024-214386. doi: 10.1136/emermed-2024-214386. Online ahead of print.. <https://doi.org/10.1136/emermed-2024-214386>
- The competency requirements for emergency medical services call takers and dispatchers - a scoping review. Van Der Net W. *Afr J Emerg Med*. 2026 Mar;16(1):100933. doi: 10.1016/j.afjem.2025.100933. Epub 2026 Jan 14.. <https://doi.org/10.1016/j.afjem.2025.100933>
- Comparative Clinical Outcomes of Trauma Transport: Emergency Medical Services vs. Police Transport, A Systematic Review and Meta-Analysis. Shapovalov V. *J Emerg Med*. 2026 Jan;80:8-19. doi: 10.1016/j.jemermed.2025.10.013. Epub 2025 Oct 10.. <https://doi.org/10.1016/j.jemermed.2025.10.013>
- Pre-hospital central venous access for major trauma. O'Sullivan É. *Anaesthesia*. 2025 Dec 2. doi: 10.1111/anae.70086. Online ahead of print.. <https://doi.org/10.1111/anae.70086>

- Ambulance patients with altered level of consciousness: a registry-based cohort study from the North Denmark Region in 2017-2021. Rosenkvist AR. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 23;34(1):40. doi: 10.1186/s13049-026-01562-z.. <https://doi.org/10.1186/s13049-026-01562-z>
- Racial and Ethnic Disparities in Prehospital Restraint Use and Sedation. McAdam TJ. *Am J Prev Med*. 2025 Dec;69(6):108066. doi: 10.1016/j.amepre.2025.108066. Epub 2025 Aug 24.. <https://doi.org/10.1016/j.amepre.2025.108066>
- The role of digital twin technology in modern emergency care. Olawade DB. *Int J Med Inform*. 2026 Mar 15;208:106229. doi: 10.1016/j.ijmedinf.2025.106229. Epub 2025 Dec 19.. <https://doi.org/10.1016/j.ijmedinf.2025.106229>
- Changes in prehospital emergency medical services dispatch mission patterns and their public health implications during the COVID-19 pandemic in Beijing, China. Ren Z. *Int J Emerg Med*. 2025 Dec 2;18(1):252. doi: 10.1186/s12245-025-01048-2.. <https://doi.org/10.1186/s12245-025-01048-2>
- A meta-learning ensemble framework for robust and interpretable prediction of emergency medical services demand. Garg T. *Sci Rep*. 2025 Dec 9;16(1):2132. doi: 10.1038/s41598-025-31841-1.. <https://doi.org/10.1038/s41598-025-31841-1>
- Injectable hemostatic foam hydrogel for traumatic intra-abdominal hemorrhage. Guo Y. *Mater Today Bio*. 2025 Oct 2;35:102364. doi: 10.1016/j.mtbio.2025.102364. eCollection 2025 Dec.. <https://doi.org/10.1016/j.mtbio.2025.102364>
- Examining moral injury and posttraumatic stress among firefighters, emergency medical services personnel, and emergency dispatchers. Woller SJ. *Eur J Psychotraumatol*. 2025 Dec;16(1):2510019. doi: 10.1080/20008066.2025.2510019. Epub 2025 Jun 11.. <https://doi.org/10.1080/20008066.2025.2510019>
- Disparities in Emergency Medical Services Termination of Resuscitation Practices for Patients with Out-of-Hospital Cardiac Arrest. Naas CJ. *Prehosp Emerg Care*. 2026;30(2):211-218. doi: 10.1080/10903127.2025.2487135. Epub 2025 Apr 21.. <https://doi.org/10.1080/10903127.2025.2487135>
- Bystander interventions and their impact on road injury outcomes: a scoping review. Aveyard N. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 18;33(1):198. doi: 10.1186/s13049-025-01464-6.. <https://doi.org/10.1186/s13049-025-01464-6>
- Analysis of violent attacks on emergency medical technicians in Ghana: a structural equation modelling approach. Atandigre AR. *BMC Emerg Med*. 2025 Dec 9;26(1):13. doi: 10.1186/s12873-025-01435-1.. <https://doi.org/10.1186/s12873-025-01435-1>
- Unmanned aerial vehicles in prehospital emergency care: current evidence, technological advances, and future perspectives. Zhang Y. *Front Public Health*. 2026 Jan 13;13:1739160. doi: 10.3389/fpubh.2025.1739160. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1739160>
- Impact of Resident Doctors' Strike on Psychological Outcomes Among Paramedics in Teaching-Hospital Emergency Departments: A Nationwide Multicenter Survey. Kim KY. *Healthcare (Basel)*. 2026 Feb 13;14(4):480. doi: 10.3390/healthcare14040480.. <https://doi.org/10.3390/healthcare14040480>
- Wildland Fires as a Public Health and EMS Crisis: Evolving Threats and Imperatives for Out-of-Hospital Leadership. Drury BR. *Prehosp Emerg Care*. 2026 Jan 23;1-5. doi: 10.1080/10903127.2025.2601095. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2601095>
- Low Dose Ketamine as an Alternative to Morphine for Prehospital Analgesia in STEMI: The SCAKet Retrospective Feasibility Study. Saget F. *Prehosp Emerg Care*. 2026 Jan 23;1-8. doi: 10.1080/10903127.2026.2627354. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2627354>
- A retrospective comparison of plunger-type and band-type mechanical chest compression devices for prehospital resuscitation. Smida T. *Prehosp Emerg Care*. 2026 Feb 25;1-12. doi: 10.1080/10903127.2026.2637173. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2637173>
- Patient and Emergency Medical Services Agency Factors Associated With Quality Care for Children. Ward CE. *Pediatrics*. 2025 Dec 1;156(6):e2025073047. doi: 10.1542/peds.2025-073047.. <https://doi.org/10.1542/peds.2025-073047>
- Differences in prehospital emergency medical care between urban and rural regions based on acute coronary syndrome-the MONAH1 study. Hofmann T. *Wien Med Wochenschr*. 2026 Jan 9. doi: 10.1007/s10354-025-01125-4. Online ahead of print.. <https://doi.org/10.1007/s10354-025-01125-4>
- Structural Reconfiguration of the Time-Valid Cohort and Stage-Specific Reversal of Prehospital Time-Outcome Associations During the COVID-19 Pandemic. Ahn C. *Medicina (Kaunas)*. 2026 Feb 2;62(2):302. doi: 10.3390/medicina62020302.. <https://doi.org/10.3390/medicina62020302>
- Interfacility Transport of Emergency Patients by Helicopter Emergency Medical Services Versus Ground Emergency Medical Services. Turkmen S. *Prehosp Emerg Care*. 2026 Feb 23;1-11. doi: 10.1080/10903127.2026.2617249. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2617249>
- An observational study of pre-hospital central venous access for patients with haemorrhagic shock due to major trauma. Pallavicini P. *Anaesthesia*. 2026 Jan;81(1):83-91. doi: 10.1111/anae.16778. Epub 2025 Sep 14.. <https://doi.org/10.1111/anae.16778>
- The impact of pre-hospital transport process optimization on rescue efficiency and complications in patients with traumatic intracranial hemorrhage. Lu Y. *Am J Emerg Med*. 2026 Jan 23;103:79-87. doi: 10.1016/j.ajem.2026.01.044. Online ahead of print.. <https://doi.org/10.1016/j.ajem.2026.01.044>
- Prehospital pain management in older adults with proximal Femur fractures: current practices and implications for delirium prevention. Brauckmann V. *SAGE Open Med*. 2026 Feb 11;14:20503121251408226. doi: 10.1177/20503121251408226. eCollection 2026.. <https://doi.org/10.1177/20503121251408226>

- Clinical efficacy of amiodarone in prehospital emergency treatment of myocardial infarction: a systematic review and meta-analysis. Wu T. *J Cardiothorac Surg*. 2025 Dec 21;21(1):40. doi: 10.1186/s13019-025-03773-4. <https://doi.org/10.1186/s13019-025-03773-4>
- Academic stress among emergency medical care (paramedic) students in South Africa: a cross-sectional study. Senekal ACG. *BMC Med Educ*. 2026 Feb 25. doi: 10.1186/s12909-026-08872-x. Online ahead of print. <https://doi.org/10.1186/s12909-026-08872-x>
- Beyond the Beats: Disparities in Prehospital Cardiac Care. Wleklinski NP. *J Emerg Med*. 2026 Jan;80:23-32. doi: 10.1016/j.jemermed.2025.10.017. Epub 2025 Oct 22. <https://doi.org/10.1016/j.jemermed.2025.10.017>
- Transitioning From Fire-Based EMS to Critical Care Flight Medicine. Warren CA. *Air Med J*. 2026 Jan-Feb;45(1):85-86. doi: 10.1016/j.amj.2025.10.008. Epub 2025 Nov 22. <https://doi.org/10.1016/j.amj.2025.10.008>
- Health impact assessment of decentralization of Emergency Medical Services: a case study in Chonburi Province, Thailand. Jaidee PH. *Sci Rep*. 2025 Dec 19;15(1):44159. doi: 10.1038/s41598-025-27900-2. <https://doi.org/10.1038/s41598-025-27900-2>
- Safety and compliance among newly qualified paramedics in a pre-hospital clinical trial of an investigational medicinal product: a post-hoc analysis of the PACKMaN randomised controlled trial. Rosser A. *Br Paramed J*. 2025 Dec 1;10(3):10-17. doi: 10.29045/14784726.2025.12.10.3.10. <https://doi.org/10.29045/14784726.2025.12.10.3.10>
- Delays to chest compressions and defibrillation after prehospital rearrest. Kimbrell JM. *Am J Emerg Med*. 2025 Dec;98:118-123. doi: 10.1016/j.ajem.2025.08.038. Epub 2025 Aug 21. <https://doi.org/10.1016/j.ajem.2025.08.038>
- Prehospital whole blood transfusion improves probability of survival over transfusion within one hour of arrival to a trauma center. Rajesh A. *Am J Surg*. 2025 Dec;250:116530. doi: 10.1016/j.amjsurg.2025.116530. Epub 2025 Jul 17. <https://doi.org/10.1016/j.amjsurg.2025.116530>
- The international Paramedic PhD registry: an overview of paramedic doctorates. Adam Whitley G. *Br Paramed J*. 2025 Dec 1;10(3):63-68. doi: 10.29045/14784726.2025.12.10.3.63. <https://doi.org/10.29045/14784726.2025.12.10.3.63>
- Intra-Arrest Transport and Neurological Outcomes in Out-of-Hospital Cardiac Arrest with Initial Shockable Rhythm Who Failed the First Defibrillation: A Nationwide Study in Limited Prehospital Advanced Cardiac Life Support (ACLS) Settings. Lee J. *Prehosp Emerg Care*. 2026;30(2):249-257. doi: 10.1080/10903127.2025.2489036. Epub 2025 Apr 29. <https://doi.org/10.1080/10903127.2025.2489036>
- Methodology for the Pediatric Dose Optimization for Seizures in Emergency Medical Services (PediDOSE) study. Shah MI. *Trials*. 2025 Dec 13;27(1):53. doi: 10.1186/s13063-025-09342-3. <https://doi.org/10.1186/s13063-025-09342-3>
- Musculoskeletal complaints and psychosocial stress factors in emergency medical services: a differentiated gender comparison. Niesert S. *J Occup Med Toxicol*. 2026 Jan 16;21(1):2. doi: 10.1186/s12995-025-00495-0. <https://doi.org/10.1186/s12995-025-00495-0>
- Prehospital and Emergency Care Perspectives to Define Pediatric Critical Illness and Injury. Ramgopal S. *West J Emerg Med*. 2026 Jan 9;27(1):121-129. doi: 10.5811/westjem.48526. <https://doi.org/10.5811/westjem.48526>
- Machine learning models powered by emergency medical services data enhance stroke triage in prehospital settings. Saban M. *Sci Rep*. 2026 Feb 3;16(1):7139. doi: 10.1038/s41598-026-37069-x. <https://doi.org/10.1038/s41598-026-37069-x>
- Patterns and determinants of medication use by paramedics in German prehospital emergency care: a six-year multicenter analysis. Hohenstein C. *BMC Emerg Med*. 2026 Feb 19;26(1):62. doi: 10.1186/s12873-026-01506-x. <https://doi.org/10.1186/s12873-026-01506-x>
- General Health (GHQ-28/CGHQ-28) and Psychosocial Risks (COPSOQ-ISTAS21) in Prehospital Emergency Professionals: A Pre-COVID-19 Cross-Sectional Study in Southern Spain. Morales-García JA. *Healthcare (Basel)*. 2025 Dec 23;14(1):41. doi: 10.3390/healthcare14010041. <https://doi.org/10.3390/healthcare14010041>
- Resuscitative Efforts by Emergency Medical Services for Neonates Within the First Six Hours of Life: A Nationwide Cross-Sectional Analysis. Peters GA. *Pediatr Emerg Care*. 2026 Mar 1;42(3):e47-e51. doi: 10.1097/PEC.00000000000003534. Epub 2025 Dec 15. <https://doi.org/10.1097/PEC.00000000000003534>
- Prehospital Fibrinogen Levels in Major Trauma Patients Transported by Helicopter Emergency Medical Service: Determining Who Might Benefit. Pretty S. *J Spec Oper Med*. 2025 Dec 1;25(4):26-32. doi: 10.55460/T0ZU-OA0G. <https://doi.org/10.55460/T0ZU-OA0G>
- Evaluation of protocol fidelity for prehospital antibiotic administration. O'Connor L. *Acad Emerg Med*. 2026 Jan;33(1):e70015. doi: 10.1111/acem.70015. Epub 2025 Apr 3. <https://doi.org/10.1111/acem.70015>
- Prevalence of Exposures and Moral Injury in First Responders. Maguen S. *J Am Coll Emerg Physicians Open*. 2025 Oct 9;6(6):100259. doi: 10.1016/j.acepjo.2025.100259. eCollection 2025 Dec. <https://doi.org/10.1016/j.acepjo.2025.100259>
- The Changing Landscape for Hyper-Acute Ischaemic Stroke Care. Bhalla A. *Br J Hosp Med (Lond)*. 2026 Jan 20;87(1):50187. doi: 10.31083/BJHM50187. <https://doi.org/10.31083/BJHM50187>
- Prehospital Experience With Left Ventricular Assist Devices. Larson EL. *J Surg Res*. 2026 Jan;317:439-445. doi: 10.1016/j.jss.2025.11.049. Epub 2025 Dec 18. <https://doi.org/10.1016/j.jss.2025.11.049>
- No Pulse, No Panic! Navigating Cardiac Arrest in LVAD-Supported Patients. Rahmanian M. *Crit Care Clin*. 2026 Jan;42(1):183-192. doi: 10.1016/j.ccc.2025.08.011. Epub 2025 Oct 14. <https://doi.org/10.1016/j.ccc.2025.08.011>
- Psychosocial Determinants of Work Ability Among Paramedics: Implications for Occupational Health-Pilot Study. Sokołowska K. *J Clin Med*. 2025 Dec 12;14(24):8805. doi: 10.3390/jcm14248805. <https://doi.org/10.3390/jcm14248805>

- Emergency Medical Services Time on Scene Associated with Reduced Dead-on-Arrival Status Among Pediatric Patients with Severe Traumatic Brain Injury. Vattipally VN. *Prehosp Emerg Care*. 2026 Jan 21;1-9. doi: 10.1080/10903127.2025.2605648. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2605648>
- Exploring Paramedics' Perspectives on Paediatric Head Injury in Prehospital Care: Qualitative Study. Alsuwais S. *BMJ Paediatr Open*. 2025 Dec 24;9(1):e004022. doi: 10.1136/bmjpo-2025-004022.. <https://doi.org/10.1136/bmjpo-2025-004022>
- Nordic-Baltic EMS benchmarking-important progress but fragile data foundations. Søvsø MB. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 15;34(1):7. doi: 10.1186/s13049-025-01531-y.. <https://doi.org/10.1186/s13049-025-01531-y>
- Paramedic powers in mental health crises: A comparative legal analysis. Mordaunt DA. *Aust N Z J Psychiatry*. 2026 Feb;60(2):184-190. doi: 10.1177/00048674251395412. Epub 2025 Dec 7.. <https://doi.org/10.1177/00048674251395412>
- Ethnic differences in injury mortality rates among adult emergency healthcare service users in high-income countries: a scoping review. Naha G. *Health Soc Care Deliv Res*. 2026 Feb 18:1-22. doi: 10.3310/GJAK4819. Online ahead of print.. <https://doi.org/10.3310/GJAK4819>
- Paramedic-Administered Fibrinolysis in Older Patients with Prehospital ST-Segment Elevation Myocardial Infarction. Doan TN. *Prehosp Emerg Care*. 2026;30(2):219-226. doi: 10.1080/10903127.2025.2467792. Epub 2025 Mar 4.. <https://doi.org/10.1080/10903127.2025.2467792>
- Early Identification of Sepsis by Emergency Medical Services: Diagnostic Accuracy of Scoring Systems in a Retrospective Cohort. Kornfehl A. *J Clin Med*. 2026 Jan 20;15(2):827. doi: 10.3390/jcm15020827.. <https://doi.org/10.3390/jcm15020827>
- Variation in Prehospital Routing Patterns for Patients With Suspected Stroke. Cash RE. *J Am Heart Assoc*. 2025 Dec 16;14(24):e044408. doi: 10.1161/JAHA.125.044408. Epub 2025 Dec 3.. <https://doi.org/10.1161/JAHA.125.044408>
- Decision-Making for Older Patients in Acute Prehospital Situations: A Scoping Review. Sterner A. *Scand J Caring Sci*. 2025 Dec;39(4):e70148. doi: 10.1111/scs.70148.. <https://doi.org/10.1111/scs.70148>
- pDenoiser: A Personalized Speech Enhancement Neural Network for Pre-Hospital Emergency Medical Services. Zhang Z. *IEEE J Biomed Health Inform*. 2025 Dec;29(12):9198-9209. doi: 10.1109/JBHI.2024.3395832.. <https://doi.org/10.1109/JBHI.2024.3395832>
- Validation of predictive factors for hospital admission in elderly patients transported by emergency medical services: a retrospective observational study. Suzuki M. *BMC Emerg Med*. 2025 Dec 22;25(1):256. doi: 10.1186/s12873-025-01414-6.. <https://doi.org/10.1186/s12873-025-01414-6>
- When Every Minute Counts: Predicting Pre-Hospital Deliveries and Neonatal Risk in Emergency Medical Services Using Data-Driven Models. Wach J. *J Clin Med*. 2026 Jan 23;15(3):941. doi: 10.3390/jcm15030941.. <https://doi.org/10.3390/jcm15030941>
- Frailty assessment in prehospital care: Bridging the gap in Malaysia's emergency services. Zakaria MI. *Australas Emerg Care*. 2025 Dec;28(4):249. doi: 10.1016/j.auec.2025.06.002. Epub 2025 Jun 25.. <https://doi.org/10.1016/j.auec.2025.06.002>
- Duration of emergency medical services-initiated prehospital cardiopulmonary resuscitation efforts and survival for pediatric patients with out-of-hospital cardiac arrest. Okubo M. *Resuscitation*. 2026 Feb 25:111028. doi: 10.1016/j.resuscitation.2026.111028. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.111028>
- Pre-Hospital Resuscitative Thoracotomy Performed in New South Wales, Australia: A Case-Series. Ennis C. *Emerg Med Australas*. 2025 Dec;37(6):e70186. doi: 10.1111/1742-6723.70186.. <https://doi.org/10.1111/1742-6723.70186>
- Australian paramedics' perceptions of reasonable overtime: a Delphi study. Ferris MJ. *BMC Health Serv Res*. 2025 Dec 29;25(1):1624. doi: 10.1186/s12913-025-13736-z.. <https://doi.org/10.1186/s12913-025-13736-z>
- Emergency medical services in the Limpopo province: Is there a need for change and is trauma different?. Phaleng SN. *S Afr Fam Pract* (2004). 2026 Jan 14;68(1):e1-e5. doi: 10.4102/safp.v68i1.6227.. <https://doi.org/10.4102/safp.v68i1.6227>
- Design and rationale of the HARTc 2.0 trial: A multicenter randomized controlled study on the impact of point-of-care high-sensitivity cardiac troponin-I testing in prehospital acute coronary syndrome triage on diagnosis and cost-effectiveness. van der Lande ACMH. *Am Heart J*. 2025 Dec;290:359-370. doi: 10.1016/j.ahj.2025.07.009. Epub 2025 Jul 16.. <https://doi.org/10.1016/j.ahj.2025.07.009>
- The progress of organ protection mechanisms in sepsis. Zhu Y. *Front Immunol*. 2026 Jan 20;16:1729499. doi: 10.3389/fimmu.2025.1729499. eCollection 2025.. <https://doi.org/10.3389/fimmu.2025.1729499>
- Factors Influencing Hospitalization Among Older Adults in Tokyo's Emergency Medical Services: The Role of Cerebral Disease and Seasonal Variations. Megumi K. *Geriatr Gerontol Int*. 2025 Dec;25(12):1724-1731. doi: 10.1111/ggi.70195. Epub 2025 Oct 22.. <https://doi.org/10.1111/ggi.70195>
- Factors associated with CPR quality in out-of-hospital cardiac arrest. Villani M. *Resuscitation*. 2025 Dec;217:110877. doi: 10.1016/j.resuscitation.2025.110877. Epub 2025 Oct 30.. <https://doi.org/10.1016/j.resuscitation.2025.110877>
- Rationale, development and feasibility of a national prehospital transfusion registry. Khattab N. *Resusc Plus*. 2026 Jan 4;28:101211. doi: 10.1016/j.resplu.2025.101211. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2025.101211>
- Paramedic i-gel(®) Placement and Perception of Use in Prehospital Airway Management. Wilhelm K. *Prehosp Emerg Care*. 2026;30(2):290-295. doi: 10.1080/10903127.2025.2479562. Epub 2025 Apr 7.. <https://doi.org/10.1080/10903127.2025.2479562>

- Trauma handover practices between ambulance clinicians, emergency department staff and trauma teams: scoping review. Harthi N. BMC Emerg Med. 2026 Jan 27;26(1):57. doi: 10.1186/s12873-026-01480-4.. <https://doi.org/10.1186/s12873-026-01480-4>
- Exploring positive experiences, challenges, and sustainability measures in inter-organizational collaboration: A qualitative study of fire-based emergency medical service agencies in Japan. Ueno K. Prehosp Emerg Care. 2025 Dec 8;1-20. doi: 10.1080/10903127.2025.2598562. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2598562>
- Virtual Neonatal Resuscitation Curriculum for Emergency Medical Services (EMS) to Improve Out-of-Hospital Newborn Care. Huynh TK. Prehosp Emerg Care. 2026;30(1):17-23. doi: 10.1080/10903127.2025.2450074. Epub 2025 Jan 28.. <https://doi.org/10.1080/10903127.2025.2450074>
- Agreement between ambulance paramedics and physicians on the (pre)hospital identification of low-risk chest pain patients. Camaro C. Eur J Emerg Med. 2026 Feb 1;33(1):60-62. doi: 10.1097/MEJ.0000000000001274. Epub 2025 Dec 22.. <https://doi.org/10.1097/MEJ.0000000000001274>
- Pre-hospital blood transfusion in non-traumatic major haemorrhage: a retrospective observational study. Ru S. Scand J Trauma Resusc Emerg Med. 2026 Feb 16;34(1):36. doi: 10.1186/s13049-026-01556-x.. <https://doi.org/10.1186/s13049-026-01556-x>
- Long-Term Mortality and Survival in Patients with Acute Heart Failure Assessed by Emergency Medical Services. Castro-Portillo E. J Cardiovasc Dev Dis. 2025 Dec 10;12(12):485. doi: 10.3390/jcdd12120485.. <https://doi.org/10.3390/jcdd12120485>
- Simulation-based education in paramedic training: effects of perceived competence and practice frequency on clinical skills. Turan D. BMC Med Educ. 2026 Feb 18. doi: 10.1186/s12909-025-08541-5. Online ahead of print.. <https://doi.org/10.1186/s12909-025-08541-5>
- Tea trolley training: a novel approach to prehospital teaching. Sheldrake I. Emerg Med J. 2026 Jan 13;emermed-2025-215826. doi: 10.1136/emermed-2025-215826. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215826>
- Image transmission and video live-streaming in emergency medical communication centre: a narrative review of its feasibility, use, and impact. Marjanovic N. Scand J Trauma Resusc Emerg Med. 2026 Jan 17;34(1):33. doi: 10.1186/s13049-026-01552-1.. <https://doi.org/10.1186/s13049-026-01552-1>
- Attitudes of medical doctors, nurses and paramedics towards death. Zdziarski K. Front Public Health. 2025 Dec 4;13:1655217. doi: 10.3389/fpubh.2025.1655217. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1655217>
- Safety and Mental Health Challenges in Emergency Medical Services: A Qualitative Investigation of Rural Paramedic Experiences. McGlynn C. IJSE Trans Occup Ergon Hum Factors. 2025 Dec 26:1-13. doi: 10.1080/24725838.2025.2600979. Online ahead of print.. <https://doi.org/10.1080/24725838.2025.2600979>
- Management of Agitation in Emergency Medical Services for Older Adults: A Qualitative Exploration. Shah FI. Acad Emerg Med. 2026 Feb;33(2):e70183. doi: 10.1111/acem.70183. Epub 2025 Nov 7.. <https://doi.org/10.1111/acem.70183>
- Interventions Targeting Resistance and Resilience Among Emergency Medical Service Clinicians: A Systematic Review. Saldanha IJ. Prehosp Emerg Care. 2026;30(1):78-86. doi: 10.1080/10903127.2025.2465712. Epub 2025 Feb 21.. <https://doi.org/10.1080/10903127.2025.2465712>
- A motorcycle ambulance with detachable seat: A solution for swift emergency patient transport. Livatyali H. Proc Inst Mech Eng H. 2025 Dec;239(11-12):1133-1146. doi: 10.1177/09544119251395344. Epub 2025 Nov 17.. <https://doi.org/10.1177/09544119251395344>
- Prehospital Pediatric Assessment Triangle-Real World Data: Emergency Medical Services Use of the Pediatric Assessment Triangle in the Prehospital Environment. Heyming T. Prehosp Emerg Care. 2025 Dec 12:1-9. doi: 10.1080/10903127.2025.2581753. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2581753>
- Factors associated with successful intravenous access in the prehospital setting. Smida T. Prehosp Emerg Care. 2026 Feb 25:1-12. doi: 10.1080/10903127.2026.2636956. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2636956>
- Regional disparities and temporal trends in pre-hospital management of out-of-hospital cardiac arrest in Thailand: a multi-center retrospective cohort study (2017-2023). Piankusol C. Resusc Plus. 2026 Jan 14;28:101226. doi: 10.1016/j.resplu.2026.101226. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101226>
- Empowering Emergency Responders to Treat on Scene Alleviates Hospital Strain During Disaster Events. Ivanko A. J Burn Care Res. 2026 Jan 6;47(1):280-284. doi: 10.1093/jbcr/iraf157.. <https://doi.org/10.1093/jbcr/iraf157>
- Ethical Dilemmas Encountered by Pre-Hospital Emergency Medical Service Personnel During Disaster Triage: A Case Study of the Kahramanmaraş Earthquakes. Cekic K. Disaster Med Public Health Prep. 2026 Jan 20;20:e22. doi: 10.1017/dmp.2025.10302.. <https://doi.org/10.1017/dmp.2025.10302>
- Depression, traumatic cognition, and death anxiety in pre-hospital and emergency staff depending on prior COVID-19 infection - a Turkish example. Do an A. Ann Agric Environ Med. 2025 Dec 22;32(4):511-517. doi: 10.26444/aaem/210348. Epub 2025 Sep 22.. <https://doi.org/10.26444/aaem/210348>
- Ambulance traffic accidents and their impact on prehospital personnel: a mixed-methods study. Winther M. Scand J Trauma Resusc Emerg Med. 2025 Dec 5;34(1):4. doi: 10.1186/s13049-025-01525-w.. <https://doi.org/10.1186/s13049-025-01525-w>
- Use of ambulance services for patients with suspected stroke. Jamtli B. Tidsskr Nor Laegeforen. 2026 Jan 13;146(1). doi: 10.4045/tidsskr.25.0226. Print 2026 Jan 20.. <https://doi.org/10.4045/tidsskr.25.0226>

- The influence of socioeconomic status on pre-hospital triage in the Netherlands; a multi-center cohort study. Gulickx M. *Eur J Trauma Emerg Surg*. 2025 Dec 18;51(1):365. doi: 10.1007/s00068-025-03020-4.. <https://doi.org/10.1007/s00068-025-03020-4>
- Selected aspects of the psychosocial functioning of medical personnel of emergency medical teams-a cross-sectional study. Bartoszuk J. *Front Public Health*. 2026 Jan 13;13:1754424. doi: 10.3389/fpubh.2025.1754424. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1754424>
- Is There a Role for Pre-Hospital Precision Resuscitation? A Prospective Multi-Institutional Blood Analysis. Caputo S. *J Am Coll Surg*. 2026 Jan 22. doi: 10.1097/XCS.0000000000001780. Online ahead of print.. <https://doi.org/10.1097/XCS.0000000000001780>
- Helicopter Emergency Medical Services attendance is associated with favourable survival outcomes in major trauma: derivation and internal validation of prediction models in a regional trauma system. Griggs J. *Emerg Med J*. 2026 Feb 3;emermed-2025-215451. doi: 10.1136/emermed-2025-215451. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215451>
- Impact of heavy rainfall on ambulance response time in Japan. Uttajug A. *Sci Rep*. 2025 Dec 18;16(1):2896. doi: 10.1038/s41598-025-32864-4.. <https://doi.org/10.1038/s41598-025-32864-4>
- Disaster management knowledge, education and training among Saudi paramedics a scoping review. Alqahtani MA. *BMC Public Health*. 2025 Dec 9;26(1):181. doi: 10.1186/s12889-025-25218-2.. <https://doi.org/10.1186/s12889-025-25218-2>
- Air Medical Prehospital Triage Score and Racial and Ethnic Disparities in Air Transport After Injury. Byrd T. *JAMA Surg*. 2026 Jan 1;161(1):31-37. doi: 10.1001/jamasurg.2025.4716.. <https://doi.org/10.1001/jamasurg.2025.4716>
- Pre-Hospital Rate-Pressure Product Is Not Positively Associated with Hematoma Expansion or Initial Hematoma Volume in Spontaneous Intracranial Hemorrhage. Liang SQ. *Neurol Int*. 2026 Jan 20;18(1):20. doi: 10.3390/neurolint18010020.. <https://doi.org/10.3390/neurolint18010020>
- Pre-hospital central venous access for major trauma: a reply. Ter Avest E. *Anaesthesia*. 2025 Dec 26. doi: 10.1111/anae.70115. Online ahead of print.. <https://doi.org/10.1111/anae.70115>
- Pre-hospital interventions in snakebite: A telephonic survey and follow up investigating snakebite envenoming from a tertiary care centre in Coastal Karnataka. Wagle U. *PLoS Negl Trop Dis*. 2025 Dec 19;19(12):e0013334. doi: 10.1371/journal.pntd.0013334. eCollection 2025 Dec.. <https://doi.org/10.1371/journal.pntd.0013334>
- PreLora: A fine-tuning approach with low-rank matrix decomposition and prefix tuning for pre-hospital emergency text classification. Tian F. *Artif Intell Med*. 2026 Apr;174:103364. doi: 10.1016/j.artmed.2026.103364. Epub 2026 Jan 23.. <https://doi.org/10.1016/j.artmed.2026.103364>
- Can Real-Time Prehospital Medical Record Data Presented on A Screen Enhance Team Readiness in the Emergency Department? A Pilot Study. Bleeg RC. *J Emerg Med*. 2026 Jan;80:199-210. doi: 10.1016/j.jemermed.2025.10.020. Epub 2025 Oct 22.. <https://doi.org/10.1016/j.jemermed.2025.10.020>
- Pre-hospital treatment duration and efficacy of remote ischaemic conditioning in the RESIST randomised-controlled trial. Ganesh A. *Eur Stroke J*. 2026 Jan 1;11(1):aakaf015. doi: 10.1093/esj/aakaf015.. <https://doi.org/10.1093/esj/aakaf015>
- Revising the Ambulance Clinical Response Model in Victoria, Australia: The Impact on Patient Safety. Nehme E. *Emerg Med Australas*. 2025 Dec;37(6):e70188. doi: 10.1111/1742-6723.70188.. <https://doi.org/10.1111/1742-6723.70188>
- A profile of injuries within an Australian State Emergency Service Agency: a retrospective study. Marvin G. *BMC Emerg Med*. 2025 Dec 1;26(1):2. doi: 10.1186/s12873-025-01429-z.. <https://doi.org/10.1186/s12873-025-01429-z>
- Association Between Prehospital Blood Transfusion in Helicopter Emergency Medical Services and Survival: A Retrospective Population-Based Cohort Study. Miura N. *Air Med J*. 2026 Mar-Apr;45(2):133-139. doi: 10.1016/j.amj.2025.11.003. Epub 2025 Dec 9.. <https://doi.org/10.1016/j.amj.2025.11.003>
- Retrospective Analysis of Disparities in Timing of Prehospital and Emergency Department Pain Management by Sex and Age. Moss D. *West J Emerg Med*. 2025 Dec 19;27(1):152-158. doi: 10.5811/westjem.47072.. <https://doi.org/10.5811/westjem.47072>
- [Prehospital treatment of severely injured children in Germany : Epidemiology, interventions and structural perspectives]. Burger L. *Anaesthesiologie*. 2026 Feb;75(2):125-137. doi: 10.1007/s00101-025-01624-4. Epub 2026 Jan 9.. <https://doi.org/10.1007/s00101-025-01624-4>
- Is paramedic palliative care different in rural compared to urban settings: A mixed methods study. Carter AJE. *Palliat Med*. 2025 Dec;39(10):1063-1071. doi: 10.1177/02692163251362572. Epub 2025 Aug 26.. <https://doi.org/10.1177/02692163251362572>
- Creation of a Novel National Dataset Through Linkage of Emergency Medical Services (EMS) Transport Destination and Verified Emergency Department (ED) Capability. Cash RE. *Prehosp Emerg Care*. 2026;30(2):269-274. doi: 10.1080/10903127.2025.2470286. Epub 2025 Mar 12.. <https://doi.org/10.1080/10903127.2025.2470286>
- Nurses' perspectives on providing analgesia in the Italian prehospital emergency setting: A phenomenological study. Sandroni F. *Int Emerg Nurs*. 2025 Dec;83:101696. doi: 10.1016/j.ienj.2025.101696. Epub 2025 Oct 6.. <https://doi.org/10.1016/j.ienj.2025.101696>
- Prehospital spinal immobilization and motion restriction strategies: A scoping review of the literature. Cucci F. *Injury*. 2026 Jan 9;57(3):113024. doi: 10.1016/j.injury.2026.113024. Online ahead of print.. <https://doi.org/10.1016/j.injury.2026.113024>

- Assessing Paramedic Confidence and Competence in Responding to Individuals with Neurodiversity: A Scoping Review. Kendrick K. Health Serv Insights. 2025 Dec 23;18:11786329251397296. doi: 10.1177/11786329251397296. eCollection 2025.. <https://doi.org/10.1177/11786329251397296>
- Frequent users of the ambulance service in a Swedish region: a retrospective cohort study. Alm F. Scand J Trauma Resusc Emerg Med. 2026 Jan 10;34(1):16. doi: 10.1186/s13049-026-01551-2.. <https://doi.org/10.1186/s13049-026-01551-2>
- Prehospital stroke triage in Denmark: a retrospective observational study of emergency medical services handling confirmed stroke cases not admitted directly to a stroke unit. Drej e AMB. Scand J Trauma Resusc Emerg Med. 2026 Feb 13. doi: 10.1186/s13049-026-01579-4. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01579-4>
- Butterflies in the Field: Introducing Point-of-Care Ultrasound to Paramedics in Rural and Wilderness Emergency Medical Services. Faulkner GB. Prehosp Emerg Care. 2026 Feb 6:1-10. doi: 10.1080/10903127.2026.2625227. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2625227>
- The effect of the BREATHe paramedic - paramedic mobile game on nursing and paramedic students' competence development - A quasi-experimental study. Ylitalo HM. Int Emerg Nurs. 2026 Feb 27;85:101778. doi: 10.1016/j.ienj.2026.101778. Online ahead of print.. <https://doi.org/10.1016/j.ienj.2026.101778>
- The meaning of being a nurse in mobile pre-hospital care from the Franklian perspective. L rio LKS. Rev Gaucha Enferm. 2025 Dec 8;46:e20250032. doi: 10.1590/1983-1447.2025.20250032.en. eCollection 2025.. <https://doi.org/10.1590/1983-1447.2025.20250032.en>
- Stress and PTSD levels among Hamad Medical Corporation Paramedics before and during the COVID-19 pandemic. Barbari MJA. Qatar Med J. 2025 Dec 11;2025(4):111. doi: 10.5339/qmj.2025.111. eCollection 2025.. <https://doi.org/10.5339/qmj.2025.111>
- Optimising regional organisation of endovascular thrombectomy for ischaemic stroke reusing a simulation model. Maas WJ. BMJ Open. 2025 Dec 31;15(12):e102300. doi: 10.1136/bmjopen-2025-102300.. <https://doi.org/10.1136/bmjopen-2025-102300>
- A European paramedic curriculum for geriatric emergency medicine developed via a modified Delphi technique. Krohn JN. Scand J Trauma Resusc Emerg Med. 2026 Jan 12;34(1):14. doi: 10.1186/s13049-026-01550-3.. <https://doi.org/10.1186/s13049-026-01550-3>
- Preparedness and ethical challenges of Czech Fire Rescue Service in radiological response operations. Kavan  . J Radiol Prot. 2025 Dec 10;45(4). doi: 10.1088/1361-6498/ae258b.. <https://doi.org/10.1088/1361-6498/ae258b>
- Ethical challenges and action alternatives: Case reflections in ambulance care. Bennesved A. Nurs Ethics. 2025 Dec 3;9697330251403138. doi: 10.1177/09697330251403138. Online ahead of print.. <https://doi.org/10.1177/09697330251403138>
- Persistent Sex Disparities in Pre-Hospital Delay Among Patients With STEMI Despite Overall Improvements: Findings From the Chinese Cardiovascular Association Chest Pain Center Registry. Lu Z. J Am Heart Assoc. 2026 Feb 26:e044847. doi: 10.1161/JAHA.125.044847. Online ahead of print.. <https://doi.org/10.1161/JAHA.125.044847>
- The Irreversible March of Time: Ischemic Delay and Impact on Outcomes in ST-Segment Elevation Myocardial Infarction. Dziewierz A. J Cardiovasc Dev Dis. 2025 Dec 2;12(12):474. doi: 10.3390/jcdd12120474.. <https://doi.org/10.3390/jcdd12120474>
- Preliminary investigation of bacterial surface contamination in emergency ambulances in South Korea. Nam SH. Int J Emerg Med. 2025 Dec 5;19(1):8. doi: 10.1186/s12245-025-01083-z.. <https://doi.org/10.1186/s12245-025-01083-z>
- Recognition of esophageal intubation in Dutch prehospital emergency medical services using capnography analysis: a retrospective cohort study. Groeneveld NTA. Resuscitation. 2026 Jan 16:110969. doi: 10.1016/j.resuscitation.2026.110969. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.110969>
- Impact of different preferred functional outcomes on the results of the pre-hospital antifibrinolytics for traumatic coagulopathy and hemorrhage (PATCH-trauma) trial. Zampieri FG. J Crit Care. 2026 Feb;91:155255. doi: 10.1016/j.jcrc.2025.155255. Epub 2025 Sep 12.. <https://doi.org/10.1016/j.jcrc.2025.155255>
- Prehospital 12-Lead ECG Use for Suspected Acute Coronary Syndrome Varies by Community Social Vulnerability. Ward MJ. Prehosp Emerg Care. 2025 Dec 10:1-7. doi: 10.1080/10903127.2025.2587172. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2587172>
- Sex Disparities in Prehospital and In-Hospital Delays to Intravenous Thrombolysis in Egyptian Stroke Patients. Nasreldein A. Neuroepidemiology. 2026 Jan 22:1-21. doi: 10.1159/000550463. Online ahead of print.. <https://doi.org/10.1159/000550463>
- Managing menstruation while working in the Australasian ambulance service environment. Hobbs L. Soc Sci Med. 2026 Apr;394:118920. doi: 10.1016/j.socscimed.2025.118920. Epub 2026 Jan 29.. <https://doi.org/10.1016/j.socscimed.2025.118920>
- Emergency ambulance care of families during death, dying, and bereavement: A document analysis of Australian and Aotearoa New Zealand clinical practice guidelines. Satchell E. Australas Emerg Care. 2025 Dec;28(4):294-299. doi: 10.1016/j.aucec.2025.06.004. Epub 2025 Jun 26.. <https://doi.org/10.1016/j.aucec.2025.06.004>
- Why I am pursuing a career in acute care surgery and how I intend to impact the field: "My best wasn't good enough-until I discovered acute care surgery". Erhie E. Trauma Surg Acute Care Open. 2026 Feb 10;11(1):e002207. doi: 10.1136/tsaco-2025-002207. eCollection 2026.. <https://doi.org/10.1136/tsaco-2025-002207>

- Just-in-case medication use by ambulance paramedics responding to end-of-life care in the community: protocol for a multi-method study (RELIEF).** Moore C. Br Paramed J. 2025 Dec 1;10(3):1-9. doi: 10.29045/14784726.2025.12.10.3.1.. <https://doi.org/10.29045/14784726.2025.12.10.3.1>
- Artificial intelligence-driven clustering for phenotyping life-threatening prehospital trauma.** Pérez-García R. Scand J Trauma Resusc Emerg Med. 2026 Jan 15;34(1):30. doi: 10.1186/s13049-026-01553-0.. <https://doi.org/10.1186/s13049-026-01553-0>
- When do emergencies happen? Exploring circadian, weekly, and seasonal trends in ambulance calls in Cyprus.** Protopapas A. Int Emerg Nurs. 2025 Dec;83:101686. doi: 10.1016/j.ienj.2025.101686. Epub 2025 Sep 25.. <https://doi.org/10.1016/j.ienj.2025.101686>
- Development and validation of prediction models for prehospital triage of military trauma patients.** Lokerman RD. BMJ Mil Health. 2025 Dec 17;171(e1):e56-e62. doi: 10.1136/military-2023-002644.. <https://doi.org/10.1136/military-2023-002644>
- LiVE-STROKE: Live video from bystander to the medical dispatcher in potential stroke cases.** Rischel E. Scand J Trauma Resusc Emerg Med. 2026 Feb 3. doi: 10.1186/s13049-026-01559-8. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01559-8>
- Prehospital Blood Collection for High Sensitivity Cardiac Troponin Measurement in Patients with Acute Chest Pain.** Supples MW. Prehosp Emerg Care. 2026 Feb 9:1-9. doi: 10.1080/10903127.2026.2627353. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2627353>
- The Prehospital Phase of Acute Heart Failure Care: A Population-Based Cohort Study.** Zhou JY. JACC Heart Fail. 2026 Jan;14(1):102603. doi: 10.1016/j.jchf.2025.102603. Epub 2025 Aug 15.. <https://doi.org/10.1016/j.jchf.2025.102603>
- Fighting Fire with Ice: A Multisite Collaboration to Evaluate the Impact of Prehospital Cold Water Immersion on Heat Stroke Patients.** Comp G. Prehosp Emerg Care. 2026 Feb 25:1-16. doi: 10.1080/10903127.2026.2636148. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2636148>
- Development and validation of a risk prediction model of prehospital delay in patients with acute ischemic stroke.** Bai Y. Front Public Health. 2026 Feb 11;14:1737563. doi: 10.3389/fpubh.2026.1737563. eCollection 2026.. <https://doi.org/10.3389/fpubh.2026.1737563>
- Geospatial and Temporal Analysis of Emergency Medical Services during the COVID-19 Pandemic: A Case Study of Astana, Kazakhstan.** Mussina A. Port J Public Health. 2025 Nov 4;43(4):265-279. doi: 10.1159/000549009. eCollection 2026 Feb.. <https://doi.org/10.1159/000549009>
- Survival outcomes following prehospital intubation in nontraumatic out of hospital cardiac arrest in Bangkok Thailand.** Ruttanaporn N. Sci Rep. 2026 Jan 9;16(1):4914. doi: 10.1038/s41598-025-34930-3.. <https://doi.org/10.1038/s41598-025-34930-3>
- Accuracy of Medically Experienced Emergency Dispatchers - A Unique Nationwide Model.** Trotzky D. Open Access Emerg Med. 2026 Feb 13;18:562377. doi: 10.2147/OAEM.S562377. eCollection 2026.. <https://doi.org/10.2147/OAEM.S562377>
- AI-Based Assessment of Non-Technical Skills in Prehospital Simulations: A Comparative Validation Study.** Mitsuhashi M. Healthcare (Basel). 2025 Dec 1;13(23):3121. doi: 10.3390/healthcare13233121.. <https://doi.org/10.3390/healthcare13233121>
- A Live Human Model Comparison Evaluating ThoraSite® Accuracy for Needle Thoracostomy.** Warren J. Prehosp Emerg Care. 2025 Dec 10:1-9. doi: 10.1080/10903127.2025.2592880. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2592880>
- Insect in the Ear-Response and Treatment of an Uncommon Prehospital Emergency: A Case Report.** Bashline C. Clin Pract Cases Emerg Med. 2026 Feb;10(1):31-34. doi: 10.5811/cpcem.48649.. <https://doi.org/10.5811/cpcem.48649>
- Tactical transfusion-Importance and logistics of integrating prehospital blood in tactical EMS operations.** Qasim Z. Transfusion. 2026 Jan 8. doi: 10.1111/trf.18467. Online ahead of print.. <https://doi.org/10.1111/trf.18467>
- Prehospital nurse adherence to abdominal pain guidelines in Sweden and possible association with educational level.** Dannvall C. Australas Emerg Care. 2025 Dec;28(4):314-321. doi: 10.1016/j.auec.2025.06.007. Epub 2025 Jul 4.. <https://doi.org/10.1016/j.auec.2025.06.007>
- Pre- and in-hospital lactate ratio as a predictor of mortality in severe diabetic ketoacidosis: a multicenter prospective cohort study.** Sebastian-Valles F. Eur J Intern Med. 2026 Jan 10:106706. doi: 10.1016/j.ejim.2026.106706. Online ahead of print.. <https://doi.org/10.1016/j.ejim.2026.106706>
- Mental health-related callouts to the ambulance service in Aotearoa New Zealand: a descriptive analysis.** Harding G. N Z Med J. 2026 Feb 27;139(1630):50-62. doi: 10.26635/6965.7145.. <https://doi.org/10.26635/6965.7145>
- Paramedic nursing students' experiences of clinical placement in an ambulance where the teacher is another clinical supervisor - A qualitative study.** Seppänen K. Int Emerg Nurs. 2025 Dec;83:101698. doi: 10.1016/j.ienj.2025.101698. Epub 2025 Oct 7.. <https://doi.org/10.1016/j.ienj.2025.101698>
- Clinical Practice Guideline for the Prehospital Stage in Acute Stroke : I. Use of Emergency Medical Services Assessment Tools.** Oh JS. J Korean Neurosurg Soc. 2026 Jan;69(1):7-22. doi: 10.3340/jkns.2025.0106. Epub 2025 Aug 20.. <https://doi.org/10.3340/jkns.2025.0106>
- Ultrasound as a tool in prehospital settings: a scoping review.** Piñeros-Alvarez JL. Clin Exp Emerg Med. 2025 Dec;12(4):320-330. doi: 10.15441/ceem.24.374. Epub 2025 Apr 30.. <https://doi.org/10.15441/ceem.24.374>

- [Women and cardiovascular disease: Why is a gender-sensitive approach essential?]. Sido V. *Inn Med (Heidelb)*. 2026 Mar;67(3):331-345. doi: 10.1007/s00108-025-02025-w. Epub 2025 Dec 11.. <https://doi.org/10.1007/s00108-025-02025-w>
- Prehospital Interventions, Early Detection, and Their Impact on Survival Outcomes in Patients with Sepsis: A Systematic Review. Bukhari EM. *Prehosp Emerg Care*. 2025 Dec 9;1-9. doi: 10.1080/10903127.2025.2594601. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2594601>
- Service utilisation and outcomes of transfers by a specialised paediatric and neonatal retrieval service in the Western Cape, South Africa. Patel S. *Afr J Emerg Med*. 2025 Dec;15(4):100925. doi: 10.1016/j.afjem.2025.100925. Epub 2025 Nov 21.. <https://doi.org/10.1016/j.afjem.2025.100925>
- Opportunities for Physical Activity Behavior Change Among Emergency Medical Services Clinicians: Qualitative Investigation. Supples MW. *Prehosp Emerg Care*. 2026;30(1):87-95. doi: 10.1080/10903127.2025.2479124. Epub 2025 Apr 1.. <https://doi.org/10.1080/10903127.2025.2479124>
- Criminalization in Trauma Care: A National Trauma Registry Analysis by Residence Status. Curry CW. *J Immigr Minor Health*. 2025 Dec 9. doi: 10.1007/s10903-025-01826-3. Online ahead of print.. <https://doi.org/10.1007/s10903-025-01826-3>
- Non-transport of patients following assessment and care by paramedics: a scoping review protocol. Hlushak A. *JB I Evid Synth*. 2026 Feb 4. doi: 10.11124/JBIES-24-00485. Online ahead of print.. <https://doi.org/10.11124/JBIES-24-00485>
- Establishing Quality Measures for the Prehospital Pediatric Readiness Project. Ward CE. *Prehosp Emerg Care*. 2026 Feb 20;1-8. doi: 10.1080/10903127.2026.2617921. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2617921>
- Low-Tech Solutions for Military Prehospital Medication Storage in Arctic Circumstances: A Feasibility Study. Fransen CM. *J Spec Oper Med*. 2025 Dec 1;25(4):40-43. doi: 10.55460/YJ8F-X6XG.. <https://doi.org/10.55460/YJ8F-X6XG>
- Prehospital Critical Care Prediction Score for Emergency Transfusion Requirements in Major Trauma: A Multicenter Validation Study. Pérez-García R. *QJM*. 2026 Jan 18;hcag022. doi: 10.1093/qjmed/hcag022. Online ahead of print.. <https://doi.org/10.1093/qjmed/hcag022>
- Evaluation of the prehospital characteristics of traumatic amputation cases: A retrospective observational study. Yilmaz M. *Am J Emerg Med*. 2026 Apr;102:126-130. doi: 10.1016/j.ajem.2026.01.003. Epub 2026 Jan 10.. <https://doi.org/10.1016/j.ajem.2026.01.003>
- Kolb learning styles in Tactical Combat Casualty Care (TCCC): a comparative study of military learners and civilian paramedics. Günsoy E. *BMC Emerg Med*. 2026 Feb 19. doi: 10.1186/s12873-026-01509-8. Online ahead of print.. <https://doi.org/10.1186/s12873-026-01509-8>
- Effectiveness of Prehospital Critical Care Scene Response for Major Trauma: A Systematic Review. Penn J. *Prehosp Emerg Care*. 2026;30(2):309-322. doi: 10.1080/10903127.2025.2483978. Epub 2025 Apr 1.. <https://doi.org/10.1080/10903127.2025.2483978>
- Management of Anaphylaxis After Pre-Hospital Epinephrine Use in Children With Food-Induced Anaphylaxis. Selvarajan R. *Pediatrics*. 2025 Dec 1;156(Suppl 2):S9-S10. doi: 10.1542/peds.2025-074246E.. <https://doi.org/10.1542/peds.2025-074246E>
- Development and evaluation of a novel prehospital antidote service providing methylthioninium chloride (methylene blue) for sodium nitrite poisoning. Davies G. *Emerg Med J*. 2025 Dec 18;43(1):8-14. doi: 10.1136/emmermed-2024-214777.. <https://doi.org/10.1136/emmermed-2024-214777>
- National profile of pediatric emergency medical service utilisation in Saudi Arabia: epidemiological insights for public health and paramedic preparedness. Alghamdi A. *Front Pediatr*. 2026 Jan 16;13:1700334. doi: 10.3389/fped.2025.1700334. eCollection 2025.. <https://doi.org/10.3389/fped.2025.1700334>
- Comparing emergency medical system governance in Japan and South Korea: lessons for high-income countries from a multisource comparative health systems analysis. Kajino K. *J Yeungnam Med Sci*. 2026;43:3. doi: 10.12701/jyms.2026.43.3. Epub 2025 Dec 18.. <https://doi.org/10.12701/jyms.2026.43.3>
- Prehospital diagnostic performance of emergency physicians in identifying blunt traumatic pneumothorax requiring early decompression. Occelli C. *BMC Emerg Med*. 2026 Jan 13;26(1):49. doi: 10.1186/s12873-025-01462-y.. <https://doi.org/10.1186/s12873-025-01462-y>
- Paramedic-Delivered Prehospital Thrombolysis Reduces the Time to Reperfusion Therapy in Patients Suffering ST Elevation Myocardial Infarction in Rural and Regional NSW. Faddy SC. *Heart Lung Circ*. 2025 Dec;34(12):1417-1423. doi: 10.1016/j.hlc.2025.05.085. Epub 2025 Nov 1.. <https://doi.org/10.1016/j.hlc.2025.05.085>
- The impacts of extreme weather events on health services and systems: A systematic review of reviews. Valente M. *Public Health*. 2026 Jan;250:106049. doi: 10.1016/j.puhe.2025.106049. Epub 2025 Nov 21.. <https://doi.org/10.1016/j.puhe.2025.106049>
- Understanding Program Attrition: The Influence of Entry Requirements and Student Resources. van den Bergh SL. *J Am Coll Emerg Physicians Open*. 2025 Nov 11;7(1):100276. doi: 10.1016/j.acepjo.2025.100276. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100276>
- Rural-urban disparities in Emergency Medical Services: a qualitative study of barriers and opportunities in Rivers State, Nigeria. Ore A. *Afr J Emerg Med*. 2026 Mar;16(1):100946. doi: 10.1016/j.afjem.2026.100946. Epub 2026 Jan 28.. <https://doi.org/10.1016/j.afjem.2026.100946>

- Anatomical mapping of traumatic pneumothoraces missed by prehospital ultrasonography - a retrospective cohort study. Marie I. Injury. 2026 Jan;57(1):112778. doi: 10.1016/j.injury.2025.112778. Epub 2025 Sep 30.. <https://doi.org/10.1016/j.injury.2025.112778>
- Inflammatory imbalance in ambulance patients is associated with sepsis and septic shock. Tuerxun K. Cytokine. 2026 Mar;199:157107. doi: 10.1016/j.cyto.2026.157107. Epub 2026 Jan 10.. <https://doi.org/10.1016/j.cyto.2026.157107>
- Comparing definitions of pediatric out-of-hospital cardiac arrests using a national EMS database. Kelly C. Am J Emerg Med. 2026 Feb;100:1-5. doi: 10.1016/j.ajem.2025.10.049. Epub 2025 Oct 24.. <https://doi.org/10.1016/j.ajem.2025.10.049>
- Nationwide pediatric prehospital blood product use after motor vehicle crashes 2020-2023. Annesi CA. Transfusion. 2026 Feb 12. doi: 10.1111/trf.70114. Online ahead of print.. <https://doi.org/10.1111/trf.70114>
- Age and gender patterns in emergency alarms and missions: a cross-sectional observational study. Tang K. BMC Emerg Med. 2026 Jan 29;26(1):60. doi: 10.1186/s12873-026-01479-x.. <https://doi.org/10.1186/s12873-026-01479-x>
- Therapeutic ultrasound for acute myocardial infarction: Mechanisms, preclinical evidence, and clinical perspectives. Katayama Y. J Cardiol. 2026 Jan 25:S0914-5087(26)00011-0. doi: 10.1016/j.jjcc.2026.01.005. Online ahead of print.. <https://doi.org/10.1016/j.jjcc.2026.01.005>
- Use of Machine Learning to Predict Hospital Admission for EMS-Treated Infants After a Suspected BRUE. Toy J. Pediatr Emerg Care. 2026 Feb 9. doi: 10.1097/PEC.0000000000003572. Online ahead of print.. <https://doi.org/10.1097/PEC.0000000000003572>
- Prevalence, associated factors, and safety implications of prehospital herbal medicine use in Southwestern, Ethiopia. Mengie A. Sci Rep. 2025 Dec 1;16(1):977. doi: 10.1038/s41598-025-30616-y.. <https://doi.org/10.1038/s41598-025-30616-y>
- "Are prehospital shock, modified shock, age-adjusted shock indices and some scoring systems effective in predicting the prognosis of high-energy trauma Patients?". Yüksel M. Int Emerg Nurs. 2025 Dec;83:101678. doi: 10.1016/j.ienj.2025.101678. Epub 2025 Sep 17.. <https://doi.org/10.1016/j.ienj.2025.101678>
- Factors associated with the phenomenon of overcrowding in the emergency department: a retrospective cohort study. Chrusciel J. BMC Emerg Med. 2026 Jan 3;26(1):37. doi: 10.1186/s12873-025-01460-0.. <https://doi.org/10.1186/s12873-025-01460-0>
- Prehospital emergency response and management of pregnancy-associated haemorrhage in KwaZulu-Natal Province, South Africa: A Retrospective Cross-Sectional Study. Govender S. Afr J Emerg Med. 2025 Dec;15(4):100912. doi: 10.1016/j.afjem.2025.100912. Epub 2025 Nov 6.. <https://doi.org/10.1016/j.afjem.2025.100912>
- Evaluating a Paramedic-Led Fall-Referral Program in Nova Scotia: a Mixed-Methods Study. Duignan L. Can Geriatr J. 2025 Dec 3;28(4):336-342. doi: 10.5770/cgj.28.886. eCollection 2025 Dec.. <https://doi.org/10.5770/cgj.28.886>
- Do Students Learn From Playing the Patient? A Study of Peer Role-Play in Prehospital Simulation. Hildreth AF. Simul Healthc. 2025 Dec 12. doi: 10.1097/SIH.0000000000000904. Online ahead of print.. <https://doi.org/10.1097/SIH.0000000000000904>
- Prehospital time intervals for trauma patients according to population density levels in Sweden; a national retrospective cohort study. Lundberg OHM. Scand J Trauma Resusc Emerg Med. 2025 Dec 4;33(1):193. doi: 10.1186/s13049-025-01514-z.. <https://doi.org/10.1186/s13049-025-01514-z>
- Pre-hospital central venous access in major trauma: balancing feasibility, safety and time to haemorrhage control. Mathais Q. Anaesthesia. 2025 Dec 3. doi: 10.1111/anae.70096. Online ahead of print.. <https://doi.org/10.1111/anae.70096>
- The self-reported opinions of ambulance personnel using a patient outcome feedback system in the emergency department. Chivers K. Br Paramed J. 2025 Dec 1;10(3):38-46. doi: 10.29045/14784726.2025.12.10.3.38.. <https://doi.org/10.29045/14784726.2025.12.10.3.38>
- Designing a theory-informed feedback system for prehospital cardiac arrest care: a qualitative study. Mion M. Emerg Med J. 2026 Jan 27;emermed-2025-215118. doi: 10.1136/emered-2025-215118. Online ahead of print.. <https://doi.org/10.1136/emered-2025-215118>
- Implementation of a Paediatric Virtual Emergency Department: A Descriptive Analysis. Lawrence J. J Paediatr Child Health. 2025 Dec 31. doi: 10.1111/jpc.70277. Online ahead of print.. <https://doi.org/10.1111/jpc.70277>
- World practices of non-medical help for snakebites: a scoping review. Birkun AA. Trans R Soc Trop Med Hyg. 2025 Dec 8;traf131. doi: 10.1093/trstmh/traf131. Online ahead of print.. <https://doi.org/10.1093/trstmh/traf131>
- Ambulance Staff Experiences and Perceptions of Medical Emergencies in Care Homes in the East Midlands, United Kingdom: A Qualitative Interview Study. Laparidou D. Prehosp Emerg Care. 2026;30(2):296-308. doi: 10.1080/10903127.2025.2490810. Epub 2025 Apr 29.. <https://doi.org/10.1080/10903127.2025.2490810>
- The Adverse Impact of Delay Upon Successfully Completing the National Registry EMT Exam on the First Attempt. Kreysa PG. Adv Med Educ Pract. 2025 Dec 19;16:2341-2348. doi: 10.2147/AMEP.S562663. eCollection 2025.. <https://doi.org/10.2147/AMEP.S562663>
- The Cincinnati Biorepository to Enhance the Acute Resuscitation of Cardiac Arrest Patients (Cincy BEARCATS): A Feasibility and Pilot Study. Benoit JL. Prehosp Emerg Care. 2026 Feb 19:1-10. doi: 10.1080/10903127.2026.2631182. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2631182>
- 4.5 % incidence of accidental hypothermia in a German HEMS service - A retrospective 14-year analysis. Werner D. Am J Emerg Med. 2026 Feb;100:46-53. doi: 10.1016/j.ajem.2025.10.053. Epub 2025 Nov 12.. <https://doi.org/10.1016/j.ajem.2025.10.053>

- Establishing a Consensus-Based Definition of Air Medical Transport Need for Rural Patients After Injury: Results from a Delphi Survey. Brown JB. *Prehosp Emerg Care*. 2026 Feb 19;1-15. doi: 10.1080/10903127.2026.2632975. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2632975>
- Interpretation Accuracy and Theoretical Decision Impact of Prehospital Ultrasound for Paramedics - Analysis of a Rural Pilot Program. Pettit A. *Prehosp Emerg Care*. 2025 Dec 1:1-9. doi: 10.1080/10903127.2025.2585153. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2585153>
- Bridging the blue: narrative review of neurosurgical access, aeromedical retrieval, and telehealth in Fiji and the Pacific. Singh A. *J Clin Neurosci*. 2026 Jan;143:111715. doi: 10.1016/j.jocn.2025.111715. Epub 2025 Oct 30.. <https://doi.org/10.1016/j.jocn.2025.111715>
- Evaluation of Out-of-Hospital Use of a Valsalva Assist Device in the Emergency Treatment of Supraventricular Tachycardia. Appelboom A. *Ann Emerg Med*. 2025 Dec;86(6):659-673. doi: 10.1016/j.annemergmed.2025.06.623. Epub 2025 Aug 14.. <https://doi.org/10.1016/j.annemergmed.2025.06.623>
- Prehospital low-titer group O whole blood in a multi-agency civilian emergency medical system: Operational timelines, physiologic response, and stewardship across trauma and medical hemorrhage. Alvarez C. *Transfusion*. 2026 Jan 31. doi: 10.1111/trf.70108. Online ahead of print.. <https://doi.org/10.1111/trf.70108>
- Recommended nursing care for people with mental disorders in mobile prehospital care: a scoping review. Pena L. *Rev Bras Enferm*. 2025 Dec 8;78(6):e20240595. doi: 10.1590/0034-7167-2024-0595. eCollection 2025.. <https://doi.org/10.1590/0034-7167-2024-0595>
- The rise of consensus methods in paramedicine research: A bibliographic analysis. Vella R. *Australas Emerg Care*. 2025 Dec;28(4):322-327. doi: 10.1016/j.auec.2025.06.008. Epub 2025 Jul 4.. <https://doi.org/10.1016/j.auec.2025.06.008>
- Prehospital Cardiopulmonary Resuscitation in Patients with Suspected Severe Traumatic Brain Injury: A BRAIN PROTECT Sub-Analysis. Mansvelder FJ. *J Clin Med*. 2026 Jan 23;15(3):934. doi: 10.3390/jcm15030934.. <https://doi.org/10.3390/jcm15030934>
- An investigation into the experiences of those paramedics rotating in primary care from South Western Ambulance Service: a qualitative study. Lambert G. *Br Paramed J*. 2025 Dec 1;10(3):47-53. doi: 10.29045/14784726.2025.12.10.3.47. <https://doi.org/10.29045/14784726.2025.12.10.3.47>
- HEMS and the challenges of an aging population: a nationwide study of interventions. Czy ewski Ł. *Front Public Health*. 2026 Feb 11;14:1746463. doi: 10.3389/fpubh.2026.1746463. eCollection 2026.. <https://doi.org/10.3389/fpubh.2026.1746463>
- Socioeconomic inequality and access to emergency care: understanding the pathways to the emergency department in the UK. Madia J. *BMJ Open*. 2025 Dec 12;15(12):e108770. doi: 10.1136/bmjopen-2025-108770.. <https://doi.org/10.1136/bmjopen-2025-108770>
- Improving Quality in Cardiac Arrest via Resuscitation Academy Training (IQ-CART): Study Protocol for a Mixed-Methods Study With a Focus on Low-Performing EMS Agencies. Chan PS. *Circ Cardiovasc Qual Outcomes*. 2025 Dec;18(12):e012571. doi: 10.1161/CIRCOUTCOMES.125.012571. Epub 2025 Nov 19.. <https://doi.org/10.1161/CIRCOUTCOMES.125.012571>
- Improvement in Cardiovascular Outcomes Using Telemedicine to Support Medical Decision in Acute Coronary Syndrome: Experience of Prehospital Public Emergency Care Units in Brazil. Rocon C. *Telemed J E Health*. 2025 Dec;31(12):1461-1466. doi: 10.1177/15305627251380334. Epub 2025 Sep 22.. <https://doi.org/10.1177/15305627251380334>
- A novel predictor of mortality for penetrating brain injury in paediatric patients. Bolatkale M. *Pak J Med Sci*. 2025 Dec;41(12):3503-3509. doi: 10.12669/pjms.41.12.12172.. <https://doi.org/10.12669/pjms.41.12.12172>
- Developing emergency care systems in low-income and middle-income countries: a scoping review to examine the role of leadership and governance. Phillips G. *BMJ Open*. 2025 Dec 19;15(12):e102624. doi: 10.1136/bmjopen-2025-102624.. <https://doi.org/10.1136/bmjopen-2025-102624>
- Sources of Discomfort and Treatment Strategies for Trauma Patients in the Pre-Hospital Setting: A Scoping Review. Melo F. *J Emerg Nurs*. 2026 Jan;52(1):218-238.e5. doi: 10.1016/j.jen.2025.08.014. Epub 2025 Oct 3.. <https://doi.org/10.1016/j.jen.2025.08.014>
- Accuracy of final-year paramedic students' ECG interpretation and referrals for transient loss of consciousness, per the NICE CG109 guidelines. Smith SR. *Adv Physiol Educ*. 2026 Feb 16. doi: 10.1152/advan.00081.2025. Online ahead of print.. <https://doi.org/10.1152/advan.00081.2025>
- Feasibility and utility of telemedical support through a paramedic-led primary response service to aid emergency services in northwestern Germany. Overheu D. *BMC Health Serv Res*. 2025 Dec 1;25(1):1559. doi: 10.1186/s12913-025-13748-9.. <https://doi.org/10.1186/s12913-025-13748-9>
- Early identification of stroke symptoms and risk factors using the BE FAST method: benefits of early intervention in high-risk populations. Zang J. *Front Neurol*. 2025 Dec 2;16:1630384. doi: 10.3389/fneur.2025.1630384. eCollection 2025.. <https://doi.org/10.3389/fneur.2025.1630384>
- Acceptability of ambulance-based telemedicine (ABT) for paediatric emergencies in Karachi, Pakistan. Hassan S. *BMJ Glob Health*. 2026 Jan 9;11(1):e018673. doi: 10.1136/bmjgh-2024-018673.. <https://doi.org/10.1136/bmjgh-2024-018673>
- Delays in chest compressions during out-of-hospital cardiac arrest: carotid versus subxiphoid point of care ultrasound. Patrick C. *Resuscitation*. 2026 Feb;219:110953. doi: 10.1016/j.resuscitation.2025.110953. Epub 2025 Dec 30.. <https://doi.org/10.1016/j.resuscitation.2025.110953>

- MetoksyKval: the extent of pre-hospital methoxyflurane administration for acute traumatic pain: focus on economic impact and rationale for use. Simensen R. Scand J Trauma Resusc Emerg Med. 2026 Jan 9;34(1):29. doi: 10.1186/s13049-026-01546-z. <https://doi.org/10.1186/s13049-026-01546-z>
- Prehospital management of convulsive status epilepticus in children: a knowledge, attitude and practice survey of UK ambulance service clinicians. Vansoh Z. Seizure. 2026 Feb;135:73-76. doi: 10.1016/j.seizure.2026.01.013. Epub 2026 Jan 23. <https://doi.org/10.1016/j.seizure.2026.01.013>
- Smartphone-Enabled Point-of-Care Testing for Prehospital Stroke Diagnosis. Menéndez-Valladares P. Prehosp Emerg Care. 2026;30(1):111-120. doi: 10.1080/10903127.2024.2437657. Epub 2024 Dec 12. <https://doi.org/10.1080/10903127.2024.2437657>
- Occupational burnout and depression among emergency medical service providers in Switzerland and Liechtenstein: a cross-sectional nationwide web-based study. Stuby L. BMC Public Health. 2026 Jan 19. doi: 10.1186/s12889-026-26184-z. Online ahead of print. <https://doi.org/10.1186/s12889-026-26184-z>
- Systemic immune-inflammation index, neutrophil to high-density lipoprotein ratio and pre-hospital delay: promising biomarkers for predicting the prognosis of patients with acute ST-elevation myocardial infarction. Chen P. Front Cardiovasc Med. 2026 Feb 3;13:1718555. doi: 10.3389/fcvm.2026.1718555. eCollection 2026. <https://doi.org/10.3389/fcvm.2026.1718555>
- Prehospital Management of Traumatic Cardiac Arrest: A Narrative Review of Evidence and Implications for Emergency Nursing. Celi S. J Emerg Nurs. 2026 Jan 5;S0099-1767(25)00477-5. doi: 10.1016/j.jen.2025.12.001. Online ahead of print. <https://doi.org/10.1016/j.jen.2025.12.001>
- Application of an artificial intelligence-based airway identification system in tracheal intubation. Liu H. BMC Anesthesiol. 2025 Dec 11;26(1):41. doi: 10.1186/s12871-025-03504-1. <https://doi.org/10.1186/s12871-025-03504-1>
- Pilot Pragmatic Trial of a Community Paramedic Diabetes Self-Management Education Program for Adults With Diabetes. Ducharme-Smith A. Diabetes Care. 2025 Dec 1;48(12):2089-2094. doi: 10.2337/dc25-1580. <https://doi.org/10.2337/dc25-1580>
- Prediction of urban medical emergencies using machine learning models based on spatial and temporal variables. Rivera FGT. Traffic Inj Prev. 2026;27(1):21-31. doi: 10.1080/15389588.2025.2478506. Epub 2025 Apr 22. <https://doi.org/10.1080/15389588.2025.2478506>
- Stuck in Transition: Clinical and Patient Factors Behind Prolonged Paramedic to Emergency Department Transfer of Care. Strum RP. Prehosp Emerg Care. 2026;30(1):47-54. doi: 10.1080/10903127.2025.2451217. Epub 2025 Jan 17. <https://doi.org/10.1080/10903127.2025.2451217>
- Prehospital Delay during an Acute Ischemic Stroke in India: A Qualitative Systematic Review. Muraleedharan M. Neurol India. 2026 Jan 1;74(Suppl 1):S21-S24. doi: 10.4103/neurol-india.Neurol-India-D-24-00035. Epub 2026 Feb 3. <https://doi.org/10.4103/neurol-india.Neurol-India-D-24-00035>
- Design of an intelligent IoT enabled healthcare responsive framework for emergency scenarios. Mishra S. Sci Rep. 2025 Dec 19;16(1):1804. doi: 10.1038/s41598-025-31421-3. <https://doi.org/10.1038/s41598-025-31421-3>
- Natural coagulation inspired RBCs-structural inheritance microgels hybrid featured with quasi-bicontinuous structure for junctional hemostasis. Ji W. Biomaterials. 2026 Feb;325:123593. doi: 10.1016/j.biomaterials.2025.123593. Epub 2025 Aug 5. <https://doi.org/10.1016/j.biomaterials.2025.123593>
- Striving toward quality metrics for pediatric stroke: time from door to diagnosis. Pearson R. Front Stroke. 2026 Jan 7;4:1718355. doi: 10.3389/fstro.2025.1718355. eCollection 2025. <https://doi.org/10.3389/fstro.2025.1718355>
- Evaluation of the prehospital diagnostic accuracy of a novel point-of-care test for NT-proBNP, D-dimer and H-FABP and large-vessel occlusion risk assessment (LVOCheck-EVA): a protocol for a multicenter prospective observational study in patients suspected of having a stroke. Röhrs K. Front Neurol. 2025 Dec 8;16:1697711. doi: 10.3389/fneur.2025.1697711. eCollection 2025. <https://doi.org/10.3389/fneur.2025.1697711>
- [Resuscitative endovascular balloon occlusion of the aorta-REBOA for bleeding control in the prehospital context : Overview of available cases and evaluation of the evidence]. Hilbert-Carius P. Anaesthesiologie. 2025 Dec;74(12):843-849. doi: 10.1007/s00101-025-01608-4. Epub 2025 Oct 29. <https://doi.org/10.1007/s00101-025-01608-4>
- Curriculum Innovation: Training the Front Line: A Neurologic Emergencies Curriculum Pilot for First Responders. Garrett TV. Neurol Educ. 2026 Jan 15;5(1):e200286. doi: 10.1212/NE9.000000000200286. eCollection 2026 Mar. <https://doi.org/10.1212/NE9.000000000200286>
- Stability of emergency medications during extreme cold: a controlled environmental study. Sohm D. Scand J Trauma Resusc Emerg Med. 2025 Dec 5;34(1):5. doi: 10.1186/s13049-025-01509-w. <https://doi.org/10.1186/s13049-025-01509-w>
- From pandemic to progress: maternal health resilience in the post COVID-19 era in Tamil Nadu, India. Paramasivan K. BMC Pregnancy Childbirth. 2026 Jan 30;26(1):203. doi: 10.1186/s12884-026-08704-2. <https://doi.org/10.1186/s12884-026-08704-2>
- [S3 guidelines on intensive care medicine following polytrauma : Aspects regarding definitive surgical treatment]. Horst K. Anaesthesiologie. 2026 Feb;75(2):143-151. doi: 10.1007/s00101-026-01650-w. <https://doi.org/10.1007/s00101-026-01650-w>
- Prehospital transesophageal echocardiography versus conventional advanced life support in out-of-hospital cardiac arrest (PHTEE-OHCA) - a randomized controlled pilot study. Katzenschlager S. Crit Care. 2026 Jan 2;30(1):45. doi: 10.1186/s13054-025-05805-w. <https://doi.org/10.1186/s13054-025-05805-w>

- Specialist PrE-hospital rEDirection for ischaemic stroke thrombectomy (SPEEDY): study protocol for a cluster randomised controlled trial with included health economic and process evaluations. Shaw L. *BMJ Open*. 2026 Jan 13;16(1):e112545. doi: 10.1136/bmjopen-2025-112545.. <https://doi.org/10.1136/bmjopen-2025-112545>
- Evaluating patient characteristics and trends of avoidable emergency department visits: Informing community health services to reduce emergency department utilization. Strum RP. *J Health Serv Res Policy*. 2026 Jan;31(1):5-13. doi: 10.1177/13558196251358761. Epub 2025 Jul 9.. <https://doi.org/10.1177/13558196251358761>
- Letter to the Editor is Response to Editor's Request to Comment on "eFAST to OR: Determining The Quality of Paramedic Conduction and Interpretation of eFAST Exams in Prehospital Settings". Miller M. *Mil Med*. 2025 Dec 31:usaf349. doi: 10.1093/milmed/usaf349. Online ahead of print.. <https://doi.org/10.1093/milmed/usaf349>
- Triage and System Gaps Observed During a 2025 Mass-Casualty Incident in Sanxia, Taiwan: A Report from the Field. Huang WH. *Disaster Med Public Health Prep*. 2026 Feb 16;20:e44. doi: 10.1017/dmp.2026.10314.. <https://doi.org/10.1017/dmp.2026.10314>
- Evaluating a Mobile Integrated Health Transitional Care Program to Reduce Readmissions: Findings From a Quasi-Experimental Design. O'Connor L. *J Am Geriatr Soc*. 2026 Feb 11;10.1111/jgs.70338. doi: 10.1111/jgs.70338. Online ahead of print.. <https://doi.org/10.1111/jgs.70338>
- Pre-Hospital Lung Ultrasound in Acute Heart Failure (PLUSH): Impact on Rates and Timing of Treatment. Russell FM. *Acad Emerg Med*. 2026 Jan;33(1):e70223. doi: 10.1111/acem.70223.. <https://doi.org/10.1111/acem.70223>
- Association between location of prehospital intubation, complication rates and time intervals. Garner AA. *Emerg Med J*. 2025 Dec 11:emermed-2024-214285. doi: 10.1136/emermed-2024-214285. Online ahead of print.. <https://doi.org/10.1136/emermed-2024-214285>
- Epidemiology of Neonatal Prehospital Care at the San Diego (US) - Tijuana (Mexico) International Border. Yarlaga S. *Prehosp Emerg Care*. 2026;30(2):175-180. doi: 10.1080/10903127.2025.2476196. Epub 2025 Apr 7.. <https://doi.org/10.1080/10903127.2025.2476196>
- Rethinking trauma transport: Mortality and length of stay in non-EMS transported patients. Ferguson R. *Injury*. 2026 Feb 16;113105. doi: 10.1016/j.injury.2026.113105. Online ahead of print.. <https://doi.org/10.1016/j.injury.2026.113105>
- Medical Errors and Complications in Neurointervention: Under-reported and Under-estimated? A systematic review. Bosshart SL. *AJNR Am J Neuroradiol*. 2026 Feb 25:ajnr.A9265. doi: 10.3174/ajnr.A9265. Online ahead of print.. <https://doi.org/10.3174/ajnr.A9265>
- Trends in Prehospital First-Attempt Use of Supraglottic Airways in Non-Cardiac Arrest Patients: A Descriptive Study. Robinson AE. *Prehosp Emerg Care*. 2026 Jan 7:1-8. doi: 10.1080/10903127.2025.2593579. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2593579>
- Prehospital whole-blood transfusion in two countries: comparison of patient characteristics in Sweden and the Northeastern United States. Backstrom D. *Eur J Trauma Emerg Surg*. 2026 Jan 13;52(1):19. doi: 10.1007/s00068-025-03037-9.. <https://doi.org/10.1007/s00068-025-03037-9>
- Our Response Re: eFAST to OR: Determining the Quality of Paramedic Conduction and Interpretation of eFAST Exams in Prehospital Settings. Toole A. *Mil Med*. 2025 Dec 31:usaf347. doi: 10.1093/milmed/usaf347. Online ahead of print.. <https://doi.org/10.1093/milmed/usaf347>
- Estimation of emergency care cost savings based on caller survey data from a three-state regional poison center. Cole JB. *Am J Emerg Med*. 2026 Feb 4;103:110-119. doi: 10.1016/j.ajem.2026.01.052. Online ahead of print.. <https://doi.org/10.1016/j.ajem.2026.01.052>
- Prehospital factors associated with ICU admission in drowning patients: a retrospective multicenter cohort study in a French coastal region. Mathais Q. *BMC Emerg Med*. 2026 Jan 20;26(1):54. doi: 10.1186/s12873-026-01481-3.. <https://doi.org/10.1186/s12873-026-01481-3>
- Seconds Matter: Novel Transport Solutions in Urban Settings Reduce Transport Times. Miles Z. *J Emerg Med*. 2026 Jan;80:20-22. doi: 10.1016/j.jemermed.2025.10.016. Epub 2025 Oct 22.. <https://doi.org/10.1016/j.jemermed.2025.10.016>
- Metal ion-protein-based liquid hemostatic foam for prehospital emergency treatment of incompressible hemorrhage. Yang X. *Acta Biomater*. 2026 Jan;209:279-291. doi: 10.1016/j.actbio.2025.11.015. Epub 2025 Nov 12.. <https://doi.org/10.1016/j.actbio.2025.11.015>
- Military nursing in tactical pre-hospital care: structure, action, and challenges in high-risk contexts. Souza FIDS. *Rev Bras Enferm*. 2026 Jan 26;79:e20250183. doi: 10.1590/0034-7167-2025-0183. eCollection 2026.. <https://doi.org/10.1590/0034-7167-2025-0183>
- Frailty Status and Dysphagia Trajectory Among Hospitalized Nursing Home Residents With Advanced Dementia. Loy RD. *J Am Med Dir Assoc*. 2025 Dec;26(12):105860. doi: 10.1016/j.jamda.2025.105860. Epub 2025 Oct 6.. <https://doi.org/10.1016/j.jamda.2025.105860>
- Correction to: Pre-hospital heparin use for ST-elevation myocardial infarction is safe and improves angiographic outcomes. . *Eur Heart J Acute Cardiovasc Care*. 2026 Jan 21:zuaf168. doi: 10.1093/ehjacc/zuaf168. Online ahead of print.. <https://doi.org/10.1093/ehjacc/zuaf168>
- Skills and Strategies for Crisis Communication in Seriously Ill Patients: A Qualitative Study. Moledina A. *J Gen Intern Med*. 2025 Dec 9. doi: 10.1007/s11606-025-09909-5. Online ahead of print.. <https://doi.org/10.1007/s11606-025-09909-5>

- Identifying and Conceptualizing Quality Indicators Influencing Prehospital Disaster Exercises Across Structure, Conduct, and Outcome: A Comprehensive Systematic Review. Aminafshar A. *Disaster Med Public Health Prep*. 2026 Jan 12;20:e16. doi: 10.1017/dmp.2025.10221.. <https://doi.org/10.1017/dmp.2025.10221>
- Reasons for Pre-Hospital Delay and Current Situation of Thrombolytic Therapy: A Prospective Study in a Single Center in China. Wang N. *Neurol India*. 2026 Jan 1;74(Suppl 1):S125-S130. doi: 10.4103/ni.ni_1321_21. Epub 2026 Feb 3.. https://doi.org/10.4103/ni.ni_1321_21
- Association Between Pre-hospital Medication Use and Outcomes in Patients Hospitalized for COVID-19 Pneumonia: A Multicenter Observational Study in the Netherlands. Li L. *Cureus*. 2025 Dec 15;17(12):e99243. doi: 10.7759/cureus.99243. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.99243>
- Using simulation stethoscopes to support physical exam skill development in health professionals education: A scoping review of educational applications and outcomes. Chan F. *Curr Pharm Teach Learn*. 2025 Dec;17(12):102466. doi: 10.1016/j.cptl.2025.102466. Epub 2025 Sep 12.. <https://doi.org/10.1016/j.cptl.2025.102466>
- If you build it, they will come - Implementation of a prehospital whole blood program. Fransman RB. *Am J Surg*. 2025 Dec;250:116587. doi: 10.1016/j.amjsurg.2025.116587. Epub 2025 Aug 21.. <https://doi.org/10.1016/j.amjsurg.2025.116587>
- Are paramedics comfortable and confident in their ability to provide emergency healthcare to transgender and gender diverse populations? A cross-sectional survey. Kengis L. *CJEM*. 2026 Jan;28(1):34-41. doi: 10.1007/s43678-025-00947-w. Epub 2025 Jun 3.. <https://doi.org/10.1007/s43678-025-00947-w>
- Does out-of-hospital cardiac arrest survival differ by EMS agency type in the U.S.? Insights from the CARES registry. Nallamothu JL. *Resusc Plus*. 2025 Dec 18;27:101198. doi: 10.1016/j.resplu.2025.101198. eCollection 2026 Jan.. <https://doi.org/10.1016/j.resplu.2025.101198>
- Relational coordination among healthcare professionals in acute care: a mixed-methods study of tasks involving prehospital assessment units. Rasmussen HM. *BMC Health Serv Res*. 2026 Feb 2. doi: 10.1186/s12913-026-14103-2. Online ahead of print.. <https://doi.org/10.1186/s12913-026-14103-2>
- Medication administration errors in a Norwegian ambulance service: a quasi-experimental study on the impact of a team training program. Myhr K. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 24;34(1):41. doi: 10.1186/s13049-026-01560-1.. <https://doi.org/10.1186/s13049-026-01560-1>
- [Analysis of influencing factors and intervention on work-related musculoskeletal disorders among fire rescue personnel]. Chen SL. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2025 Dec 20;43(12):884-891. doi: 10.3760/cma.j.cn121094-20240729-00354.. <https://doi.org/10.3760/cma.j.cn121094-20240729-00354>
- The influence of alcohol on prehospital diagnostics and therapy of injured patients. Sturm R. *Alcohol Clin Exp Res* (Hoboken). 2026 Jan;50(1):e70209. doi: 10.1111/acer.70209.. <https://doi.org/10.1111/acer.70209>
- Elective cardioversion of atrial fibrillation at home by advanced practice providers: a feasibility study in the Dutch emergency medical service-design and pilot results. van Vliet R. *Eur J Cardiovasc Nurs*. 2025 Dec 29;24(8):1324-1330. doi: 10.1093/eurjcn/zvaf140.. <https://doi.org/10.1093/eurjcn/zvaf140>
- Paramedic Roles, Purpose, and Practices When Responding to Older Adults in Abusive Contexts: A Systematic Review. De Silva M. *J Appl Gerontol*. 2026 Jan;45(1):110-121. doi: 10.1177/07334648251330347. Epub 2025 Apr 2.. <https://doi.org/10.1177/07334648251330347>
- The Spector Job Satisfaction Survey: Associations of Satisfaction with Leaving EMS. Gage CB. *Prehosp Emerg Care*. 2026;30(1):96-103. doi: 10.1080/10903127.2025.2482100. Epub 2025 Apr 1.. <https://doi.org/10.1080/10903127.2025.2482100>
- Assessing Handover Quality in the Emergency Department: Evaluating Communication Between EMS and Triage Nurses Using the Handoff CEX Italian Scale. Gheri F. *J Emerg Nurs*. 2026 Jan;52(1):186-192.e1. doi: 10.1016/j.jen.2025.07.009. Epub 2025 Aug 20.. <https://doi.org/10.1016/j.jen.2025.07.009>
- A Prospective Comparison of SAM IO versus EZ-IO: Insertion Time and Usability During Simulated Vascular Access. Stiglitz R. *J Spec Oper Med*. 2025 Dec 1;25(4):34-39. doi: 10.55460/ZBNM-T67Z.. <https://doi.org/10.55460/ZB-NM-T67Z>
- "It's about maintaining a calm and reassuring presence": a qualitative study about ambulance clinicians' experiences of caring for patients with breathlessness. Kauppi W. *BMC Emerg Med*. 2025 Dec 5;25(1):253. doi: 10.1186/s12873-025-01437-z.. <https://doi.org/10.1186/s12873-025-01437-z>
- A Proposal for a Nationally Standardized Curriculum for Operational Canine Emergency Medical Training for Canine Handlers and EMS Personnel. Santos AM. *Disaster Med Public Health Prep*. 2026 Jan 21;20:e23. doi: 10.1017/dmp.2026.10304.. <https://doi.org/10.1017/dmp.2026.10304>
- Association of Advanced Airway Management Strategies with 72-Hour Survival in Out-of-Hospital Cardiac Arrest: Video Laryngoscopy vs. Direct Laryngoscopy vs. Supraglottic Airways. Kim MW. *Clin Exp Emerg Med*. 2025 Dec 19. doi: 10.15441/ceem.25.282. Online ahead of print.. <https://doi.org/10.15441/ceem.25.282>
- Clinical presentation of tension pneumothorax among patients undergoing prehospital thoracostomy: A retrospective cohort study. Park A. *Australas Emerg Care*. 2025 Dec;28(4):307-313. doi: 10.1016/j.aucec.2025.06.006. Epub 2025 Jun 25.. <https://doi.org/10.1016/j.aucec.2025.06.006>
- Diagnostic Accuracy of a Novel Point of Care High-Sensitivity Troponin Assay in the Prehospital Environment. Gilman J. *Acad Emerg Med*. 2026 Jan;33(1):e70213. doi: 10.1111/acem.70213.. <https://doi.org/10.1111/acem.70213>

- The ability of statewide prehospital pediatric blood transfusion protocols to predict early in-hospital blood product administration: A National Trauma Data Bank analysis. Smida T. J Trauma Acute Care Surg. 2026 Jan 20. doi: 10.1097/TA.0000000000004917. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004917>
- A brief intervention for smoking cessation in the ambulance setting-an exploratory mixed methods study to reach health equity. Charlton K. J Public Health (Oxf). 2025 Dec 1;47(4):e597-e604. doi: 10.1093/pubmed/fdaf120.. <https://doi.org/10.1093/pubmed/fdaf120>
- Assessing Pediatric CPR Practices in the Prehospital Setting: EMS Clinician Experience, Perceptions, and Resource Utilization. Kleinman K. Pediatr Emerg Care. 2026 Feb 1;42(2):128-135. doi: 10.1097/PEC.0000000000003503. Epub 2025 Oct 31.. <https://doi.org/10.1097/PEC.0000000000003503>
- Examining the Impacts of Migration on the Mental Health of EMS Clinicians in a Southwestern U.S. State. Blackburn CC. Prehosp Emerg Care. 2026;30(1):104-110. doi: 10.1080/10903127.2025.2483355. Epub 2025 Apr 1.. <https://doi.org/10.1080/10903127.2025.2483355>
- Implementing Operational Skills in the Education of Combat Medics at the Belgian Defense: An Integrative Model. Waroquier F. J Spec Oper Med. 2025 Dec 1;25(4):47-52. doi: 10.55460/XSJD-VE9V.. <https://doi.org/10.55460/XSJD-VE9V>
- Proportion and clinical characteristics of patients who received prehospital airway or respiratory management by physicians aboard helicopters in Japan: a nationwide descriptive analysis. Hayashi M. J Anesth. 2026 Feb;40(1):13-19. doi: 10.1007/s00540-025-03537-3. Epub 2025 Jun 28.. <https://doi.org/10.1007/s00540-025-03537-3>
- Impact of prehospital comprehensive stroke center vs. primary stroke center triage protocol on outcome of patients with spontaneous intracerebral hemorrhage. Fan TH. J Stroke Cerebrovasc Dis. 2026 Mar;35(3):108555. doi: 10.1016/j.jstrokecerebrovasdis.2026.108555. Epub 2026 Jan 7.. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2026.108555>
- [Correction: Palliative Patients and Prehospital Emergency Medicine - Which Aspects Should the Prehospital Emergency Physician Know?]. Wiese CHR. Anesthesiol Intensivmed Notfallmed Schmerzther. 2026 Jan;61(1):66. doi: 10.1055/a-2746-8882. Epub 2025 Nov 13.. <https://doi.org/10.1055/a-2746-8882>
- Prevalence of pre-hospital antibiotic exposure and its associated factors among pediatric population: a cross-sectional study. Atem TD. BMC Pediatr. 2026 Feb 6. doi: 10.1186/s12887-025-06394-x. Online ahead of print.. <https://doi.org/10.1186/s12887-025-06394-x>
- How are incidental findings identified and managed in urgent and emergency care? A rapid scoping review. Mulrooney W. Br Paramed J. 2025 Dec 1;10(3):28-37. doi: 10.29045/14784726.2025.12.10.3.28.. <https://doi.org/10.29045/14784726.2025.12.10.3.28>
- Performance of a modified Sequential Organ Failure Assessment score in pre-hospital critical care to predict short-term mortality: a prospective, multicentre, validation cohort study. Alonso E. EClinicalMedicine. 2025 Dec 5;90:103674. doi: 10.1016/j.eclinm.2025.103674. eCollection 2025 Dec.. <https://doi.org/10.1016/j.eclinm.2025.103674>
- Advanced Airway Device Use Order During Out-of-Hospital Cardiac Arrest. Gage CB. JAMA Netw Open. 2026 Jan 2;9(1):e2553413. doi: 10.1001/jamanetworkopen.2025.53413.. <https://doi.org/10.1001/jamanetworkopen.2025.53413>
- Analysis of 67,975 Emergency Deployments in a Major German City - Criteria for More Efficient Dispatching of Emergency Physicians. Keller Y. Prehosp Emerg Care. 2026;30(1):55-62. doi: 10.1080/10903127.2025.2460071. Epub 2025 Feb 21.. <https://doi.org/10.1080/10903127.2025.2460071>
- Prehospital Endotracheal Intubation Success Rates for Critical Care Nurses Versus Paramedics. George NH. Prehosp Emerg Care. 2026;30(1):140-146. doi: 10.1080/10903127.2024.2448246. Epub 2025 Jan 23.. <https://doi.org/10.1080/10903127.2024.2448246>
- Part 8: Pediatric Advanced Life Support: 2025 American Heart Association and American Academy of Pediatrics Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Lasa JJ. Pediatrics. 2026 Jan 1;157(1):e2025074351. doi: 10.1542/peds.2025-074351.. <https://doi.org/10.1542/peds.2025-074351>
- Discussion of Is There a Role for Pre-Hospital Precision Resuscitation? A Prospective Multi-Institutional Blood Analysis. J Am Coll Surg. 2026 Jan 15. doi: 10.1097/XCS.0000000000001768. Online ahead of print.. <https://doi.org/10.1097/XCS.0000000000001768>
- Prehospital Blood Lactate Measurements in Ambulances and Associations with Outcomes: A Cohort Study. Walther LH. Prehosp Emerg Care. 2026;30(2):275-283. doi: 10.1080/10903127.2025.2473034. Epub 2025 Mar 20.. <https://doi.org/10.1080/10903127.2025.2473034>
- Prehospital pain medication disparities among pediatric trauma patients transported to a single Level I center. Hughes Garza H. J Trauma Acute Care Surg. 2025 Dec 1;99(6):884-894. doi: 10.1097/TA.0000000000004711. Epub 2025 Aug 8.. <https://doi.org/10.1097/TA.0000000000004711>
- "Epileptic seizure code in the region of Madrid": A process-based healthcare network for the acute management of epileptic seizures. García Morales I. Epilepsia Open. 2026 Feb;11(1):332-339. doi: 10.1002/epi4.70177. Epub 2025 Nov 18.. <https://doi.org/10.1002/epi4.70177>
- Incidence and prehospital management of convulsive status epilepticus in Martinique, a French Caribbean territory. Negrello F. Epilepsia Open. 2026 Feb;11(1):183-189. doi: 10.1002/epi4.70189. Epub 2025 Nov 22.. <https://doi.org/10.1002/epi4.70189>
- Colorimetric capnography adjunct during prehospital needle decompression of tension pneumothorax improves decompression success and reduces need for repeat prehospital decompression. Dubroc Z. Am J Emerg Med. 2025 Dec;98:256-261. doi: 10.1016/j.ajem.2025.08.065. Epub 2025 Sep 2.. <https://doi.org/10.1016/j.ajem.2025.08.065>

- Unequal access to timely care: Geographic variation in prehospital time among injured patients at risk of hemorrhagic shock. Acharya P. *Transfusion*. 2026 Jan 23. doi: 10.1111/trf.70086. Online ahead of print.. <https://doi.org/10.1111/trf.70086>
- Prehospital risk stratification in suspected non-ST-segment elevation acute coronary syndrome with point-of-care troponin: an individual patient data meta-analysis. Demandt J. *Heart*. 2026 Jan 2;heartjnl-2025-326922. doi: 10.1136/heartjnl-2025-326922. Online ahead of print.. <https://doi.org/10.1136/heartjnl-2025-326922>
- Temporal trends and prognostic impact of pre-hospital delay in ST-elevation myocardial infarction - 20-year observational study from the SWEDEHEART registry. Ericsson M. *Eur Heart J Acute Cardiovasc Care*. 2025 Dec 22;zuaf165. doi: 10.1093/ehjacc/zuaf165. Online ahead of print.. <https://doi.org/10.1093/ehjacc/zuaf165>
- Prognostic performance of STESS and qSOFA scores in pre-hospital status epilepticus: A prospective cohort study. Manai H. *Seizure*. 2026 Jan 29;136:46-50. doi: 10.1016/j.seizure.2026.01.017. Online ahead of print.. <https://doi.org/10.1016/j.seizure.2026.01.017>
- Why Do Patients With Aneurysmal Subarachnoid Hemorrhage Postpone Treatment?. Yarova K. *World Neurosurg*. 2026 Jan 30;207:124834. doi: 10.1016/j.wneu.2026.124834. Online ahead of print.. <https://doi.org/10.1016/j.wneu.2026.124834>
- Survival effect of prehospital emergency anaesthesia with intubation in risk-stratified patients with major trauma: a causal modelling study. Nelson AP. *Lancet Respir Med*. 2026 Feb 11:S2213-2600(25)00370-4. doi: 10.1016/S2213-2600(25)00370-4. Online ahead of print.. [https://doi.org/10.1016/S2213-2600\(25\)00370-4](https://doi.org/10.1016/S2213-2600(25)00370-4)
- Utilisation of a GP-staffed emergency response unit: an observational study from Norway. Rønning A. *BJGP Open*. 2026 Jan 27;BJGPO.2025.0101. doi: 10.3399/BJGPO.2025.0101. Online ahead of print.. <https://doi.org/10.3399/BJGPO.2025.0101>
- Hanging cases attended by North East Ambulance Service, 2020-2024: a service evaluation. Shaw G. *Br Paramed J*. 2025 Dec 1;10(3):54-62. doi: 10.29045/14784726.2025.12.10.3.54.. <https://doi.org/10.29045/14784726.2025.12.10.3.54>
- Geographic distribution of EMS missions and patient conditions in suburban and rural Sweden: a retrospective observational study. Summermatter D. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 24;34(1):19. doi: 10.1186/s13049-026-01561-0.. <https://doi.org/10.1186/s13049-026-01561-0>
- Journal club: Grey areas in paramedic decision-making for out-of-hospital cardiac arrest. Purkarthofer D. *Resusc Plus*. 2026 Jan 12;28:101225. doi: 10.1016/j.resplu.2026.101225. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101225>
- The use of paramedics to establish an in-hospital ultrasound-guided peripheral intravenous access program. Wasiak D. *J Vasc Access*. 2026 Jan;27(1):239-243. doi: 10.1177/11297298251333494. Epub 2025 May 2.. <https://doi.org/10.1177/11297298251333494>
- Mode of transport and prehospital interventions in urban penetrating trauma: A systematic review and practice management guideline from the Eastern Association for the Surgery of Trauma. Taghavi S. *J Trauma Acute Care Surg*. 2026 Jan 1;100(1):136-146. doi: 10.1097/TA.0000000000004796. Epub 2025 Sep 19.. <https://doi.org/10.1097/TA.0000000000004796>
- Characteristics Among a Pediatric Cohort Arriving Via EMS Following Nonaccidental and Accidental Trauma. Piper K. *Pediatr Emerg Care*. 2026 Jan 1;42(1):1-7. doi: 10.1097/PEC.0000000000003468. Epub 2025 Aug 20.. <https://doi.org/10.1097/PEC.0000000000003468>
- Assessing the Influence of a Statewide Dosing Reference Aid on Prehospital Pediatric Medication Dosing Errors: A Mixed-Methods Simulation-Based Investigation. Harmer BM. *Prehosp Emerg Care*. 2025 Dec 8:1-13. doi: 10.1080/10903127.2025.2599515. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2599515>
- Verbal and visual information exchange in EMS-to-ED patient handovers: An observational and attitudinal study. Braverman A. *Int Emerg Nurs*. 2026 Feb;84:101735. doi: 10.1016/j.ienj.2025.101735. Epub 2025 Dec 15.. <https://doi.org/10.1016/j.ienj.2025.101735>
- The Hong Kong Hospital Authority reform: a historical perspective. Part 1: From pre-Hospital Authority era to establishment of the Hospital Authority. Ho WSW. *Hong Kong Med J*. 2025 Dec;31(6):508-514. doi: 10.12809/hk-mj-hc202512.. <https://doi.org/10.12809/hk-mj-hc202512>
- Validity of assistant technology for effective communication in emergency services. Alves TM. *Rev Bras Enferm*. 2026 Jan 26;79:e20240379. doi: 10.1590/0034-7167-2024-0379. eCollection 2026.. <https://doi.org/10.1590/0034-7167-2024-0379>
- A Characterization of Pediatric Burn Injury Patients Presenting to a Zonal Referral Hospital in Northern Tanzania. Vlasic K. *J Burn Care Res*. 2026 Jan 6;47(1):390-402. doi: 10.1093/jbcr/iraf184.. <https://doi.org/10.1093/jbcr/iraf184>
- Implementation of EMS Clinician Feedback Tool Encourages Patient Feedback Requests and Professional Development: A Mixed-Methods Study. Schneider KL. *Prehosp Emerg Care*. 2026;30(1):9-16. doi: 10.1080/10903127.2024.2448831. Epub 2025 Jan 28.. <https://doi.org/10.1080/10903127.2024.2448831>
- Rendezvous transport plus prehospital computed tomography angiography on mobile stroke unit for large vessel occlusion: Achieving 103 min call-to-puncture time in 106 km distance. Wang L. *J Telemed Telecare*. 2025 Dec 11;1357633X251393432. doi: 10.1177/1357633X251393432. Online ahead of print.. <https://doi.org/10.1177/1357633X251393432>
- Clinical and laboratory predictors of 28-day survival and neurologic outcome in out-of-hospital cardiac arrest: A prospective cohort study. Akdemir T. *Ir J Med Sci*. 2025 Dec;194(6):2485-2495. doi: 10.1007/s11845-025-04121-0. Epub 2025 Oct 20.. <https://doi.org/10.1007/s11845-025-04121-0>

- Design and rationale of A Multicenter Paramedic randomized trial of noradrenaline versus adrenaline in the initial management of patients with cardiogenic shock - The PANDA trial. Bloom JE. *Am Heart J*. 2026 Feb 10:107378. doi: 10.1016/j.ahj.2026.107378. Online ahead of print.. <https://doi.org/10.1016/j.ahj.2026.107378>
- Helicopter Transport of Trauma Patients Continues to be Overutilized: A Call for Universal Transport Criterion. Srivatsa S. *Am Surg*. 2026 Feb;92(2):543-549. doi: 10.1177/00031348251378910. Epub 2025 Sep 13.. <https://doi.org/10.1177/00031348251378910>
- Prevalence of self-harm across urgent and emergency care settings among young people and factors associated with reattendance: protocol for a prospective cohort study. Romeu D. *BMJ Open*. 2026 Jan 21;16(1):e114062. doi: 10.1136/bmjopen-2025-114062.. <https://doi.org/10.1136/bmjopen-2025-114062>
- Peri-arrest ventilation with positive end-expiratory-pressure vs. zero end-expiratory-pressure in out-of-hospital-cardiac-arrest (PerAvent)-a prospective, cluster-randomized multicenter trial. Vaseekaran M. *Trials*. 2026 Jan 21;27(1):69. doi: 10.1186/s13063-025-09292-w.. <https://doi.org/10.1186/s13063-025-09292-w>
- Coaching leadership exercised by nurses in the context of pre-hospital care: an analytical observational study. Utsch LS. *Rev Bras Enferm*. 2025 Dec 8;78(5):e20240635. doi: 10.1590/0034-7167-2024-0635. eCollection 2025.. <https://doi.org/10.1590/0034-7167-2024-0635>
- Student paramedic experiences of group-based simulation activities used in assessment: a qualitative UK study. Colthup RA. *BMJ Open*. 2025 Dec 4;15(12):e101052. doi: 10.1136/bmjopen-2025-101052.. <https://doi.org/10.1136/bmjopen-2025-101052>
- ECPR eligible refractory out of hospital cardiac arrests - A post-hoc analysis of the EVIDENCE randomised controlled trial and Registry. Greenberg M. *Resuscitation*. 2026 Jan 29;220:110996. doi: 10.1016/j.resuscitation.2026.110996. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.110996>
- Coaching Leadership and structural empowerment of nurses in mobile and fixed Pre-Hospital Care. Utsch LS. *Rev Esc Enferm USP*. 2026 Jan 9;59:e20240450. doi: 10.1590/1980-220X-REEUSP-2024-0450en. eCollection 2026.. <https://doi.org/10.1590/1980-220X-REEUSP-2024-0450en>
- Influence of Intra-arrest Glucose on Patient Outcomes in Out-of-Hospital Cardiac Arrest. Hubble MW. *Prehosp Emerg Care*. 2026 Feb 19:1-13. doi: 10.1080/10903127.2026.2631180. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2631180>
- Ultrasound Detection of Pulseless Rhythm with Echocardiographic Motion (PREM) in Prehospital Cardiac Arrest: A Case-Series. Watson M. *Prehosp Emerg Care*. 2026;30(2):241-248. doi: 10.1080/10903127.2025.2543444. Epub 2025 Aug 25.. <https://doi.org/10.1080/10903127.2025.2543444>
- Association of Cerebral Oxygenation During Prehospital Anaesthesia and Functional Outcome: A Prospective, Observational Multi-Centre Cohort Study of 1014 Patients. Saviluoto A. *Acta Anaesthesiol Scand*. 2026 Jan;70(1):e70161. doi: 10.1111/aas.70161.. <https://doi.org/10.1111/aas.70161>
- Prevalence and outcomes of DKA in type 1 and type 2 DM patients treated and not treated with SGLT-2 inhibitors. Shacham EC. *Diabet Med*. 2026 Feb 11:e70237. doi: 10.1111/dme.70237. Online ahead of print.. <https://doi.org/10.1111/dme.70237>
- Developing a capability assessment tool for physiotherapists managing patients with blunt chest trauma. Battle C. *Disabil Rehabil*. 2026 Feb 10:1-8. doi: 10.1080/09638288.2026.2627927. Online ahead of print.. <https://doi.org/10.1080/09638288.2026.2627927>
- A descriptive evaluation of referral patterns and patient flow from Primary Health Facilities to the Emergency Department Hospital Sungai Buloh. Sarah AK. *Med J Malaysia*. 2026 Jan;81(1):123-129..
- Evaluating the real-world utility of four physiological scores for prehospital interventions in resource-limited EMS systems: a population-based study of 15,720 cases. Zhao Z. *BMC Health Serv Res*. 2026 Jan 12;26(1):199. doi: 10.1186/s12913-026-14019-x.. <https://doi.org/10.1186/s12913-026-14019-x>
- Study protocol for a pilot randomised controlled trial assessing prehospital whole blood versus component therapy in traumatic haemorrhage: SWiFT Canada (study of whole blood in frontline trauma). Lin Y. *BMJ Open*. 2025 Dec 31;15(12):e108570. doi: 10.1136/bmjopen-2025-108570.. <https://doi.org/10.1136/bmjopen-2025-108570>
- Impact of Violations of the Shortest Distance-Based Transport Protocol for Intra-Arrest on Clinical Outcomes in a Metropolitan City: A Large-Scale Registry Study. Choi JH. *J Clin Med*. 2026 Feb 5;15(3):1282. doi: 10.3390/jcm15031282.. <https://doi.org/10.3390/jcm15031282>
- Prehospital blood pressure lowering in acute hemorrhagic stroke: a systematic review and meta-analysis of randomized controlled clinical trials. Theodorou A. *Eur Stroke J*. 2026 Jan 1;11(1):aakaf023. doi: 10.1093/esj/aakaf023.. <https://doi.org/10.1093/esj/aakaf023>
- Presenting symptoms and diagnostic accuracy of prehospital stroke scales for patients with suspected mild minor stroke. Fagerheim Bugge H. *Eur Stroke J*. 2026 Jan 1;11(1):23969873251360592. doi: 10.1093/esj/23969873251360592.. <https://doi.org/10.1093/esj/23969873251360592>
- Oral transmucosal fentanyl citrate analgesia in prehospital trauma care: a retrospective observational cohort study focusing on age and gender differences. Pietsch U. *Scand J Trauma Resusc Emerg Med*. 2026 Jan 6;34(1):27. doi: 10.1186/s13049-026-01544-1.. <https://doi.org/10.1186/s13049-026-01544-1>
- Pain Management Research in Prehospital Settings: The Pain of Exception from Informed Consent. Linke M. *Ethics Hum Res*. 2026 Jan-Feb;48(1):42-48. doi: 10.1002/eahr.70007.. <https://doi.org/10.1002/eahr.70007>

- Clinical characteristics of older people and risk factors for developing multiple organ dysfunction following wasp stings. Li X. *Eur Geriatr Med*. 2025 Dec 17. doi: 10.1007/s41999-025-01385-8. Online ahead of print.. <https://doi.org/10.1007/s41999-025-01385-8>
- Nursing Assistant in Italy: The Principle of Delegation of Health Activities and Liability Profiles. TRonconi LP. *Nurs Rep*. 2025 Dec 11;15(12):443. doi: 10.3390/nursrep15120443.. <https://doi.org/10.3390/nursrep15120443>
- Manual bag-valve-mask ventilation during out-of-hospital cardiopulmonary resuscitation: a prospective observational study. Lemoine F. *Resuscitation*. 2025 Dec;217:110895. doi: 10.1016/j.resuscitation.2025.110895. Epub 2025 Nov 12.. <https://doi.org/10.1016/j.resuscitation.2025.110895>
- Integrating GFAP Testing With Clinical Scores for Prehospital Large Vessel Occlusion Detection in Patients With Acute Stroke (DETECT LVO). Kalra LP. *Stroke*. 2026 Jan 13. doi: 10.1161/STROKEAHA.125.052349. Online ahead of print.. <https://doi.org/10.1161/STROKEAHA.125.052349>
- Impact of white matter lesions on associations between prehospital blood pressure and outcomes in spontaneous intracerebral hemorrhage. Larsen KT. *Eur Stroke J*. 2025 Dec;10(4):1402-1412. doi: 10.1177/23969873251343495. Epub 2025 Jun 11.. <https://doi.org/10.1177/23969873251343495>
- Consensus Guideline for Care of Patients in the Prehospital and Aerospace Settings with Exposures to Hydrazine and Hydrazine Derivatives. Gaither JB. *Prehosp Emerg Care*. 2026;30(1):121-129. doi: 10.1080/10903127.2024.2442097. Epub 2025 Jan 3.. <https://doi.org/10.1080/10903127.2024.2442097>
- Early prediction of pressure injury risk in hospitalized patients using supervised machine learning models based on nursing records. Barriga-Gallegos F. *Sci Rep*. 2026 Jan 28;16(1):6502. doi: 10.1038/s41598-026-35709-w.. <https://doi.org/10.1038/s41598-026-35709-w>
- Student Paramedic Perspectives of the Skills, Knowledge and Attributes Required to be a Preceptor: A Cross-Sectional Survey. Van Noordenburg A. *Clin Teach*. 2026 Feb;23(1):e70348. doi: 10.1111/tct.70348.. <https://doi.org/10.1111/tct.70348>
- Factors Affecting Prehospital Delay in Patients with Acute Ischemic Stroke in the Republic of Georgia: A Country-wide, Prospective Study. Janelidze T. *Eur Neurol*. 2025 Dec 30:1-8. doi: 10.1159/000550217. Online ahead of print.. <https://doi.org/10.1159/000550217>
- A Comparison of Four Newer Supraglottic Airway Devices for Airway Management of Entrapped Trauma Patients with Difficult Access-A Randomised, Controlled Manikin Trial. Aleksandrowicz D. *Life (Basel)*. 2025 Dec 12;15(12):1904. doi: 10.3390/life15121904.. <https://doi.org/10.3390/life15121904>
- The prevalence of sustained electrical capture during prehospital transcutaneous pacing: a multicenter observational study. Smida T. *Resuscitation*. 2026 Feb;219:110934. doi: 10.1016/j.resuscitation.2025.110934. Epub 2025 Dec 22.. <https://doi.org/10.1016/j.resuscitation.2025.110934>
- From triage to transformation: tackling inequalities in emergency care through a public health lens. Tang S. *Emerg Med J*. 2026 Feb 27;emermed-2025-215613. doi: 10.1136/emermed-2025-215613. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215613>
- Factors associated with failure of intraosseous access in prehospital trauma treatment by military medical personnel. Rittblat M. *BMJ Mil Health*. 2025 Dec 17;171(e1):e85-e91. doi: 10.1136/military-2024-002783.. <https://doi.org/10.1136/military-2024-002783>
- Paramedics' views on the skills, knowledge and attributes required for effective preceptorship: a cross-sectional study. Van Noordenburg A. *BMC Med Educ*. 2026 Jan 30;26(1):322. doi: 10.1186/s12909-026-08682-1. <https://doi.org/10.1186/s12909-026-08682-1>
- Prehospital care utilization and associated factors among trauma patients during armed conflict: A mixed-methods study in west Amhara, Ethiopia referral hospitals. Ayenew T. *Afr J Emerg Med*. 2025 Dec;15(4):100931. doi: 10.1016/j.afjem.2025.100931. Epub 2025 Nov 26.. <https://doi.org/10.1016/j.afjem.2025.100931>
- Developing A Complex Intervention to Integrate Community Paramedics in GP Out-of-Hours Care in Ireland: A Qualitative Study. Cunningham C. *HRB Open Res*. 2026 Jan 9;9:6. doi: 10.12688/hrbopenres.14246.1. eCollection 2026.. <https://doi.org/10.12688/hrbopenres.14246.1>
- Pediatric content in Finnish paramedic curricula - a survey study of education methods and targets. Kaartinen M. *BMC Med Educ*. 2026 Jan 7;26(1):198. doi: 10.1186/s12909-026-08566-4.. <https://doi.org/10.1186/s12909-026-08566-4>
- Enhancing diversity and inclusion in paramedic education: Exploring educator and learner perspectives on asset-based initiatives. Graham K. *Health Serv Manage Res*. 2025 Dec 1:9514848251398807. doi: 10.1177/09514848251398807. Online ahead of print.. <https://doi.org/10.1177/09514848251398807>
- Accuracy of Published Screening Tools for Large Vessel Occlusion in Patients With Suspected Acute Ischemic Stroke: A Prospective Cohort Study. Desmeules F. *Ann Emerg Med*. 2026 Jan;87(1):15-24. doi: 10.1016/j.annemergmed.2025.07.030. Epub 2025 Sep 20.. <https://doi.org/10.1016/j.annemergmed.2025.07.030>
- The effect of emotional intelligence training on occupational anxiety among paramedic students: a quasi-experimental study. Kaday AD. *BMC Med Educ*. 2025 Dec 10;26(1):72. doi: 10.1186/s12909-025-08448-1. <https://doi.org/10.1186/s12909-025-08448-1>
- Assessing the Importance of Prehospital Interventions on Shock Index and Patient Outcomes at a Rural Appalachian Level 1 Trauma Center. Brahmhatt VV. *Am Surg*. 2026 Feb;92(2):628-631. doi: 10.1177/00031348251380173. Epub 2025 Sep 18.. <https://doi.org/10.1177/00031348251380173>

- Validation of the Modified Sequential Organ Failure Assessment Score for Early Clinical Deterioration in Prehospital Patients with Seizures: A Multicenter Cohort Study. Bandrés SM. *J Emerg Nurs*. 2026 Jan 3;S0099-1767(25)00475-1. doi: 10.1016/j.jen.2025.11.020. Online ahead of print.. <https://doi.org/10.1016/j.jen.2025.11.020>
- Disparities of Aspirin Administration for Prehospital Chest Pain and ST Elevation Myocardial Infarctions. Johnson AM. *Prehosp Emerg Care*. 2026;30(2):195-201. doi: 10.1080/10903127.2025.2473684. Epub 2025 Mar 20.. <https://doi.org/10.1080/10903127.2025.2473684>
- Current State of the Clinical Applications of Artificial Intelligence in Stroke: A Literature Review. Sorkin GC. *Brain Sci*. 2026 Jan 31;16(2):173. doi: 10.3390/brainsci16020173.. <https://doi.org/10.3390/brainsci16020173>
- Assessing the performance of the updated 2021 Field Triage Guidelines with the Need For Trauma Intervention (NFTI) metric. Johnston TJ. *Am J Surg*. 2026 Feb;252:116729. doi: 10.1016/j.amjsurg.2025.116729. Epub 2025 Nov 21.. <https://doi.org/10.1016/j.amjsurg.2025.116729>
- Efficacy of ambulance air purifiers with different photocatalytic oxidation components in the removal of *Bacillus subtilis* spores. Poohpajit A. *Sci Rep*. 2026 Jan 17;16(1):5615. doi: 10.1038/s41598-026-36581-4.. <https://doi.org/10.1038/s41598-026-36581-4>
- [Ischemic stroke : coordinated management from the community to the hospital]. Grin N. *Rev Med Suisse*. 2026 Feb 11;22(949):1-5. doi: 10.53738/REVMED.2026.22.949.e46693.. <https://doi.org/10.53738/REVMED.2026.22.949.e46693>
- Critical Appraisal of "Comparative Efficacy and Safety of Intravenous Vasopressors in Pre-Hospital Cardiac Arrest: A Systematic Review and Meta-Analysis". Mohiuddin RM. *J Emerg Med*. 2026 Feb;81:93-94. doi: 10.1016/j.jemermed.2025.10.038.. <https://doi.org/10.1016/j.jemermed.2025.10.038>
- Evaluating Prehospital Stroke Scales for Large Vessel Occlusion: A Systematic Review and Network Meta-Analysis. Nawabi NLA. *Neurology*. 2026 Feb 24;106(4):e214484. doi: 10.1212/WNL.00000000000214484. Epub 2026 Feb 2.. <https://doi.org/10.1212/WNL.00000000000214484>
- [THE ISSUES OF IMPROVEMENT OF LEGAL REGULATION OF THE LEVEL OF FINANCIAL SUPPORT OF PERSONNEL OF EMERGENCY MEDICAL CARE IN RUSSIA]. Arestova YA. *Probl Sotsialnoi Gig Zdravookhraneniia Istor Med*. 2025 Dec 15;33(4):663-670. doi: 10.32687/0869-866X-2025-33-4-663-670.. <https://doi.org/10.32687/0869-866X-2025-33-4-663-670>
- Overcoming Normalcy Bias in Acute Myocardial Infarction: A Case Report of Generative AI as a Behavioral Catalyst for Emergency Care Seeking. Ikeda O. *Cureus*. 2026 Jan 9;18(1):e101199. doi: 10.7759/cureus.101199. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.101199>
- [Polytrauma in the DACH region : Comparison of trauma registry data from Germany, Austria and Switzerland]. Anees H. *Unfallchirurgie (Heidelb)*. 2026 Mar;129(3):192-200. doi: 10.1007/s00113-025-01674-8. Epub 2026 Jan 9.. <https://doi.org/10.1007/s00113-025-01674-8>
- Delayed hospitalization for patients with hip fragility fracture increases mortality risk one year after surgery: a multicentre cohort study. Fu H. *BMC Musculoskelet Disord*. 2026 Jan 31;27(1):185. doi: 10.1186/s12891-026-09570-x.. <https://doi.org/10.1186/s12891-026-09570-x>
- Prehospital Whole Blood Administration Not Associated with Increased Transfusion Reactions: The Experience of a Metropolitan EMS Agency. Raetz E. *Prehosp Emerg Care*. 2026;30(1):169-173. doi: 10.1080/10903127.2025.2464247. Epub 2025 Feb 21.. <https://doi.org/10.1080/10903127.2025.2464247>
- Facing pediatric snakebites unarmed: knowledge gaps and first-aid response challenges among parents in rural Sri Lanka. Dayasiri K. *Trans R Soc Trop Med Hyg*. 2026 Feb 6;traf147. doi: 10.1093/trstmh/traf147. Online ahead of print.. <https://doi.org/10.1093/trstmh/traf147>
- Analyzing first aid in textbooks used by non-medical and paramedical students in Nepal: A need of further attention for snakebite management!. Pandey DP. *PLoS Negl Trop Dis*. 2025 Dec 2;19(12):e0013765. doi: 10.1371/journal.pntd.0013765. eCollection 2025 Dec.. <https://doi.org/10.1371/journal.pntd.0013765>
- A Remotely Supported Pediatric Simulation-Based Procedural Training Curriculum for EMS Clinicians: Partnering PECCs and Pediatric Experts at a Distance. Lee SH. *Prehosp Emerg Care*. 2026 Feb 18:1-11. doi: 10.1080/10903127.2026.2614648. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2614648>
- Vascular access by paramedics during cardiopulmonary resuscitation in out-of-hospital cardiac arrest: A retrospective study of insertion success rates and survival outcomes of intravenous versus intraosseous route. Doan TN. *Am J Emerg Med*. 2026 Feb 3;103:73-78. doi: 10.1016/j.ajem.2026.01.054. Online ahead of print.. <https://doi.org/10.1016/j.ajem.2026.01.054>
- Optimizing mobile stroke unit deployment: A strategic case study in the greater Oslo area. Markhorst B. *Eur Stroke J*. 2025 Dec;10(4):1438-1444. doi: 10.1177/23969873251329862. Epub 2025 Mar 27.. <https://doi.org/10.1177/23969873251329862>
- Self-reported adherence of ambulance nurses to acute chest pain guidelines in Southern Sweden: a cross-sectional study. Hansen MU. *BMJ Open*. 2026 Jan 22;16(1):e110199. doi: 10.1136/bmjopen-2025-110199.. <https://doi.org/10.1136/bmjopen-2025-110199>
- Early inotropic support in pediatric shock: evidence and challenges in prehospital setting and interfacility transport. Cannavò L. *Am J Emerg Med*. 2026 Apr;102:180-189. doi: 10.1016/j.ajem.2026.01.035. Epub 2026 Jan 21.. <https://doi.org/10.1016/j.ajem.2026.01.035>
- Prehospital real-time AI for trauma mortality prediction: a multi-institutional and multi-national validation study. Oh NE. *Nat Commun*. 2026 Jan 7;17(1):1464. doi: 10.1038/s41467-025-68198-y.. <https://doi.org/10.1038/s41467-025-68198-y>

- Emergency department perspective of patients with heat stroke in a tertiary care centre of western Rajasthan: An observational study. Sharma A. Trop Doct. 2026 Jan;56(1):21-24. doi: 10.1177/00494755251389720. Epub 2025 Oct 30.. <https://doi.org/10.1177/00494755251389720>
- Outcomes and experiences of women with complex health needs accessing a national specialist referral abortion service: a service evaluation. Farnworth AT. BMJ Sex Reprod Health. 2025 Dec 29;bmjsrh-2025-202939. doi: 10.1136/bmjsrh-2025-202939. Online ahead of print.. <https://doi.org/10.1136/bmjsrh-2025-202939>
- Early Recognition and Management of Severe Sodium Nitrite Intoxication: A Case Report Emphasizing Pre-hospital Administration of Methylene Blue. Calabria O. Prehosp Emerg Care. 2026 Jan 21:1-3. doi: 10.1080/10903127.2025.2604098. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2604098>
- Point-of-care ultrasound-guided resuscitation and transport of an extremely premature infant in a pre-hospital setting: a case report. Bi-Ying D. Front Pediatr. 2026 Jan 20;13:1709299. doi: 10.3389/fped.2025.1709299. eCollection 2025.. <https://doi.org/10.3389/fped.2025.1709299>
- Vasopressin, steroids, and epinephrine in out-of-hospital cardiac arrest - a protocol for a randomized controlled trial (OHCA REVIVES trial). Ko YC. Resusc Plus. 2025 Nov 18;27:101163. doi: 10.1016/j.resplu.2025.101163. eCollection 2026 Jan.. <https://doi.org/10.1016/j.resplu.2025.101163>
- Paramedic Echocardiography in Pulseless Electrical Activity Cardiac Arrest: An Education and Simulation Study. Latta HE. Australas J Ultrasound Med. 2025 Dec 22;29(1):e70032. doi: 10.1002/ajum.70032. eCollection 2026 Feb.. <https://doi.org/10.1002/ajum.70032>
- A direct qualitative content analysis on the design, implementation, and evaluation of prehospital earthquake exercises aligned with the HSEEP framework. Aminafshar A. Int J Emerg Med. 2026 Feb 9;19(1):38. doi: 10.1186/s12245-026-01135-y.. <https://doi.org/10.1186/s12245-026-01135-y>
- Community Acceptance of a Pediatric Prehospital Exception From Informed Consent Trial. Hansen M. Acad Emerg Med. 2026 Jan;33(1):e70212. doi: 10.1111/acem.70212.. <https://doi.org/10.1111/acem.70212>
- Machine learning-based on model for explain risk of 24-hour death in critically ill patients in the prehospital setting: A retrospective cohort study. Li S. PLoS One. 2026 Feb 12;21(2):e0341860. doi: 10.1371/journal.pone.0341860. eCollection 2026.. <https://doi.org/10.1371/journal.pone.0341860>
- Prevalence and risk factors of musculoskeletal disorders among paramedics in Quebec, Canada. Benyahia D. Ergonomics. 2026 Jan 19:1-17. doi: 10.1080/00140139.2026.2614627. Online ahead of print.. <https://doi.org/10.1080/00140139.2026.2614627>
- Tranexamic acid bolus plus drip paradoxically increases complement activation: A PATCH trial secondary study. Barmettler N. J Trauma Acute Care Surg. 2026 Jan 21. doi: 10.1097/TA.0000000000004896. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004896>
- Clinical and Inflammatory Predictors of False-Negative Ultrasound in Children With Suspected Appendicitis: A Prospective Cohort Study. Zouari M. World J Surg. 2026 Feb 23. doi: 10.1002/wjs.70289. Online ahead of print.. <https://doi.org/10.1002/wjs.70289>
- The association between school holidays and trends in adolescent ambulance attendances for suicidal and non-suicidal self-injurious Behaviours. Baldwin R. J Child Psychol Psychiatry. 2026 Jan 23. doi: 10.1111/jcpp.70108. Online ahead of print.. <https://doi.org/10.1111/jcpp.70108>
- The Effect of Fatigue During Search and Rescue Efforts in Debris on the Quality of Cardiopulmonary Resuscitation. Çavuş K. Prehosp Emerg Care. 2026;30(1):31-37. doi: 10.1080/10903127.2025.2450072. Epub 2025 Jan 23.. <https://doi.org/10.1080/10903127.2025.2450072>
- Optimizing care and quality indicators in the management of patients with acute ischaemic heart disease and atherothrombotic stroke: measuring to improve. González-Juanatey JR. Drugs Context. 2026 Jan 27;15:2025-9-3. doi: 10.7573/dic.2025-9-3. eCollection 2026.. <https://doi.org/10.7573/dic.2025-9-3>
- Characteristics and causes in patients presenting with convulsions in the Danish prehospital setting. Licht AE. Scand J Trauma Resusc Emerg Med. 2025 Dec 26;34(1):20. doi: 10.1186/s13049-025-01532-x.. <https://doi.org/10.1186/s13049-025-01532-x>
- A Composite Sponge Based on Carboxymethyl Chitosan- Panax Notoginseng Polysaccharides for Rapid Hemostasis and Wound Healing. Zhang M. Macromol Biosci. 2026 Jan;26(1):e00466. doi: 10.1002/mabi.202500466. Epub 2025 Oct 14.. <https://doi.org/10.1002/mabi.202500466>
- AI-enabled forecasting of prehospital transfusion needs in patients with trauma: a multinational, registry-based, retrospective, machine learning development and validation study. Sigle M. Lancet Digit Health. 2026 Jan;8(1):100945. doi: 10.1016/j.landig.2025.100945. Epub 2026 Jan 30.. <https://doi.org/10.1016/j.landig.2025.100945>
- Improving EMS access: Strategic helicopter infrastructure and 3D virtual training for enhanced ground-air ambulance coordination. Jung S. iScience. 2026 Jan 7;29(2):114569. doi: 10.1016/j.isci.2025.114569. eCollection 2026 Feb 20.. <https://doi.org/10.1016/j.isci.2025.114569>
- Relationships between cognitive appraisals of threat and challenge, psychophysiological responses, and clinical performance during high-stress simulated osces. Betson J. BMC Med Educ. 2025 Dec 2;26(1):2. doi: 10.1186/s12909-025-08365-3.. <https://doi.org/10.1186/s12909-025-08365-3>
- Selective classification with machine learning uncertainty estimates improves ACS prediction: a retrospective study in the prehospital setting. Garcia JJ. Sci Rep. 2026 Jan 8;16(1):913. doi: 10.1038/s41598-025-24340-w.. <https://doi.org/10.1038/s41598-025-24340-w>

- Community health workers identify children requiring health center admission in Northern Uganda: prehospital risk prediction using vital signs and advanced point-of-care tests. Ebbs D. *Glob Health Action*. 2025 Dec;18(1):2519704. doi: 10.1080/16549716.2025.2519704. Epub 2025 Jun 26.. <https://doi.org/10.1080/16549716.2025.2519704>
- Cognitive Resilience Training to Prevent PTSD and Major Depressive Disorder in Paramedic Recruits: A Randomized Clinical Trial. Wild J. *JAMA Netw Open*. 2026 Feb 2;9(2):e2557241. doi: 10.1001/jamanetworkopen.2025.57241.. <https://doi.org/10.1001/jamanetworkopen.2025.57241>
- Performance of Sieve versus SwissPre Prehospital Triage Algorithms in a Simulated Mass-Casualty Incident: A Randomized Open-Label Study. Stuby L. *Prehosp Disaster Med*. 2025 Dec;40(6):292-298. doi: 10.1017/S1049023X25101568. Epub 2025 Dec 11.. <https://doi.org/10.1017/S1049023X25101568>
- Combined components: simplifying forward resuscitation - a flow, time and resource analysis of prehospital transfusion. Tucker H. *BMJ Mil Health*. 2026 Jan 12:e003210. doi: 10.1136/military-2025-003210. Online ahead of print.. <https://doi.org/10.1136/military-2025-003210>
- Older cardiac surgery patients' experiences with a pre-surgery nursing consultation and the influence on their self-management: A qualitative study. Ardesch VJ. *Geriatr Nurs*. 2026 Jan 23;69:103844. doi: 10.1016/j.gerinurse.2026.103844. Online ahead of print.. <https://doi.org/10.1016/j.gerinurse.2026.103844>
- Impact of transport modality on time to endovascular thrombectomy : A population-based registry study in rural Sweden. Taxbro K. *Scand J Trauma Resusc Emerg Med*. 2026 Feb 26. doi: 10.1186/s13049-026-01587-4. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01587-4>
- Detailed Classification of Agricultural Injuries Mined from Maine PCR Records (2008-2022) Reveals Significant Differences in Injury Source, Event, and Nature by Age Group and Sex. Jones LE. *J Agromedicine*. 2026 Feb 11:1-13. doi: 10.1080/1059924X.2026.2628600. Online ahead of print.. <https://doi.org/10.1080/1059924X.2026.2628600>
- Obesity Status Is a Predictor of Prolonged Interfacility Transport by Air Ambulance: A Population-Based Retrospective Cohort Study. Belhouari SI. *Air Med J*. 2026 Jan-Feb;45(1):26-33. doi: 10.1016/j.amj.2025.08.012. Epub 2025 Sep 21.. <https://doi.org/10.1016/j.amj.2025.08.012>
- Effect of a Drug Dosing Safety Bundle Initiative to Improve Pediatric Drug Dosing by Paramedics. Results of the Michigan Pediatric EMS Error Reduction Study (MI-PEERS). Hoyle JD Jr. *Prehosp Emerg Care*. 2026 Feb 24:1-10. doi: 10.1080/10903127.2025.2609784. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2609784>
- Response to: Letter to the Editor Re: Prehospital Trauma Compendium: Prehospital Management of Spinal Cord Injuries - A NAEMSP Comprehensive Review and Analysis of the Literature by Millin et al. Millin MG. *Prehosp Emerg Care*. 2026 Feb 13:1-2. doi: 10.1080/10903127.2025.2588647. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2588647>
- Former NHS manager jailed after paying "ghost" PA and paramedic. Mahase E. *BMJ*. 2026 Jan 20;392:s128. doi: 10.1136/bmj.s128.. <https://doi.org/10.1136/bmj.s128>
- Exploring the Use of Immersive Simulation to Teach Research Skills to Student Paramedics in Higher Education: A Mixed Methods Approach. Runacres J. *Prehosp Emerg Care*. 2026;30(1):1-8. doi: 10.1080/10903127.2024.2445060. Epub 2025 Jan 28.. <https://doi.org/10.1080/10903127.2024.2445060>
- Oral transmucosal administration of acepromazine to healthy dogs leads to increased sedation scores in a hospital setting. Rollet M. *J Small Anim Pract*. 2026 Jan 4. doi: 10.1111/jsap.70082. Online ahead of print.. <https://doi.org/10.1111/jsap.70082>
- Identifying Key Indicators and Components of Earthquake Preparedness Exercises in the Prehospital Setting: An Exploratory Content Analysis From Paramedic Nurses' Perspectives. Aminafshar A. *Nurs Res Pract*. 2026 Jan 29;2026:1785701. doi: 10.1155/nrp/1785701. eCollection 2026.. <https://doi.org/10.1155/nrp/1785701>
- Cost-effectiveness of paramedic administered ketamine compared to morphine for the management of acute severe pain from traumatic injury. Khan KA. *Cost Eff Resour Alloc*. 2026 Jan 13;24(1):28. doi: 10.1186/s12962-025-00712-x.. <https://doi.org/10.1186/s12962-025-00712-x>
- Methoxyflurane exposure in ambulances: a controlled laboratory study on paramedic safety. Austin MA. *Regul Toxicol Pharmacol*. 2026 Feb;165:106012. doi: 10.1016/j.yrtph.2025.106012. Epub 2025 Dec 11.. <https://doi.org/10.1016/j.yrtph.2025.106012>
- Decision to initiate transport to either Stroke Unit or local emergency department for patients with suspected stroke - a cohort study. Plambech MZ. *BMC Emerg Med*. 2026 Feb 28. doi: 10.1186/s12873-026-01513-y. Online ahead of print.. <https://doi.org/10.1186/s12873-026-01513-y>
- The effect of acute psychologic and physiologic stress on tactile bougie use: a cadaveric airway study. Parks A. *CJEM*. 2026 Feb 20. doi: 10.1007/s43678-026-01104-7. Online ahead of print.. <https://doi.org/10.1007/s43678-026-01104-7>
- Beyond one-size-fits-all: leveraging mixed-methods qualitative analysis of local stakeholders to tailor validated pre-hospital care solutions in the Cameroonian cultural context. OConnor K. *BMJ Open*. 2026 Jan 6;16(1):e101186. doi: 10.1136/bmjopen-2025-101186.. <https://doi.org/10.1136/bmjopen-2025-101186>
- Effect of active external rewarming on esophageal temperature in simulated prehospital accidental hypothermia: a randomized crossover trial. Mydske S. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 12;34(1):8. doi: 10.1186/s13049-025-01528-7.. <https://doi.org/10.1186/s13049-025-01528-7>
- A population-based assessment of a provincial prehospital trauma triage protocol: Refining the role of interfacility transfers. Cabot JF. *Injury*. 2026 Feb 13;57(4):113100. doi: 10.1016/j.injury.2026.113100. Online ahead of print.. <https://doi.org/10.1016/j.injury.2026.113100>

- Telestroke consultant use in acute stroke care: Evidence for best practices from the IMPROVE stroke care program. Kolls BJ. J Telemed Telecare. 2026 Feb;32(2):142-150. doi: 10.1177/1357633X251332365. Epub 2025 Apr 21.. <https://doi.org/10.1177/1357633X251332365>
- Resuscitative endovascular balloon occlusion of the aorta (REBOA) in interhospital trauma care: A case report enabled by real-time information coordination. Deng H. Medicine (Baltimore). 2026 Feb 20;105(8):e47840. doi: 10.1097/MD.00000000000047840.. <https://doi.org/10.1097/MD.00000000000047840>
- Validation of a hydrogen peroxide fumigation protocol for disinfecting an ambulance vehicle. Pfrommer E. J Occup Environ Hyg. 2026 Jan 27:1-7. doi: 10.1080/15459624.2025.2610691. Online ahead of print.. <https://doi.org/10.1080/15459624.2025.2610691>
- Innovative nursing training in prehospital trauma care: design and impact assessment using a dual-cabin ambulance simulator. Nazari P. BMC Nurs. 2026 Feb 11. doi: 10.1186/s12912-026-04421-5. Online ahead of print.. <https://doi.org/10.1186/s12912-026-04421-5>
- Global job satisfaction among emergency medicine professionals: results from the 2025 Emergency Medicine Day Survey. Petrino R. Eur J Emerg Med. 2025 Dec 1;32(6):445-453. doi: 10.1097/MEJ.0000000000001272. Epub 2025 Sep 29.. <https://doi.org/10.1097/MEJ.0000000000001272>
- Association between the location of Opioid Agonist Treatment (OAT) providers and heroin-related ambulance attendances. Hall N. Subst Abuse Treat Prev Policy. 2026 Feb 4. doi: 10.1186/s13011-026-00706-9. Online ahead of print.. <https://doi.org/10.1186/s13011-026-00706-9>
- Facilitators and Barriers Influencing Resilience Amongst Critical Care Transport Professionals in a Fixed-Wing Air Ambulance Environment. Basson K. Air Med J. 2026 Jan-Feb;45(1):17-21. doi: 10.1016/j.amj.2025.09.001. Epub 2025 Oct 6.. <https://doi.org/10.1016/j.amj.2025.09.001>
- Cardiac Arrest Care in Resource-Limited Settings. Okonkwo NE. Crit Care Clin. 2026 Jan;42(1):107-130. doi: 10.1016/j.ccc.2025.08.010. Epub 2025 Oct 15.. <https://doi.org/10.1016/j.ccc.2025.08.010>
- Effects of the medical professional shortage caused by a resident walkout on scene-to-door time: a retrospective cohort study at a trauma center. Cho YS. J Trauma Inj. 2025 Dec;38(4):335-342. doi: 10.20408/jti.2025.0128. Epub 2025 Dec 29.. <https://doi.org/10.20408/jti.2025.0128>
- Corrigendum to "Comparison of the Agreement and Accuracy Between Paramedic and Hospital Diagnosis" Air Medical Journal, Volume 41 (2022), Pages 228-232. Mokhtari M. Air Med J. 2026 Jan-Feb;45(1):87. doi: 10.1016/j.amj.2025.10.001. Epub 2025 Nov 12.. <https://doi.org/10.1016/j.amj.2025.10.001>
- Emergency medical services deployment for palliative care patients: Operational metrics, resource allocation, and patient outcomes. Ienghong K. Palliat Care Soc Pract. 2026 Jan 18;20:26323524251413280. doi: 10.1177/26323524251413280. eCollection 2026.. <https://doi.org/10.1177/26323524251413280>
- Outcomes of emergency medical service transport on venoarterial extracorporeal life support in cardiogenic shock. Yang C. Perfusion. 2026 Jan;41(1):33-41. doi: 10.1177/02676591251331952. Epub 2025 Apr 15.. <https://doi.org/10.1177/02676591251331952>
- Nobody can be immune to the deaths of this girl, her family, and the paramedics who tried to save her. Katurji Z. Lancet Child Adolesc Health. 2026 Mar;10(3):155. doi: 10.1016/S2352-4642(26)00007-6. Epub 2026 Jan 19.. [https://doi.org/10.1016/S2352-4642\(26\)00007-6](https://doi.org/10.1016/S2352-4642(26)00007-6)
- Disaster Report - Petroleum Depot (HAZMAT) Fire and Mass-Casualty Event in Guinea-December 18, 2023. Bah TT. Prehosp Disaster Med. 2025 Dec;40(6):336-341. doi: 10.1017/S1049023X25101623. Epub 2026 Jan 20.. <https://doi.org/10.1017/S1049023X25101623>
- The Association Between Access Block And Ambulance Ramping, And The Impact of COVID-19: A Retrospective Observational Cohort Study of 25 Queensland Hospitals. Yoon HJ. Med J Aust. 2026 Feb;224(2):e70141. doi: 10.5694/mja2.70141.. <https://doi.org/10.5694/mja2.70141>
- Prevalence and efficacy of new protocol for out-of-hospital cardiac arrest patients with "do not attempt resuscitation" orders in Japan. Nishimura T. Resuscitation. 2025 Dec 24;110944. doi: 10.1016/j.resuscitation.2025.110944. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2025.110944>
- High morbidity and mortality in children with invasive lower respiratory tract group A streptococcal infection in England, winter 2022. Wrenn K. Public Health. 2026 Feb 26;253:106212. doi: 10.1016/j.puhe.2026.106212. Online ahead of print.. <https://doi.org/10.1016/j.puhe.2026.106212>
- Impact of an assessment form on promoting in-hospital initiation of sodium-glucose cotransporter-2 inhibitors in hospitalized patients with heart failure. Okamoto T. Int J Cardiol Cardiovasc Risk Prev. 2026 Jan 8;28:200577. doi: 10.1016/j.ijcrp.2026.200577. eCollection 2026 Mar.. <https://doi.org/10.1016/j.ijcrp.2026.200577>
- Pharmacotherapeutic Controversies During Temperature Control After Out-of-Hospital Cardiac Arrest: A Semi-Structured Literature Review. Forehand CC. Pharmacotherapy. 2026 Jan;46(1):e70095. doi: 10.1002/phar.70095.. <https://doi.org/10.1002/phar.70095>
- Prehospital tranexamic acid bolus improves outcomes in traumatic brain injury: A Bayesian reanalysis of the prehospital TXA for TBI trial. Lammers D. J Trauma Acute Care Surg. 2026 Jan 27. doi: 10.1097/TA.0000000000004920. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004920>
- Are pelvic binders an effective measure to lower mortality and decrease blood loss after high energy pelvic ring injuries? A systematic review. Papaleontiou A. Surgeon. 2025 Dec;23(6):371-380. doi: 10.1016/j.surge.2025.08.002. Epub 2025 Sep 15.. <https://doi.org/10.1016/j.surge.2025.08.002>

- Hyperthermia during open water swimming: risks, monitoring and mitigation strategies. Ramos da Silva E. Eur J Appl Physiol. 2025 Dec;125(12):3441-3462. doi: 10.1007/s00421-025-05945-5. Epub 2025 Sep 1.. <https://doi.org/10.1007/s00421-025-05945-5>
- Trauma Training for Emergency Department Physicians in Low- and Middle-Income Countries: A Scoping Review. Nelson JB. AEM Educ Train. 2026 Feb 18;10(1):e70130. doi: 10.1002/aet2.70130. eCollection 2026 Feb.. <https://doi.org/10.1002/aet2.70130>
- The Impact of Transportation Mode on ST-Segment Elevation Myocardial Infarction (STEMI) Reperfusion Time and Survival. Aljaili ZK. Cureus. 2026 Jan 13;18(1):e101483. doi: 10.7759/cureus.101483. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.101483>
- Successful prehospital resuscitation of a young female patient with myasthenia gravis experiencing cardiopulmonary arrest due to complete airway obstruction: a case report and review of the literature. Ruan Z. J Med Case Rep. 2026 Feb 28. doi: 10.1186/s13256-026-05900-8. Online ahead of print.. <https://doi.org/10.1186/s13256-026-05900-8>
- Impact of Prehospital Blood Pressure Profile on Functional Outcome After Traumatic Brain Injury. Ahlert D. J Clin Med. 2025 Dec 12;14(24):8808. doi: 10.3390/jcm14248808.. <https://doi.org/10.3390/jcm14248808>
- Comparison of the effects of microlearning and webinars on knowledge and self-efficacy of emergency medical technicians (EMTs) in the diagnosis and treatment of cardiac arrhythmias. Baranipour J. BMC Emerg Med. 2026 Jan 14;26(1):50. doi: 10.1186/s12873-025-01428-0.. <https://doi.org/10.1186/s12873-025-01428-0>
- Impact of Prehospital Administration of Aspirin and Unfractionated Heparin on In-Hospital Outcomes in Patients with Suspected Myocardial Infarction: A Retrospective Cohort Study. Faller W. Open Access Emerg Med. 2026 Feb 20;18:571863. doi: 10.2147/OAEM.S571863. eCollection 2026.. <https://doi.org/10.2147/OAEM.S571863>
- Medical patient boarding in the emergency department as a source of crowding and delay-related harm, impacting patient outcomes and the efficiency of urgent and emergency care. Howlett N. Emerg Med J. 2026 Feb 11;emermed-2025-214983. doi: 10.1136/emermed-2025-214983. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-214983>
- Exception From Informed Consent Community Consultation Surveys-Do Respondent Characteristics Accurately Reflect Targeted Communities?. Keister A. Acad Emerg Med. 2026 Feb;33(2):e70189. doi: 10.1111/acem.70189. Epub 2025 Nov 10.. <https://doi.org/10.1111/acem.70189>
- Re: Prehospital Trauma Compendium: Prehospital Management of Spinal Cord Injuries-A NAEMSP Comprehensive Review and Analysis of the Literature by Millin et al. Calland JF. Prehosp Emerg Care. 2026 Feb 13:1-2. doi: 10.1080/10903127.2025.2588618. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2588618>
- Transesophageal echocardiography during cardiac arrest: integrating emerging prehospital evidence with practical boundaries for clinical application. Hung MH. J Anesth Analg Crit Care. 2026 Feb 21;6(1):35. doi: 10.1186/s44158-026-00367-x.. <https://doi.org/10.1186/s44158-026-00367-x>
- Prehospital Point-of-Care Lactate as a Predictor of Early Operative and Emergency Interventions in Trauma Patients: A Systematic Review. Alabas MA. Cureus. 2026 Jan 1;18(1):e100559. doi: 10.7759/cureus.100559. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.100559>
- Prehospital erythrocyte transfusion: a clinical overview of aeromedical care in a Southern Brazilian macro-regional health system. Giacometto PC. Injury. 2026 Jan 22;113058. doi: 10.1016/j.injury.2026.113058. Online ahead of print.. <https://doi.org/10.1016/j.injury.2026.113058>
- Prehospital Tranexamic Acid Combined with Blood Transfusion Reduced the Short-Term Mortality Risk in Trauma Patients at Risk for Hemorrhage. Qian Z. Ther Clin Risk Manag. 2025 Dec 31;21:1915-1921. doi: 10.2147/TCRM.S564232. eCollection 2025.. <https://doi.org/10.2147/TCRM.S564232>
- Critical care transfers of ventilator-dependent patients from operating theatres to Critical Care Units in a South African Metropole. Cloete E. Afr J Emerg Med. 2025 Dec;15(4):100908. doi: 10.1016/j.afjem.2025.100908. Epub 2025 Sep 18.. <https://doi.org/10.1016/j.afjem.2025.100908>
- Evaluating the Rate of Emergency Department Avoidance Achieved in a Collaboration Between an Ambulance and Virtual Care Service: A Retrospective Observational Study. Lumsden C. Emerg Med Australas. 2026 Feb;38(1):e70216. doi: 10.1111/1742-6723.70216.. <https://doi.org/10.1111/1742-6723.70216>
- The association between mode of arrival, presence of medical referral, and outcomes in patients presenting to the emergency department with chest pain: A historical cohort study. Gefen S. Int Emerg Nurs. 2026 Jan 21;85:101753. doi: 10.1016/j.ienj.2026.101753. Online ahead of print.. <https://doi.org/10.1016/j.ienj.2026.101753>
- Mental Health Profile Relating to Suicide Crises Among Women in and Around Pregnancy and Surgical Termination of Pregnancy: A Data Linkage Study. Meurk C. Birth. 2025 Dec;52(4):699-707. doi: 10.1111/birt.12917. Epub 2025 Mar 28.. <https://doi.org/10.1111/birt.12917>
- The Macmillan-Scottish ambulance partnership: driving change in end-of-life care. McFerran E. BMJ Support Palliat Care. 2026 Jan 29;spcare-2025-005772. doi: 10.1136/spcare-2025-005772. Online ahead of print.. <https://doi.org/10.1136/spcare-2025-005772>
- Machine learning for triage of strokes with large vessel occlusion using photoplethysmography biomarkers. Goda MÁ. Physiol Meas. 2026 Jan 19;47(1). doi: 10.1088/1361-6579/ae2562.. <https://doi.org/10.1088/1361-6579/ae2562>
- Efficacy and safety of intravenous nerinetide initiated by paramedics in the field for acute cerebral ischaemia within 3 h of symptom onset (FRONTIER): a phase 2, multicentre, randomised, double-blind, placebo-controlled study. McKinnon M. CJEM. 2026 Jan 16. doi: 10.1007/s43678-025-01077-z. Online ahead of print.. <https://doi.org/10.1007/s43678-025-01077-z>

- [Christmas article: CPR under the Christmas tree - can Christmas carols disturb the rhythm?]. Sørensen OB. Ugeskr Laeger. 2025 Dec 8;187(50):V202511. doi: 10.61409/V202511.. <https://doi.org/10.61409/V202511>
- Impact of AEDs and training of smartphone activated volunteers in residential areas on OHCA: a nationwide stepped-wedge implementation trial. Pek PP. Resuscitation. 2025 Dec;217:110826. doi: 10.1016/j.resuscitation.2025.110826. Epub 2025 Sep 12.. <https://doi.org/10.1016/j.resuscitation.2025.110826>
- A Randomized Trial of Telemedicine Models of Care on a Mobile Stroke Unit. Yogendrakumar V. NEJM Evid. 2026 Feb;5(2):EVIDoa2500217. doi: 10.1056/EVIDoa2500217. Epub 2025 Dec 22.. <https://doi.org/10.1056/EVIDoa2500217>
- Impact of a 9-1-1-Integrated Mobile App on Bystander CPR: Implementation of PulsePoint in an Urban County. Hwang CW. J Clin Med. 2025 Dec 19;15(1):5. doi: 10.3390/jcm15010005.. <https://doi.org/10.3390/jcm15010005>
- A real-time web-based telemedicine framework based on AI and IoMT for emergency triage and initial diagnostics: the TeleMedQuick solution. Mohsin SS. Int J Med Inform. 2025 Dec;204:106074. doi: 10.1016/j.ijmed-inf.2025.106074. Epub 2025 Aug 12.. <https://doi.org/10.1016/j.ijmedinf.2025.106074>
- Generative AI-enhanced nomogram predicts left without being seen among ambulance-transported emergency department patients. Wang H. Am J Emerg Med. 2026 Feb;100:62-69. doi: 10.1016/j.ajem.2025.11.010. Epub 2025 Nov 13.. <https://doi.org/10.1016/j.ajem.2025.11.010>
- Race- and Ethnicity-Specific Hospital Arrival and Emergency Medicine Service Activation Times by US State for Ischemic Stroke. Man S. J Am Heart Assoc. 2026 Jan 6;15(1):e041674. doi: 10.1161/JAHA.125.041674. Epub 2025 Dec 30.. <https://doi.org/10.1161/JAHA.125.041674>
- Increased ambulance activity does not improve patient outcomes. Rasmussen JE. Tidsskr Nor Laegeforen. 2026 Jan 13;146(1). doi: 10.4045/tidsskr.25.0789. Print 2026 Jan 20.. <https://doi.org/10.4045/tidsskr.25.0789>
- Comparative efficacy of prehospital resuscitation strategies on mortality for patients with major trauma: a network meta-analysis. Hsu CW. Eur J Emerg Med. 2026 Feb 9. doi: 10.1097/MEJ.0000000000001315. Online ahead of print.. <https://doi.org/10.1097/MEJ.0000000000001315>
- The relationship between organizational climate and employee retention tendency of operational staff working in emergency and accident center; a cross-sectional study in Iran. Hasanpour A. BMC Health Serv Res. 2026 Jan 31;26(1):317. doi: 10.1186/s12913-025-13980-3.. <https://doi.org/10.1186/s12913-025-13980-3>
- Impact of on-scene time interval on survival in traumatic out-of-hospital cardiac arrest. Choi Y. Injury. 2026 Jan;57(1):112821. doi: 10.1016/j.injury.2025.112821. Epub 2025 Oct 15.. <https://doi.org/10.1016/j.injury.2025.112821>
- The association of workload during healthcare service disruption with the mental health of prehospital emergency medical service providers in Korea. Moon Y. Prev Med Rep. 2025 Nov 12;60:103311. doi: 10.1016/j.pmedr.2025.103311. eCollection 2025 Dec.. <https://doi.org/10.1016/j.pmedr.2025.103311>
- Construction and validation of a nomogram prediction model for prehospital delay in 1st-ever acute ischemic stroke: A multicenter survey in southwest China. Chen Y. Medicine (Baltimore). 2026 Jan 30;105(5):e47330. doi: 10.1097/MD.00000000000047330.. <https://doi.org/10.1097/MD.00000000000047330>
- Perceptions of ambulance use in South Asia a perplexing phenomenon. Asim O. J Trauma Acute Care Surg. 2026 Feb 1;100(2):e17-e18. doi: 10.1097/TA.0000000000004676. Epub 2025 Jul 9.. <https://doi.org/10.1097/TA.0000000000004676>
- Identifying innovative models of urgent care in rural coastal areas in England: the Elevate study - a mixed-methods protocol. Lampard P. BMJ Open. 2026 Feb 24;16(2):e116557. doi: 10.1136/bmjopen-2026-116557.. <https://doi.org/10.1136/bmjopen-2026-116557>
- Impact of the drip-and-ship model on the treatment of acute ischemic stroke in relation to distance from the thrombectomy center. Lieschke F. Front Neurol. 2026 Jan 12;16:1708262. doi: 10.3389/fneur.2025.1708262. eCollection 2025.. <https://doi.org/10.3389/fneur.2025.1708262>
- Predictors of Fatal Anaphylaxis: A Systematic Review. Chowdhury R. Int Arch Allergy Immunol. 2026 Feb 17:1-20. doi: 10.1159/000550989. Online ahead of print.. <https://doi.org/10.1159/000550989>
- Patterns of injury, management stratification, and inpatient outcomes in pediatric complete cervical spinal cord injury: insights from a national database. Inzerillo S. Childs Nerv Syst. 2026 Feb 27;42(1):86. doi: 10.1007/s00381-026-07182-3.. <https://doi.org/10.1007/s00381-026-07182-3>
- Factors associated with stroke prenotification in emergency medical service among stroke code patients: A retrospective analysis. Li Y. Int Emerg Nurs. 2026 Feb 9;85:101766. doi: 10.1016/j.ienj.2026.101766. Online ahead of print.. <https://doi.org/10.1016/j.ienj.2026.101766>
- Causes and consequences of overcrowding in emergency departments and its impact on patients' care at main governmental hospitals in Gaza Strip: a cross-sectional study. Hamdan H. BMC Emerg Med. 2025 Dec 25;26(1):32. doi: 10.1186/s12873-025-01447-x.. <https://doi.org/10.1186/s12873-025-01447-x>
- Vaccination under sedation in children with needle phobia or behavioural difficulties: A retrospective study. Brogan D. Vaccine. 2026 Feb 13;76:128352. doi: 10.1016/j.vaccine.2026.128352. Online ahead of print.. <https://doi.org/10.1016/j.vaccine.2026.128352>
- The Clean Pass: Upper Limb Impalement with Complete Neurovascular Preservation. Shetty RS. J Orthop Case Rep. 2026 Feb;16(2):168-172. doi: 10.13107/jocr.2026.v16.i02.6788.. <https://doi.org/10.13107/jocr.2026.v16.i02.6788>
- A Comparative Study of Discrepancies Between Global Burden of Disease Estimates and Published Literature on Spinal Cord Injury Incidence at the country level: Methodological Insights and Future Directions. Jazayeri SB. Neuroepidemiology. 2026 Feb 3:1-37. doi: 10.1159/000550839. Online ahead of print.. <https://doi.org/10.1159/000550839>

- Haemodynamic monitoring during cardiac arrest: a systematic review of diastolic blood pressure and coronary perfusion pressure. Smith R. Emerg Med J. 2026 Jan 27;emermed-2025-215389. doi: 10.1136/emermed-2025-215389. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215389>
- The impact of core belief disruption on posttraumatic growth and PTSD in healthcare workers: examining the mediating effect of rumination. Habibi Soola A. BMC Psychol. 2025 Dec 5;13(1):1361. doi: 10.1186/s40359-025-03767-w.. <https://doi.org/10.1186/s40359-025-03767-w>
- Impact of initial rhythm, rhythm at hospital admission and cause of arrest on the outcome of extracorporeal cardiopulmonary resuscitation in out-of-hospital cardiac arrest. Foszcz P. Am J Emerg Med. 2026 Jan;99:90-96. doi: 10.1016/j.ajem.2025.09.032. Epub 2025 Sep 18.. <https://doi.org/10.1016/j.ajem.2025.09.032>
- Evaluation of an out-of-catchment ambulance hyperacute FAST+ (stroke) bypass pathway. Perry L. Ir Med J. 2025 Dec 10;118(10):173..
- Prehospital management of acute behavioural disturbance: managing severe agitation in the prehospital setting - a systematic literature review. Smith F. Emerg Med J. 2026 Feb 27;emermed-2025-215690. doi: 10.1136/emermed-2025-215690. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215690>
- Characteristics of Prehospital Trauma Patients Receiving Advanced Airways: A National Descriptive Study. Gage CB. Prehosp Emerg Care. 2026 Feb 18:1-6. doi: 10.1080/10903127.2026.2618587. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2618587>
- Having oneself as a stake- a qualitative study on Work-related psychosocial health among emergency call centre operators. Aléx J. Int J Qual Stud Health Well-being. 2025 Dec 31;20(1):2595751. doi: 10.1080/17482631.2025.2595751. Epub 2025 Dec 4.. <https://doi.org/10.1080/17482631.2025.2595751>
- Mobile triage units for abdominal trauma in sub-Saharan Africa: current evidence, implementation barriers, and strategies for scale-up. Oyedele TJ. Ann Med Surg (Lond). 2025 Dec 26;88(2):1594-1603. doi: 10.1097/MS9.0000000000004655. eCollection 2026 Feb.. <https://doi.org/10.1097/MS9.0000000000004655>
- Effect of night-time onset on neurologically favourable survival between patients with and without bystander cardiopulmonary resuscitation. Tateishi K. J Cardiol. 2025 Dec;86(6):586-591. doi: 10.1016/j.jjcc.2025.09.015. Epub 2025 Sep 20.. <https://doi.org/10.1016/j.jjcc.2025.09.015>
- Prehospital needle thoracostomy and the need to implement objective criteria for intervention: A retrospective study. Boever JC. Injury. 2025 Dec 13:112973. doi: 10.1016/j.injury.2025.112973. Online ahead of print.. <https://doi.org/10.1016/j.injury.2025.112973>
- Framework for developing intracerebral haemorrhage recognition scales and technologies for hyperacute prehospital blood pressure lowering. Taleb S. Stroke Vasc Neurol. 2026 Jan 29;svn-2025-004495. doi: 10.1136/svn-2025-004495. Online ahead of print.. <https://doi.org/10.1136/svn-2025-004495>
- A Long-Term Projection for Emergency Ambulance Services Demand in Taipei and the Related Effects by Temperature. Wong HT. Emerg Med Int. 2026 Jan 19;2026:1072443. doi: 10.1155/emmi/1072443. eCollection 2026.. <https://doi.org/10.1155/emmi/1072443>
- Comparison of Prehospital Vascular Access Methods and Their Association with Survival in Out-of-Hospital Cardiac Arrest. Lin SM. Int J Gen Med. 2026 Feb 11;19:579765. doi: 10.2147/IJGM.S579765. eCollection 2026.. <https://doi.org/10.2147/IJGM.S579765>
- Difficult Airway Society 2025 guidelines for the management of unanticipated difficult tracheal intubation in adults: sugammadex is not a prehospital airway rescue strategy. Comment on Br J Anaesth 2026; 136: 283-307. S kora R. Br J Anaesth. 2026 Mar;136(3):1042-1043. doi: 10.1016/j.bja.2025.12.042. Epub 2026 Jan 17.. <https://doi.org/10.1016/j.bja.2025.12.042>
- The Challenges Experienced by Emergency Medical Services Workers in a Massive Disaster Due to Resource Scarcity-the Case of the Kahramanmaraş Earthquakes. Alpakan AH. Disaster Med Public Health Prep. 2026 Jan 2;20:e11. doi: 10.1017/dmp.2025.10293.. <https://doi.org/10.1017/dmp.2025.10293>
- An assessment of mental health challenges and occupational stressors among public safety personnel senior leadership. Carleton RN. J Psychiatr Res. 2026 Feb;193:451-460. doi: 10.1016/j.jpsychires.2025.12.018. Epub 2025 Dec 9.. <https://doi.org/10.1016/j.jpsychires.2025.12.018>
- Electrocardiogram Diagnosis: ST-Depression With T Wave Inversion in Lead Augmented Vector Left as Harbinger of Inferior ST-Elevation Myocardial Infarction. Heringer GV. Perm J. 2025 Dec 15;29(4):160-164. doi: 10.7812/TPP/25.093. Epub 2025 Sep 30.. <https://doi.org/10.7812/TPP/25.093>
- Centralization of post-resuscitation care after out-of-hospital cardiac arrest at cardiac arrest centres: a Danish nationwide follow-up study. Mørk SR. Crit Care. 2026 Feb 14. doi: 10.1186/s13054-026-05875-4. Online ahead of print.. <https://doi.org/10.1186/s13054-026-05875-4>
- Promotion of Emergency Medical Services: A National Analysis of Clinician Willingness to Recommend the Profession. Kamholz JC. Prehosp Emerg Care. 2026 Feb 20:1-7. doi: 10.1080/10903127.2026.2619038. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2619038>
- Effect of prehospital 12-Lead electrocardiography on the emergent medical system for ST-Segment-Elevation myocardial infarction during the coronavirus disease 2019 (COVID-19) pandemic: results from the K-ACTIVE registry. Tanabe Y. Cardiovasc Interv Ther. 2026 Jan 30. doi: 10.1007/s12928-026-01243-9. Online ahead of print.. <https://doi.org/10.1007/s12928-026-01243-9>

- The Feasibility and Safety of Prehospital Whole Blood Administration for Patients in Hemorrhagic Shock in Isolated Regions of Colorado: Assessment of the First 6 Months. Branney M. *World J Surg*. 2026 Feb 20. doi: 10.1002/wjs.70277. Online ahead of print.. <https://doi.org/10.1002/wjs.70277>
- The dynamic of control: A qualitative analysis of the perspectives of patients and family members with palliative care needs on Emergency Medical Services. Gage CH. *Palliat Care Soc Pract*. 2026 Feb 9;20:26323524251409346. doi: 10.1177/26323524251409346. eCollection 2026.. <https://doi.org/10.1177/26323524251409346>
- Emergency medical dispatchers' experiences using MPDS Protocol 24 for maternity telephone triage: a questionnaire study. Shaw J. *Br Paramed J*. 2025 Dec 1;10(3):18-27. doi: 10.29045/14784726.2025.12.10.3.18.. <https://doi.org/10.29045/14784726.2025.12.10.3.18>
- Device-measured capillary refill time identifies critically ill cases in the emergency department. Miwa Y. *Sci Rep*. 2026 Jan 12;16(1):4620. doi: 10.1038/s41598-025-34672-2.. <https://doi.org/10.1038/s41598-025-34672-2>
- Attitudes of emergency healthcare workers on electric vehicle accidents: a descriptive study. Kayhan U. *BMC Emerg Med*. 2025 Dec 23;25(1):257. doi: 10.1186/s12873-025-01408-4.. <https://doi.org/10.1186/s12873-025-01408-4>
- Knowledge, attitude and practice of emergency care providers on obstetric haemorrhage in KwaZulu-Natal, South Africa: A cross-sectional study. Govender S. *Afr J Emerg Med*. 2025 Dec;15(4):100909. doi: 10.1016/j.afjem.2025.100909. Epub 2025 Sep 27.. <https://doi.org/10.1016/j.afjem.2025.100909>
- Reversible causes of death and the potential benefit of invasive emergency techniques in paediatric and adolescent trauma: a 12-years retrospective forensic analysis. Malolepszy L. *BMC Emerg Med*. 2026 Jan 9;26(1):29. doi: 10.1186/s12873-025-01469-5.. <https://doi.org/10.1186/s12873-025-01469-5>
- Emergency Medical Individual Clinician Volume and Mortality in Trauma Patients. Beiriger J. *JAMA Surg*. 2026 Feb 18:e256741. doi: 10.1001/jamasurg.2025.6741. Online ahead of print.. <https://doi.org/10.1001/jamasurg.2025.6741>
- Scene Time and Outcome in Pediatric Out-of-Hospital Cardiac Arrest: Findings From NEMSIS Data. Chung S. *Pediatr Emerg Care*. 2026 Feb 2. doi: 10.1097/PEC.0000000000003553. Online ahead of print.. <https://doi.org/10.1097/PEC.0000000000003553>
- Implementation of crashing patient protocol and its association with EMS provider witnessed cardiac arrest incidence: a retrospective cohort study. Schiller T. *Int J Emerg Med*. 2025 Dec 29;18(1):264. doi: 10.1186/s12245-025-01059-z.. <https://doi.org/10.1186/s12245-025-01059-z>
- Endovascular Thrombectomy for Acute Ischemic Stroke Among Stroke Patients in Jeddah, Saudi Arabia: A Retrospective Cohort Study (2024) Detailing Dual Center Experience. Alkutbi AM. *Saudi Med J*. 2026 Jan;47(1):87-93. doi: 10.15537/smj.2026.47.1.20250282.. <https://doi.org/10.15537/smj.2026.47.1.20250282>
- Emergency response and clinical treatment analysis of a mass wasp sting incident involving 38 tourists: A case report. Huang Y. *Medicine (Baltimore)*. 2026 Jan 16;105(3):e47126. doi: 10.1097/MD.00000000000047126.. <https://doi.org/10.1097/MD.00000000000047126>
- Disparities in access and three-year survival of patients with ST-elevation myocardial infarction treated in percutaneous coronary intervention-capable hospitals within the Brazilian public and private healthcare systems: The VICTIM extended registry. Lima TCRM. *Public Health*. 2026 Feb 23;253:106112. doi: 10.1016/j.puhe.2025.106112. Online ahead of print.. <https://doi.org/10.1016/j.puhe.2025.106112>
- Variations of care with bronchiolitis associated apneas in infants: A retrospective study. Harvey J. *Pediatr Int*. 2026 Jan-Dec;68(1):e70341. doi: 10.1111/ped.70341.. <https://doi.org/10.1111/ped.70341>
- Systematic review of prediction models for post-traumatic hypothermia risk. Dandan Z. *Injury*. 2025 Dec;56(12):112883. doi: 10.1016/j.injury.2025.112883. Epub 2025 Nov 8.. <https://doi.org/10.1016/j.injury.2025.112883>
- Biological sex-dependent differences in acute and post-acute stroke care-a population-based case-control study. Mayer-Suess L. *Eur Stroke J*. 2026 Jan 1;11(1):aakaf014. doi: 10.1093/esj/aakaf014.. <https://doi.org/10.1093/esj/aakaf014>
- Increased delays of care during the COVID-19 pandemic: experience of a lung cancer rapid diagnostic center. Wang P. *Respir Med Res*. 2025 Dec 10;89:101237. doi: 10.1016/j.resmer.2025.101237. Online ahead of print.. <https://doi.org/10.1016/j.resmer.2025.101237>
- Assessing the Quality of Stroke Services in Brazil Using the World Stroke Organization Roadmap. Pires AP. *Cerebrovasc Dis*. 2026;55(1):72-82. doi: 10.1159/000546276. Epub 2025 May 26.. <https://doi.org/10.1159/000546276>
- Rescue PCI in the Pharmacoinvasive Era of STEMI: Insights from the STREAM-2 Trial. Bainey KR. *Eur Heart J Acute Cardiovasc Care*. 2025 Dec 2;zuaf158. doi: 10.1093/ehjacc/zuaf158. Online ahead of print.. <https://doi.org/10.1093/ehjacc/zuaf158>
- Support need for vocational learners transitioning into postgraduate education: a thematic analysis. Groome D. *BMC Med Educ*. 2026 Jan 15;26(1):241. doi: 10.1186/s12909-026-08598-w.. <https://doi.org/10.1186/s12909-026-08598-w>
- Prehospital early warning scores for predicting clinical deterioration of COVID-19 patients: An integrative review. Moreta-Gil E. *Enferm Intensiva (Engl Ed)*. 2026 Feb 21;37(2):500584. doi: 10.1016/j.enfie.2026.500584. Online ahead of print.. <https://doi.org/10.1016/j.enfie.2026.500584>
- Declining incidence and severity of hypoglycaemia in prehospital care. Osborne CC. *Emerg Med J*. 2026 Jan 21;43(2):136-137. doi: 10.1136/emered-2025-215653.. <https://doi.org/10.1136/emered-2025-215653>
- Time-to-treatment in traumatic brain injury: unraveling the impact of early surgical intervention on patient outcomes. Egas Terán MI. *Neurol Res*. 2025 Dec;47(12):1166-1175. doi: 10.1080/01616412.2025.2515523. Epub 2025 Jun 7.. <https://doi.org/10.1080/01616412.2025.2515523>
- Prehospital Symptom Management for Pediatric Patients. Macdonald AA. *Air Med J*. 2026 Jan-Feb;45(1):12-14. doi: 10.1016/j.amj.2025.10.011. Epub 2025 Nov 22.. <https://doi.org/10.1016/j.amj.2025.10.011>

- Direct Transport to a Thrombectomy Center Accelerates Acute Stroke Reperfusion Therapies in Nonurban Settings. Bhatt NR. J Am Heart Assoc. 2026 Jan 6;15(1):e044213. doi: 10.1161/JAHA.125.044213. Epub 2025 Dec 30.. <https://doi.org/10.1161/JAHA.125.044213>
- Effect of Rurality on Global Access to Mechanical Thrombectomy: A Subanalysis of the MT-GLASS Study. Asif KS. Stroke. 2026 Mar;57(3):770-778. doi: 10.1161/STROKEAHA.125.050608. Epub 2025 Dec 18.. <https://doi.org/10.1161/STROKEAHA.125.050608>
- Naloxone: sixty years of an essential antidote in emergency and prehospital care. Nogu  -Xarau S. Emergencias. 2026 Feb;38(1):69-72. doi: 10.55633/s3me/104.2025.. <https://doi.org/10.55633/s3me/104.2025>
- Tracheal intubation vs. supraglottic airway devices during mechanical intra-arrest-ventilation with volume-controlled-ventilation in out-of-hospital cardiac arrest: a cohort study. Eickelmann C. Resuscitation. 2026 Feb;219:110918. doi: 10.1016/j.resuscitation.2025.110918. Epub 2025 Dec 4.. <https://doi.org/10.1016/j.resuscitation.2025.110918>
- From data to decision: the future of prehospital intubation in major trauma. den Hollander AG. Lancet Respir Med. 2026 Feb 11:S2213-2600(26)00002-0. doi: 10.1016/S2213-2600(26)00002-0. Online ahead of print.. [https://doi.org/10.1016/S2213-2600\(26\)00002-0](https://doi.org/10.1016/S2213-2600(26)00002-0)
- Determination of prehospital biomarkers to be considered in early warning scores. Ferr  s-Padr   V. Emergencias. 2026 Feb;38(1):79-80. doi: 10.55633/s3me/098.2025.. <https://doi.org/10.55633/s3me/098.2025>
- Emergency TeleNeurosurgery Physician Consultation Program and Associated Health Care Utilization Benefits. Wetzel EA. Neurosurgery. 2025 Dec 16. doi: 10.1227/neu.0000000000003883. Online ahead of print.. <https://doi.org/10.1227/neu.0000000000003883>
- Supporting Healthcare and Paramedic Employees (SHAPE)-study protocol for a single-blind, superiority randomised controlled trial evaluating cognitive therapy coaching for PTSD and MDD for health and social care workers in the United Kingdom. Laing J. Trials. 2025 Dec 20;27(1):83. doi: 10.1186/s13063-025-09341-4.. <https://doi.org/10.1186/s13063-025-09341-4>
- Psychological care in acute and emergency medicine: a scoping review of support interventions by healthcare professionals. Rutetzki J. BMC Emerg Med. 2026 Feb 18;26(1):64. doi: 10.1186/s12873-026-01494-y.. <https://doi.org/10.1186/s12873-026-01494-y>
- Timing and Sex Bias in Prehospital Prediction of Trauma Transfusion Requirements. Gao BY. QJM. 2026 Feb 3;hcag038. doi: 10.1093/qjmed/hcag038. Online ahead of print.. <https://doi.org/10.1093/qjmed/hcag038>
- Prehospital Management of Suspected Spinal Cord Injuries: Have Vacuum Mattresses Been Inappropriately Maligned?. Billin A. Prehosp Emerg Care. 2026 Feb 18:1-2. doi: 10.1080/10903127.2026.2618580. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2618580>
- Trauma-related mortality in a European region with an intermediately mature trauma system: a comprehensive population-based analysis. Le Gall Travert Dit Neret AM. Eur J Trauma Emerg Surg. 2026 Jan 13;52(1):9. doi: 10.1007/s00068-025-03043-x.. <https://doi.org/10.1007/s00068-025-03043-x>
- Evolution Over Time of EMS Statewide Treatment Protocols on Prehospital Agitation in the United States. Yang DH. Prehosp Emerg Care. 2026 Jan 23:1-7. doi: 10.1080/10903127.2025.2608105. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2608105>
- Structural and Clinical Factors Associated with Physical Restraint Use in a Pediatric Emergency Department. Rolison MJ. J Am Coll Emerg Physicians Open. 2025 Nov 11;7(1):100277. doi: 10.1016/j.acepjo.2025.100277. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100277>
- Preoxygenation in prehospital critical care: a survey of HEMS practices in eight European countries. Rauch S. Emerg Med J. 2026 Jan 16:emermed-2025-215335. doi: 10.1136/emermed-2025-215335. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215335>
- Pediatric prehospital intubation: the persistent challenge of first-attempt success. Maia IWA. Eur J Emerg Med. 2025 Dec 1;32(6):385-386. doi: 10.1097/MEJ.0000000000001265. Epub 2025 Oct 28.. <https://doi.org/10.1097/MEJ.0000000000001265>
- Rewriting the Rules of the Road by Embedding Equity in Prehospital Trauma Care. Bailey JA. JAMA Surg. 2026 Jan 1;161(1):37-38. doi: 10.1001/jamasurg.2025.4723.. <https://doi.org/10.1001/jamasurg.2025.4723>
- Reply to Letter: Timing and Sex Bias in Prehospital Prediction of Trauma Transfusion Requirements. P  rez-Garc  a R. QJM. 2026 Feb 3;hcag039. doi: 10.1093/qjmed/hcag039. Online ahead of print.. <https://doi.org/10.1093/qjmed/hcag039>
- Prehospital pathway offering oral dissociative procedural sedation for patients with learning disabilities. Munro A. Emerg Med J. 2026 Feb 18:emermed-2025-215424. doi: 10.1136/emermed-2025-215424. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215424>
- Demographics of paediatric trauma at a zonal referral hospital for northwestern Tanzania: A cross-sectional study. Kozhumam A. Afr J Emerg Med. 2025 Dec;15(4):100902. doi: 10.1016/j.afjem.2025.100902. Epub 2025 Sep 17.. <https://doi.org/10.1016/j.afjem.2025.100902>
- Heat-related vulnerability in Bavaria: implications for emergency medical services during climate change. Gr  mme L. Int J Biometeorol. 2026 Feb 10;70(2):58. doi: 10.1007/s00484-026-03141-4.. <https://doi.org/10.1007/s00484-026-03141-4>

- Reply to: prehospital transesophageal echocardiography during cardiac arrest: feasibility confirmed, but clinical interpretation must remain anchored to resuscitation fundamentals. Kaltschmidt N. Crit Care. 2026 Feb 11;30(1):67. doi: 10.1186/s13054-026-05891-4. <https://doi.org/10.1186/s13054-026-05891-4>
- Prehospital transesophageal echocardiography during cardiac arrest: feasibility confirmed, but clinical interpretation must remain anchored to resuscitation fundamentals. Hung MH. Crit Care. 2026 Jan 27;30(1):44. doi: 10.1186/s13054-026-05864-7. <https://doi.org/10.1186/s13054-026-05864-7>
- Challenging prehospital paradigms: bystanders, data-driven strategies, and interprofessional collaboration in transforming trauma care. Christian MD. Scand J Trauma Resusc Emerg Med. 2025 Dec 19;33(1):200. doi: 10.1186/s13049-025-01493-1. <https://doi.org/10.1186/s13049-025-01493-1>
- Rethinking the hemorrhagic shock chain of survival: The role, importance, and impact of prehospital blood administration. Wend CM. Transfusion. 2026 Jan 22. doi: 10.1111/trf.70082. Online ahead of print.. <https://doi.org/10.1111/trf.70082>
- Prehospital extracorporeal cardiopulmonary resuscitation in mass gatherings: Towards a new paradigm in cardiac arrest. Argudo E. Med Intensiva (Engl Ed). 2025 Dec;49(12):502266. doi: 10.1016/j.medine.2025.502266. Epub 2025 Oct 13.. <https://doi.org/10.1016/j.medine.2025.502266>
- Early calcium disturbances in trauma: prehospital measurement by a UK Helicopter Emergency Medical Service. Hibberd O. Emerg Med J. 2026 Jan 7;emermed-2025-215647. doi: 10.1136/emermed-2025-215647. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215647>
- Perception of Clinical Debriefing (TALK©) as a Tool to Promote Patient Safety in a Prehospital Emergency Service. Almagro-González V. Emergencias. 2026 Feb;38(1):73-75. doi: 10.55633/s3me/006.2026.. <https://doi.org/10.55633/s3me/006.2026>
- Trends and Disparities in Heat-Related Emergency Medical Services Activations. Lim CC. JAMA. 2026 Feb 4:e2526586. doi: 10.1001/jama.2025.26586. Online ahead of print.. <https://doi.org/10.1001/jama.2025.26586>
- Reader comment Regarding Peripheral Perfusion Index Versus NEWS Score in Prehospital Non-Trauma Adults: A Prospective Cohort Study. Suta ir MN. Am J Emerg Med. 2026 Jan;99:487-488. doi: 10.1016/j.ajem.2025.10.059. Epub 2025 Nov 3.. <https://doi.org/10.1016/j.ajem.2025.10.059>
- Factors associated with missed stroke diagnosis in prehospital triage: a single-center cohort study. Gude MF. BMC Neurol. 2026 Feb 7. doi: 10.1186/s12883-026-04688-w. Online ahead of print.. <https://doi.org/10.1186/s12883-026-04688-w>
- Development and validation of a machine learning model for prediction of 1-year mortality following ST-elevation myocardial infarction: a retrospective cohort study. Sritharan HP. BMJ Open. 2026 Feb 12;16(2):e101656. doi: 10.1136/bmjopen-2025-101656.. <https://doi.org/10.1136/bmjopen-2025-101656>
- The necessity of CT scans on pediatric carotid injury after blunt trauma - An analysis of the traumaregister DGU®. Becker L. Eur J Trauma Emerg Surg. 2026 Jan 13;52(1):13. doi: 10.1007/s00068-025-03049-5.. <https://doi.org/10.1007/s00068-025-03049-5>
- Social Drivers of Health and Communication Interventions Impact Wound Care Follow-Up Adherence: A Retrospective Cohort Study at a Tertiary Care Center. Chen AC. Clin Pract. 2026 Feb 18;16(2):42. doi: 10.3390/clinpract16020042.. <https://doi.org/10.3390/clinpract16020042>
- The "survival of the fittest" bias: how excluding prehospital deaths distorts the impact of transport time in rural trauma. Zhang Y. Scand J Trauma Resusc Emerg Med. 2026 Feb 16;34(1):38. doi: 10.1186/s13049-026-01570-z.. <https://doi.org/10.1186/s13049-026-01570-z>
- The authors respond to reader comment regarding "peripheral perfusion index versus NEWS score in prehospital non-trauma adults: A prospective cohort study". Siber V. Am J Emerg Med. 2026 Jan;99:489-490. doi: 10.1016/j.ajem.2025.10.058. Epub 2025 Oct 27.. <https://doi.org/10.1016/j.ajem.2025.10.058>
- Pain management of adults in the prehospital setting: a scoping review. Burgert JM. BMC Emerg Med. 2026 Feb 17. doi: 10.1186/s12873-026-01491-1. Online ahead of print.. <https://doi.org/10.1186/s12873-026-01491-1>
- What factors delay initiation of bystander CPR in out-of-hospital cardiac arrest? Results from an analysis of 200 recorded ambulance calls. Farquharson B. Emerg Med J. 2026 Jan 20;emermed-2024-214733. doi: 10.1136/emermed-2024-214733. Online ahead of print.. <https://doi.org/10.1136/emermed-2024-214733>
- Electrocardiographic alterations in patients with emergency medical services-witnessed out-of-hospital cardiac arrest. Verkaik BJ. Heart Rhythm. 2026 Feb;23(2):e290-e292. doi: 10.1016/j.hrthm.2025.10.046. Epub 2025 Oct 24.. <https://doi.org/10.1016/j.hrthm.2025.10.046>
- Prelaryngoscopy predictors of first-attempt success in pediatric out-of-hospital intubation: a retrospective cohort study. Javaudin F. Eur J Emerg Med. 2025 Dec 1;32(6):414-420. doi: 10.1097/MEJ.0000000000001256. Epub 2025 Jul 1.. <https://doi.org/10.1097/MEJ.0000000000001256>
- Comparison of Patient Comfort and Acceleration Exposure During Lifting and Loading Operations Using Manual and Powered Stretchers. Takei Y. Prehosp Emerg Care. 2026;30(1):38-46. doi: 10.1080/10903127.2024.2447565. Epub 2025 Jan 17.. <https://doi.org/10.1080/10903127.2024.2447565>
- COMBAT-TIP: Combat-Optimized Method for Bone Alignment and Tourniquet Innovation in Pelvic Fractures, A Comparative Study on Pelvic Fracture Stabilization. Saab M. Wilderness Environ Med. 2025 Dec 15;10806032251395945. doi: 10.1177/10806032251395945. Online ahead of print.. <https://doi.org/10.1177/10806032251395945>

- Initial diagnosis and management of acute ischemic stroke: recent update and future direction. Ha SH. Clin Exp Emerg Med. 2026 Jan 14. doi: 10.15441/ceem.25.241. Online ahead of print.. <https://doi.org/10.15441/ceem.25.241>
- The association of prehospital advanced airway management time and outcome in out-of hospital cardiac arrest patients. Huabbangyang T. Sci Rep. 2026 Jan 8;16(1):4098. doi: 10.1038/s41598-025-34602-2.. <https://doi.org/10.1038/s41598-025-34602-2>
- Clinical usefulness of tools used for screening and measuring frailty in the ambulance and emergency department in older people: a scoping review protocol. Magnusson C. BMJ Open. 2025 Dec 25;15(12):e111454. doi: 10.1136/bmjopen-2025-111454.. <https://doi.org/10.1136/bmjopen-2025-111454>
- Claim Characteristics and Return to Work Outcomes for Ontario Public Safety Personnel with Mental Stress Injury Program Claims, 2014-2023. Edgelow M. J Occup Rehabil. 2025 Dec 17. doi: 10.1007/s10926-025-10355-7. Online ahead of print.. <https://doi.org/10.1007/s10926-025-10355-7>
- Part 5: Neonatal Resuscitation: 2025 American Heart Association and American Academy of Pediatrics Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Lee HC. Pediatrics. 2026 Jan 1;157(1):e2025074352. doi: 10.1542/peds.2025-074352.. <https://doi.org/10.1542/peds.2025-074352>
- Standardized nursing terminology for adult emergency services: mapping and validity. Queiroz TFB. Rev Bras Enferm. 2026 Jan 26;79:e20240506. doi: 10.1590/0034-7167-2024-0506. eCollection 2026.. <https://doi.org/10.1590/0034-7167-2024-0506>
- Geospatial structural isolation analysis of emergency services in New York State. Bedenbender B. J Rural Health. 2026 Jan;42(1):e70126. doi: 10.1111/jrh.70126.. <https://doi.org/10.1111/jrh.70126>
- How is same day emergency care (SDEC) being implemented across England?. Wren J. Emerg Med J. 2025 Dec 18;43(1):33-40. doi: 10.1136/emmermed-2025-214959.. <https://doi.org/10.1136/emmermed-2025-214959>
- Cardiac arrest centers improve survival. Rott N. Curr Opin Crit Care. 2025 Dec 1;31(6):713-716. doi: 10.1097/MCC.0000000000001322. Epub 2025 Oct 22.. <https://doi.org/10.1097/MCC.0000000000001322>
- Stakeholder Perspectives on Evaluating Emergency Medical Teams Deployments. Yeung T. Disaster Med Public Health Prep. 2026 Jan 5;20:e12. doi: 10.1017/dmp.2025.10295.. <https://doi.org/10.1017/dmp.2025.10295>
- Ethno-Racial Differences in the Effectiveness of Housing First on Healthcare Utilization Among Homeless Adults with Mental Illness: At Home Chez-Soi, a Pragmatic Randomized Trial. Lachaud J. J Racial Ethn Health Disparities. 2026 Feb 14. doi: 10.1007/s40615-025-02833-8. Online ahead of print.. <https://doi.org/10.1007/s40615-025-02833-8>
- Impact of the COVID-19 Pandemic on the Mortality of Traumatic Brain Injury Patients Transported by Emergency Medical Services. Yang YJ. Asia Pac J Public Health. 2026 Jan;38(1):55-64. doi: 10.1177/10105395251407042. Epub 2026 Jan 2.. <https://doi.org/10.1177/10105395251407042>
- Demographics and clinical outcomes of patients with acute heart failure : The Acute Heart Failure Registry from the Clinic Ottakring (AHF-COR Registry). Kaufmann CC. Wien Klin Wochenschr. 2026 Feb;138(3-4):71-80. doi: 10.1007/s00508-025-02597-5. Epub 2025 Sep 8.. <https://doi.org/10.1007/s00508-025-02597-5>
- New pathways with high-sensitivity cardiac troponin testing at the point of care in the ambulance and primary care. Johannessen TR. Eur Heart J Acute Cardiovasc Care. 2025 Dec 2;zuaf157. doi: 10.1093/ehjacc/zuaf157. Online ahead of print.. <https://doi.org/10.1093/ehjacc/zuaf157>
- Association Between the Aggregate Index of Systemic Inflammation (AIS) and Tirofiban Use During Primary Percutaneous Coronary Intervention in Patients with ST-Elevation Myocardial Infarction. Parsova KE. Medicina (Kaunas). 2026 Jan 13;62(1):155. doi: 10.3390/medicina62010155.. <https://doi.org/10.3390/medicina62010155>
- Extracorporeal cardiopulmonary resuscitation in patients with traumatic cardiac arrest during the acute phase following injury: a comprehensive systematic review and meta-analysis. Erbllich R. Scand J Trauma Resusc Emerg Med. 2025 Dec 26;34(1):21. doi: 10.1186/s13049-025-01534-9.. <https://doi.org/10.1186/s13049-025-01534-9>
- Effect of tele-support on attention levels of emergency medical technicians during simulated out-of-hospital cardiac arrest. Scharner V. Sci Rep. 2025 Dec 29;15(1):44852. doi: 10.1038/s41598-025-29031-0.. <https://doi.org/10.1038/s41598-025-29031-0>
- Gender disparities in out-of-hospital cardiac arrest: implications for public health and bystander interventions in Zhengzhou. Liu X. Front Med (Lausanne). 2026 Jan 7;12:1681676. doi: 10.3389/fmed.2025.1681676. eCollection 2025.. <https://doi.org/10.3389/fmed.2025.1681676>
- AI support in prehospital telemedicine: Perspectives of tele-emergency physicians and ethical considerations. Durdova N. Digit Health. 2026 Jan 22;12:20552076251411230. doi: 10.1177/20552076251411230. eCollection 2026 Jan-Dec.. <https://doi.org/10.1177/20552076251411230>
- Human-AI collaboration for prehospital trauma triage: Designing the On Scene Injury Severity Prediction (OSISP) model as a clinical decision support system. Bakidou A. Digit Health. 2025 Dec 12;11:20552076251403207. doi: 10.1177/20552076251403207. eCollection 2025 Jan-Dec.. <https://doi.org/10.1177/20552076251403207>
- European Stroke Organisation (ESO) guideline on visual impairment in stroke. Rowe FJ. Eur Stroke J. 2025 Dec;10(4):1087-1159. doi: 10.1177/23969873251314693. Epub 2025 May 22.. <https://doi.org/10.1177/23969873251314693>
- Examining Emerging Risks of Vehicle Electrification in Emergency Medical Transport. Bai J. Risk Anal. 2025 Dec;45(12):4947-4962. doi: 10.1111/risa.70148. Epub 2025 Nov 26.. <https://doi.org/10.1111/risa.70148>

- Crossing Borders, Navigating Laws: Legal and Jurisdictional Complexities for Australian Who-Classified Emergency Medical Teams in International Disaster Operations. Codreanu TA. Disaster Med Public Health Prep. 2026 Jan 19;20:e21. doi: 10.1017/dmp.2025.10278. <https://doi.org/10.1017/dmp.2025.10278>
- Incidence, Prevalence, and Severity of Mental Health Issues Among Emergency Medical Service Clinicians: A Systematic Review and Meta-Analysis. Chan SC. J Emerg Med. 2025 Dec;79:427-442. doi: 10.1016/j.jemermed.2025.09.004. Epub 2025 Sep 9. <https://doi.org/10.1016/j.jemermed.2025.09.004>
- Con: All Cardiac Arrest Patients Should Be Transferred to a Cardiac Arrest Center. Garcia SI. J Cardiothorac Vasc Anesth. 2026 Feb 17;S1053-0770(26)00138-2. doi: 10.1053/j.jvca.2026.02.020. Online ahead of print. <https://doi.org/10.1053/j.jvca.2026.02.020>
- Emergency medical personnel perspectives on value and use of tailored discussion forum for mental health support. A qualitative longitudinal study. Petrovic M. Compr Psychiatry. 2026 Feb;145:152655. doi: 10.1016/j.comppsy.2025.152655. Epub 2025 Dec 24. <https://doi.org/10.1016/j.comppsy.2025.152655>
- Controversies in Allergy: Does Using Epinephrine Always Mean Calling 911? Wong LSY. J Allergy Clin Immunol Pract. 2025 Dec;13(12):3210-3217. doi: 10.1016/j.jaip.2025.06.022. Epub 2025 Jun 25. <https://doi.org/10.1016/j.jaip.2025.06.022>
- [Emergency treatment for ischemic strokes: preserving the brain]. Boursin P. Rev Infirm. 2026 Feb;75(318):21-22. doi: 10.1016/j.revinf.2025.12.023. Epub 2026 Feb 4. <https://doi.org/10.1016/j.revinf.2025.12.023>
- Hospital selection for suspected stroke: risk-averse approach considering the minimal risk of exceeding the therapeutic time window. Cheng YC. J Neurointerv Surg. 2025 Dec 17;18(1):263-270. doi: 10.1136/jnis-2024-022504. <https://doi.org/10.1136/jnis-2024-022504>
- Social drivers and pediatric injury outcomes in Northern Tanzania: A prospective pediatric injury registry secondary analysis. Tedford NJ. PLOS Glob Public Health. 2026 Feb 11;6(2):e0005236. doi: 10.1371/journal.pgph.0005236. eCollection 2026. <https://doi.org/10.1371/journal.pgph.0005236>
- Non-ambulance vehicle Interfacility transport (NAVIT) was not associated with adverse patient outcomes. Day E. Am J Emerg Med. 2025 Dec;98:141-144. doi: 10.1016/j.ajem.2025.08.021. Epub 2025 Aug 20. <https://doi.org/10.1016/j.ajem.2025.08.021>
- In harm's way: moral injury and the erosion of trust for emergency responders in the United Kingdom. Bell V. Eur J Psychotraumatol. 2025 Dec;16(1):2513107. doi: 10.1080/20008066.2025.2513107. Epub 2025 Jul 2. <https://doi.org/10.1080/20008066.2025.2513107>
- Timing is survival: modeling how earlier calls improve cardiac arrest outcomes. Johansen MO. Front Digit Health. 2026 Jan 8;7:1695377. doi: 10.3389/fdgth.2025.1695377. eCollection 2025. <https://doi.org/10.3389/fdgth.2025.1695377>
- Everyday Clothing Reimagined as Rapid-Acting Hemostatic and Antimicrobial Dressings for Emergency Trauma Care. Wang C. ACS Appl Bio Mater. 2026 Feb 2;9(3):1581-1591. doi: 10.1021/acsabm.5c02131. Epub 2026 Jan 21. <https://doi.org/10.1021/acsabm.5c02131>
- Pediatric nasal button battery injuries: a 10-year retrospective study and in vitro evaluation of prehospital mitigation strategies. Xueyou L. Eur J Med Res. 2026 Feb 25. doi: 10.1186/s40001-026-04110-8. Online ahead of print. <https://doi.org/10.1186/s40001-026-04110-8>
- Declining 28-day population myocardial infarction case-fatality trends in Catalonia, Spain: an analysis of the possible contribution of emergency management network. Tizón-Marcos H. Eur J Public Health. 2025 Dec 31:ckaf203. doi: 10.1093/eurpub/ckaf203. Online ahead of print. <https://doi.org/10.1093/eurpub/ckaf203>
- Who feels safe calling 911: are prior experiences of anti-Black racial discrimination associated with hesitancy seeking emergency medical services in the event of accidental drug overdose? - a study protocol. Hall OT. Ann Med. 2025 Dec;57(1):2439540. doi: 10.1080/07853890.2024.2439540. Epub 2024 Dec 19. <https://doi.org/10.1080/07853890.2024.2439540>
- Evolution and Contemporary Predictors of Outcomes in Out-of-Hospital Cardiac Arrest Patients Admitted to Intensive Cardiovascular Care Units: The Multicentric PCR-Cat Registry. Andrea R. Heart Lung Circ. 2025 Dec;34(12):1389-1398. doi: 10.1016/j.hlc.2025.07.004. Epub 2025 Oct 17. <https://doi.org/10.1016/j.hlc.2025.07.004>
- Effect of a dual-boarded emergency-psychiatry physician on psychiatry consultations in the emergency department: A pre-post study in Japan. Terayama T. PCN Rep. 2026 Jan 23;5(1):e70291. doi: 10.1002/pcn5.70291. eCollection 2026 Mar. <https://doi.org/10.1002/pcn5.70291>
- The hidden epidemic of alcohol-induced neurological and psychiatric mortality in the U. S. (1999-2023): trends and disparities. Liu Y. Front Public Health. 2026 Jan 8;13:1712253. doi: 10.3389/fpubh.2025.1712253. eCollection 2025. <https://doi.org/10.3389/fpubh.2025.1712253>
- Evaluating CPR Breast Attachment Impact on EMT Training: A Randomized Controlled Trial. Sharma D. Simul Healthc. 2026 Jan 12. doi: 10.1097/SIH.0000000000000906. Online ahead of print. <https://doi.org/10.1097/SIH.0000000000000906>
- Audit filters: beyond linear assumption. Al-Khalili J. Trauma Surg Acute Care Open. 2026 Feb 9;11(1):e002260. doi: 10.1136/tsaco-2026-002260. eCollection 2026. <https://doi.org/10.1136/tsaco-2026-002260>
- City characteristics and heat vulnerability: insights from emergency medical services in Bavaria, Germany. Brammer M. Int J Biometeorol. 2026 Jan 21;70(2):35. doi: 10.1007/s00484-025-03076-2. <https://doi.org/10.1007/s00484-025-03076-2>

- On-scene selective brain cooling in ventricular fibrillation cardiac arrest: pilot results from the PRINCESS2 randomised trial. Dillenbeck E. Crit Care. 2026 Feb 12;30(1):93. doi: 10.1186/s13054-026-05851-y.. <https://doi.org/10.1186/s13054-026-05851-y>
- Working Environment in a Virtual Emergency Department: A Cross-Sectional Study. Schultz TJ. Emerg Med Australas. 2025 Dec;37(6):e70191. doi: 10.1111/1742-6723.70191.. <https://doi.org/10.1111/1742-6723.70191>
- Lessons from the Implementation of Emergency Medical Services Treat-in-Place Programs. Levy M. Prehosp Emerg Care. 2026 Jan 21;1-2. doi: 10.1080/10903127.2025.2588672. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2588672>
- Stroke care in the air: a new horizon for helicopter emergency medical services. Hov MR. Scand J Trauma Resusc Emerg Med. 2025 Dec 16;33(1):197. doi: 10.1186/s13049-025-01507-y.. <https://doi.org/10.1186/s13049-025-01507-y>
- One Mission, One Team: Celebrating 40 Years of Duke Life Flight. Sapp A. Air Med J. 2026 Jan-Feb;45(1):22-25. doi: 10.1016/j.amj.2025.05.007. Epub 2025 Jul 4.. <https://doi.org/10.1016/j.amj.2025.05.007>
- "Associations Between Prenotification and Time to Management in Acute Stroke Patients Transported by Emergency Medical Services": A Broader Perspective. Ozakin E. J Emerg Med. 2025 Dec;79:663-664. doi: 10.1016/j.jemermed.2025.09.001. Epub 2025 Sep 10.. <https://doi.org/10.1016/j.jemermed.2025.09.001>
- Guidelines in Action: Flight of the Mobile Stroke Unit. Gonzalez D. Stroke. 2026 Jan 26. doi: 10.1161/STROKEA-HA.125.053830. Online ahead of print.. <https://doi.org/10.1161/STROKEA-HA.125.053830>
- Digital literacy, self-efficacy, and desired support among healthcare professionals, patients, and informal caregivers: A cross-sectional study. Hengst TM. Patient Educ Couns. 2026 Jan;142:109310. doi: 10.1016/j.pec.2025.109310. Epub 2025 Aug 18.. <https://doi.org/10.1016/j.pec.2025.109310>
- Differences in call profiles, interventions and physician staffing between ground and helicopter emergency medical services in Austria : A sub-analysis of the Austrian Emergency Day 2024 audit. Erblisch R. Wien Klin Wochenschr. 2026 Jan 8. doi: 10.1007/s00508-025-02684-7. Online ahead of print.. <https://doi.org/10.1007/s00508-025-02684-7>
- Part 6: Pediatric Basic Life Support: 2025 American Heart Association and American Academy of Pediatrics Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Joyner BL Jr. Pediatrics. 2026 Jan 1;157(1):e2025074350. doi: 10.1542/peds.2025-074350.. <https://doi.org/10.1542/peds.2025-074350>
- Epinephrine and emergency medical services activation recommendations during acute allergic reactions in community settings: International consensus report. Dribin TE. J Allergy Clin Immunol. 2026 Feb;157(2):429-441. doi: 10.1016/j.jaci.2025.11.008. Epub 2025 Dec 10.. <https://doi.org/10.1016/j.jaci.2025.11.008>
- Association of Shift, Day, Month and Year with Mortality: Observational Study of Spanish and USA Emergency Care Cohorts. Astasio-Picado Á. Med Sci (Basel). 2026 Jan 22;14(1):56. doi: 10.3390/medsci14010056. <https://doi.org/10.3390/medsci14010056>
- From uncertainty to confidence: Standardizing team approach to physical restraint (TAPR) for safer emergency care. A pre-post intervention quality improvement project. Garcia J. Int Emerg Nurs. 2026 Feb;84:101743. doi: 10.1016/j.ienj.2026.101743. Epub 2026 Jan 8.. <https://doi.org/10.1016/j.ienj.2026.101743>
- From ALIFAST to GAIIFAST: expanding the system impact of point-of-care ultrasound in trauma care. Abdelilah G. Eur J Trauma Emerg Surg. 2026 Feb 27;52(1):70. doi: 10.1007/s00068-026-03132-5.. <https://doi.org/10.1007/s00068-026-03132-5>
- Real world evaluation of a distance-supervised ultrasound training programme in a physician-staffed emergency medical service: a prospective, descriptive implementation study. Luque-Hernández MJ. Scand J Trauma Resusc Emerg Med. 2026 Feb 26. doi: 10.1186/s13049-026-01582-9. Online ahead of print.. <https://doi.org/10.1186/s13049-026-01582-9>
- Exception from Informed Consent in Emergency Care Research: Reports from a Workshop Addressing "Edge Cases". Brown J. Ethics Hum Res. 2026 Jan-Feb;48(1):28-30. doi: 10.1002/eahr.70014.. <https://doi.org/10.1002/eahr.70014>
- Comparing the administration of rt-PA among stroke fast track patients who arrived by emergency medical services and non-emergency medical services. Saneemanomai S. Med J Malaysia. 2026 Jan;81(1):48-52..
- Association Between Neighborhood Social Vulnerability and Stroke Care by EMS. Misra AJ. Stroke. 2026 Feb;57(2):e59-e60. doi: 10.1161/STROKEA-HA.125.053315. Epub 2026 Jan 26.. <https://doi.org/10.1161/STROKEA-HA.125.053315>
- Measuring What Matters in Out-of-Hospital Cardiac Arrest Care. d'Entremont MA. Eur Heart J Qual Care Clin Outcomes. 2026 Feb 26;qcag030. doi: 10.1093/ehjqcco/qcag030. Online ahead of print.. <https://doi.org/10.1093/ehjqcco/qcag030>
- The road injury chain of survival: A framework for improving trauma outcomes. Nutbeam T. Injury. 2026 Feb;57(2):112285. doi: 10.1016/j.injury.2025.112285. Epub 2025 Mar 24.. <https://doi.org/10.1016/j.injury.2025.112285>
- Prehospital Detection of a Large Pericardial Effusion Using Screening Sonography: A Case Report. Miravent S. Cureus. 2025 Dec 4;17(12):e98471. doi: 10.7759/cureus.98471. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.98471>
- Artificial intelligence-driven triage and decision-making in trauma systems/settings. Kalimouttou A. Curr Opin Anaesthesiol. 2026 Apr 1;39(2):129-135. doi: 10.1097/ACO.0000000000001619. Epub 2026 Feb 17.. <https://doi.org/10.1097/ACO.0000000000001619>

- Evaluating call prioritisation discrepancies and Emergency Medical Services resource allocation in the North West province of South Africa. Mbatha BN. *Afr J Emerg Med*. 2025 Dec;15(4):100913. doi: 10.1016/j.afjem.2025.100913. Epub 2025 Oct 29.. <https://doi.org/10.1016/j.afjem.2025.100913>
- Posterior Pharyngeal Wall Perforation Caused by Laryngeal Tube Suction: A Case Confirmed by Forensic Autopsy. Masumitsu A. *Prehosp Emerg Care*. 2026 Feb 18;1-6. doi: 10.1080/10903127.2026.2617936. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2617936>
- Implementation Challenges in Emergency Cardiovascular Care. O'Halloran AJ. *Crit Care Clin*. 2026 Jan;42(1):23-38. doi: 10.1016/j.ccc.2025.08.002. Epub 2025 Oct 13.. <https://doi.org/10.1016/j.ccc.2025.08.002>
- Work-related stress among emergency medical services healthcare workers in Istanbul: A cross-sectional analysis. Abu ka D. *Medicine (Baltimore)*. 2026 Feb 27;105(9):e47751. doi: 10.1097/MD.00000000000047751.. <https://doi.org/10.1097/MD.00000000000047751>
- What Are the Emergency Medical Pathologies Encountered Among United Nations Peacekeepers in Lebanon? A Retrospective Study From 2013 to 2023. Thabouillot O. *Mil Med*. 2026 Jan 1;191(1-2):e346-e350. doi: 10.1093/milmed/usaf320.. <https://doi.org/10.1093/milmed/usaf320>
- Statewide Transfer Coordination and Patient Transfer Rates Among Hospitals During Occupancy Stress. Richert ME. *JAMA Netw Open*. 2025 Dec 1;8(12):e2546002. doi: 10.1001/jamanetworkopen.2025.46002.. <https://doi.org/10.1001/jamanetworkopen.2025.46002>
- From fear to faith: older adults' emergency care journey in rural Turkey. Kelle Ö. *BMC Geriatr*. 2025 Dec 8;26(1):96. doi: 10.1186/s12877-025-06783-y.. <https://doi.org/10.1186/s12877-025-06783-y>
- ST-Segment Elevation in Lead aVR in Acute Intracranial Pathologies: A Diagnostic Pitfall?. Túri BZ. *J Emerg Med*. 2026 Jan;80:54-59. doi: 10.1016/j.jemermed.2025.10.023. Epub 2025 Oct 25.. <https://doi.org/10.1016/j.jemermed.2025.10.023>
- Unique Pattern of Coagulopathy Among Patients With Severe Traumatic Brain Injury: A Principal Component Analysis of Hemorrhagic Shock Trials. Furman LM. *Crit Care Med*. 2026 Jan 8;10.1097/CCM.0000000000007005. doi: 10.1097/CCM.0000000000007005. Online ahead of print.. <https://doi.org/10.1097/CCM.0000000000007005>
- Scalable regionalised quality improvement model for ACS management in resource-limited primary healthcare facilities. Wang Z. *J Epidemiol Community Health*. 2026 Jan 6;jech-2025-225229. doi: 10.1136/jech-2025-225229. Online ahead of print.. <https://doi.org/10.1136/jech-2025-225229>
- 4-Phenylbutyric acid extends the gold time of uncontrolled hemorrhagic shock at high altitude by alleviating vital organ injury. Zhang J. *Intensive Care Med Exp*. 2025 Dec 19;13(1):132. doi: 10.1186/s40635-025-00833-w.. <https://doi.org/10.1186/s40635-025-00833-w>
- Improving Trauma Triage Accuracy with Large Language Models: A Comparison to Human Expert Decisions. Balaji AK. *J Am Coll Surg*. 2026 Feb 27. doi: 10.1097/XCS.0000000000001895. Online ahead of print.. <https://doi.org/10.1097/XCS.0000000000001895>
- Application of a portable sealed positive pressure infusion device in a porcine model of hemorrhagic shock. Tao J. *Front Med (Lausanne)*. 2026 Jan 15;13:1738724. doi: 10.3389/fmed.2026.1738724. eCollection 2026.. <https://doi.org/10.3389/fmed.2026.1738724>
- A multicenter analysis of a two-tier triage system for serious injuries, morbidity, and mortality in pediatric patients following blunt trauma. Frederick AB. *J Trauma Acute Care Surg*. 2026 Jan 23. doi: 10.1097/TA.0000000000004918. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004918>
- "Reality shock"-a qualitative exploration of helicopter emergency medical services nurses' challenges and experiences in China. Zang G. *Front Public Health*. 2026 Jan 13;13:1745515. doi: 10.3389/fpubh.2025.1745515. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1745515>
- CARES: The National Registry Driving Cardiac Arrest Surveillance and Quality Improvement. Carr MJ. *J Am Coll Cardiol*. 2025 Dec 23;86(25):2687-2690. doi: 10.1016/j.jacc.2025.09.323. Epub 2025 Nov 12.. <https://doi.org/10.1016/j.jacc.2025.09.323>
- Liquid Trisilanol i-Octyl POSS Achieves Rapid Hemostasis and Pneumostasis in Experimental Lung Injury. Tucci M. *Pathophysiology*. 2025 Dec 22;33(1):1. doi: 10.3390/pathophysiology33010001.. <https://doi.org/10.3390/pathophysiology33010001>
- [Value of standard operating procedures (SOP) in the treatment of urological emergencies]. Waldbillig F. *Urologie*. 2026 Jan;65(1):15-18. doi: 10.1007/s00120-025-02734-y. Epub 2025 Nov 10.. <https://doi.org/10.1007/s00120-025-02734-y>
- [THE INDICATORS OF FUNCTIONING OF EMERGENCY MEDICAL CARE IN HOSPITAL CONDITIONS IN THE RUSSIAN FEDERATION]. Shlyafer SI. *Probl Sotsialnoi Gig Zdravookhranennii Istor Med*. 2025 Dec 15;33(3):352-356. doi: 10.32687/0869-866X-2025-33-3-352-356.. <https://doi.org/10.32687/0869-866X-2025-33-3-352-356>
- Prospective Development and Validation of a Weight Prediction Tool for Patients With Obesity Undergoing Critical Care Transport Using Width and Arm Circumference. Williams K. *Air Med J*. 2026 Jan-Feb;45(1):52-58. doi: 10.1016/j.amj.2025.09.004. Epub 2025 Oct 12.. <https://doi.org/10.1016/j.amj.2025.09.004>
- Performance of the PECARN cervical spine injury prediction rule based on EMS clinician observations. Browne LR. *J Trauma Acute Care Surg*. 2025 Dec 1;99(6):928-934. doi: 10.1097/TA.0000000000004772. Epub 2025 Aug 21.. <https://doi.org/10.1097/TA.0000000000004772>

- Pan-Asian Resuscitation Outcomes Study (PAROS): A Living Population Laboratory Transforming Resuscitation Science Across Asia. Ho AFW. JACC Asia. 2025 Dec;5(12):1642-1647. doi: 10.1016/j.jacasi.2025.09.016. <https://doi.org/10.1016/j.jacasi.2025.09.016>
- [Medical treatment standards for emergency burn wounded (2025 edition)]. National Health Commission Of The People's Republic Of China. Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi. 2026 Feb 15;40(2):185-196. doi: 10.7507/1002-1892.202601151. <https://doi.org/10.7507/1002-1892.202601151>
- 2026 Guideline for the Early Management of Patients With Acute Ischemic Stroke: A Guideline From the American Heart Association/American Stroke Association. Prabhakaran S. Stroke. 2026 Jan 26. doi: 10.1161/STR.0000000000000513. Online ahead of print. <https://doi.org/10.1161/STR.0000000000000513>
- On-scene machine learning prediction model for massive transfusion in trauma and its association with in-hospital mortality. Yu B. BJS Open. 2025 Dec 29;10(1):zraf167. doi: 10.1093/bjsopen/zraf167. <https://doi.org/10.1093/bjsopen/zraf167>
- Does a physician's base specialty influence on-scene efficiency? A four-year analysis of 11,315 missions from five Austrian physician-staffed HEMS bases. Staribacher D. BMC Emerg Med. 2026 Feb 20. doi: 10.1186/s12873-026-01504-z. Online ahead of print. <https://doi.org/10.1186/s12873-026-01504-z>
- Computer-vision based recognition of cervical spine stabilization during trauma resuscitation. Kim MS. Injury. 2026 Feb;57(2):112951. doi: 10.1016/j.injury.2025.112951. Epub 2025 Dec 10. <https://doi.org/10.1016/j.injury.2025.112951>
- Impact of physician shift work implementation on mortality and length of stay in an emergency and critical care center: an interrupted time series analysis. Nakae R. BMC Health Serv Res. 2026 Feb 18. doi: 10.1186/s12913-026-14226-6. Online ahead of print. <https://doi.org/10.1186/s12913-026-14226-6>
- Comparing Virtual Reality Trauma Training Across Diverse Clinical Backgrounds: A Mixed-Methods Study in Canada And India. Laor B. J Surg Educ. 2026 Jan;83(1):103794. doi: 10.1016/j.jsurg.2025.103794. Epub 2025 Nov 23. <https://doi.org/10.1016/j.jsurg.2025.103794>
- Analysis of the Justification for Spinal Computed Tomography (CT) Scans Performed in Togo. Adambounou K. J Med Radiat Sci. 2025 Dec;72(4):490-496. doi: 10.1002/jmrs.70014. Epub 2025 Jul 25. <https://doi.org/10.1002/jmrs.70014>
- A pragmatic implementation and outcomes evaluation of the older persons emergency network acute outreach service (OPEN AOS) model utilising the integrated PRISM and RE-AIM framework: the OPEN AOS study protocol. Hodby S. BMC Geriatr. 2026 Jan 13. doi: 10.1186/s12877-025-06917-2. Online ahead of print. <https://doi.org/10.1186/s12877-025-06917-2>
- Extracorporeal Cardiopulmonary Resuscitation for 78-min Cardiac Arrest due to Suspected Cerebral Venous Sinus Thrombosis. Wu D. Case Rep Crit Care. 2025 Dec 12;2025:7873285. doi: 10.1155/crcc/7873285. eCollection 2025. <https://doi.org/10.1155/crcc/7873285>
- [Symptom control and emergency management in geriatric palliative care : Pharmacological and nonpharmacological approaches]. Unseld M. Z Gerontol Geriatr. 2026 Feb;59(1):51-59. doi: 10.1007/s00391-025-02544-z. Epub 2026 Jan 15. <https://doi.org/10.1007/s00391-025-02544-z>
- Emergency anaesthetic management in critically ill and injured patients: the STEPS approach (self, team, environment, patient and system). Morton S. Scand J Trauma Resusc Emerg Med. 2026 Jan 2;34(1):1. doi: 10.1186/s13049-025-01519-8. <https://doi.org/10.1186/s13049-025-01519-8>
- [Medical treatment standards for emergency trauma wounded (2025 edition)]. National Health Commission Of The People's Republic Of China. Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi. 2026 Feb 15;40(2):176-184. doi: 10.7507/1002-1892.202601150. <https://doi.org/10.7507/1002-1892.202601150>
- Improving prehospital and emergency care for patients with mental dysregulation: a comprehensive research agenda. Galenkamp N. Scand J Trauma Resusc Emerg Med. 2026 Feb 16. doi: 10.1186/s13049-026-01575-8. Online ahead of print. <https://doi.org/10.1186/s13049-026-01575-8>
- Review of UK and Ireland Surveys of Health Professional Educators on Teaching of Sexual- and Gender-Minority Health. Meads C. Behav Sci (Basel). 2026 Jan 6;16(1):75. doi: 10.3390/bs16010075. <https://doi.org/10.3390/bs16010075>
- Artificial intelligence in emergency medicine: a narrative review. Rego A. Am J Emerg Med. 2026 Apr;102:155-165. doi: 10.1016/j.ajem.2026.01.028. Epub 2026 Jan 20. <https://doi.org/10.1016/j.ajem.2026.01.028>
- Factors influencing the prognosis of out-of-hospital cardiac arrest during the coronavirus disease 2019 pandemic: an analysis of the Utstein Registry in Aichi, Japan. Ito M. BMC Emerg Med. 2026 Feb 27. doi: 10.1186/s12873-026-01517-8. Online ahead of print. <https://doi.org/10.1186/s12873-026-01517-8>
- Helicopter Emergency Medical Service presentations to an Irish emergency department. Govender L. Ir Med J. 2026 Jan 22;119(1):6. doi: 10.1007/s11904-025-01517-8. Online ahead of print. <https://doi.org/10.1007/s11904-025-01517-8>
- Social Determinants of Health and Emergency Medical Services: A Scoping Review. Burnett SJ. Prehosp Emerg Care. 2026;30(2):181-194. doi: 10.1080/10903127.2025.2468796. Epub 2025 Mar 4. <https://doi.org/10.1080/10903127.2025.2468796>
- Population-level impact of universal early AED implementation on out-of-hospital cardiac arrest outcomes: a machine learning analysis using synthetic patient data of 45-year projection study from Japan. Kubo A. Resuscitation. 2025 Dec;217:110904. doi: 10.1016/j.resuscitation.2025.110904. Epub 2025 Nov 19. <https://doi.org/10.1016/j.resuscitation.2025.110904>

- Urinary Retention Triggered by Urethritis in Olanzapine-induced Diabetic Ketoacidosis. Murakami H. Intern Med. 2026 Feb 1;65(3):497-502. doi: 10.2169/internalmedicine.5880-25. Epub 2025 Jul 17. <https://doi.org/10.2169/internalmedicine.5880-25>
- Current Practices and Gaps in Integrating Point-of-Care Ultrasound in Neonatal and Pediatric Transport: A Scoping Review. Chan B. Diagnostics (Basel). 2026 Feb 3;16(3):471. doi: 10.3390/diagnostics16030471. <https://doi.org/10.3390/diagnostics16030471>
- Risk Factors and Clinical Outcomes of Post-Extubation Stridor in Pediatric Intensive Care. Fonseca JG. Children (Basel). 2025 Dec 16;12(12):1698. doi: 10.3390/children12121698. <https://doi.org/10.3390/children12121698>
- Emergency Front-Of-Neck Access in the Pediatric Intensive Care Unit: Development of an Institutional Protocol. Tsuboi K. Paediatr Anaesth. 2026 Feb;36(2):128-134. doi: 10.1111/pan.70073. Epub 2025 Nov 6. <https://doi.org/10.1111/pan.70073>
- Patterns of orthopedic injuries presenting to emergency departments in Gaza amid the 2023-2025 conflict: A cross-sectional analysis. Elilja Y. J Orthop Surg (Hong Kong). 2026 Jan-Apr;34(1):10225536261426604. doi: 10.1177/10225536261426604. Epub 2026 Feb 13. <https://doi.org/10.1177/10225536261426604>
- The current state of oncological emergency services in Kenya: challenges and opportunities. Abdihamid O. BMJ Glob Health. 2026 Jan 7;11(1):e020895. doi: 10.1136/bmjgh-2025-020895. <https://doi.org/10.1136/bmjgh-2025-020895>
- Cool Running Water as a First Aid Treatment for Burn Injuries. Holbert MD. Ann Emerg Med. 2026 Jan;87(1):90-102. doi: 10.1016/j.annemergmed.2025.08.003. Epub 2025 Sep 23. <https://doi.org/10.1016/j.annemergmed.2025.08.003>
- Improving Bystander Response: How Long Does It Take to Retrieve an AED From Varying Distances. Gramm ER. Prehosp Emerg Care. 2026;30(2):227-231. doi: 10.1080/10903127.2025.2475323. Epub 2025 Apr 1. <https://doi.org/10.1080/10903127.2025.2475323>
- ST-Elevation Myocardial Infarction Systems of Care in Africa: A Scoping Review. Pool AJ. Glob Heart. 2026 Feb 17;21(1):11. doi: 10.5334/gh.1524. eCollection 2026. <https://doi.org/10.5334/gh.1524>
- Reducing Emergency Medical Services (EMS) Usage as Interfacility Transport for Patients Presenting with Chest Pain. Hewitt MK. J Clin Med. 2026 Feb 13;15(4):1462. doi: 10.3390/jcm15041462. <https://doi.org/10.3390/jcm15041462>
- Communication Surrounding Treatment Preferences for Older Adults With Dementia During Emergency Medical Services Response. Pollack LR. J Am Geriatr Soc. 2026 Jan;74(1):33-42. doi: 10.1111/jgs.70078. Epub 2025 Sep 4. <https://doi.org/10.1111/jgs.70078>
- Integrated Management of Multisite Corrosive Injuries Following Hydrogen Fluoride Gas Exposure. Zhaolue H. Clin Case Rep. 2026 Feb 14;14(2):e72046. doi: 10.1002/ccr3.72046. eCollection 2026 Feb. <https://doi.org/10.1002/ccr3.72046>
- Penetrating thoracic stab wounds and the cardiac box: a single-center experience of in-hospital treatment and outcome in Germany. Rabe SM. Scand J Trauma Resusc Emerg Med. 2026 Jan 17;34(1):18. doi: 10.1186/s13049-026-01555-y. <https://doi.org/10.1186/s13049-026-01555-y>
- The Effects of Tropical Climate on the Stability of Emergency Drugs Used in Ambulances Under Real EMS Situations. Leela-Amornsins S. Prehosp Emerg Care. 2025 Dec 9:1-7. doi: 10.1080/10903127.2025.2587176. Online ahead of print. <https://doi.org/10.1080/10903127.2025.2587176>
- Characterizing the impact of traumatic brain injury phenotype on coagulation dynamics in severely injured patients. Gosselin AR. Thromb Res. 2026 Feb;258:109583. doi: 10.1016/j.thromres.2026.109583. Epub 2026 Jan 14. <https://doi.org/10.1016/j.thromres.2026.109583>
- Large vessel occlusion prediction scale thresholds that are sensitive for DAWN Trial patients. Keenan KJ. Interv Neuroradiol. 2025 Dec;31(6):795-803. doi: 10.1177/15910199231203266. Epub 2023 Nov 1. <https://doi.org/10.1177/15910199231203266>
- [Emergency and Contingency Team Responsibilities at the Soroka University Medical Center]. Gonen A. Harefuah. 2025 Dec;165(10):662-667.
- The lived experiences of emergency medical technicians when seeking individual counseling. Hutchinson J. Psychol Serv. 2025 Dec 15. doi: 10.1037/ser0001013. Online ahead of print. <https://doi.org/10.1037/ser0001013>
- Regional Anesthesia and Analgesia for Acute Trauma Patients. Samet RE. Anesthesiol Clin. 2025 Dec;43(4):707-738. doi: 10.1016/j.anclin.2025.07.009. Epub 2025 Sep 6. <https://doi.org/10.1016/j.anclin.2025.07.009>
- Accessibility and availability of maternal health care among Oraon, Kharwar, and Chero women in Latehar, Jharkhand: A qualitative study. Abedin Z. Health Care Women Int. 2026 Feb 24:1-27. doi: 10.1080/07399332.2026.2631033. Online ahead of print. <https://doi.org/10.1080/07399332.2026.2631033>
- Determinants of When Community Behavioral Health Clinics Partner With Emergency Response Systems: The Role of Capacity in 911 Referral and Co-response Models. Mauri AI. Milbank Q. 2025 Dec;103(4):1160-1182. doi: 10.1111/1468-0009.70045. Epub 2025 Aug 15. <https://doi.org/10.1111/1468-0009.70045>
- [Food-induced Botulism - Diagnosis, treatment and course]. Schröder T. Fortschr Neurol Psychiatr. 2025 Dec;93(12):517-521. doi: 10.1055/a-2600-3625. Epub 2025 Jun 26. <https://doi.org/10.1055/a-2600-3625>
- The impact of the AIRWAYS-2 randomised controlled trial on clinical practice in out-of-hospital cardiac arrest in England: A registry-based cohort study. Aljanoubi M. Resuscitation. 2025 Dec;217:110820. doi: 10.1016/j.resuscitation.2025.110820. Epub 2025 Sep 11. <https://doi.org/10.1016/j.resuscitation.2025.110820>

- Deriving a Simple Clinical Predictive Score for Posterior Circulation Ischemic Stroke (PCS-SCORE). Imam Y. J Cent Nerv Syst Dis. 2026 Feb 12;18:11795735261424050. doi: 10.1177/11795735261424050. eCollection 2026.. <https://doi.org/10.1177/11795735261424050>
- End-of-life emergency medical service transport among patients with terminal cancer by cardiopulmonary arrest status: A nationwide mortality follow-back survey. Nakazawa Y. Support Care Cancer. 2026 Jan 13;34(2):87. doi: 10.1007/s00520-025-10309-y.. <https://doi.org/10.1007/s00520-025-10309-y>
- Qualitative evaluation of a pilot mental health program for public safety personnel with post-traumatic stress disorder. Seuren LM. PLOS Ment Health. 2026 Jan 30;3(1):e0000536. doi: 10.1371/journal.pmen.0000536. eCollection 2026.. <https://doi.org/10.1371/journal.pmen.0000536>
- Understanding patient safety during earthquakes: a phenomenological study of disaster response. Palteki T. BMJ Qual Saf. 2026 Feb 19;35(3):169-180. doi: 10.1136/bmjqs-2024-018115.. <https://doi.org/10.1136/bmjqs-2024-018115>
- Owner-reported financial limitations negatively impact emergency veterinary teams. McCobb E. J Am Vet Med Assoc. 2025 Oct 6;263(S3):S49-S59. doi: 10.2460/javma.25.06.0361. Print 2025 Dec 1.. <https://doi.org/10.2460/javma.25.06.0361>
- Effects of Transport Team Composition on Neonatal Intubation Success. Averhoff AJ. Air Med J. 2026 Jan-Feb;45(1):59-62. doi: 10.1016/j.amj.2025.09.005. Epub 2025 Oct 13.. <https://doi.org/10.1016/j.amj.2025.09.005>
- The risk of secondary exposure in the operating room from a sulfur mustard-contaminated penetrating wound using a simulation scenario. Caré W. Clin Toxicol (Phila). 2026 Jan;64(1):43-52. doi: 10.1080/15563650.2025.2570873. Epub 2025 Nov 20.. <https://doi.org/10.1080/15563650.2025.2570873>
- Mapping Five Years of #OAMed: Trends, Engagement, and Shifting Topics on Twitter/X. Günsoy E. West J Emerg Med. 2025 Dec 19;27(1):25-32. doi: 10.5811/westjem.47392.. <https://doi.org/10.5811/westjem.47392>
- Defining Critical Emergency Medicine (CrEM): A Delphi Study From Scandinavia. Bäckström D. Acta Anaesthesiol Scand. 2026 Jan;70(1):e70150. doi: 10.1111/aas.70150.. <https://doi.org/10.1111/aas.70150>
- Pre-injury statin therapy is associated with lower VTE after traumatic brain injury. Sanders KE. Am J Surg. 2025 Dec;250:116509. doi: 10.1016/j.amjsurg.2025.116509. Epub 2025 Jul 7.. <https://doi.org/10.1016/j.amjsurg.2025.116509>
- Smartphone-based photoplethysmographic applications for assessing finger perfusion insufficiency. Hsieh HY. Medicine (Baltimore). 2026 Feb 6;105(6):e47585. doi: 10.1097/MD.00000000000047585.. <https://doi.org/10.1097/MD.00000000000047585>
- Obstetric-Related Emergency Medical Treatment and Labor Act Violations and No Health Exception Bans. Woskie LR. JAMA Health Forum. 2025 Dec 5;6(12):e254726. doi: 10.1001/jamahealthforum.2025.4726.. <https://doi.org/10.1001/jamahealthforum.2025.4726>
- Adaptation of DETECT for Use in Home-Based Primary Care: Clinician Perspectives. Lees Haggerty K. J Am Geriatr Soc. 2026 Jan 31. doi: 10.1111/jgs.70296. Online ahead of print.. <https://doi.org/10.1111/jgs.70296>
- Developing the Community Paramedicine Needs Assessment Tool. Markides TM. Nurs Rep. 2025 Dec 10;15(12):440. doi: 10.3390/nursrep15120440.. <https://doi.org/10.3390/nursrep15120440>
- What do employers want in their interventional imaging workforce? Document analysis of radiology and cardiology job advertisements across England and Wales. Hizzett K. Radiography (Lond). 2026 Jan 21:103321. doi: 10.1016/j.radi.2025.103321. Online ahead of print.. <https://doi.org/10.1016/j.radi.2025.103321>
- From rare procedure to institutional capability: a proposal to embed systematic training and adoption of emergency front of neck access. Duffy CC. Br J Anaesth. 2025 Dec;135(6):1779-1786. doi: 10.1016/j.bja.2025.08.035. Epub 2025 Oct 8.. <https://doi.org/10.1016/j.bja.2025.08.035>
- Age and sex differences in the sensitivity of ICD-10 diagnostic codes for identifying patients with out-of-hospital cardiac arrest in the British Columbia cardiac arrest registry: a retrospective cohort study. Visanji M. Resuscitation. 2026 Jan;218:110922. doi: 10.1016/j.resuscitation.2025.110922. Epub 2025 Dec 11.. <https://doi.org/10.1016/j.resuscitation.2025.110922>
- Integrated ICH Care Pathway Across Stroke Service Levels: Time for a New Model of Care. Li Q. Stroke. 2026 Jan;57(1):219-229. doi: 10.1161/STROKEAHA.125.052829. Epub 2025 Dec 22.. <https://doi.org/10.1161/STROKEAHA.125.052829>
- Regional differences in characteristics of patients with acute coronary syndromes pre- and during Coronavirus-2019 pandemic. Bryniarski K. Am Heart J Plus. 2025 Oct 14;60:100640. doi: 10.1016/j.ahjo.2025.100640. eCollection 2025 Dec.. <https://doi.org/10.1016/j.ahjo.2025.100640>
- What to expect from a smartphone dispatch application for out-of-hospital cardiac arrest in a national population?. Soumagnac T. Resuscitation. 2025 Dec;217:110887. doi: 10.1016/j.resuscitation.2025.110887. Epub 2025 Nov 6.. <https://doi.org/10.1016/j.resuscitation.2025.110887>
- Trans-sectoral patient pathways in urgent and emergency care (TRANSPARENT study): protocol for a prospective, mixed-methods study in Germany. Bienzeisler J. BMJ Open. 2026 Feb 15;16(2):e114590. doi: 10.1136/bmjopen-2025-114590.. <https://doi.org/10.1136/bmjopen-2025-114590>
- Comfort evaluation and vibration reduction nursing of patients in interhospital transport. Yao M. Sci Rep. 2026 Feb 12. doi: 10.1038/s41598-026-39454-y. Online ahead of print.. <https://doi.org/10.1038/s41598-026-39454-y>
- Perceived coercion in psychiatric inpatients: a validation study of the Romanian-language version of the Admission Experience Survey. P un RM. Psychiatr Psychol Law. 2024 Sep 8;33(1):22-31. doi: 10.1080/13218719.2024.2372767. eCollection 2026.. <https://doi.org/10.1080/13218719.2024.2372767>

- Characteristics of out-of-hospital cardiac arrest from 2018 to 2021 across the world: third report from the International Liaison Committee on Resuscitation (ILCOR) research and registries committee. Nishiyama C. *Resuscitation*. 2025 Dec;217:110852. doi: 10.1016/j.resuscitation.2025.110852. Epub 2025 Sep 29.. <https://doi.org/10.1016/j.resuscitation.2025.110852>
- Bystander Defibrillation and Survival According to Emergency Medical Service Response Time After Out-of-Hospital Cardiac Arrest: A Nationwide Registry-Based Cohort Study. Hindborg M. *Prehosp Emerg Care*. 2026;30(2):232-240. doi: 10.1080/10903127.2025.2478211. Epub 2025 Apr 29.. <https://doi.org/10.1080/10903127.2025.2478211>
- Improving transitions between nursing homes and emergency departments: a qualitative study. Høyvik E. *BMC Nurs*. 2025 Dec 23;24(1):1492. doi: 10.1186/s12912-025-04121-6.. <https://doi.org/10.1186/s12912-025-04121-6>
- Health workforce policy in Queensland: mapping the state government landscape. Topp SM. *Aust Health Rev*. 2025 Dec 4;49(6):AH25134. doi: 10.1071/AH25134.. <https://doi.org/10.1071/AH25134>
- The Decimation of Gaza's Health Care System-Hospitals Destroyed and Lives Endangered. Hamamra B. *Int J Soc Determinants Health Health Serv*. 2026 Jan;56(1):30-40. doi: 10.1177/27551938251378096. Epub 2025 Sep 16.. <https://doi.org/10.1177/27551938251378096>
- Physical activity and general medical knowledge of adult residents of the silesian voivodeship. Mazanek A. *Ann Med*. 2026 Dec;58(1):2622165. doi: 10.1080/07853890.2026.2622165. Epub 2026 Jan 30.. <https://doi.org/10.1080/07853890.2026.2622165>
- CIRSE Standards of Practice for the Provision of Emergency IR Care on a 24/7 Basis. Mahnken AH. *Cardiovasc Intervent Radiol*. 2026 Feb;49(2):180-194. doi: 10.1007/s00270-025-04321-2. Epub 2026 Jan 8.. <https://doi.org/10.1007/s00270-025-04321-2>
- Leveraging emergency medical services data to analyse characteristics and risk factors of violence: an epidemiological study. Sheikh SA. *Inj Prev*. 2025 Dec 3:ip-2025-045704. doi: 10.1136/ip-2025-045704. Online ahead of print.. <https://doi.org/10.1136/ip-2025-045704>
- Emergency clinicians need more information about offering spectrum of care and solutions for clients with financial limitations. Wilcox Z. *J Am Vet Med Assoc*. 2025 May 21;263(S3):S43-S48. doi: 10.2460/javma.25.01.0034. Print 2025 Dec 1.. <https://doi.org/10.2460/javma.25.01.0034>
- Exception from Informed Consent and Waiver of Informed Consent for Comparative Effectiveness Trials in Emergency Care Research. Casey JD. *Ethics Hum Res*. 2026 Jan-Feb;48(1):31-41. doi: 10.1002/eahr.70001.. <https://doi.org/10.1002/eahr.70001>
- RESCUER mobile app to support pediatric resuscitation: Study protocol for a randomized controlled trial. Lee SA. *Contemp Clin Trials Commun*. 2025 Oct 8;48:101558. doi: 10.1016/j.conctc.2025.101558. eCollection 2025 Dec.. <https://doi.org/10.1016/j.conctc.2025.101558>
- Machine learning enhanced noninvasive transcranial stroke detection using a portable eddy current damping sensor. Shen H. *iScience*. 2025 Nov 19;28(12):114130. doi: 10.1016/j.isci.2025.114130. eCollection 2025 Dec 19.. <https://doi.org/10.1016/j.isci.2025.114130>
- Multiphasic anaphylaxis in the emergency and intensive care setting. Schneider MA. *BMJ Case Rep*. 2026 Feb 26;19(2):e270996. doi: 10.1136/bcr-2025-270996.. <https://doi.org/10.1136/bcr-2025-270996>
- Non-Specific Low Back Pain in South Australian Public Hospital Emergency Departments: A Retrospective Observational Study. Chen KK. *Emerg Med Australas*. 2026 Feb;38(1):e70205. doi: 10.1111/1742-6723.70205.. <https://doi.org/10.1111/1742-6723.70205>
- Outcomes of Acute Ischemic Stroke Patients Undergoing Air Versus Ground Interhospital Transport in a Rural Area: A Retrospective Comparative Study. Park E. *J Korean Med Sci*. 2025 Dec 29;40(50):e339. doi: 10.3346/jkms.2025.40.e339.. <https://doi.org/10.3346/jkms.2025.40.e339>
- Video-vs audio-instructed dispatcher-assisted CPR and outcomes after out-of-hospital cardiac arrest: a nationwide registry-based cohort study. Lee SH. *Resuscitation*. 2026 Feb 6;220:111009. doi: 10.1016/j.resuscitation.2026.111009. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.111009>
- Early identification of high-risk older two-wheeler riders: A dual-sample approach for 30-day mortality prediction. Hsu MC. *Accid Anal Prev*. 2026 Jan;224:108298. doi: 10.1016/j.aap.2025.108298. Epub 2025 Oct 29.. <https://doi.org/10.1016/j.aap.2025.108298>
- The Effect of Smartphone Pre-Notification System on Regional Acute Ischemic Stroke Management Time Delay: Multicenter Before-After Study. Jung H. *Prehosp Emerg Care*. 2026 Jan 23:1-7. doi: 10.1080/10903127.2025.2605644. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2605644>
- The SCEPTRE Suction Device: Bridging Portability and Performance in Combat Medicine. Wiatrek EL. *Ann Biomed Eng*. 2025 Dec 6. doi: 10.1007/s10439-025-03900-1. Online ahead of print.. <https://doi.org/10.1007/s10439-025-03900-1>
- Injuries while seeking shelter during air-raid sirens: A retrospective comparative study from two armed conflicts in Israel. Alpert EA. *Injury*. 2026 Feb;57(2):112937. doi: 10.1016/j.injury.2025.112937. Epub 2025 Dec 4.. <https://doi.org/10.1016/j.injury.2025.112937>
- The Role of Perceived Urgency and Barriers in Using Emergency Medical Care for Sepsis: A German-Wide, Representative Survey Using Case Vignettes. Born S. *Crit Care Med*. 2026 Feb 1;54(2):291-300. doi: 10.1097/CCM.0000000000006967. Epub 2025 Dec 3.. <https://doi.org/10.1097/CCM.0000000000006967>

- Geographic Modelling of Endovascular Treatment Access Across Canada Demonstrates Need to Lower Door-in-Door-Out Times. Kamal N. *Can J Neurol Sci.* 2026 Jan 22;1-10. doi: 10.1017/cjn.2025.10497. Online ahead of print.. <https://doi.org/10.1017/cjn.2025.10497>
- Intravenous adrenaline (epinephrine): its use in the critical care setting. Bright MR. *Postgrad Med J.* 2026 Feb 13;102(1205):290-296. doi: 10.1093/postmj/qgaf234.. <https://doi.org/10.1093/postmj/qgaf234>
- Impact of the coronavirus pandemic on bystander CPR, dispatcher-assisted CPR, EMS response time, and survival outcomes in China. Hou Y. *Am J Emerg Med.* 2026 Apr;102:135-140. doi: 10.1016/j.ajem.2026.01.024. Epub 2026 Jan 19.. <https://doi.org/10.1016/j.ajem.2026.01.024>
- French virtual multidisciplinary team meeting for pediatric movement disorders (PMD-vMDT): a three-year survey. François-Heude MC. *Front Neurol.* 2026 Jan 13;16:1751665. doi: 10.3389/fneur.2025.1751665. eCollection 2025.. <https://doi.org/10.3389/fneur.2025.1751665>
- 30 years of thrombolysis for ischaemic stroke: expanded agents, widened windows and accelerated delivery. Zhang B. *Stroke Vasc Neurol.* 2026 Jan 19:svn-2025-004987. doi: 10.1136/svn-2025-004987. Online ahead of print.. <https://doi.org/10.1136/svn-2025-004987>
- Lung Ultrasound Training: A Scoping Review of Educational Interventions and Outcomes. Lavoie P. *Australas J Ultrasound Med.* 2026 Jan 5;29(1):e70031. doi: 10.1002/ajum.70031. eCollection 2026 Feb.. <https://doi.org/10.1002/ajum.70031>
- Air Medical and Transport Simulation Training of Critically Ill Cases With Radioactive Contamination in Nuclear Power Stations by Japanese Helicopter Emergency Medical Services. Tanizaki S. *Air Med J.* 2026 Jan-Feb;45(1):39-44. doi: 10.1016/j.amj.2025.08.010. Epub 2025 Sep 25.. <https://doi.org/10.1016/j.amj.2025.08.010>
- Implementation of a regional extracorporeal membrane oxygenation program for out-of-hospital cardiac arrest: results of the prospective observational study. Bosson N. *Resusc Plus.* 2025 Nov 24;27:101177. doi: 10.1016/j.resplu.2025.101177. eCollection 2026 Jan.. <https://doi.org/10.1016/j.resplu.2025.101177>
- [The Cardiac Arrest Receiving Team based on the Freiburg model : Structuring of postresuscitation care following nontraumatic, out-of-hospital cardiac arrest in an interdisciplinary team]. Bork M. *Med Klin Intensivmed Notfmed.* 2026 Feb;121(1):14-23. doi: 10.1007/s00063-025-01352-y. Epub 2025 Dec 19.. <https://doi.org/10.1007/s00063-025-01352-y>
- Building a Dataset for Emergency Care by Identifying Consumer-Informed Quality Indicators: An Analysis of Focus Group Discussions. Solly E. *Emerg Med Australas.* 2026 Feb;38(1):e70215. doi: 10.1111/1742-6723.70215.. <https://doi.org/10.1111/1742-6723.70215>
- Cluster-Randomized Trials in Emergency Care Research. Kim HS. *Acad Emerg Med.* 2026 Feb;33(2):e70181. doi: 10.1111/acem.70181. Epub 2025 Oct 28.. <https://doi.org/10.1111/acem.70181>
- Professional role and identity formation in health professions education through interprofessional acute care simulation. Røe Y. *J Interprof Care.* 2026 Jan-Feb;40(1):87-95. doi: 10.1080/13561820.2025.2539860. Epub 2025 Jul 28.. <https://doi.org/10.1080/13561820.2025.2539860>
- Maintenance of competence in rarely performed clinical skills by advanced life support providers in Gauteng, South Africa: A mixed-methods study. Surtees JE. *Afr J Emerg Med.* 2026 Mar;16(1):100932. doi: 10.1016/j.afjem.2025.100932. Epub 2026 Jan 21.. <https://doi.org/10.1016/j.afjem.2025.100932>
- The intersection of emergency care, human resources and health equity: a comparative mapping of policy and systems in Australia, Canada, Rwanda and South Africa. Sriram V. *BMJ Glob Health.* 2026 Jan 20;11(1):e021349. doi: 10.1136/bmjgh-2025-021349.. <https://doi.org/10.1136/bmjgh-2025-021349>
- A Wearable-Based Program to Optimise Stress Regulation, Resilience, and Wellbeing in Emergency Care Settings: A Proof-of-Concept Study Protocol. Pozzato I. *Sensors (Basel).* 2025 Dec 23;26(1):104. doi: 10.3390/s26010104.. <https://doi.org/10.3390/s26010104>
- Changes in clinical features and severity in patients presenting to European emergency departments with acute cannabis toxicity over the 10-year period from 2013 to 2022. Miró . *Addiction.* 2026 Feb;121(2):316-330. doi: 10.1111/add.70233. Epub 2025 Nov 13.. <https://doi.org/10.1111/add.70233>
- Delivering emergency care at the religious mass gathering of India: an amalgamation of technology and spirituality-an institutional experience of managing pilgrims at Mahakumbh Prayagraj. Singh S. *Front Public Health.* 2025 Dec 17;13:1695241. doi: 10.3389/fpubh.2025.1695241. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1695241>
- Status of state trauma registries 2025: Have we made progress?. Lendrum EC. *Injury.* 2026 Jan;57(1):112678. doi: 10.1016/j.injury.2025.112678. Epub 2025 Aug 10.. <https://doi.org/10.1016/j.injury.2025.112678>
- [Feasibility and timeliness of unmanned aerial vehicles-delivered automated external defibrillator in the emergency treatment of out-of-hospital cardiac arrest]. Suo Y. *Zhonghua Yi Xue Za Zhi.* 2026 Jan 20;106(3):270-273. doi: 10.3760/cma.j.cn112137-20250527-01311.. <https://doi.org/10.3760/cma.j.cn112137-20250527-01311>
- Field Report of the Singapore Emergency Medical Team Deployment Following the 2025 Myanmar Earthquake: Clinical and Operational Insights from a WHO Type-1 Fixed Facility. Nang MH. *Prehosp Disaster Med.* 2025 Dec;40(6):330-335. doi: 10.1017/S1049023X25101593. Epub 2026 Jan 6.. <https://doi.org/10.1017/S1049023X25101593>
- Differences in acute ischemic stroke treatment: A cross-sectional study from international Registry of Stroke Care Quality (RES-Q). Mikulik R. *Int J Stroke.* 2026 Feb;21(2):188-199. doi: 10.1177/17474930251364082. Epub 2025 Jul 23.. <https://doi.org/10.1177/17474930251364082>

- Physician Response Vehicles in Emergency Medical Services Fellowships in the United States. Mencl F. Prehosp Emerg Care. 2026 Feb 18:1-6. doi: 10.1080/10903127.2026.2619628. Online ahead of print.. <https://doi.org/10.1080/10903127.2026.2619628>
- A doubly robust estimation framework to quantify potential bias in linked crash-EMS-trauma data with multi-cohort overlap. Karimi S. Accid Anal Prev. 2026 Apr;228:108380. doi: 10.1016/j.aap.2025.108380. Epub 2026 Jan 10.. <https://doi.org/10.1016/j.aap.2025.108380>
- Effect of different factors on predicting patient mortality beyond the NACA classification: a multivariate analysis of more than 2,000 polytrauma patients. Scala I. Scand J Trauma Resusc Emerg Med. 2025 Dec 29;33(1):202. doi: 10.1186/s13049-025-01511-2.. <https://doi.org/10.1186/s13049-025-01511-2>
- Pediatric near-drownings: clinical insights and prediction of life-threatening events. Sharif AF. Front Pediatr. 2026 Jan 12;13:1700437. doi: 10.3389/fped.2025.1700437. eCollection 2025.. <https://doi.org/10.3389/fped.2025.1700437>
- Predictive Accuracy of Glasgow Coma Scale and Pupillary Data on Presence of Traumatic Brain Injury. Schüller D. J Clin Med. 2026 Jan 15;15(2):697. doi: 10.3390/jcm15020697.. <https://doi.org/10.3390/jcm15020697>
- Optimizing ED patient disposition predictions through clinical narratives with advanced pre-trained language models. Lee MH. Health Inf Sci Syst. 2026 Jan 26;14(1):34. doi: 10.1007/s13755-026-00431-4. eCollection 2026 Dec.. <https://doi.org/10.1007/s13755-026-00431-4>
- Impact of a pilot leadership development programme for rural and remote primary care physicians in Aceh, Indonesia: a Kirkpatrick level 3 evaluation. Maulina F. BMJ Lead. 2025 Dec 9;leader-2023-000953. doi: 10.1136/leader-2023-000953. Online ahead of print.. <https://doi.org/10.1136/leader-2023-000953>
- Verifying thoroughbred racehorse fatalities through Equibase chart review. Markowitz JS. J Equine Vet Sci. 2026 Feb 16;159:105808. doi: 10.1016/j.jevs.2026.105808. Online ahead of print.. <https://doi.org/10.1016/j.jevs.2026.105808>
- Utilizing Point-of-Care Ultrasound and Tourniquet Placement for Expedited Diagnosis and Management of Intravenous Cannula Breakage: A Case Report. Lossos B. Mil Med. 2025 Dec 25:usaf617. doi: 10.1093/milmed/usaf617. Online ahead of print.. <https://doi.org/10.1093/milmed/usaf617>
- Balancing Innovation and Responsibility: Ethical and Privacy Challenges in Stroke Digital Health. Muchada M. Stroke. 2025 Dec 5. doi: 10.1161/STROKEAHA.125.050450. Online ahead of print.. <https://doi.org/10.1161/STROKEAHA.125.050450>
- Clinical utility of measuring circulating glial fibrillary acidic protein in severe stroke. Gjordeni M. Stroke Vasc Neurol. 2025 Dec 3;svn-2025-004645. doi: 10.1136/svn-2025-004645. Online ahead of print.. <https://doi.org/10.1136/svn-2025-004645>
- Management of Body Temperature via the Respiratory Tract. Ring BJ. Respir Care. 2026 Jan;71(1):76-85. doi: 10.1177/19433654251360619. Epub 2026 Jan 13.. <https://doi.org/10.1177/19433654251360619>
- Artificial intelligence in trauma care: applications, ethical challenges, and pathways toward responsible integration. Bignami EG. Curr Opin Anaesthesiol. 2026 Apr 1;39(2):174-182. doi: 10.1097/ACO.0000000000001615. Epub 2026 Feb 9.. <https://doi.org/10.1097/ACO.0000000000001615>
- Medical Considerations in High-Risk Maritime Operations: A Narrative Review. Granholm F. J Spec Oper Med. 2025 Dec 1;25(4):78-82. doi: 10.55460/UGFI-MVGB.. <https://doi.org/10.55460/UGFI-MVGB>
- Overdose-Related Cardiac Arrest in the Era of the Opioid Epidemic. Buckley RJ. Crit Care Clin. 2026 Jan;42(1):215-233. doi: 10.1016/j.ccc.2025.08.008. Epub 2025 Sep 18.. <https://doi.org/10.1016/j.ccc.2025.08.008>
- A cross-sectional study investigating optimism and mental resilience among Greek healthcare professionals. Porfyri GN. Commun Med (Lond). 2025 Dec 22;6(1):63. doi: 10.1038/s43856-025-01324-5.. <https://doi.org/10.1038/s43856-025-01324-5>
- Impact of an eCPR Pilot Program on Outcomes After Out-of-Hospital Cardiac Arrest for Patients Who Do Not Receive eCPR in a Large, Urban EMS System. Tolles J. Prehosp Emerg Care. 2025 Dec 12:1-8. doi: 10.1080/10903127.2025.2592239. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2592239>
- State-Level Helmet Use Laws, Helmet Use, and Head Injuries in EMS Patients Involved in Motorcycle Collisions. Hayes JM. Prehosp Emerg Care. 2026;30(1):147-152. doi: 10.1080/10903127.2025.2450280. Epub 2025 Jan 31.. <https://doi.org/10.1080/10903127.2025.2450280>
- Enhanced Trauma Video Review With Computer Vision: Trauma Resuscitation Phase Segmentation and Procedure Detection. Villarreal JA. Ann Surg Open. 2025 Dec 1;6(4):e631. doi: 10.1097/AS9.0000000000000631. eCollection 2025 Dec.. <https://doi.org/10.1097/AS9.0000000000000631>
- Emergency department diagnosis and management of acute coronary occlusion. Horning J. Emerg Med Pract. 2026 Feb 1;28(2):28. Print 2026 Feb..
- Safety Planning for Youth in the Emergency Department Who Have Suicide Risk. Foster AA. J Am Coll Emerg Physicians Open. 2025 Nov 6;6(6):100275. doi: 10.1016/j.acepjo.2025.100275. eCollection 2025 Dec.. <https://doi.org/10.1016/j.acepjo.2025.100275>
- Diagnostic performance of a video-assisted cardiac arrest recognition protocol by emergency medical dispatcher in out-of-hospital cardiac arrest. Lee SGW. Resuscitation. 2026 Feb;219:110936. doi: 10.1016/j.resuscitation.2025.110936. Epub 2025 Dec 22.. <https://doi.org/10.1016/j.resuscitation.2025.110936>
- Statewide and Regional Variation in Hospice and Palliative Care Protocols in Emergency Medical Services in the United States. Gunaga S. Prehosp Emerg Care. 2025 Dec 15:1-7. doi: 10.1080/10903127.2025.2589960. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2589960>

- The inverse relationship between post-traumatic growth and job burnout among medical staff during the COVID-19 normalization period: A systematic review. Ruan T. Asian J Psychiatr. 2026 Feb;116:104814. doi: 10.1016/j.ajp.2025.104814. Epub 2026 Jan 2.. <https://doi.org/10.1016/j.ajp.2025.104814>
- Improving time to ECG in ambulatory chest pain: a quality improvement initiative in an Irish emergency department. Hanratty J. Ir J Med Sci. 2025 Dec 11. doi: 10.1007/s11845-025-04225-7. Online ahead of print.. <https://doi.org/10.1007/s11845-025-04225-7>
- Eligibility for Extracorporeal Cardio-Pulmonary Resuscitation in Out-of-Hospital Cardiac Arrests in Sweden. Ölander CH. Acta Anaesthesiol Scand. 2026 Jan;70(1):e70173. doi: 10.1111/aas.70173.. <https://doi.org/10.1111/aas.70173>
- Consensus-based research priorities for post-collision care in the Western Cape province of South Africa. Abdul-lah N. Afr J Emerg Med. 2025 Dec;15(4):100900. doi: 10.1016/j.afjem.2025.100900. Epub 2025 Sep 5.. <https://doi.org/10.1016/j.afjem.2025.100900>
- Pilot study on benzene exposure risks in healthcare workers: a combined socio-demographic and computational toxicology approach. Zhang Y. Front Public Health. 2025 Dec 4;13:1634439. doi: 10.3389/fpubh.2025.1634439. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1634439>
- Isolated emergency medical incidents in the practice of Polish firefighters in 2020-2023: analysis of intervention causes. Dudzi ski Ł. Front Public Health. 2025 Dec 16;13:1721695. doi: 10.3389/fpubh.2025.1721695. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1721695>
- Genre of Music Festivals as a Predictor for Medical Utilization Rate. van Dijken GD. Prehosp Emerg Care. 2026;30(2):332-337. doi: 10.1080/10903127.2025.2481143. Epub 2025 Apr 14.. <https://doi.org/10.1080/10903127.2025.2481143>
- Diversity Among EMS Fellows. Innes JC. Prehosp Emerg Care. 2026;30(2):202-210. doi: 10.1080/10903127.2025.2470962. Epub 2025 Apr 29.. <https://doi.org/10.1080/10903127.2025.2470962>
- A Moderated Mediation Analysis of Timely EMS Activation and Bystander CPR in the Association Between Regional Deprivation and Outcomes Following Out-of-Hospital Cardiac Arrest. Kong SY. Healthcare (Basel). 2026 Feb 5;14(3):408. doi: 10.3390/healthcare14030408.. <https://doi.org/10.3390/healthcare14030408>
- The role of demographic factors of individuals with seizures in emergency care delivery. Saouda C. Epilepsy Behav. 2026 Mar;176:110923. doi: 10.1016/j.yebeh.2026.110923. Epub 2026 Jan 31.. <https://doi.org/10.1016/j.yebeh.2026.110923>
- Implementing lean six sigma to optimize emergency extracorporeal cardiopulmonary resuscitation process management. Yang LL. Am J Emerg Med. 2025 Dec;98:33-40. doi: 10.1016/j.ajem.2025.08.010. Epub 2025 Aug 7.. <https://doi.org/10.1016/j.ajem.2025.08.010>
- Association Between Inequality of Emergency Medical Supply Resources and In-Hospital Mortality in Patients With Acute Myocardial Infarction. Choi Y. Int J Public Health. 2026 Feb 5;70:1608533. doi: 10.3389/ijph.2025.1608533. eCollection 2025.. <https://doi.org/10.3389/ijph.2025.1608533>
- Telephone triage in urgent unscheduled primary care in 16 European countries: a cross-national questionnaire-based expert study. Bergholdt Jul Christiansen I. Scand J Prim Health Care. 2026 Dec;44(1):2600632. doi: 10.1080/02813432.2025.2600632. Epub 2026 Jan 12.. <https://doi.org/10.1080/02813432.2025.2600632>
- A Pediatric Case of Serogroup Y Meningococcal Meningitis in a 12-Year-Old Boy Combined with Respiratory Infection of Three Species of Viruses in China. Li X. Infect Drug Resist. 2025 Dec 6;18:6421-6425. doi: 10.2147/IDR.S559206. eCollection 2025.. <https://doi.org/10.2147/IDR.S559206>
- Nonsynthetic platelet-like products: methods and clinical potential in hemorrhage control. Mansouritorghabeh H. Blood Coagul Fibrinolysis. 2026 Feb 16. doi: 10.1097/MBC.0000000000001414. Online ahead of print.. <https://doi.org/10.1097/MBC.0000000000001414>
- Diagnostic pitfalls and forensic implications of hyperactive delirium with severe agitation: an Italian case series. Margari A. Leg Med (Tokyo). 2026 Feb 23;82:102823. doi: 10.1016/j.legalmed.2026.102823. Online ahead of print.. <https://doi.org/10.1016/j.legalmed.2026.102823>
- Atlanto-Occipital Dissociation With Catastrophic Neurological Injury: Ethical Challenges in the Intensive Care Setting. Almeida R. Cureus. 2025 Dec 13;17(12):e99105. doi: 10.7759/cureus.99105. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.99105>
- [Role of interventional radiology in mass casualty incidents : Current state of evidence exemplified by the attack on the Magdeburg Christmas market]. Becker M. Unfallchirurgie (Heidelb). 2026 Feb 23. doi: 10.1007/s00113-026-01683-1. Online ahead of print.. <https://doi.org/10.1007/s00113-026-01683-1>
- Bilateral Cerebral Calcifications in Secondary Fahr's Syndrome. Posa A. Case Rep Neurol Med. 2025 Dec 20;2025:5598992. doi: 10.1155/crnm/5598992. eCollection 2025.. <https://doi.org/10.1155/crnm/5598992>
- [Primary assessment of urological emergencies using the example of a specialist hospital]. Michels G. Urologie. 2026 Jan;65(1):7-14. doi: 10.1007/s00120-025-02735-x. Epub 2025 Nov 14.. <https://doi.org/10.1007/s00120-025-02735-x>
- The Last Aid Course Professional as a Low-Threshold Opportunity for Professionals from Health and Social Care to Talk About Dying, Death and Grief and to Learn the Foundations of Palliative Care-A Mixed-Methods Study. Bollig G. Healthcare (Basel). 2026 Feb 5;14(3):401. doi: 10.3390/healthcare14030401.. <https://doi.org/10.3390/healthcare14030401>
- Exploring allied health research capacity in Nigeria: a qualitative study of enablers and barriers. Osaigbovo II. BMC Health Serv Res. 2025 Dec 23;26(1):129. doi: 10.1186/s12913-025-13942-9.. <https://doi.org/10.1186/s12913-025-13942-9>

- Understanding research engagement among allied health professionals working in UK emergency departments: a qualitative study. Coates K. *Emerg Med J*. 2026 Jan 21;43(2):100-106. doi: 10.1136/emmermed-2025-214932.. <https://doi.org/10.1136/emmermed-2025-214932>
- Silent Killer: A Case Report on Carbon Monoxide Poisoning. Lipman N. *J Emerg Med*. 2025 Dec;79:529-530. doi: 10.1016/j.jemermed.2025.09.002. Epub 2025 Sep 9.. <https://doi.org/10.1016/j.jemermed.2025.09.002>
- An Egocentric Life-Saving Interventional Procedure Dataset of Actions, Medical Questions, Maneuvers and Tools. Zhuo Y. *Sci Data*. 2025 Dec 18;13(1):51. doi: 10.1038/s41597-025-06365-y.. <https://doi.org/10.1038/s41597-025-06365-y>
- Successful Surgical Treatment of Hemosuccus Pancreaticus Caused by Rupture of a Transverse Pancreatic Artery Aneurysm: A Case Report. Ogura A. *Surg Case Rep*. 2026;12(1):25-0538. doi: 10.70352/scrj.cr.25-0538. Epub 2026 Jan 8.. <https://doi.org/10.70352/scrj.cr.25-0538>
- Detection of Ruptured and Unruptured Brain Arteriovenous Malformations Has Decreased: A Population-Based Study. Pohjola A. *Neurology*. 2026 Apr 14;106(7):e214724. doi: 10.1212/WNL.00000000000214724. Epub 2026 Feb 26.. <https://doi.org/10.1212/WNL.00000000000214724>
- EMS Tactical Care and Evacuation Under Fire. Cornelius APMartin Lee LMKohn MD. 2025 Dec 14. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-..
- Wilderness Medicine and Surgery: A Lifesaving Skill Set for Extreme Environments. Ingebreetsen RJ. *Surg Clin North Am*. 2025 Dec;105(6):985-996. doi: 10.1016/j.suc.2025.07.005. Epub 2025 Aug 25.. <https://doi.org/10.1016/j.suc.2025.07.005>
- Impact of Patients, Nurses, and Workload on the Use of a Nurse-Initiated Pain Protocol at Triage in the Emergency Department: A Single-Center Retrospective Observational Study. Fournier Y. *J Clin Med*. 2026 Jan 18;15(2):782. doi: 10.3390/jcm15020782.. <https://doi.org/10.3390/jcm15020782>
- Survival against anatomical odds: Management of a 143-cm transdiaphragmatic, transspinal rod impalement-A case report. Adhikari S. *Int J Surg Case Rep*. 2025 Oct 26;137:112104. doi: 10.1016/j.ijscr.2025.112104. eCollection 2025 Dec.. <https://doi.org/10.1016/j.ijscr.2025.112104>
- Understanding how and why users might use NHS repositories: A mixed methods study. Holland M. *Health Info Libr J*. 2025 Dec;42(4):456-466. doi: 10.1111/hir.12566. Epub 2025 Jan 25.. <https://doi.org/10.1111/hir.12566>
- "Make the best use of resources in organizations and society at large"-Professional experiences of the Collaborative Health Care model. Hallgren J. *Int Emerg Nurs*. 2026 Feb 19;85:101775. doi: 10.1016/j.ienj.2026.101775. Online ahead of print.. <https://doi.org/10.1016/j.ienj.2026.101775>
- Exploring stroke awareness in an ethnic minority population: the impact of language and social support. Møller OM. *BMC Public Health*. 2026 Jan 14;26(1):545. doi: 10.1186/s12889-026-26208-8.. <https://doi.org/10.1186/s12889-026-26208-8>
- Changes in the nationwide number of emergency department visits following the junior physicians' walkout in South Korea: An interrupted time-series analysis. Han C. *Public Health*. 2025 Dec;249:105984. doi: 10.1016/j.puhe.2025.105984. Epub 2025 Oct 10.. <https://doi.org/10.1016/j.puhe.2025.105984>
- A Heterogeneous Legal Landscape Governs Community AED Use: Crowdsourced United States AED Legal Review and Gap Analysis. Adriansen DJ. *Prehosp Emerg Care*. 2026;30(2):258-268. doi: 10.1080/10903127.2025.2490804. Epub 2025 Apr 30.. <https://doi.org/10.1080/10903127.2025.2490804>
- A systematic review of interventions for persons living with dementia: The Geriatric ED Guidelines 2.0. Lee S. *Acad Emerg Med*. 2026 Jan;33(1):e70074. doi: 10.1111/acem.70074. Epub 2025 Jun 19.. <https://doi.org/10.1111/acem.70074>
- Increased Skin-to-Muscle Distances Affects the Dose of Adrenaline Administered Intramuscularly From EpiPen With Certain Cold Weather Clothing Combinations. Moloney TD. *Wilderness Environ Med*. 2026 Feb 23;10806032251413551. doi: 10.1177/10806032251413551. Online ahead of print.. <https://doi.org/10.1177/10806032251413551>
- Infective Endocarditis: Severe Complication from a Common Procedure. Maurice CA. *J Spec Oper Med*. 2025 Dec 1;25(4):56-58. doi: 10.55460/YWQE-8GX1.. <https://doi.org/10.55460/YWQE-8GX1>
- Accelerating the Adoption of Best Practice Research in Resuscitation Through Implementation Science: Identifying Gaps and Pathways. Majd S. *J Clin Med*. 2026 Jan 14;15(2):648. doi: 10.3390/jcm15020648.. <https://doi.org/10.3390/jcm15020648>
- Knee Injuries in First Responders. Brophy RH. *J Am Acad Orthop Surg*. 2026 Jan 15;34(2):e187-e191. doi: 10.5435/JAAOS-D-25-00661. Epub 2025 Aug 15.. <https://doi.org/10.5435/JAAOS-D-25-00661>
- Phantom Arm Pain and Tinnitus in a Patient with ST-Segment Elevation Myocardial Infarction: A Case Report. Porter J. *Clin Pract Cases Emerg Med*. 2026 Feb;10(1):43-45. doi: 10.5811/cpcem.47095.. <https://doi.org/10.5811/cpcem.47095>
- Life-Threatening Diagnosis or Completely Benign? A School Nurse's Guide to Assessing and Caring for Students With Cardiac Complaints. Lovin J. *NASN Sch Nurse*. 2026 Jan;41(1):16-23. doi: 10.1177/1942602X251404526. Epub 2026 Jan 15.. <https://doi.org/10.1177/1942602X251404526>
- Inter-regional disparities in emergency department utilization among critically ill patients: A nationwide study from South Korea. Oh MR. *PLoS One*. 2025 Dec 9;20(12):e0338520. doi: 10.1371/journal.pone.0338520. eCollection 2025.. <https://doi.org/10.1371/journal.pone.0338520>

- The epidemiology of canyoning rescue operations in Italy: a retrospective 15-year database study. Tomasi A. Scand J Trauma Resusc Emerg Med. 2026 Jan 15;34(1):31. doi: 10.1186/s13049-025-01535-8.. <https://doi.org/10.1186/s13049-025-01535-8>
- How should services for high-intensity users be organised? A scoping review of published literature with recommendations for future research and delivery of care. Greengross P. JRSM Open. 2026 Feb 18;17(2):20542704251413949. doi: 10.1177/20542704251413949. eCollection 2026 Feb.. <https://doi.org/10.1177/20542704251413949>
- Responsive emergency assessment and community team: an acute palliative medicine virtual ward with emergency department in-reach. Holdsworth E. BMJ Support Palliat Care. 2026 Feb 18;spcare-2025-006079. doi: 10.1136/spcare-2025-006079. Online ahead of print.. <https://doi.org/10.1136/spcare-2025-006079>
- Assessing emergency department service quality at Maragheh University Medical Centers (2024). Alizadeh H. Int J Health Care Qual Assur. 2026 Feb 3:1-17. doi: 10.1108/IJHCQA-09-2025-0141. Online ahead of print.. <https://doi.org/10.1108/IJHCQA-09-2025-0141>
- Radio-nuclear Threats in Ukraine and the Health Sector's Preparedness to Respond to Nuclear Disaster. Anatolii CA. Disaster Med Public Health Prep. 2025 Dec 12;19:e345. doi: 10.1017/dmp.2025.10098.. <https://doi.org/10.1017/dmp.2025.10098>
- Electrocardiogram sonification accelerates detection of ST elevation myocardial infarction compared to analysis based solely on visual display: a randomized controlled simulation study with medical students. Tiesmeier J. BMC Emerg Med. 2026 Jan 7;26(1):30. doi: 10.1186/s12873-025-01466-8.. <https://doi.org/10.1186/s12873-025-01466-8>
- Continuing Violence From the Out-of-Hospital Setting to the Emergency Department and Hospital: A Cohort Study on Longitudinal Violence in Health Care. McGuire SS. Ann Emerg Med. 2026 Feb;87(2):200-212. doi: 10.1016/j.annemergmed.2025.05.009. Epub 2025 Jun 18.. <https://doi.org/10.1016/j.annemergmed.2025.05.009>
- A Scoping Review on Military Airway Studies. Huaman RJ. Mil Med. 2026 Feb 5;usag001. doi: 10.1093/milmed/usag001. Online ahead of print.. <https://doi.org/10.1093/milmed/usag001>
- Traumatic cardiac rupture with cerebral herniation: A case report. Zhu Y. Medicine (Baltimore). 2026 Jan 16;105(3):e47259. doi: 10.1097/MD.00000000000047259.. <https://doi.org/10.1097/MD.00000000000047259>
- Strategies for Teaching Uncertainty Tolerance in Medical Education: A Qualitative Study. Cole R. J Am Coll Emerg Physicians Open. 2025 Dec 12;7(1):100298. doi: 10.1016/j.acepjo.2025.100298. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100298>
- Sterility of fresh whole blood units stored for an extended period of time above room temperature. Stapleton G. Transfusion. 2025 Dec 30. doi: 10.1111/trf.18466. Online ahead of print.. <https://doi.org/10.1111/trf.18466>
- Characteristics of Hospitalization-Associated Disability After Cardiac Surgery by Age Group. Kusaka S. Circ Rep. 2025 Nov 22;8(1):77-92. doi: 10.1253/circrep.CR-25-0080. eCollection 2026 Jan 9.. <https://doi.org/10.1253/circrep.CR-25-0080>
- The Cuning Airway: Anesthetic Insights From a Five-Case Series on Intubation Challenges Without Tracheostomy in Catastrophic Maxillofacial Injury. Kumari S. Cureus. 2025 Dec 20;17(12):e99712. doi: 10.7759/cureus.99712. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.99712>
- Outcomes of Patients From All-Japan Utstein Registry Managed by 2015 Cardiopulmonary Resuscitation Guidelines for Nonshockable Out-of-Hospital Cardiac Arrest. Yagi T. J Am Heart Assoc. 2026 Jan 6;15(1):e044171. doi: 10.1161/JAHA.125.044171. Epub 2025 Dec 23.. <https://doi.org/10.1161/JAHA.125.044171>
- Limb-saving emergent procedural sedation and joint reduction via telehealth. Powell B. J Telemed Telecare. 2026 Jan;32(1):79-81. doi: 10.1177/1357633X251313593. Epub 2025 Jan 31.. <https://doi.org/10.1177/1357633X251313593>
- Remote Monitoring Is Associated With Less Routine and Emergency Care in Pediatric Asthma. Oppelaar MC. Pediatr Pulmonol. 2025 Dec;60(12):e71417. doi: 10.1002/ppul.71417.. <https://doi.org/10.1002/ppul.71417>
- Efficiency of remote videoconference-assisted ultrasound education: comparison with standard classroom training. Vatsvåg V. BMC Med Educ. 2025 Dec 30;26(1):167. doi: 10.1186/s12909-025-08452-5.. <https://doi.org/10.1186/s12909-025-08452-5>
- Lung Ultrasound Guided Management of Pulmonary Congestion in Hemodialysis: A Multicenter Randomized Controlled Trial. Kaysi S. Kidney360. 2026 Jan 1;7(1):139-149. doi: 10.34067/KID.00000000873. Epub 2025 Aug 15.. <https://doi.org/10.34067/KID.00000000873>
- Developing benchmarking indicators for Australian virtual emergency departments: a Delphi study. Schulz TJ. Emerg Med J. 2025 Dec 18;43(1):41-48. doi: 10.1136/emered-2025-214904.. <https://doi.org/10.1136/emered-2025-214904>
- Increasing access: Making naloxone available at highway rest areas. Ingram T. Explor Res Clin Soc Pharm. 2025 Sep 19;20:100660. doi: 10.1016/j.rcsop.2025.100660. eCollection 2025 Dec.. <https://doi.org/10.1016/j.rcsop.2025.100660>
- Increased leptospirosis incidence following flooding in Rio Grande do Sul, Brazil. Michelon W. Int J Environ Health Res. 2025 Dec;35(12):3841-3846. doi: 10.1080/09603123.2025.2498623. Epub 2025 Apr 28.. <https://doi.org/10.1080/09603123.2025.2498623>
- Outcomes in austere trauma care: An analysis of patients transferred from scene compared to inter-hospital transfers. Fisher AD. Transfusion. 2026 Jan 2. doi: 10.1111/trf.70046. Online ahead of print.. <https://doi.org/10.1111/trf.70046>
- Initial Double Sequential External Defibrillation for Refractory Ventricular Fibrillation in Cardiac Sarcoidosis. Duncan TJ. JACC Case Rep. 2026 Jan 7;31(1):105945. doi: 10.1016/j.jaccas.2025.105945. Epub 2025 Nov 7.. <https://doi.org/10.1016/j.jaccas.2025.105945>

- Aconitine poisoning as a rare cause of pulseless diffuse ventricular arrhythmia: a case report. Baumeister B. *Am J Emerg Med.* 2026 Feb 5;103:99-104. doi: 10.1016/j.ajem.2026.02.001. Online ahead of print.. <https://doi.org/10.1016/j.ajem.2026.02.001>
- Fentanyl's Deadly Footprint: A New Framework for Predicting Overdose Hotspots. Okunola D. *Cureus.* 2026 Jan 4;18(1):e100756. doi: 10.7759/cureus.100756. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.100756>
- Successful Treatment of Cardiogenic Shock Due to Cardiac Rupture by Transient Focal Mid-Ventricular Takotsubo Cardiomyopathy. Takahashi M. *JACC Case Rep.* 2026 Feb 25;31(8):106606. doi: 10.1016/j.jaccas.2025.106606. Epub 2026 Jan 21.. <https://doi.org/10.1016/j.jaccas.2025.106606>
- Qualitative Analysis of Maternal Mortality Reporting Gaps and the Emerging Fourth Delay in Garut Regency, Indonesia. Susiarno H. *Int J Womens Health.* 2026 Feb 20;18:552705. doi: 10.2147/IJWH.S552705. eCollection 2026.. <https://doi.org/10.2147/IJWH.S552705>
- Comparison Between In-Office Versus Remote Follow-Up Costs in Patients with Pacemakers and Reimbursed Transportation in a Portuguese District Hospital. Oliveira J. *Healthcare (Basel).* 2025 Dec 12;13(24):3257. doi: 10.3390/healthcare13243257.. <https://doi.org/10.3390/healthcare13243257>
- Characteristics and in-hospital outcomes of patients presenting to a level 1 trauma center classified under the modified Brain Injury Guidelines. Kim KT. *J Neurosurg.* 2025 Oct 10;144(1):104-111. doi: 10.3171/2025.6.JNS25342. Print 2026 Jan 1.. <https://doi.org/10.3171/2025.6.JNS25342>
- Mental health burden among healthcare workers in Kintampo North Municipal Hospital: A descriptive analysis of stress, depression, and anxiety based on Job Demands-Resources (JD-R) model. Zakaria M. *PLOS Ment Health.* 2025 Dec 3;2(12):e0000478. doi: 10.1371/journal.pmen.0000478. eCollection 2025.. <https://doi.org/10.1371/journal.pmen.0000478>
- Qualitative and quantitative evaluation of the usability of transport ventilators using eye tracking. Schmutz A. *Sci Rep.* 2026 Jan 8;16(1):886. doi: 10.1038/s41598-025-34154-5.. <https://doi.org/10.1038/s41598-025-34154-5>
- Intranasal Temperature Modulation Device in Awake Healthy Volunteers: A First In-Human Safety and Tolerability Study. Nova AS. *Ther Hypothermia Temp Manag.* 2026 Jan 23;21:537658261415906. doi: 10.1177/21537658261415906. Online ahead of print.. <https://doi.org/10.1177/21537658261415906>
- Proceedings of the third Childress Summit on pediatric trauma: Advancing multicenter research through the A+ Pediatric Trauma Research Network. Petty JK. *J Trauma Acute Care Surg.* 2026 Jan 5. doi: 10.1097/TA.0000000000004912. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004912>
- Embolization of a profunda femoris artery injury following battlefield tourniquet application: A case report. Boonyatikarn S. *Trauma Case Rep.* 2026 Feb 8;61:101300. doi: 10.1016/j.tcr.2026.101300. eCollection 2026 Feb.. <https://doi.org/10.1016/j.tcr.2026.101300>
- Successful Treatment and Transport of a Prolonged Cardiac Arrest from the Antarctic Continent with Full Neurological Recovery. Powell TL. *Wilderness Environ Med.* 2025 Dec 17;10806032251401807. doi: 10.1177/10806032251401807. Online ahead of print.. <https://doi.org/10.1177/10806032251401807>
- Haptic Portable Robotic Device for Automated Guidewire or Catheter Navigation in Endovascular Procedures. Mohammad V. *medRxiv [Preprint].* 2026 Feb 5:2026.02.03.26345465. doi: 10.64898/2026.02.03.26345465.. <https://doi.org/10.64898/2026.02.03.26345465>
- Pediatric Intracerebral Hemorrhage Management-Consensus Statement of the International Pediatric Stroke Organization-Part 1: Acute Phase and Workup. Boulouis G. *J Am Heart Assoc.* 2026 Jan 6;15(1):e039594. doi: 10.1161/JAHA.124.039594. Epub 2025 Dec 30.. <https://doi.org/10.1161/JAHA.124.039594>
- Critical care challenges after severe trauma surgery. Werner M. *Curr Opin Crit Care.* 2025 Dec 1;31(6):774-781. doi: 10.1097/MCC.0000000000001334. Epub 2025 Oct 3.. <https://doi.org/10.1097/MCC.0000000000001334>
- 'Golden day' is a myth: rethinking medical timelines and risk in large scale combat operations. Dilday J. *BMJ Mil Health.* 2026 Jan 22;172(1):13-16. doi: 10.1136/military-2024-002835.. <https://doi.org/10.1136/military-2024-002835>
- Social Vulnerability and Out-of-Hospital Identification of Neurologic Emergencies. Wood AJ. *Ann Emerg Med.* 2026 Feb 2:S0196-0644(25)01504-5. doi: 10.1016/j.annemergmed.2025.12.025. Online ahead of print.. <https://doi.org/10.1016/j.annemergmed.2025.12.025>
- [Analysis of the improvement effect of Jilin Province Stroke Emergency Map initiative on the efficiency of emergency care for acute ischemic stroke]. Zhang P. *Zhonghua Yi Xue Za Zhi.* 2025 Dec 23;105(47):4377-4382. doi: 10.3760/cma.j.cn112137-20250626-01562.. <https://doi.org/10.3760/cma.j.cn112137-20250626-01562>
- Acute heart failure care - a consensus series of an international experts' group. Cotter G. *Eur J Heart Fail.* 2025 Dec;27(12):3326-3335. doi: 10.1002/ehf.70057. Epub 2025 Sep 28.. <https://doi.org/10.1002/ehf.70057>
- [Experience of Nursing Professionals with Advanced Practice competencies with triage implementation in Primary Care Emergency Services]. Pérez-Romero G. *Aten Primaria.* 2026 Feb 18;58(5):103462. doi: 10.1016/j.aprim.2026.103462. Online ahead of print.. <https://doi.org/10.1016/j.aprim.2026.103462>
- Embedding a Virtual Emergency Department Pathway Within Emergency Medical Services Secondary Triage for People Living in Residential Aged Care. Villani M. *Prehosp Emerg Care.* 2026 Jan 21:1-8. doi: 10.1080/10903127.2025.2604104. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2604104>
- Quicker team launch times for urgent priority neonatal retrievals: A Quality Improvement Initiative study. Desai S. *J Perinatol.* 2026 Jan;46(1):93-101. doi: 10.1038/s41372-025-02354-6. Epub 2025 Jul 23.. <https://doi.org/10.1038/s41372-025-02354-6>

- Epidemiology and outcomes of out-of-hospital cardiac arrests at sport and recreational events in England, 2015-2022. Winterburn H. Resusc Plus. 2025 Nov 19;27:101168. doi: 10.1016/j.resplu.2025.101168. eCollection 2026 Jan.. <https://doi.org/10.1016/j.resplu.2025.101168>
- [A case of steroid-responsive late deterioration in *Cryptococcus* meningoencephalitis followed by longitudinal extensive transverse myelitis]. Murakami S. Rinsho Shinkeigaku. 2026 Jan 22;66(1):13-18. doi: 10.5692/clinicalneuro. cn-002151. Epub 2025 Dec 10.. <https://doi.org/10.5692/clinicalneuro.cn-002151>
- Critical illness in prisons: a multi-methods analysis of reported healthcare safety incidents in England. McFadden IJ. Br J Gen Pract. 2026 Feb 26;76(764):e244-e252. doi: 10.3399/BJGP.2025.0239. Print 2026 Mar 1.. <https://doi.org/10.3399/BJGP.2025.0239>
- Cost-utility analysis of the British Cardiovascular Interventional Society conveyance algorithm for patients with Out-of-Hospital Cardiac Arrest. Movio G. Resuscitation. 2026 Feb 18:111021. doi: 10.1016/j.resuscitation.2026.111021. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.111021>
- Economic Burden Associated With Cardiac Implantable Electronic Device (CIED) Infections in New South Wales, Australia: A Population-Based Study Using Linked Administrative Data. Shawon MSR. J Arrhythm. 2025 Dec 2;41(6):e70237. doi: 10.1002/joa3.70237. eCollection 2025 Dec.. <https://doi.org/10.1002/joa3.70237>
- Ten Years of a Novel Telemedicine System for Management of Statewide Hand Trauma Decreases EMS Transfer Rate and Health Care Costs in Arkansas. Montoya K. J Hand Surg Am. 2026 Feb 7:S0363-5023(25)00721-X. doi: 10.1016/j.jhsa.2025.12.015. Online ahead of print.. <https://doi.org/10.1016/j.jhsa.2025.12.015>
- Predicting Occlusion Myocardial Infarctions in the Emergency Department Using Artificial Intelligence. Nyström A. J Am Coll Emerg Physicians Open. 2026 Jan 9;7(1):100299. doi: 10.1016/j.acepjo.2025.100299. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100299>
- The role of perfusion index in the evaluation of patients with cancer. Ulger H. BMC Emerg Med. 2025 Dec 2;26(1):5. doi: 10.1186/s12873-025-01422-6.. <https://doi.org/10.1186/s12873-025-01422-6>
- Boarding battles: Pharmacist perils in the land of limbo. Koehl J. Am J Health Syst Pharm. 2025 Dec 5;82(24):1377-1385. doi: 10.1093/ajhp/zxaf143.. <https://doi.org/10.1093/ajhp/zxaf143>
- Association Between Urban-Rural Geographical Location and 30-Day Survival After Out-of-Hospital Cardiac Arrest. Bijman LAE. J Am Coll Emerg Physicians Open. 2026 Feb 11;7(2):100326. doi: 10.1016/j.acepjo.2026.100326. eCollection 2026 Apr.. <https://doi.org/10.1016/j.acepjo.2026.100326>
- Frequent Presenters to Southern New Zealand Emergency Departments Differ From Other ED Attenders. Tamberg Y. Emerg Med Australas. 2025 Dec;37(6):e70185. doi: 10.1111/1742-6723.70185.. <https://doi.org/10.1111/1742-6723.70185>
- Comparing complications in pediatric trauma patients transported before and after 30 minutes. Hung G. J Pediatr Surg. 2026 Feb;61(2):162664. doi: 10.1016/j.jpedsurg.2025.162664. Epub 2025 Sep 12.. <https://doi.org/10.1016/j.jpedsurg.2025.162664>
- Dysfunctional variants of ABCG2 create strong individual and population risks for progression of hyperuricemia: the potential for implementation of genome-personalized nursing. Nakayama A. Hum Cell. 2025 Dec 26;39(1):22. doi: 10.1007/s13577-025-01310-y.. <https://doi.org/10.1007/s13577-025-01310-y>
- Violence from patients and visitors in the emergency department - reporting of aggression by medical staff. Burak AM. Int J Occup Med Environ Health. 2025 Dec 17;38(6):596-610. doi: 10.13075/ijomeh.1896.02640. Epub 2025 Dec 8.. <https://doi.org/10.13075/ijomeh.1896.02640>
- Incorporating Systems-Level Stakeholder Perspectives into the Design of Mobile Integrated Health Programs. O'Connor L. Prehosp Emerg Care. 2026;30(1):130-139. doi: 10.1080/10903127.2024.2443485. Epub 2025 Jan 13.. <https://doi.org/10.1080/10903127.2024.2443485>
- [Parents' first aid knowledge and educational expectations based on a study conducted in Győr-Ménfőcsanak county]. Némethné Boldizsár E. Orv Hetil. 2026 Feb 15;167(7):265-273. doi: 10.1556/650.2026.33467. Print 2026 Feb 15.. <https://doi.org/10.1556/650.2026.33467>
- Who is the emergency care community? A qualitative exploration of stakeholder roles and relationships in engaged research within a South African provincial emergency care system. Holliman R. Afr J Emerg Med. 2026 Mar;16(1):100950. doi: 10.1016/j.afjem.2026.100950. Epub 2026 Feb 4.. <https://doi.org/10.1016/j.afjem.2026.100950>
- CO(2) inhalation enhances pericyte-mediated neurovascular protection in ischemic stroke and remains safe in hemorrhagic stroke. Yoon CE. J Cereb Blood Flow Metab. 2026 Feb 16:271678X261418929. doi: 10.1177/0271678X261418929. Online ahead of print.. <https://doi.org/10.1177/0271678X261418929>
- Comparison of the Thoracic Trauma Severity Score (TTSS) and Trauma and Injury Severity Score (TRISS) in predicting clinical outcomes in chest trauma patients: protocol for a prospective cohort study from Iraq. Khamees AR. Int J Surg Protoc. 2025 Aug 20;29(4):167-175. doi: 10.1097/SP9.0000000000000060. eCollection 2025 Dec.. <https://doi.org/10.1097/SP9.0000000000000060>
- Can cMyc challenge cTnT? Li Q. Lab Med. 2026 Jan 7;57(1):lmaf059. doi: 10.1093/labmed/lmaf059.. <https://doi.org/10.1093/labmed/lmaf059>
- Stroke management challenges and innovations in Hungary and China: A comparative study. Gaál A. Ideggyogy Sz. 2026 Jan 30;79(1-2):17-24. doi: 10.18071/isz.79.0017.. <https://doi.org/10.18071/isz.79.0017>
- Bleeding control in catastrophic blunt pelvic trauma using the abdominal aortic and junctional tourniquet in a civilian level I trauma center: A case report. Honnec G. Scand J Trauma Resusc Emerg Med. 2025 Dec 3;34(1):2. doi: 10.1186/s13049-025-01517-w.. <https://doi.org/10.1186/s13049-025-01517-w>

- Sequence of advanced airway management and epinephrine administration for paediatric patients with non-shockable out-of-hospital cardiac arrest. Utsumi S. *Emerg Med J*. 2026 Feb 25;emermed-2025-215292. doi: 10.1136/emermed-2025-215292. Online ahead of print.. <https://doi.org/10.1136/emermed-2025-215292>
- Screening for Life-Threatening Arrhythmia in Asymptomatic Patients After Paediatric Cardiac Surgery: A Single-Centre Retrospective Analysis of 790 Pre-hospital-discharge 24-h Holter Electrocardiogram Recordings. Blana E. *Pediatr Cardiol*. 2025 Dec;46(8):2456-2462. doi: 10.1007/s00246-024-03691-7. Epub 2024 Oct 22.. <https://doi.org/10.1007/s00246-024-03691-7>
- Shaken Adult Syndrome: Defining a New Traumatic Entity with an Evidence-Based Approach. Del Duca F. *Diagnostics* (Basel). 2026 Jan 19;16(2):319. doi: 10.3390/diagnostics16020319.. <https://doi.org/10.3390/diagnostics16020319>
- Epidemiology of Envenomings by Venomous Animals in the Municipality of Barcelos (middle Rio Negro), Amazonas, Brazil. Martins JG. *Wilderness Environ Med*. 2025 Dec 5;10806032251393145. doi: 10.1177/10806032251393145. Online ahead of print.. <https://doi.org/10.1177/10806032251393145>
- An end-to-end solution for out-of-hospital emergency medical dispatch triage based on multimodal and continual deep learning. Ferri P. *Artif Intell Med*. 2025 Dec;170:103264. doi: 10.1016/j.artmed.2025.103264. Epub 2025 Sep 10.. <https://doi.org/10.1016/j.artmed.2025.103264>
- Integration of FAST/e-FAST Ultrasound Into Advanced Trauma Life Support (ATLS) Protocols for the Surgical Management of Abdominal Trauma: A Systematic Review of Its Impact on Mortality, Intervention Times, and Post-operative Outcomes. Maldonado J. *Cureus*. 2026 Jan 10;18(1):e101256. doi: 10.7759/cureus.101256. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.101256>
- Swimming-Induced Pulmonary Edema: A Scoping Review and Analysis of Epidemiology, Pathophysiology, Diagnostics, Management, and Implications for Resource-Limited Care of Patients. Steins H. *Wilderness Environ Med*. 2026 Feb 10;10806032251414379. doi: 10.1177/10806032251414379. Online ahead of print.. <https://doi.org/10.1177/10806032251414379>
- War-related emergency laparotomy and thoracotomy injuries and their operative outcomes in a makeshift surgical unit in Gaza during the 2023 - 2025 war. Shaikhkhalil H. *Injury*. 2026 Jan 10;113026. doi: 10.1016/j.injury.2026.113026. Online ahead of print.. <https://doi.org/10.1016/j.injury.2026.113026>
- Clinico-Epidemiological Prediction of Adverse Outcomes in Acute Pediatric Poisoning: A Risk Prediction Nomogram Approach. Sharif AF. *Risk Manag Healthc Policy*. 2025 Dec 23;18:3977-4001. doi: 10.2147/RMHP.S550232. eCollection 2025.. <https://doi.org/10.2147/RMHP.S550232>
- Resuscitation from Hemorrhagic Shock with a Novel Protein Cocktail Restores Microvascular Perfusion and Protects Vital Organs. Munoz CJ. *Shock*. 2026 Feb 1;65(2):294-308. doi: 10.1097/SHK.0000000000002636. Epub 2025 Jun 23.. <https://doi.org/10.1097/SHK.0000000000002636>
- The Telehealth Network of Minas Gerais, Brazil: two decades of scaling and sustainability. Marcolino MS. *BMJ Glob Health*. 2026 Feb 27;11(2):e020212. doi: 10.1136/bmjgh-2025-020212.. <https://doi.org/10.1136/bmjgh-2025-020212>
- Characteristics of Allergy-related Emergency Medical Calls: A Retrospective Dispatch-based Study. Metli ar Š. *Zdr Varst*. 2025 Dec 1;64(4):190-198. doi: 10.2478/sjph-2025-0025. eCollection 2025 Dec.. <https://doi.org/10.2478/sjph-2025-0025>
- Rapid diagnosis of pediatric nonconvulsive status epilepticus using point-of-care EEG. Simma L. *Am J Emerg Med*. 2026 Jan;99:241-247. doi: 10.1016/j.ajem.2025.10.017. Epub 2025 Oct 6.. <https://doi.org/10.1016/j.ajem.2025.10.017>
- Meteorological associations with out-of-hospital cardiac arrest: A national population-based time-series analysis. Pál-Jakab Á. *Public Health*. 2026 Mar;252:106145. doi: 10.1016/j.puhe.2026.106145. Epub 2026 Jan 16.. <https://doi.org/10.1016/j.puhe.2026.106145>
- Health system drivers of antimicrobial resistance: a qualitative exploration of implications for infection prevention and control in hospitals and long-term care facilities in Merseyside. Alhassan Y. *J Hosp Infect*. 2025 Dec;166:12-20. doi: 10.1016/j.jhin.2025.08.004. Epub 2025 Sep 7.. <https://doi.org/10.1016/j.jhin.2025.08.004>
- Single Dose Epinephrine Protocol Is Associated With Improved Survival of Older Adults With Out-Of-Hospital Cardiac Arrest. Lilien EJ. *Acad Emerg Med*. 2026 Jan;33(1):e70154. doi: 10.1111/acem.70154. Epub 2025 Sep 25.. <https://doi.org/10.1111/acem.70154>
- Does seizure duration matter? A quantitative and qualitative study on the burden and unmet needs of prolonged seizures in people living with epilepsy and their caregivers. Kaye D. *Epilepsy Behav*. 2026 Mar;176:110831. doi: 10.1016/j.yebeh.2025.110831. Epub 2026 Jan 27.. <https://doi.org/10.1016/j.yebeh.2025.110831>
- Outcomes of patients discharged from a community palliative care service: A retrospective observational study. Seah DSE. *Palliat Med*. 2026 Jan;40(1):95-104. doi: 10.1177/02692163251393785. Epub 2025 Dec 1.. <https://doi.org/10.1177/02692163251393785>
- Prospective randomized trial of standard left anterolateral thoracotomy vs modified bilateral clamshell thoracotomy performed by emergency physicians in a live tissue penetrating cardiac injury model. Newberry R. *Am J Emerg Med*. 2026 Jan;99:70-75. doi: 10.1016/j.ajem.2025.09.012. Epub 2025 Sep 11.. <https://doi.org/10.1016/j.ajem.2025.09.012>
- Potential Missed Opportunities to Administer Intravenous Thrombolysis to Patients With Acute Ischemic Stroke. Navi BB. *Stroke*. 2026 Mar;57(3):633-640. doi: 10.1161/STROKEAHA.125.054326. Epub 2026 Jan 29.. <https://doi.org/10.1161/STROKEAHA.125.054326>

- Internally displaced persons' ed utilization and disease patterns: A single center retrospective chart review. Hitti E. PLoS One. 2025 Dec 29;20(12):e0333245. doi: 10.1371/journal.pone.0333245. eCollection 2025.. <https://doi.org/10.1371/journal.pone.0333245>
- Large increases in asthma symptoms presenting to health care services in England during periods of thunderstorm activity June 2023. Hughes HE. J Asthma. 2026 Mar;63(3):312-322. doi: 10.1080/02770903.2025.2592229. Epub 2025 Dec 1.. <https://doi.org/10.1080/02770903.2025.2592229>
- Validation of the naloxone cardiac arrest decision instrument for identifying opioid-associated cardiac arrests. Dillon DG. Resuscitation. 2025 Dec;217:110851. doi: 10.1016/j.resuscitation.2025.110851. Epub 2025 Oct 6.. <https://doi.org/10.1016/j.resuscitation.2025.110851>
- Fundamentals of occupational health and safety practices outside the workplace among health professionals in Ghana: an assessment of determinants of crash helmet use in the Tamale Teaching Hospital. Hussein A. BMC Public Health. 2025 Dec 8;26(1):163. doi: 10.1186/s12889-025-25442-w.. <https://doi.org/10.1186/s12889-025-25442-w>
- A multi-objective optimization framework integrating ICSL deep learning for forecasting and scheduling emergency medical supply demand in public health emergencies. Pang Y. Sci Rep. 2025 Dec 31;16(1):4199. doi: 10.1038/s41598-025-34300-z.. <https://doi.org/10.1038/s41598-025-34300-z>
- Out-of-hospital cardiac arrest detection by a wearable: the first real-life case. Edgar R. Resusc Plus. 2026 Jan 29;28:101245. doi: 10.1016/j.resplu.2026.101245. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101245>
- Cardiovascular Disease-Related Emergency Department Visits Among Children Aged 0-17 Years in the United States: Findings From the National Emergency Department Sample. Valteau T. J Pediatr Health Care. 2026 Jan 7:S0891-5245(25)00390-6. doi: 10.1016/j.pedhc.2025.11.020. Online ahead of print.. <https://doi.org/10.1016/j.pedhc.2025.11.020>
- ISOBAR Implementation for Patient Handover Between Rescue Services and Pediatric Emergency Department Staff: The COPTER-PED Trial. Bietke V. J Am Coll Emerg Physicians Open. 2025 Dec 6;7(1):100300. doi: 10.1016/j.acepjo.2025.100300. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100300>
- Dig Deep! The Sub-Terranean Casualty Stabilization Points. Miles J. J Spec Oper Med. 2025 Dec 1;25(4):74-77. doi: 10.55460/MT0Z-GFNG.. <https://doi.org/10.55460/MT0Z-GFNG>
- Advancements in burn size assessment: A systematic review of emerging technologies. Woods A. Burns. 2026 Feb;52(1):107782. doi: 10.1016/j.burns.2025.107782. Epub 2025 Nov 15.. <https://doi.org/10.1016/j.burns.2025.107782>
- In vitro inhibition of snake venom toxins by varespladib, marimastat, nafamostat and dimercaprol. le Roux A. Toxicon. 2025 Dec;268:108626. doi: 10.1016/j.toxicon.2025.108626. Epub 2025 Oct 15.. <https://doi.org/10.1016/j.toxicon.2025.108626>
- Underuse of bystander defibrillation on females during out-of-hospital cardiac arrest: a retrospective observational study in Aotearoa New Zealand. Todd VF. Resusc Plus. 2026 Feb 3;28:101252. doi: 10.1016/j.resplu.2026.101252. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101252>
- Public knowledge and awareness of stroke and associated risk factors among adults population in the southern region of Saudi Arabia: A cross-sectional study. Althubait S. Medicine (Baltimore). 2026 Jan 16;105(3):e47209. doi: 10.1097/MD.00000000000047209.. <https://doi.org/10.1097/MD.00000000000047209>
- Implementation of high-performance CPR by basic life support (BLS) personnel: a pilot study in Thailand. Riya-pan S. Resusc Plus. 2025 Nov 18;27:101164. doi: 10.1016/j.resplu.2025.101164. eCollection 2026 Jan.. <https://doi.org/10.1016/j.resplu.2025.101164>
- Family-Reported Posthospitalization Outcomes for Children With Complex Chronic Disease. Brady PW. Pediatrics. 2026 Jan 1;157(1):e2025073195. doi: 10.1542/peds.2025-073195.. <https://doi.org/10.1542/peds.2025-073195>
- An In Vitro Assessment of a Biopolymer-Based Medical Foam for Enhanced Antifibrinolytic and Infection Prophylaxis for Acute Wound Management. Stoner AK. ACS Appl Bio Mater. 2025 Dec 15;8(12):10878-10889. doi: 10.1021/acsabm.5c01584. Epub 2025 Nov 18.. <https://doi.org/10.1021/acsabm.5c01584>
- Out-of-hospital cardiac arrest in Qatar: epidemiology, management, and outcomes from a national registry study. Yigit Y. Resusc Plus. 2025 Dec 22;28:101200. doi: 10.1016/j.resplu.2025.101200. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2025.101200>
- Accuracy of Prehospital Head Injury Assessment: Emergency Medical Dispatcher Versus Emergency Department. Dubucs X. J Trauma Nurs. 2026 Feb 12. doi: 10.1097/JTN.0000000000000911. Online ahead of print.. <https://doi.org/10.1097/JTN.0000000000000911>
- Ketamine for acute and chronic pain: beyond anaesthesia. Duong HG. Pain Manag. 2026 Feb 9:1-11. doi: 10.1080/17581869.2026.2627884. Online ahead of print.. <https://doi.org/10.1080/17581869.2026.2627884>
- PIM2, lactate, and trauma score to predict mortality in critically ill pediatric trauma patients. Barcellos LG. J Pediatr (Rio J). 2026 Feb 17;102(2):101509. doi: 10.1016/j.jped.2026.101509. Online ahead of print.. <https://doi.org/10.1016/j.jped.2026.101509>
- Disparities in Access to Trauma Care in Canada: A Geospatial Analysis of Census Data. Patel P. Ann Surg Open. 2025 Oct 2;6(4):e621. doi: 10.1097/AS9.0000000000000621. eCollection 2025 Dec.. <https://doi.org/10.1097/AS9.0000000000000621>
- 10-Gauge versus 14-Gauge Fenestrated Needle/Catheter Units for Decompression of Tension Pneumothorax in Cadaveric Model. Long AN. J Spec Oper Med. 2025 Dec 1;25(4):20-25. doi: 10.55460/3LUF-6PW2.. <https://doi.org/10.55460/3LUF-6PW2>

- Learning components for mixed reality mass casualty incident training: a modified Delphi study. Gyllencreutz L. BMC Med Educ. 2026 Feb 5;26(1):338. doi: 10.1186/s12909-026-08727-5.. <https://doi.org/10.1186/s12909-026-08727-5>
- Challenges in healthcare facilities' response to past outbreaks: a systematic review of reviews. Rubini E. BMC Health Serv Res. 2026 Jan 23;26(1):141. doi: 10.1186/s12913-025-13934-9.. <https://doi.org/10.1186/s12913-025-13934-9>
- By inhibiting pyroptosis to reduce neuroinflammation, PEG-bHb may prevent the development of secondary injury after traumatic brain injury. Zeng Q. Exp Neurol. 2025 Dec;394:115447. doi: 10.1016/j.expneurol.2025.115447. Epub 2025 Aug 27.. <https://doi.org/10.1016/j.expneurol.2025.115447>
- Characterization of fentanyl exposures in children less than 10 years old. Massengill D. Clin Toxicol (Phila). 2026 Feb 19:1-8. doi: 10.1080/15563650.2026.2625871. Online ahead of print.. <https://doi.org/10.1080/15563650.2026.2625871>
- Multicenter Retrospective Study of Musculoskeletal Bacterial Infections of the Pelvis in Children and Factors Associated With the Formation of an Abscess. Lahoud L. Pediatr Infect Dis J. 2026 Feb 23. doi: 10.1097/INF.0000000000005181. Online ahead of print.. <https://doi.org/10.1097/INF.0000000000005181>
- Early Oxygenation Levels and Clinical Outcomes in Postendovascular Therapy Ischemic Stroke: An Exploratory Analysis of the RESCUE-RE Registry. Zhang K. J Neurosurg Anesthesiol. 2026 Feb 23. doi: 10.1097/ANA.0000000000001102. Online ahead of print.. <https://doi.org/10.1097/ANA.0000000000001102>
- Nurses' perspectives on emergency room healthcare constraints in implementing family-centered care: A qualitative study in Indonesia. Rakhmawati W. Belitung Nurs J. 2026 Jan 23;12(1):1-10. doi: 10.33546/bnj.4243. eCollection 2026.. <https://doi.org/10.33546/bnj.4243>
- Evaluation of a novel corresponsion to opioid overdoses with emergency medical services and a community-based organization. Heidari O. Psychol Serv. 2026 Jan 19. doi: 10.1037/ser0001017. Online ahead of print.. <https://doi.org/10.1037/ser0001017>
- Research hotspots and emerging trends in low-altitude medical rescue (2014-2024): A bibliometric study. Liu L. Int Emerg Nurs. 2026 Feb 12;85:101773. doi: 10.1016/j.ienj.2026.101773. Online ahead of print.. <https://doi.org/10.1016/j.ienj.2026.101773>
- Women's Perspectives on Barriers to Skilled Birth Attendance and Emergency Obstetric Care in Rural Tanzania: A Right to Health Analysis. Tarimo P. Health Hum Rights. 2025 Dec;27(2):317-330..
- Association of non-fatal overdose surveillance data with concurrent and future overdose deaths in Rhode Island. Skinner A. Am J Epidemiol. 2026 Jan 29;kwag018. doi: 10.1093/aje/kwag018. Online ahead of print.. <https://doi.org/10.1093/aje/kwag018>
- A randomised waitlist-controlled trial protocol for examining the efficacy of a nature-based intervention (angling) for military veterans and emergency service personnel with post-traumatic stress disorder (PTSD). Cooper NR. Trials. 2026 Feb 13. doi: 10.1186/s13063-026-09506-9. Online ahead of print.. <https://doi.org/10.1186/s13063-026-09506-9>
- Impact of COVID-19 on Abdominal Pain Presentations and Hospital Outcomes in New South Wales: Findings From the ICON Study. Lozzi L. Emerg Med Australas. 2026 Feb;38(1):e70192. doi: 10.1111/1742-6723.70192.. <https://doi.org/10.1111/1742-6723.70192>
- Predicting the unpredictable: unveiling hidden patterns of emergency department unexpected deaths - a retrospective study. Gontier R. Acta Clin Belg. 2026 Feb;81(1):18-27. doi: 10.1080/17843286.2025.2594469. Epub 2025 Nov 24.. <https://doi.org/10.1080/17843286.2025.2594469>
- Impact of redeployment on healthcare staff well-being and retention: a survey of staff in the UK National Health Service. Weyman A. BMJ Open. 2026 Feb 2;16(2):e107785. doi: 10.1136/bmjopen-2025-107785.. <https://doi.org/10.1136/bmjopen-2025-107785>
- Temporal trends in the use of direct oral anticoagulants prior to stroke admission. Zhou LW. J Stroke Cerebrovasc Dis. 2026 Mar;35(3):108574. doi: 10.1016/j.jstrokecerebrovasdis.2026.108574. Epub 2026 Jan 24.. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2026.108574>
- The prevalence and factors of adverse health outcomes in Chinese older emergency patients: a cohort study. Ren X. BMC Geriatr. 2025 Dec 10;26(1):82. doi: 10.1186/s12877-025-06627-9.. <https://doi.org/10.1186/s12877-025-06627-9>
- Impact of Floseal and NasoPore in Managing Epistaxis in the Emergency Department: A Quality Improvement Analysis. Mansoor U. Cureus. 2026 Jan 21;18(1):e102043. doi: 10.7759/cureus.102043. eCollection 2026 Jan.. <https://doi.org/10.7759/cureus.102043>
- Mapping drug-class associations with sudden cardiac arrest in the outpatient setting: an exploratory population-based case-control analysis. Sheikh Rezaei S. BMJ Evid Based Med. 2026 Jan 20;bmjebm-2025-113993. doi: 10.1136/bmjebm-2025-113993. Online ahead of print.. <https://doi.org/10.1136/bmjebm-2025-113993>
- Public health professionals' perspectives on alcohol public health interventions: a qualitative interview study. Dance S. BMC Public Health. 2026 Jan 17;26(1):570. doi: 10.1186/s12889-026-26252-4.. <https://doi.org/10.1186/s12889-026-26252-4>
- Bystanders' attitudes towards drone delivered Automated External Defibrillators for out-of-hospital cardiac arrest: A qualitative interview study. Bernstein CJ. PLoS One. 2025 Dec 3;20(12):e0337082. doi: 10.1371/journal.pone.0337082. eCollection 2025.. <https://doi.org/10.1371/journal.pone.0337082>
- Transportation services for neonates referred to a secondary level health care facility in rural Tanzania: a cross-sectional study. Mlay IE. J Matern Fetal Neonatal Med. 2025 Dec;38(1):2458595. doi: 10.1080/14767058.2025.2458595. Epub 2025 Feb 2.. <https://doi.org/10.1080/14767058.2025.2458595>

- [Status quo of leading emergency physician deployment : A nationwide survey]. Naber J. *Med Klin Intensivmed Notfmed*. 2026 Jan 20. doi: 10.1007/s00063-026-01409-6. Online ahead of print.. <https://doi.org/10.1007/s00063-026-01409-6>
- Mapping Overdose Risk in Real Time: A Risk Terrain Modeling Analysis of 911 Calls in Detroit, 2022-2024. Lersch KM. *J Public Health Manag Pract*. 2026 Jan-Feb 01;32(1):66-69. doi: 10.1097/PHH.0000000000002238. Epub 2025 Nov 18.. <https://doi.org/10.1097/PHH.0000000000002238>
- Emergency healthcare workers' preparedness for disaster management: An integrative review. Almukhlifi Y. *J Clin Nurs*. 2025 Dec;34(12):4958-4973. doi: 10.1111/jocn.15965. Epub 2021 Jul 12.. <https://doi.org/10.1111/jocn.15965>
- Effect of a grace period on false alarm rates of smartwatch-based out-of-hospital cardiac arrest detection systems: a pilot study. Hup RG. *Resusc Plus*. 2026 Jan 5;28:101215. doi: 10.1016/j.resplu.2025.101215. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2025.101215>
- Cost and Demographic Disparities in Elective Transcarotid Artery Revascularization and Carotid Endarterectomy: A National Inpatient Sample Study. Agarwal R. *Ann Vasc Surg*. 2026 Apr;125:84-90. doi: 10.1016/j.avsg.2025.12.006. Epub 2025 Dec 19.. <https://doi.org/10.1016/j.avsg.2025.12.006>
- Changes Over Time in Naloxone Dosing and Route in Adolescent Opioid Toxicity. Sidlak A. *J Emerg Med*. 2025 Dec;79:165-172. doi: 10.1016/j.jemermed.2025.04.006. Epub 2025 May 8.. <https://doi.org/10.1016/j.jemermed.2025.04.006>
- Epidemiology of Maxillofacial Injuries in the Swords of Iron War: Insights From a National Registry. Tsur N. *Dent Traumatol*. 2026 Feb;42(1):71-78. doi: 10.1111/edt.13081. Epub 2025 Jun 13.. <https://doi.org/10.1111/edt.13081>
- Point-of-care ultrasound (POCUS) diagnosis of rib fractures. Abu-Zidan FM. *World J Emerg Surg*. 2025 Dec 5;21(1):1. doi: 10.1186/s13017-025-00665-9. <https://doi.org/10.1186/s13017-025-00665-9>
- Clinical Practice Guidelines for the Prehospital Stage of Acute Stroke in Korea II : Transport Decisions for Patients with Acute Ischemic Stroke. Oh JS. *J Korean Neurosurg Soc*. 2026 Jan;69(1):23-34. doi: 10.3340/jkns.2025.0103. Epub 2025 Jul 23.. <https://doi.org/10.3340/jkns.2025.0103>
- Early-phase fluid diagnostic biomarkers in acute ischemic stroke: a hybrid umbrella review. Bombaci A. *J Neurol*. 2026 Feb 18;273(2):152. doi: 10.1007/s00415-026-13702-7. <https://doi.org/10.1007/s00415-026-13702-7>
- Missing Data in OHCA Registries: How Multiple Imputation Methods Affect Research Conclusions-Paper II. Zhan SJ. *J Clin Med*. 2026 Jan 16;15(2):732. doi: 10.3390/jcm15020732. <https://doi.org/10.3390/jcm15020732>
- [Intentional drowning as a method of self-inflicted injury and suicide: a 21-year analysis of Galicia]. Sánchez-Lloria P. *Rev Esp Salud Publica*. 2026 Jan 19;100:e202601001..
- Lifesaving Cardiopulmonary Resuscitation: A Pilot Evaluation of a Targeted Educational Intervention to Improve Cardiopulmonary Resuscitation Provision in Volunteer Surf Lifesavers. Reid D. *J Emerg Med*. 2025 Dec;79:123-131. doi: 10.1016/j.jemermed.2025.04.023. Epub 2025 May 14.. <https://doi.org/10.1016/j.jemermed.2025.04.023>
- Patients from Remote Health Centers Referred to Cayenne Emergency Department: A One-Year Observational Study. Miomandre ME. *Am J Trop Med Hyg*. 2025 Dec 9;114(2):384-391. doi: 10.4269/ajtmh.24-0705. Print 2026 Feb 4.. <https://doi.org/10.4269/ajtmh.24-0705>
- Geospatial Access to Trauma Care and Firearm Injury Mortality in the United States: A nationwide county-level analysis. Williams AD. *J Trauma Acute Care Surg*. 2026 Jan 12. doi: 10.1097/TA.0000000000004876. Online ahead of print.. <https://doi.org/10.1097/TA.0000000000004876>
- Gender Disparity in Extracorporeal Cardiopulmonary Resuscitation for Out-of-Hospital Cardiac Arrest. Kawauchi A. *Crit Care Med*. 2026 Jan 13. doi: 10.1097/CCM.0000000000007041. Online ahead of print.. <https://doi.org/10.1097/CCM.0000000000007041>
- Transesophageal echocardiography in cardiac arrest: why, how, when, and where in clinical practice. Vetrugno L. *J Anesth Analg Crit Care*. 2026 Jan 9;6(1):18. doi: 10.1186/s44158-025-00329-9. <https://doi.org/10.1186/s44158-025-00329-9>
- Patterns, severity, and outcomes of traumatic brain injury in a regional referral hospital in Kenya: a retrospective cohort study. Ojakapeli B. *Ann Med Surg (Lond)*. 2025 Nov 4;87(12):8065-8070. doi: 10.1097/MS9.0000000000004260. eCollection 2025 Dec.. <https://doi.org/10.1097/MS9.0000000000004260>
- Education Research: Simulation-Based Interventions in Acute Stroke Care From Symptom Onset to Acute Treatment: A Scoping Review. Ajmi SC. *Neurol Educ*. 2025 Oct 29;4(4):e200263. doi: 10.1212/NE9.0000000000200263. eCollection 2025 Dec.. <https://doi.org/10.1212/NE9.0000000000200263>
- Evaluating hands-free carotid Doppler ultrasound for real-time return of spontaneous circulation detection in in-hospital cardiac arrest: a multicenter randomized controlled study. Li Y. *Resuscitation*. 2026 Feb 18;111016. doi: 10.1016/j.resuscitation.2026.111016. Online ahead of print.. <https://doi.org/10.1016/j.resuscitation.2026.111016>
- Scorpion Stings and Antivenom Coverage in the Brazilian Amazon. Martins JG. *Wilderness Environ Med*. 2026 Feb 23;10806032261417950. doi: 10.1177/10806032261417950. Online ahead of print.. <https://doi.org/10.1177/10806032261417950>
- Emergency Department Presentations for Mental Health Crisis: Comparing ED-Only Care With Transfer to a Crisis Stabilisation Unit. Hudson C. *Int J Ment Health Nurs*. 2026 Feb;35(1):e70216. doi: 10.1111/inm.70216. <https://doi.org/10.1111/inm.70216>
- A global perspective on the accuracy of pediatric weight estimation methods in emergency care: A systematic review. Fernández-Aedo I. *Am J Emerg Med*. 2026 Apr;102:81-89. doi: 10.1016/j.ajem.2026.01.030. Epub 2026 Jan 20.. <https://doi.org/10.1016/j.ajem.2026.01.030>

- First automated detection of a cardiac arrest using a commercially available smartwatch: a case report. van den Beuken WMF. *Resusc Plus*. 2026 Jan 29;28:101247. doi: 10.1016/j.resplu.2026.101247. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101247>
- Epidemiology of major trauma in Malaysia: Preliminary findings from the Malaysian Trauma Registry. Ahmad IKB. *Med J Malaysia*. 2026 Jan;81(1):105-114..
- Predictors of outpatient treatment engagement following a visit to a specialized emergency department for substance use: A cohort study using high-resolution electronic health records. Romero D. *Addiction*. 2026 Jan 25. doi: 10.1111/add.70335. Online ahead of print.. <https://doi.org/10.1111/add.70335>
- Early Prediction of Adverse Stroke Outcomes using Non-clinical Factors and Missing Data: A Machine Learning Study. Tvrdá L. *Cerebrovasc Dis*. 2026 Feb 9:1-21. doi: 10.1159/000550930. Online ahead of print.. <https://doi.org/10.1159/000550930>
- Evaluating the impact of NHS strikes on patient flow through emergency departments. Garner A. *Emerg Med J*. 2026 Feb 24;43(3):151-157. doi: 10.1136/emmermed-2024-214452.. <https://doi.org/10.1136/emmermed-2024-214452>
- Healthcare usage and cost-effectiveness of approach bias modification at 12-months for patients undergoing inpatient withdrawal for alcohol use disorder. Huxley N. *J Subst Use Addict Treat*. 2026 Feb;181:209834. doi: 10.1016/j.josat.2025.209834. Epub 2025 Nov 24.. <https://doi.org/10.1016/j.josat.2025.209834>
- Usual Care for Low Back Pain at United States Emergency Departments, 2016-2022. Fellner A. *Ann Emerg Med*. 2025 Dec;86(6):639-645. doi: 10.1016/j.annemergmed.2025.06.005. Epub 2025 Jul 12.. <https://doi.org/10.1016/j.annemergmed.2025.06.005>
- Artificial intelligence in pediatric stroke: An ally in screening?. Ojeda-Velázquez I. *Eur J Paediatr Neurol*. 2026 Feb 5;61:8-14. doi: 10.1016/j.ejpn.2026.02.002. Online ahead of print.. <https://doi.org/10.1016/j.ejpn.2026.02.002>
- Effect of Educational Activities on Pediatricians Prescribing Oral Antibiotics in Pediatric Emergency Rooms. Mo-chizuki M. *Cureus*. 2025 Dec 1;17(12):e98218. doi: 10.7759/cureus.98218. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.98218>
- Telecommunicator cardiopulmonary resuscitation performance metrics and barriers to implementation in Birmingham, Alabama. Coute RA. *Resusc Plus*. 2026 Jan 18;28:101236. doi: 10.1016/j.resplu.2026.101236. eCollection 2026 Mar.. <https://doi.org/10.1016/j.resplu.2026.101236>
- Critical care during natural disasters: ICU insights from Valencia's October 2024 floods. Sancho E. *Med Intensiva (Engl Ed)*. 2026 Feb 4:502395. doi: 10.1016/j.medine.2026.502395. Online ahead of print.. <https://doi.org/10.1016/j.medine.2026.502395>
- "It's a last straw situation"; Overdose response and preferences for seeking support from emergency services during overdose in rural Ohio. Colston DC. *PLoS One*. 2026 Jan 16;21(1):e0338689. doi: 10.1371/journal.pone.0338689. eCollection 2026.. <https://doi.org/10.1371/journal.pone.0338689>
- The Effectiveness of Instructor Course of Basic Maritime Emergency Care on Knowledge and Skill Among Laypersons: A Mixed Methods Design. Thassanee S. *Nurs Res Pract*. 2025 Dec 5;2025:5597849. doi: 10.1155/nrp/5597849. eCollection 2025.. <https://doi.org/10.1155/nrp/5597849>
- Interventions to reduce overcrowding in emergency departments: An umbrella review. Santos E. *Int Emerg Nurs*. 2026 Feb;84:101729. doi: 10.1016/j.ienj.2025.101729. Epub 2025 Dec 5.. <https://doi.org/10.1016/j.ienj.2025.101729>
- Tree canopy cover and injurious pedestrian falls: a location-based case-control study. Burford KG. *Am J Epidemiol*. 2025 Dec 2;194(12):3529-3536. doi: 10.1093/aje/kwaf231.. <https://doi.org/10.1093/aje/kwaf231>
- Using laxative to recover intestinal function could improve the survival outcome for patients with cardiac arrest: a retrospective cohort study from MIMIC-IV database. Duan J. *J Intensive Care*. 2026 Feb 9. doi: 10.1186/s40560-026-00861-y. Online ahead of print.. <https://doi.org/10.1186/s40560-026-00861-y>
- Comparison of the Effectiveness of Fascia Iliaca Compartment Block for Preoperative Pain Relief in Patients With Intracapsular or Extracapsular Hip Fractures. Stenvers E. *Geriatr Orthop Surg Rehabil*. 2026 Jan 6;17:21514593251413152. doi: 10.1177/21514593251413152. eCollection 2026.. <https://doi.org/10.1177/21514593251413152>
- Interhospital transfer versus direct admission for percutaneous coronary intervention in patients with acute ST-segment elevation myocardial infarction: a systematic review and meta-analysis. Zahran A. *Clin Res Cardiol*. 2025 Dec 15. doi: 10.1007/s00392-025-02814-1. Online ahead of print.. <https://doi.org/10.1007/s00392-025-02814-1>
- On-Field Management of Athletic Head and Neck Injuries: Spinal Motion Restriction, Equipment Removal, Patient Transfer, and Spine Boarding Techniques. Blanchard N. *Video J Sports Med*. 2025 Dec 1;5(6):26350254251351999. doi: 10.1177/26350254251351999. eCollection 2025 Nov-Dec.. <https://doi.org/10.1177/26350254251351999>
- Does Time to Achieve a Targeted Body Temperature Matter for Survivors of Cardiac Arrest? A Systematic Review and Meta-Analysis. Alotaibi KS. *Crit Care Med*. 2026 Feb 1;54(2):312-323. doi: 10.1097/CCM.0000000000006964. Epub 2025 Nov 11.. <https://doi.org/10.1097/CCM.0000000000006964>
- Emergency Department Use of Airway Adjuncts in the Setting of Endotracheal Intubation for Traumatic Injury. Le DM. *J Emerg Med*. 2025 Dec;79:82-90. doi: 10.1016/j.jemermed.2025.04.018. Epub 2025 May 12.. <https://doi.org/10.1016/j.jemermed.2025.04.018>
- Small Arms Marksmanship Accuracy Surrounding Fresh Whole Blood Donation in the U.S. Army Conventional Soldier. Berrios I. *Mil Med*. 2026 Jan 1;191(1-2):e248-e253. doi: 10.1093/milmed/usaf402.. <https://doi.org/10.1093/milmed/usaf402>

- Iatrogenic Medication Errors Among Older Adults Reported to a Poison Center Network. Gartner HT. Acad Emerg Med. 2026 Feb;33(2):e70248. doi: 10.1111/acem.70248.. <https://doi.org/10.1111/acem.70248>
- Sex differences in out-of-hospital cardiac arrest: the impact of comorbidities on first monitored rhythm. Casarini E. Resuscitation. 2025 Dec;217:110894. doi: 10.1016/j.resuscitation.2025.110894. Epub 2025 Nov 11.. <https://doi.org/10.1016/j.resuscitation.2025.110894>
- Near-infrared spectroscopy (NIRS) during and after cardiopulmonary resuscitation: A systematic review and meta-analysis. Kornfehl A. Aust Crit Care. 2026 Feb 25;39(2):101534. doi: 10.1016/j.aucc.2026.101534. Online ahead of print.. <https://doi.org/10.1016/j.aucc.2026.101534>
- Association of EEG Response to Hypertonic Saline and Neurologic Outcomes in Pediatric Acute Brain Injury. Mazzio EL. Neurocrit Care. 2026 Jan 8. doi: 10.1007/s12028-025-02422-x. Online ahead of print.. <https://doi.org/10.1007/s12028-025-02422-x>
- Spinal cord injury in the context of major motor vehicle collision trauma: a retrospective ecological analysis of global estimates across income groups. Nutbeam T. Scand J Trauma Resusc Emerg Med. 2025 Dec 27;34(1):22. doi: 10.1186/s13049-025-01536-7.. <https://doi.org/10.1186/s13049-025-01536-7>
- Decreased level of consciousness in acute ischemic stroke: risk factors, territories, stroke mechanisms and outcome. A single-centre cohort study. Palazzo P. J Neurol. 2025 Dec 21;273(1):35. doi: 10.1007/s00415-025-13548-5.. <https://doi.org/10.1007/s00415-025-13548-5>
- Clinical Practice Guideline for the Prehospital Stage of Acute Stroke : III. Initial Decision for Primary Treatment in Subarachnoid Hemorrhage. Oh JS. J Korean Neurosurg Soc. 2026 Jan;69(1):35-50. doi: 10.3340/jkns.2025.0108. Epub 2025 Nov 12.. <https://doi.org/10.3340/jkns.2025.0108>
- China Stroke Prevention and Control Report 2024: An executive summary. National Program for Stroke Prevention and Million Disability Reduction Initiative Expert Committee. Brain Circ. 2025 Dec 15;11(4):251-260. doi: 10.4103/bc.bc_198_25. eCollection 2025 Oct-Dec.. https://doi.org/10.4103/bc.bc_198_25
- Comparison of ChatGPT-4o and DeepSeek R1 in the Management of Ophthalmological Emergencies-An Analysis of Ten Fictional Case Vignettes. Knebel D. J Clin Med. 2025 Dec 17;14(24):8927. doi: 10.3390/jcm14248927.. <https://doi.org/10.3390/jcm14248927>
- Delirium and Cognitive Dysfunction in and Beyond the Pediatric Intensive Care Unit. Lachman SE. Pediatr Neurol. 2025 Dec;173:182-190. doi: 10.1016/j.pediatrneurol.2025.09.002. Epub 2025 Sep 15.. <https://doi.org/10.1016/j.pediatrneurol.2025.09.002>
- The Effect of Remote Ischemic Conditioning in Patients Treated with Endovascular Therapy: A RESIST Trial Post Hoc Study. Blauenfeldt RA. Transl Stroke Res. 2025 Dec;16(6):2173-2184. doi: 10.1007/s12975-025-01379-5. Epub 2025 Sep 6.. <https://doi.org/10.1007/s12975-025-01379-5>
- Key Points of the Official Training Program for the Specialty of Emergency and Urgent Care Medicine in Spain. Jiménez AJ. Emergencias. 2025 Dec;37(6):442-462. doi: 10.55633/s3me/095.2025.. <https://doi.org/10.55633/s3me/095.2025>
- [Recommendations of the DGIIN and DGINA on the structure and staffing of integrated emergency centres]. Busch HJ. Med Klin Intensivmed Notfmed. 2026 Jan 8. doi: 10.1007/s00063-025-01398-y. Online ahead of print.. <https://doi.org/10.1007/s00063-025-01398-y>
- Field Triage Errors: A Cross-Sectional Study of Emergency Responders in a Virtual Reality Mass Casualty Simulation. de Visser E. Disaster Med Public Health Prep. 2025 Dec 23;20:e4. doi: 10.1017/dmp.2025.10288.. <https://doi.org/10.1017/dmp.2025.10288>
- Rapid trauma classification under data scarcity: an emergency on-scene decision model combining natural language processing and machine learning. Tang J. Med Biol Eng Comput. 2025 Dec;63(12):3521-3530. doi: 10.1007/s11517-025-03414-x. Epub 2025 Jul 11.. <https://doi.org/10.1007/s11517-025-03414-x>
- Characteristics of Unidentified Patients: Clinical, Structural, and Social Challenges in a Public Hospital. de Sousa FCP. J Trauma Nurs. 2026 Feb 20. doi: 10.1097/JTN.0000000000000907. Online ahead of print.. <https://doi.org/10.1097/JTN.0000000000000907>
- VRR-CPD: adapting free and open-access distance simulation for the continuing interprofessional education of community emergency department providers on caring for children with acute emergencies. Leung J. CJEM. 2026 Feb 4. doi: 10.1007/s43678-025-01083-1. Online ahead of print.. <https://doi.org/10.1007/s43678-025-01083-1>
- Benefits of video calls in pediatric tele-triage for respiratory distress cases: Experience from a French dispatch center. Bosschelle LV. Arch Pediatr. 2026 Jan 24:S0929-693X(25)00240-4. doi: 10.1016/j.arcped.2025.10.010. Online ahead of print.. <https://doi.org/10.1016/j.arcped.2025.10.010>
- Causes of death and sociodemographic predictors of dead-on-arrival adult cases in Ethiopia. Hassen NB. Med Sci Law. 2026 Jan;66(1):35-41. doi: 10.1177/00258024251348714. Epub 2025 Jun 9.. <https://doi.org/10.1177/00258024251348714>
- Prevalence of Nonfatal Opioid Overdoses and Interactions With the Health Care System Prior to Death Among Opioid Overdose Decedents, Rhode Island, 2023. Hallowell BD. Public Health Rep. 2026 Feb 22:333549261418591. doi: 10.1177/00333549261418591. Online ahead of print.. <https://doi.org/10.1177/00333549261418591>
- Bystander and emergency medical service responses to and outcomes of out-of-hospital cardiac arrest among domestic and non-domestic visitors in Japan. Omatsu K. Sci Rep. 2026 Feb 24. doi: 10.1038/s41598-026-41033-0. Online ahead of print.. <https://doi.org/10.1038/s41598-026-41033-0>

- The role, challenges, and solutions of laboratories in disaster medicine: a systematic review. Tran KT. *Front Public Health*. 2026 Jan 13;13:1726280. doi: 10.3389/fpubh.2025.1726280. eCollection 2025.. <https://doi.org/10.3389/fpubh.2025.1726280>
- Comprehensive neurointervention training and service capacity in the Middle East & North Africa (NITA-MENA) study. Mansour OY. *Neurol Res*. 2026 Jan 13:1-16. doi: 10.1080/01616412.2026.2613987. Online ahead of print.. <https://doi.org/10.1080/01616412.2026.2613987>
- Rapid Transition From a Continuous Naloxone Infusion to Sublingual Buprenorphine After an Opioid Overdose: A Case Series. Spadaro A. *Subst Use Addctn J*. 2026 Jan;47(1):243-248. doi: 10.1177/29767342251356351. Epub 2025 Aug 3.. <https://doi.org/10.1177/29767342251356351>
- Experiences of patients with complex needs at municipal emergency outpost satellites. Østerbø T. *Scand J Prim Health Care*. 2025 Dec;43(4):733-744. doi: 10.1080/02813432.2025.2502095. Epub 2025 May 9.. <https://doi.org/10.1080/02813432.2025.2502095>
- Forecasting Road Traffic Injuries in North-Eastern Iran: The Effects of COVID-19 and Time Series Analysis (2009-2023). Akbari Khalaj T. *Open Access Emerg Med*. 2026 Feb 13;18:550300. doi: 10.2147/OAEM.S550300. eCollection 2026.. <https://doi.org/10.2147/OAEM.S550300>
- Bacterial Contaminants in Ambulances from a Tertiary Care Hospital as Potential Threats to Patients and Medical Staff in Al-Qassim Region, Saudi Arabia-Effect of Decontamination. Taha AE. *Pathogens*. 2025 Dec 18;14(12):1301. doi: 10.3390/pathogens14121301.. <https://doi.org/10.3390/pathogens14121301>
- Missed opportunities and associated factors for institutional delivery services among women in Hararghe eastern Ethiopia a mixed methods study. Mussa I. *Sci Rep*. 2026 Feb 24. doi: 10.1038/s41598-026-39471-x. Online ahead of print.. <https://doi.org/10.1038/s41598-026-39471-x>
- Quality of referral system and associated factors among referred clients referred to dessie comprehensive specialized hospital, Northeast, Ethiopia. Abera B. *PLoS One*. 2025 Dec 8;20(12):e0337715. doi: 10.1371/journal.pone.0337715. eCollection 2025.. <https://doi.org/10.1371/journal.pone.0337715>
- Direct stroke unit access versus a hub-and-spoke model with telemedicine-assisted CT in Germany: a cross-sectional geospatial analysis. Masanneck L. *Lancet Reg Health Eur*. 2026 Feb 5;63:101604. doi: 10.1016/j.lanepe.2026.101604. eCollection 2026 Apr.. <https://doi.org/10.1016/j.lanepe.2026.101604>
- Push-Dose Pressors Outside the Operating Room: Systematic Review and Meta-Analysis of Observational Studies. Sucena Rodrigues B. *J Emerg Med*. 2025 Dec;79:260-279. doi: 10.1016/j.jemermed.2025.04.021. Epub 2025 May 13.. <https://doi.org/10.1016/j.jemermed.2025.04.021>
- Brain Trauma Foundation Guidelines for the Management of Penetrating Traumatic Brain Injury, Second Edition. Bell RS. *Neurosurgery*. 2026 Mar 1;98(3S):S6-S164. doi: 10.1227/neu.0000000000003738. Epub 2026 Feb 16.. <https://doi.org/10.1227/neu.0000000000003738>
- Inter-rater Reliability of the Glasgow Coma Scale Between Triage and Resuscitation Nurses After Standardized Training. Zhang Y. *J Nurs Manag*. 2025 Dec 15;2025:5539097. doi: 10.1155/jonm/5539097. eCollection 2025.. <https://doi.org/10.1155/jonm/5539097>
- Characterizing Firearm-Related Traumatic Brain Injuries at a Trauma Center Near the United States-Mexico Border. Tenorio A. *World Neurosurg*. 2026 Jan;205:124730. doi: 10.1016/j.wneu.2025.124730. Epub 2025 Dec 16.. <https://doi.org/10.1016/j.wneu.2025.124730>
- Effects of Cold Exposure on Neurological Mortality of Out-of-Hospital Cardiac Arrest Patients. Uechi T. *J Emerg Med*. 2026 Jan;80:119-133. doi: 10.1016/j.jemermed.2025.09.030. Epub 2025 Sep 30.. <https://doi.org/10.1016/j.jemermed.2025.09.030>
- Continuous Compressions, Incomplete Ventilation? A Retrospective Analysis of mCPR in Admitted ED Patients. Voigt I. *J Clin Med*. 2026 Jan 23;15(3):933. doi: 10.3390/jcm15030933.. <https://doi.org/10.3390/jcm15030933>
- Factors associated with emergency department length of stay in Alberta: a study of patient-, visit-, and facility-level factors using administrative health data. Lang E. *CJEM*. 2026 Jan 29. doi: 10.1007/s43678-026-01093-7. Online ahead of print.. <https://doi.org/10.1007/s43678-026-01093-7>
- Impact of the 2024 Paris Olympic and Paralympic Games on emergency department visits and emergency medical service activity. Fantou A. *Eur J Emerg Med*. 2026 Apr 1;33(2):88-92. doi: 10.1097/MEJ.0000000000001307. Epub 2026 Jan 20.. <https://doi.org/10.1097/MEJ.0000000000001307>
- Development and validation of multivariable risk adjustment models for return of spontaneous circulation and survival to hospital discharge following out-of-hospital cardiac arrest in England. Boulton AJ. *Eur Heart J Qual Care Clin Outcomes*. 2025 Dec 18;qcaf159. doi: 10.1093/ehjqcc/qcaf159. Online ahead of print.. <https://doi.org/10.1093/ehjqcc/qcaf159>
- Diagnostic equipment and point-of-care tests in Norwegian emergency primary healthcare clinics: a cross-sectional study. Lindberg BH. *Scand J Prim Health Care*. 2025 Dec;43(4):880-889. doi: 10.1080/02813432.2025.2519658. Epub 2025 Jun 19.. <https://doi.org/10.1080/02813432.2025.2519658>
- Medical evacuations by search and rescue helicopters in the Barents Sea. Aune S. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 17;34(1):10. doi: 10.1186/s13049-025-01529-6.. <https://doi.org/10.1186/s13049-025-01529-6>
- Factors influencing academic major selection among health sciences students in Saudi Arabia. Alruwaili A. *J Educ Health Promot*. 2025 Dec 29;14:548. doi: 10.4103/jehp.jehp_132_25. eCollection 2025.. https://doi.org/10.4103/jehp.jehp_132_25

- Impact of COVID-Era Emergency Department Bypass Suspension on ST Elevation Myocardial infarction System Performance in Rural Practice. Mullvain R. *Crit Pathw Cardiol*. 2026 Feb 3. doi: 10.1097/HPC.0000000000000419. Online ahead of print.. <https://doi.org/10.1097/HPC.0000000000000419>
- Trauma Activation Fees Among For-profit and Nonprofit Trauma Centers: Hierarchical Spatial Clustering Analysis of Regional Market Competition, and Socioeconomic Characteristics of Neighboring Residents. Hur DG. *Ann Surg*. 2025 Dec 19. doi: 10.1097/SLA.00000000000006999. Online ahead of print.. <https://doi.org/10.1097/SLA.00000000000006999>
- EMS Immobilization Techniques. Feller RFurin MAlloush AReynolds C. 2025 Dec 16. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan--.
- Strategic PAD positioning: a scoping review. Petravi L. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 12;34(1):3. doi: 10.1186/s13049-025-01527-8.. <https://doi.org/10.1186/s13049-025-01527-8>
- On-scene predictors of injury severity, deterioration, and death following road injury: a systematic scoping review of information available to responders and its use in triage tools. Gluyas-Harris J. *Scand J Trauma Resusc Emerg Med*. 2025 Dec 12;33(1):199. doi: 10.1186/s13049-025-01524-x.. <https://doi.org/10.1186/s13049-025-01524-x>
- Validation of the Japanese Association for Acute Medicine-2 disseminated intravascular coagulation criteria to predict critical bleeding in patients with trauma: A nationwide cohort study in Japan. Takahashi M. *Thromb Res*. 2025 Dec;256:109532. doi: 10.1016/j.thromres.2025.109532. Epub 2025 Nov 7.. <https://doi.org/10.1016/j.thromres.2025.109532>
- The Impact of the Bypass Transport Method on Clinical Outcomes After Large Vessel Occlusion: A Pooled-Proportion Meta-Analysis. Lauinger AR. *World Neurosurg*. 2026 Jan;205:124626. doi: 10.1016/j.wneu.2025.124626. Epub 2025 Nov 5.. <https://doi.org/10.1016/j.wneu.2025.124626>
- Characteristics of U.S. emergency department visits for altered mental status, 2016-2022. Pertsovskaya V. *Am J Emerg Med*. 2026 Jan;99:445-450. doi: 10.1016/j.ajem.2025.10.063. Epub 2025 Nov 1.. <https://doi.org/10.1016/j.ajem.2025.10.063>
- Clinical advisors at NHS 111 improve accuracy for paediatric patients and their advice is more reliably followed: a retrospective observational cohort study. Lewis J. *Arch Dis Child*. 2026 Jan 19;111(2):112-118. doi: 10.1136/archdischild-2025-328896.. <https://doi.org/10.1136/archdischild-2025-328896>
- The impact of previous head trauma and history of cranial surgery on clinical findings in acute pediatric head injury. Karakoyun S. *Am J Emerg Med*. 2026 Apr;102:21-26. doi: 10.1016/j.ajem.2026.01.005. Epub 2026 Jan 8.. <https://doi.org/10.1016/j.ajem.2026.01.005>
- Tranexamic Acid Timing and Mortality Impact After Trauma. Ali A. *Ann Emerg Med*. 2026 Jan;87(1):83-89. doi: 10.1016/j.annemergmed.2025.06.609. Epub 2025 Aug 5.. <https://doi.org/10.1016/j.annemergmed.2025.06.609>
- Corticosteroids, rifampicin and LMWH impact plasma aMMP-8 and TIMP-1 and aMMP-8/TIMP-1 molar ratio in methicillin-sensitive *Staphylococcus aureus* bacteremia. Forsblom E. *Int J Infect Dis*. 2026 Feb;163:108261. doi: 10.1016/j.ijid.2025.108261. Epub 2025 Nov 26.. <https://doi.org/10.1016/j.ijid.2025.108261>
- Clinical use and safety of empiric anticoagulation during diagnostic work-up for deep vein thrombosis. Mohamad H. *Hematology*. 2025 Dec;30(1):2573586. doi: 10.1080/16078454.2025.2573586. Epub 2025 Oct 20.. <https://doi.org/10.1080/16078454.2025.2573586>
- An artificial intelligence-based semi-quantitative diagnostic model for intra-abdominal hemorrhage based on focused assessment with sonography for trauma: A large animal experimental study. Liu C. *Chin J Traumatol*. 2026 Jan 26;S1008-1275(26)00023-4. doi: 10.1016/j.cjtee.2025.11.001. Online ahead of print.. <https://doi.org/10.1016/j.cjtee.2025.11.001>
- Resuscitative cesarean delivery: when every second counts. Shields AD. *Am J Obstet Gynecol*. 2026 Jan;233(6S):S272-S279. doi: 10.1016/j.ajog.2025.07.038.. <https://doi.org/10.1016/j.ajog.2025.07.038>
- The association of blood transfusion and sustained return of spontaneous circulation in blunt traumatic out-of-hospital cardiac arrest. Huang CH. *Emerg Med J*. 2026 Jan 21;43(2):92-99. doi: 10.1136/emmermed-2025-215089.. <https://doi.org/10.1136/emmermed-2025-215089>
- Defining Components of a DoD Globally Integrated Trauma System: A Global Review of Evidence, Policy, and Practice. Cherenfant C. *Mil Med*. 2026 Feb 6:usaf616. doi: 10.1093/milmed/usaf616. Online ahead of print.. <https://doi.org/10.1093/milmed/usaf616>
- Trends, Predictors, and Outcomes of Monitored Acute Care Unit Admissions in Older Adults: 10-Year Retrospective Analysis. van Delden L. *Interact J Med Res*. 2026 Feb 2;15:e80629. doi: 10.2196/80629.. <https://doi.org/10.2196/80629>
- Possible detrimental effects of postponed intubation during interhospital transfer of severely brain injured patients: retrospective analysis of the Traumaregister DGU®. Wagner FC. *Eur J Trauma Emerg Surg*. 2026 Feb 2;52(1):36. doi: 10.1007/s00068-026-03082-y.. <https://doi.org/10.1007/s00068-026-03082-y>
- Evaluating Emergency Department Transfers for Falls in Skilled Nursing Facilities: A Single-Site Observational Study of Witnessed and Unwitnessed Falls. Mayes KD. *J Am Med Dir Assoc*. 2026 Jan 24;27(3):106072. doi: 10.1016/j.jamda.2025.106072. Online ahead of print.. <https://doi.org/10.1016/j.jamda.2025.106072>
- Long-term neurological outcome following out-of-hospital cardiac arrest in Switzerland: a single-centre observational study. Ebert F. *Front Med (Lausanne)*. 2026 Jan 2;12:1716369. doi: 10.3389/fmed.2025.1716369. eCollection 2025.. <https://doi.org/10.3389/fmed.2025.1716369>

- Gamified Simulation for Onboarding Health Care Teams in Emergency Care: Development and Preliminary Feasibility Study. Gobron S. JMIR Form Res. 2025 Dec 15;9:e72202. doi: 10.2196/72202.. <https://doi.org/10.2196/72202>
- Helmet continuous positive airway pressure for patients' transport using a single oxygen cylinder: A bench study. Capsoni N. Pulmonology. 2025 Dec 31;31(1):2416826. doi: 10.1016/j.pulmoe.2023.09.007. Epub 2024 Oct 24.. <https://doi.org/10.1016/j.pulmoe.2023.09.007>
- Biosurveillance and the Opioid Crisis in Emergency Medicine: Qualitative Study of Physician Perspectives. Stilley JAW. JMIR Form Res. 2026 Feb 23;10:e82865. doi: 10.2196/82865.. <https://doi.org/10.2196/82865>
- Diagnostic performance of telephone triage for nontraumatic chest pain in the emergency coordination center: a population-based study in Andalusia. Romero-Olóriz C. Emergencias. 2025 Dec;37(6):433-441. doi: 10.55633/s3me/101.2025.. <https://doi.org/10.55633/s3me/101.2025>
- Adverse events associated with the use of flumazenil in the Emergency Department. Ruiz Ramos J. Med Clin (Barc). 2026 Jan;166(1):107312. doi: 10.1016/j.medcli.2025.107312. Epub 2026 Jan 13.. <https://doi.org/10.1016/j.medcli.2025.107312>
- Association between conversion from an initial shockable rhythm to pulseless electrical activity before extracorporeal cardiopulmonary resuscitation and outcome: A secondary analysis of the SAVE-J II study. Ijuin S. Am Heart J. 2026 Jan;291:144-152. doi: 10.1016/j.ahj.2025.08.012. Epub 2025 Aug 22.. <https://doi.org/10.1016/j.ahj.2025.08.012>
- [Influence of airway management on the return of spontaneous circulation in out-of-hospital cardiac arrest: secondary analysis of a prospective multidevice study]. Brünjes N. Med Klin Intensivmed Notfmed. 2026 Feb 18. doi: 10.1007/s00063-026-01416-7. Online ahead of print.. <https://doi.org/10.1007/s00063-026-01416-7>
- Skill retention of advanced airway techniques after simulation training - a randomized prospective study. Stochlinski C. BMC Med Educ. 2026 Jan 28;26(1):325. doi: 10.1186/s12909-026-08646-5.. <https://doi.org/10.1186/s12909-026-08646-5>
- Low Back Pain Characteristics Among Health Science Undergraduates: A Prospective Study for 2-Year Follow Up. Abbas J. J Clin Med. 2026 Jan 14;15(2):684. doi: 10.3390/jcm15020684.. <https://doi.org/10.3390/jcm15020684>
- The Impact of Hospital Bed Occupancy on Patient Flow and Emergency Department Access: A 25-Hospital Cohort Study. Riahi V. Med J Aust. 2026 Feb;224(2):e70143. doi: 10.5694/mja2.70143.. <https://doi.org/10.5694/mja2.70143>
- Comparing the Full Outline of Unresponsiveness (FOUR) score and the Glasgow Coma Scale (GCS) for predicting outcomes in traumatic brain injury: a comparative study. Jain H. J Trauma Inj. 2025 Dec;38(4):327-334. doi: 10.20408/jti.2025.0125. Epub 2025 Dec 31.. <https://doi.org/10.20408/jti.2025.0125>
- Rescue epilepsy medication and training: A comparison between midazolam use, guidelines, clinical practice, and possibilities in the UK and Norway. McBride A. Epilepsia Open. 2025 Dec;10(6):1824-1834. doi: 10.1002/epi4.70145. Epub 2025 Oct 6.. <https://doi.org/10.1002/epi4.70145>
- Impact of Obstetrical Emergency Code (Code Pink) Activation on Maternal and Neonatal Outcomes: A Retrospective Study. AlMulai I. Cureus. 2025 Dec 15;17(12):e99302. doi: 10.7759/cureus.99302. eCollection 2025 Dec.. <https://doi.org/10.7759/cureus.99302>
- Discrepancies in Bystander CPR Documentation: Comparing the Birmingham CARES Data with 9-1-1 Audio Review. Coute RA. Prehosp Emerg Care. 2025 Dec 9;1-5. doi: 10.1080/10903127.2025.2584506. Online ahead of print.. <https://doi.org/10.1080/10903127.2025.2584506>
- Emotional distress of callers requesting emergency medical communication center assistance and patient outcomes: a prospective observational study. Ng Ping Cheung MC. BMC Emerg Med. 2025 Dec 19;26(1):26. doi: 10.1186/s12873-025-01446-y.. <https://doi.org/10.1186/s12873-025-01446-y>
- Patterns of pediatric emergency department visits in a tertiary women's and children's hospital in China: A 2021 retrospective analysis. Zhao J. Int Emerg Nurs. 2025 Dec;83:101690. doi: 10.1016/j.ienj.2025.101690. Epub 2025 Sep 25.. <https://doi.org/10.1016/j.ienj.2025.101690>
- Underutilized Potential of a Nationwide Community First Responder System. Shahriari P. J Am Coll Cardiol. 2025 Dec 29;S0735-1097(25)10165-4. doi: 10.1016/j.jacc.2025.11.006. Online ahead of print.. <https://doi.org/10.1016/j.jacc.2025.11.006>
- Deployment of automated external defibrillators by a supermarket chain. Schepke KA. Am J Emerg Med. 2026 Mar;101:147-151. doi: 10.1016/j.ajem.2025.12.033. Epub 2026 Jan 3.. <https://doi.org/10.1016/j.ajem.2025.12.033>
- Use of Multiple Naloxone Administrations in the Emergency Department: A Retrospective Claims-Based Analysis. Rzasz Lynn R. J Emerg Med. 2025 Dec;79:111-122. doi: 10.1016/j.jemermed.2025.04.022. Epub 2025 May 8.. <https://doi.org/10.1016/j.jemermed.2025.04.022>
- Impact of Alcohol Intoxication on Mortality and Emergency Department Resource Use in Suicidal Patients. Skoblenick K. West J Emerg Med. 2026 Jan 3;27(1):104-113. doi: 10.5811/westjem.48788.. <https://doi.org/10.5811/westjem.48788>
- [Construction and application of a standardized quality and safety pathway for open oral food provocation tests in children]. Li LH. Zhonghua Yu Fang Yi Xue Za Zhi. 2025 Dec 6;59(12):2054-2061. doi: 10.3760/cma.j.cn112150-20250425-00358.. <https://doi.org/10.3760/cma.j.cn112150-20250425-00358>
- Incidence and predictors of early mortality among trauma patients visiting emergency departments of referral hospitals in west Amhara region, Ethiopia. Ayenew T. Sci Rep. 2026 Jan 10;16(1):4984. doi: 10.1038/s41598-026-35167-4.. <https://doi.org/10.1038/s41598-026-35167-4>

- Development of an electronic health record model to predict law enforcement presence in pediatric emergency department encounters. Abrams AH. *Am J Emerg Med*. 2026 Feb;100:187-192. doi: 10.1016/j.ajem.2025.12.010. Epub 2025 Dec 15.. <https://doi.org/10.1016/j.ajem.2025.12.010>
- Patient outcomes after triage by emergency departments with or without advanced practice nurses in Japan: A retrospective cohort study using a nationwide inpatient database. Morita K. *Int J Nurs Stud*. 2026 Feb 6;177:105371. doi: 10.1016/j.ijnurstu.2026.105371. Online ahead of print.. <https://doi.org/10.1016/j.ijnurstu.2026.105371>
- Out-of-hours services in Zealand, Denmark. Consequences of changeover from GP-cooperative to integrated deputized services. A retrospective cohort study. Blomberg SNF. *Scand J Prim Health Care*. 2026 Dec;44(1):2616519. doi: 10.1080/02813432.2026.2616519. Epub 2026 Feb 7.. <https://doi.org/10.1080/02813432.2026.2616519>
- Improving Emergency Department Performance Through Simultaneous Operational and Cultural Enhancements. Behnke S. *Qual Manag Health Care*. 2026 Jan 22. doi: 10.1097/QMH.0000000000000560. Online ahead of print.. <https://doi.org/10.1097/QMH.0000000000000560>
- Combination of reverse shock index and simplified motor score as a strong discriminator of trauma outcomes. Wu MY. *Ann Med*. 2025 Dec;57(1):2458205. doi: 10.1080/07853890.2025.2458205. Epub 2025 Jan 29.. <https://doi.org/10.1080/07853890.2025.2458205>
- Stroke Recognition Tools for Spanish-Speaking Consumers: A Nationwide Study. Beauchamp JES. *Stroke*. 2026 Mar;57(3):709-720. doi: 10.1161/STROKEAHA.125.051628. Epub 2026 Jan 14.. <https://doi.org/10.1161/STROKEAHA.125.051628>
- Cardiac Arrest Care on United States Golf Courses-Up to Par Yet?. Gustafson B. *J Am Coll Emerg Physicians Open*. 2025 Nov 25;7(1):100278. doi: 10.1016/j.acepjo.2025.100278. eCollection 2026 Feb.. <https://doi.org/10.1016/j.acepjo.2025.100278>
- Evidence for Digital Health Tools Designed to Support the Triage of Musculoskeletal Conditions in Primary, Urgent, and Emergency Care Settings: Scoping Review. Truong LK. *J Med Internet Res*. 2026 Jan 14;28:e81578. doi: 10.2196/81578.. <https://doi.org/10.2196/81578>
- Association between polypharmacy at the emergency department and long-term mortality in critically ill older patients receiving mechanical ventilation: a single-center retrospective cohort study. Nakamura Y. *BMC Emerg Med*. 2026 Jan 10;26(1):46. doi: 10.1186/s12873-025-01463-x.. <https://doi.org/10.1186/s12873-025-01463-x>
- Hospital-Level Care at Home for Adults Living in Rural Settings: A Randomized Clinical Trial. Levine DM. *JAMA Netw Open*. 2025 Dec 1;8(12):e2545712. doi: 10.1001/jamanetworkopen.2025.45712.. <https://doi.org/10.1001/jamanetworkopen.2025.45712>
- The pathway to diagnosis and follow-up care for atrial fibrillation in Sri Lanka: a descriptive longitudinal study. Antony Sheron V. *NIHR Open Res*. 2026 Feb 23;3:63. doi: 10.3310/nihropenres.13497.3. eCollection 2023.. <https://doi.org/10.3310/nihropenres.13497.3>
- Factors influencing pain management in patients presenting to the emergency department: A mixed-method systematic review. Almutairi A. *Int J Nurs Stud*. 2025 Dec;172:105214. doi: 10.1016/j.ijnurstu.2025.105214. Epub 2025 Sep 12.. <https://doi.org/10.1016/j.ijnurstu.2025.105214>
- Health service contacts for mental health and substance use on release from prison: a retrospective population-based data linkage study. Connell C. *BMJ Open*. 2026 Feb 4;16(2):e107586. doi: 10.1136/bmjopen-2025-107586.. <https://doi.org/10.1136/bmjopen-2025-107586>
- Clinical Decision-Making Case: Seizing the Diagnosis: Eclampsia. Parnell S. *J Educ Teach Emerg Med*. 2025 Dec 31;10(5):CE186-CE211. doi: 10.21980/J8.52338. eCollection 2025 Dec.. <https://doi.org/10.21980/J8.52338>



CORRESPONDENCE

DIALOGUES

SECTION EDITORS: Sean Ferguson, MCPara, FdSc, MSc^{*1,2,3}; Carl Moen, MPM, EMT-P^{4,3}; Ginny Kaplan, PhD, MHS, Paramedic^{5,6,7}

Section Editor Affiliations: 1. Fatima College of Health Sciences, Shakhbout City, Al Mafriq, Abu Dhabi, UAE; 2. Alnawa Medical, Abu Dhabi, UAE; 3. International Journal of Paramedicine (IJOP), Hagerstown, MD, USA; 4. Southern Alleghenies EMS Council, Altoona, PA, USA; 5. Eastern Oregon University, ; 6. Methodist University, Fayetteville, NC, USA; 7. Brunswick Community College, NC, .

Recommended Citation: Ferguson, S., Moen, C., & Kaplan, G. (2026). Dialogs. *International Journal of Paramedicine*. (14). 231-267. <https://doi.org/10.56068/WHHR7507>

Keywords: correspondence, paramedicine, EMS, emergency medical services

Disclosures: None.

Funding: External funding was not used to support this work.

Published: April 14, 2026

***Corresponding Author:**
fergi7692@icloud.com

The Dialogues section publishes ‘letters to the editor’ with comments and questions regarding previously published articles. Our intent is to foster professional conversations about the papers to include its methods, analyses, results, conclusions, implications, and implementation issues. We will also accept general comments and questions regarding the Journal. The selection of submissions will be at the sole discretion of the Journal’s editorial team. IJOP will also facilitate discussions of articles in the NEMSMA email discussion group on Google Groups (<https://groups.google.com/g/nemsma>) to facilitate broader reach and participation in scholarly conversations. The IJOP editorial team will moderate these conversations and curate posts to include in the pages of the Journal. The authors of articles will be invited to directly participate in these discussions. We anticipate that a many of these conversations will take place in the message threads of the IJOP’s email discussion group, called IJOP Dialogues. We want to reach and engage more of our colleagues in professional discourse regarding the art and science of paramedicine. We hope that this IJOP Dialogues section will help accomplish that.

RE: DEBATE: AN ASSOCIATE DEGREE SHOULD BE REQUIRED FOR ENTRY-LEVEL PARAMEDICS. [HTTPS://INTERNATIONAL-JOURNALOFPARAMEDICINE.COM/INDEX.PHP/IJOP/ARTICLE/VIEW/3543](https://international-journalofparamedicine.com/index.php/IJOP/ARTICLE/VIEW/3543)

The following is a curated excerpt from the message thread on the NEMSMA Discussion Group (<https://groups.google.com/g/nemsma>) labeled “[3543] IJOP Perspectives Debate: An Associate Degree Should be Required for Entry-Level Paramedics.

Gunderson MR, Walker E, Duckworth R, Bouthillet T, Cebollero C, Washko J, Taigman M, Gerard D, Chapleu W, Judge T, Proc-

tor B, Imperatrice L, Lawrence R, Anderson J, Keavney M, Dworsky P, Phelps S, Sandy C, O'Meara P, Smith A, Kirkwood S, Violato E, Nudell N, Heffern T. Discussion Thread for DEBATE: An Associate Degree Should be Required for Entry-Level Paramedics.

The January-March issue of the International Journal of Paramedicine includes a new section called Perspectives. This is a venue for the debate of controversies facing the paramedicine community.

Our first debate was on the proposition that an Associate degree should be required for entry-level paramedics. The debate teams members were: Sean Caffrey, Ed Bauder, Louis Imperatrice, Gregg Margolis, Mike Thomas, and John Todaro. They were organized into two teams - arguing in support of and in opposition to the proposition.

The debate was conducted through a series of eight asynchronous video recording sessions moderated by IJOP Editor-In-Chief, Mic Gunderson. The event was organized by IJOP Perspectives Section Editor, Ted Lee. The eight video sessions were edited into a single program posted on the IJOP YouTube channel (<https://youtu.be/9I6Xpp-pA6yw>). It will also be made available soon on IJOP's audio podcast outlets:

Apple Podcasts: <https://podcasts.apple.com/gb/podcast/international-journal-of-paramedicine/id1765013611>

iHeart: <https://www.iheart.com/podcast/269-international-journal-of-p-209676566/>

The audio was transcribed to produce the manuscript that appears in the pages of the Journal (<https://internationaljournalofparamedicine.com/index.php/ijop/article/view/3543>).

The debate is not over. What do you think - and why? The paramedicine community is invited to participate in a professionally-toned conversation where you can share your perspective. This is taking place in the NEMSMA discussion group on Google Groups (<https://groups.google.com/g/NEMSMA>). Look for the message subject line: "[3543] IJOP Perspectives Debate: An Associate Degree Should be Required for Entry-Level Paramedics." Please make your voice heard by participating in the discussion. This is moderated discussion group, so please use a respectful and professional tone, particularly towards those whose opinions differ from your own.

Complementary to the debate, the January-March issue also features a narrative review paper entitled, "Bachelor's degree as entry-to-practice: A literature review of paramedicine and other health professions." It is available at <https://internationaljournalofparamedicine.com/index.php/ijop/article/view/3528>.

-- Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Today, to help start the conversation addressing the debate, I'll be inviting several people to comment.

To get things started, I'd like to introduce Eoin Walker. With over 20 years of experience in paramedicine and critical care, he is passionate about advancing the standards and practices of pre-hospital emergency medical services globally. As a Senior HEMS segment promoter at Airbus Helicopters, he works with governments, organizations, and stakeholders to design and deliver customized Helicopter EMS solutions that meet the bespoke needs and challenges of each healthcare eco-system. Eoin also shares his knowledge and expertise as an Associate Professor at Northeastern University, where he teaches and mentors students in the discipline of Human Factors and the fundamental interplay with medicine. Additionally, he hosts and runs three podcasts that reach a global audience of over 500,000 listeners across 145 countries, covering topics such as emergency medicine, extreme medicine, and wellness. Through these platforms, he aims to inspire, educate, and empower the next generation of clinical and non-clinical professionals and leaders. In addition, Eoin is a podcast section editor for IJOP.

Eoin, What's your take on the issues raised in the paramedic degree debate?

-- -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

In my opinion, the case for degree-level certification within paramedicine is both pragmatic and evidence-based, reflecting the increasing clinical, cognitive, and professional demands placed upon modern paramedics. While historic and contemporary concerns regarding cost and accessibility of education are valid, they should not be conflated with arguments against higher educational standards. Education is expensive; however, it is precisely this investment that confers empirical credibility, professional legitimacy, and long-term sustainability to the profession.

Paramedicine has evolved far beyond a purely technical or skills-based role. Contemporary paramedics are required to exercise autonomous clinical judgment, interpret complex physiological data, engage in shared decision-making, and integrate seamlessly within wider healthcare systems. Degree-level education strengthens these capabilities by developing critical appraisal skills, clinical reasoning, communication proficiency, and research literacy, competencies that cannot be reliably achieved through certificate-only models. The empirical literature consistently demonstrates that higher educational preparation in healthcare correlates with improved clinical decision-making, patient safety, and system integration.

The nursing profession provides a compelling and relevant analogy. Nursing's transition toward degree-based entry pathways did not diminish clinical excellence; rather, it professionalised the workforce, enhanced public trust, and enabled role expansion into advanced practice, leadership, education, and research. Importantly, nursing retained diversity in educational routes while creating structured academic progression. Paramedicine stands at a similar inflection point. A degree requirement does not invalidate experiential learning; it contextualises it within a robust academic framework that supports lifelong development.

Affordability concerns must be addressed, not ignored. Initiatives such as bursary schemes, employer-supported education, and community college pathways directly mitigate financial barriers and strengthen the argument for degree-level entry. These mechanisms acknowledge the reality that education has a cost, while recognising its long-term return on investment for clinicians, services, and patients alike. Critically, such schemes democratise access to higher education rather than restricting it, ensuring that socio-economic status does not preclude professional advancement.

Degree-level certification also establishes a clear educational roadmap for paramedics. It creates coherence between entry-level practice, postgraduate education, clinical specialisation, leadership roles, and opportunities beyond frontline practice. This structured progression promotes workforce retention, enhances professional mobility, and enables paramedics to transition both within the profession, into education, management, research, or advanced clinical roles, and outside it, into broader healthcare, policy, or academic domains.

I am a direct beneficiary of degree-level education within paramedicine. The academic foundation it provided enhanced my clinical reasoning, credibility, and professional mobility, while opening pathways that would otherwise have remained inaccessible. My experience reflects a broader truth: degree-level education does not distance paramedics from patients; it equips them to serve patients more effectively, safely, and sustainably.

I think that degree-level certification is not an unnecessary barrier but a necessary evolution. It strengthens clinical practice, legitimises paramedicine as a profession, supports workforce development, and aligns paramedics with their healthcare peers. The future of paramedicine depends not on resisting educational advancement, but on embracing it with appropriate structural and financial support. This has proven to provide personal and professional mobility in the international pre-hospital, humanitarian, and corporate sectors.

-- -Eoin Walker

The next commentator to join the discussion is none other than Rom Duckworth. Rom is a dedicated emergency responder, author, and educator with more than thirty years of experience working in career and volunteer fire departments, hospital healthcare systems, and private emergency medical services. Rom is the Chief of the Ridgefield Connecticut Fire Department and director of the New England Center for Rescue and Emergency Medicine. Rom holds a master's degree in public administration, is an accredited Fire Officer and graduate of the National Fire Academy's Executive Fire Officer program, and is the recipient of the NAEMT Presidential Award, American Red Cross Hero Award, Sepsis Alliance Sepsis Hero Award, and the EMS 10 Innovators Award. He is the author of "Duckworth on Education" as well as chapters in more than a dozen EMS, fire, rescue, and medical textbooks and over 100 published articles in fire and EMS magazines. A member of the NAEMT Board of Directors, Sepsis Alliance Advisory Board, Fire Engineering Advisory Board, as well as other professional advocacy boards, Rom continues to work for the advancement of emergency services.

Rom, how do you feel about the proposition that an associates degree should be required for entry level paramedics and any of the points raised so far in the formal debate or the ensuing comments?

- - Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

I want to be clear at the outset that I am speaking only in my role as a paramedic and as a personal advocate for our profession, not on behalf of any organization. I also want to be transparent that I hold a college degree and deeply value what formal education has contributed to my development as a clinician, educator, and leader.

I strongly support professional development through higher education. Paramedicine has evolved dramatically since the 1990s, when many of us—including myself—were trained primarily as technicians. Today's frontline paramedics function as autonomous clinicians, expected to synthesize complex information, manage uncertainty, communicate across systems, and make high-stakes decisions in resource-limited environments. College-based education clearly supports those competencies, and I agree with much of what has been articulated here and in the literature about the benefits of degree-level preparation.

Where I diverge is not on the value of education, but on the tool we are proposing to achieve it.

The debate proposition before us is specific: an associate's degree should be required for entry-level paramedics. The critical question, in my view, is not whether paramedics should be educated at the college level—but whether a mandated degree requirement, implemented broadly and uniformly, is the right mechanism at a time when EMS systems are under unprecedented financial and workforce strain.

Across large portions of the country, particularly in rural, frontier, and mixed volunteer–career regions, EMS already operates as a fragile system. We are seeing the expansion of what many have rightly termed EMS deserts—areas where access to timely paramedic care is tenuous or disappearing altogether. In those environments, even modest increases in cost, time to entry, or educational availability can have outsized effects on workforce sustainability and patient access.

Affordability is not a theoretical concern. Many of the federal and state funding streams that historically supported EMS education, workforce development, and community college infrastructure are increasingly unstable, challenged, or reduced. Mandating an associate degree without simultaneously securing durable funding, geographic access, and employer support risks creating a barrier that disproportionately affects the very communities already struggling to maintain coverage. The result could be a net reduction in paramedic availability, even as the clinical expectations of the role continue to rise.

I do not believe this is an argument against degrees or academic rigor. Rather, it is an argument for. Professions do not advance solely by raising entry requirements; they advance by building coherent, supported pathways that align education, workforce needs, compensation, and career longevity. In some systems, an associate-degree re-

quirement may be entirely appropriate and achievable. In others, it may unintentionally accelerate the contraction of EMS services.

A degree can (and should) be a powerful enabler of professional growth, mobility, leadership, and advanced practice. But when used as a hard gate to entry, absent sufficient structural support, it can also function as an exclusionary filter with real downstream consequences for access to care.

For me, this is not a binary choice between “education” and “no education.” The question is whether a universal associate-degree mandate, applied at the point of entry, strengthens or destabilizes an already uneven national EMS landscape. I believe we can and must continue to elevate educational standards while remaining honest about the operational realities of the systems we serve.

If our goal is a stronger, more professional, and more sustainable paramedic workforce, then our solutions must be as nuanced as the varied environments in which paramedics practice.

-- Rommie L. Duckworth

The next commentator I'd like to introduce is Tom Bouthillet. Tom is another one of those folks that doesn't need an introduction because most of you are already familiar with much of his work.

Currently, Tom is the Policy, Accreditations, and ISO Manager for Chatham County Fire Department, and Advisor for the Cambridge Consulting Group; Creative Director of Plank Bridge Media. Among his many other professional activities, Tom has been a member of NHTSA's High Performance CPR Working Group; Program Director of the South Carolina Resuscitation Academy, Member of the Editorial Advisory Board of EMS World; Content reviewer for the British Paramedic Journal; Co-producer of the Code STEMI web series, and Editor of [EMS12Lead.com](https://www.ems12lead.com). Tom is interested in system performance, process improvement, and evidence-based performance measures for time-sensitive diagnoses.

He graduated with a paramedic/paramedicine degree from Parma Community Hospital EMS Education Program. His writings have been referenced in the American Heart Journal, the Journal of the American College of Cardiology: Cardiovascular Interventions and the EP Lab Digest.

Tom, what's your view on the idea that an associate degree should be required for entry level paramedics and any of the points raised in the discussion so far?

-- Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Mic,

Thank you for the opportunity to comment.

First, congratulations! The Socratic approach was refreshing. Given what the Rimstad literature review found about workplace tension between pre-reform and post-reform practitioners in the UK, this kind of civility will go a long way to ensure experienced providers feel welcomed to engage constructively rather than pushed aside.

I support the associate's degree requirement, but this debate solidified for me that how we implement it will determine whether it succeeds or fails. The literature review identifies proximity to institutions, cost, and time to completion as the primary barriers students face, particularly in comparable health care professions. The community college infrastructure Gregg Margolis described can address these, but only if we're intentional about it.

We have an educator pipeline problem. While Rimstad identifies this as a potential bottleneck, neither document offers a concrete strategy for addressing it. If we require associate's degrees taught at the college level, we need faculty

credentialed and supported to teach there. We cannot mandate educational requirements without a serious plan to develop the educators who will deliver that education.

The debate did not spend much time specifying what the additional education should contain, although I appreciated John Todaro's inclusion of expanded practice roles. If we're asking future paramedics to spend more time in school, we should take the opportunity to introduce things like epidemiology, evidence-based medicine, advanced clinical reasoning, improvement science, system design, and research literacy. In nursing these would be advanced courses, but even at the associate's degree level we should start building the foundation.

One thing that troubled me was the notion that the only thing that matters is proof that degree requirements improve patient outcomes. If the discussion is limited in this way, we risk unintentionally adopting an industrial logic, where a paramedic becomes interchangeable with an ambulance or a tank of fuel. Degree requirements may actually improve working conditions over time by establishing that paramedics are professionals worthy of investment, not interchangeable inputs to keep trucks running.

The Rimstad review found that degree-prepared practitioners in other fields reported increased confidence, improved decision-making, and greater career mobility. These aren't patient outcomes in the narrow sense, but they affect retention, job satisfaction, and our ability to attract talent, which eventually circles back to patient care anyway. When we think about EMS as a profession, the focus changes to developing practitioners capable of independent judgment and adaptation to circumstances their original training didn't anticipate.

Canada, Australia, New Zealand, and the UK have already made this transition. The literature review mentions they observed benefits, but beyond workplace tensions, neither document seriously examined what implementation looked like or what problems emerged. If we're going to have an evidence-informed discussion, the experience of countries that have already done this seems relevant.

In summary, the question isn't really whether paramedics should be better educated. It's whether we're willing to invest in building the infrastructure (educators, curricula, institutional partnerships, financial support for students) that makes better education achievable.

Respectfully,

- - -Tom Bouthillet

Our next commentator is Chris Cebollero. Chris has strong credentials inside and outside of EMS. He has a background as a senior operations executive with over two decades of experience leading enterprise-level initiatives across healthcare and human services and a proven track record of optimizing complex systems, scaling service delivery across multi-site operations, and aligning cross-functional teams with mission-critical objectives. Chris is known for driving measurable improvements in quality, compliance, and workforce performance across large regional markets. His expertise includes financial stewardship, organizational design, and regulatory navigation—supported by deep experience in transforming underperforming operations into integrated, outcomes-driven systems. In addition to all of that, Chris is also a podcast section editor for IJOP.

Chris, What's your take on the issues raised in the paramedic degree debate?

- - -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Thank you Mic, I have enjoyed reading the journal article and listening to the debate. Also, I appreciate my peers' thoughts and insights here this morning. I would like to encourage those of you who are following this post to share your thoughts. I have debated this topic tons with many of you out there, and your opinions are great.

In my opinion, I do not believe requiring an associate degree as a condition of entry into paramedicine is the right move for EMS currently. We are already facing a critical paramedic shortage, and extending initial education requirements risks worsening that problem. Many EMTs pursuing paramedic education are doing so while earning EMT wages, often living paycheck to paycheck. Asking them to remain in school an additional year without meaningful financial relief creates a real barrier to entry and retention. This is not a question of educational rigor or professional standards, but one of feasibility, timing, and sustainability within the current EMS environment.

There is also a persistent misconception that degree requirements alone will lead to higher pay or improved reimbursement. EMS is still classified by CMS primarily as a transport benefit, not a provider service. Until the reimbursement model changes and paramedics are recognized as billable healthcare providers, additional education does not translate into higher wages or sustainable system funding. My experience working in the Mobile Integrated Healthcare and Community Paramedicine transition for over a decade reinforces this reality. Paramedics cannot bill independently, nor can agencies reliably capture revenue under a physician's license for clinical services. If compensation is the goal, reimbursement reform must come first. Then in my opinion, an AS degree would not be the entry point, but a Bachelor's degree would be the bar. But I digress.

As an EMS educator and executive, I firmly believe in higher education and lifelong learning for EMS professionals—but not as a mandatory entry requirement. Education absolutely matters—but so does experience. What makes a great paramedic is experience, mentorship, and progressive clinical exposure, supported by targeted education along the way. Our priority should be getting new paramedics into the field safely and efficiently, then creating clear pathways for advanced education, leadership development, and specialization. I fully support advanced education through tuition assistance, flexible scheduling, and partnerships with colleges, including hosting satellite classrooms within EMS agencies. Higher education should be encouraged, supported, and rewarded—but it should not be a gatekeeper to entering the profession.

Respectfully submitted,

--Chris Cebollero

I appreciate the collegiate presentation of well recent points from all participants. As I read through them, I still see improved academic requirements as the right direction, but not the right step. From a purely academic standpoint, it's a no-brainer. From a policy standpoint, the underlying framework issues, if not addressed first, will result in an elevated academic mandate, raising costs significantly without resulting in significant benefit.

--Rommie L. Duckworth

The next commentator is Jon Washko. He is one of those guys with staggering credentials and credibility in our field. Jon is a seasoned healthcare executive with over 40 years of experience in pre-hospital and healthcare operations improvement. Beginning his career as a volunteer firefighter and EMT at the age of 16, he has progressively held executive leadership roles at local, regional, and corporate levels within various EMS and healthcare organizations.

Jon is a leading industry expert in EMS system design, high-performance EMS concepts, deployment strategies, EMS economics and finance, lean business processes, system status management, and the integration of technology in healthcare. His expertise extends to mobile integrated healthcare, community paramedicine, air-medical program development, telehealth, transfer centers, and emergency medical dispatch. He is frequently sought after by organizations, both thriving and in crisis, to provide consulting services and drive transformative change.

A prolific author, researcher, educator, and speaker, Jon regularly presents at national conferences, publishes in peer-reviewed journals, and contributes to industry publications. He serves on numerous editorial boards, industry association committees, and government advisory councils. He also provides expert witness testimony on complex EMS and healthcare legal matters.

Currently, he serves as the Assistant Vice President for the Center for Emergency Medical Services at Northwell Health and SkyHealth, is an Assistant Professor of Emergency Medicine at the Hofstra/Zucker School of Medicine, and is CEO of a private consulting firm specializing in healthcare delivery and EMS system optimization.

Jon earned a Bachelor of Science in Emergency Medical Services Administration from Drexel University and a Master of Business Administration in Global Health Services Administration from Hofstra University. His academic achievements are recognized through his induction into Beta Gamma Sigma, the international honor society for business excellence. Jon is also a member of the peer-review team at IJOP.

Jon, what are your thoughts on the proposition question and the points raised in the debate?

-- Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Thanks Mic,

Please note that these comments are my personal opinion and do not reflect the position of any organization.

Back in 2019, I was deep in the middle of this debate while sitting on my seat with the National EMS Advisory Council (NEMSAC) who had initiated a rather controversial advisory on the issue. I heard hours and hours of testimony from both sides, and found myself quickly acting as mediator between the educators, fire service, privates, 3rd service, dispatchers, hospital based, air medical and volunteers, and others, all heavily attached to their perspectives.

My stance on the matter has not changed much over the years, and I wrote an article on the subject back then (see below). Ultimately, until we find a way to pay for our existing undervalued efforts and under reimbursed expenses, let alone the additional value that degrees could bring, all we are doing is setting expectations that will over promise and underdeliver to our front line clinicians.

Fixing the reimbursement system is the only path to resolving this debate. Unfortunately, our industry's voice and limited PAC dollars are largely caught in a self-defeating, endless loop: repeating the same approaches we've used for decades, yet expecting different results....you know the rest.

Hopefully the data collected from the recent GADCS results can be the foundational evidence we need to shift the narrative, but not necessarily through the traditional methods of lobbying our congressional legislators who ultimately string us along to end up with extending, extended, extended, extended, extenders and not much reform. It's time for a different approach here if we truly want to change the economics to value our efforts and education.

<https://www.jems.com/ems-training/to-educate-or-not-to-educate-an-economic-and-ems-role-confusion-conundrum/>

To Educate or Not to Educate: An Economic and EMS Role Confusion Conundrum

Recently I was called out by individuals on various social media channels because I haven't weighed in publicly about the importance of postsecondary education for EMS providers. Although I believe that pursuing higher education is an important piece of a successful progressive career, I'm not ready to "take sides" as to its mandatory requirement for all of our traditional frontline EMS provider roles.

For those who advocate for formal education, the evidence is strong. A postsecondary education provides a foundation for skills development beyond what we learn in EMT and paramedic school, such as helping us develop critical-thinking skills, challenging us to strengthen our emotional intelligence, helping us improve our financial and business acumen, and teaching us skills that make us more astute in our selected specialty and better-informed citizens and consumers, all desirable traits that have value. Furthermore, there's research and evidence that suggest

that individuals with postsecondary education make a higher wage and some in EMS believe that having degrees will also garner us more respect at various tables—not sure on the evidence on this one.

Although I've personally pursued both postsecondary and postgraduate studies, I'm not convinced that these items would have helped me earn more respect or a higher wage when I was in a primary clinical role as a 9-1-1, transport and ED practicing paramedic. Rather, these tools have helped me to form a foundation for the basis of pursuing my career aspirations beyond a field provider role, shifting me from a primarily physical role to a mostly intellectual one.

In fact, when I was a field paramedic with my undergraduate degree, I was often on the receiving end of criticism, bias and prejudice by my peers and superiors, who couldn't comprehend why I "wasted my time and money getting a degree," and I was often treated differently from what I can only assume was a defense mechanism for those who thought my intellectual pursuits were intimidating. (This was the early 90s.)

Wearing the Grey Collar

EMS is a mix of career types as well as professional roles that sit in two color spectrums, white and blue, and include public safety, healthcare, public health and disaster response functions. Some of these functions are considered white collar in nature and use more intellectual skills, and some are considered blue collar in nature and rely more on physical, hands-on skills.

Given this conundrum, we should really classify EMS in a third spectrum, as a "grey collar" profession, meaning it's a mix of both blue and white collar skills sets. Traditionally, blue-collar work is vocationally educated, and white-collar work requires postsecondary education. Given our grey-collar status, an argument can be made that the primary role that a provider is participating in should drive the educational requirements.

I consider the public safety and disaster response sides of our mission towards the blue-collar side of our grey collar color spectrum, and our public health and healthcare roles leaning toward the white-collar side of the grey collar color spectrum. Thus, an argument can be made that if you're in a traditional EMS provider role, then the current vocational education system seems appropriate and has worked for decades. However, if your role is taking you more into the public health and healthcare aspects of our changing mission (e.g., community paramedicine, expanded scope paramedic, etc.), then a strong argument can be made that additional postsecondary education is warranted in order for us to first, do no harm.

Lastly on this topic, I believe that postsecondary and postgraduate education is an absolute requirement for all future EMS leaders, given the forthcoming complexity of disruption that lies ahead. Although my take on this topic will likely be cast as waffling or riding the fence of this divergence, the fact is that for now, given the current environment, both arguments are correct and as is often the case in EMS, one size does not always fit all.

This said, it's time for us to adapt to our changing environment, and I believe we'll see EMS diverge into two paths as the future of healthcare reform takes shape: One path will continue our traditional public safety roles, funded by subsidies of which the vocational education system has a proven record. The other path is where EMS becomes more healthcare-focused, funded by value incentivized healthcare revenue arrangements, which will require additional postsecondary education.

Also, I have to call out the belief that higher education for EMS practitioners will result in upward pressure on wages, as I believe this is a chicken and egg argument. On one side, higher education is typically rewarded with higher pay, however on the other side you can't get blood out of a turnip to pay for it.

Compensation and Salary

In order for EMS to pay better, it needs better reimbursement mechanisms, whether it be from some form of subsidy or an alternative healthcare reimbursement system. The bottom line is that we as an industry have underspent on wages and many other expense categories, especially in the private sector, because our existing healthcare reim-

bursement system isn't aligned with what should be our true costs (which includes better compensation), nor is it aligned with the value EMS providers bring to the healthcare continuum.

Because a significant portion of our revenues are essentially "capped," the ability for us to charge—and actually get paid—based on our actual and/or desired expenditures (e.g., better wages), plus the need for all businesses to produce some form of a margin to at a minimum recapitalize, forces downward pressure on everything when revenues stay flat or decrease against a rising expense base. In these cases, subsidization of some form is needed to pay for what's desired in order to fill the gap; however, in markets where this option isn't desirable, wages, margins and dollars suffer with tremendous downward pressure, not allowing an expenditure to exist at all or putting upward pressure on productivity, thus burning out our providers.

Although I agree that higher education is a good thing, to mandate it now for everyone with the expected outcome of upward pressure on wages would also require considerable payment reform for EMS that fully accommodates this upward pressure on expenses. Without this intrinsic tie, we'll likely hurt and dissolution ourselves by creating an educated workforce without the ability to pay for the value this next evolutionary step could ultimately bring our profession.

Additionally, this situation would likely add additional downward pressures on the available supply of labor, which is already a substantial problem in many communities. For rural EMS and volunteer-based EMS systems, this type of requirement could be disastrous without some form of financial offsets, essential service or critical access status designation.

Lastly, respect is earned not given. This holds true no matter your education, experience or background. If we truly desire to gain the respect of our peers, EMS leaders must focus on creating a culture of trust and respect within themselves and their own organizations if we ever expect to get respect from others.

As Maya Angelou put it, "I've learned that people will forget what you said, people will forget what you did, but people will never forget how you made them feel." Respect is earned by how you make people feel, not titles, not status, not position—and certainly not just education.

-- Jon Washko

As a point for clarification on Jon's post, he referred to "GADCS." For those not familiar, it is the acronym for Medicare's Ground Ambulance Data Collection System.

-- Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

The next commentator is Mike Taigman. Like several of the others participating in this conversation, Mike has amazing credentials, qualifications and experience in our discipline. Mike is one of those guys that David Letterman might say "needs no introduction."

During his more than five decades in EMS, Mike has focused the majority of his career on helping to make things better. As a street paramedic in Denver he honed Myers clinical skills caring for patients and helping new paramedics learn to provide solid clinical care with kindness and compassion. He is a popular conference educator and author of more than 600 articles in professional journals. He is an Associate Professor in the Master of Science in Healthcare Administration and Interprofessional Leadership at the University of California San Francisco UCSF where he helps healthcare leaders develop the ability to make meaningful and measurable improvements. As a consultant, he has worked with EMS, Fire, and Public Health in 48 of the 50 states, most of the Canadian Provinces, Israel, Palestine, Australia, and throughout Europe. His expertise includes EMS Street Survival, Patient Centered Leadership, and Effective Quality/Performance Improvement. Mike holds a Masters Degree in Organizational

Systems. Mike was the facilitator for the development of the EMS Agenda 2050. Mike serves as the Improvement Guide at FirstWatch. IN addition, Mike is a member of the Editorial Advisory Board for IJOP.

Mike, what are your perspectives on the proposition that an associates degree should be required for entry level paramedics and the issues raised in the debate?

-- -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Thank You Mic!

I'm the product of a 600-hour vocational paramedic program run through a Colorado hospital in 1980. A couple of decades later, I had the opportunity to do some consulting in Australia. I was getting a tour of the main hospital in Melbourne when the cardiologist who was showing me the CCU stopped to take a phone call. As he was taking a report on a patient having an inferior wall MI who was being admitted to his unit, I realized that it was a paramedic admitting the patient. It turns out that paramedics were directly admitting patients to the CCU, the OR, and labor and delivery. I was blown away.

The next day, I toured their Ambulance Officer College, where new employees spent three years full-time learning how to be our equivalent of an EMT. They have volunteers in Australia who complete a 200-hour program, but that's not for folks who make EMS their profession. Talking with the medic was like talking with PAs or nurse practitioners here. They understood disease process, differential diagnosis, and treatment options at a level far past me. Keep in mind, this was 25 years ago.

That planted the seed in my mind that we could elevate our profession, provide much more sophisticated care, and become equals in the house of medicine. I understand the short-term staffing crisis and the dynamics of younger generations. But I firmly believe that we need to bite the bullet and make degree requirements part of our world.

-- -Mike Taigman

Next in our line up of commentators is Dan Gerard. Dan Gerard, MS, RN, NRP is the Immediate Past President of the International Association of Emergency Medical Services Chiefs. With 40+ years in the field, starting in Newark, NJ, he's both a National Registered Paramedic and an RN. As the EMS Coordinator for a Northern California fire department, he leads the EMS division, Community Paramedic Unit, and Mobile Crisis Team. He's also shaped Oakland's EMS as Coordinator and interim EMS Director. An author and educator, Dan worked as an EMS consultant to revamp EMS systems from Hong Kong to the Bahamas. He holds a Master's in Healthcare Administration, and is a doctoral candidate in organizational leadership who has completed a Harvard Kennedy School fellowship.

Dan, you have a lot of experiences in EMS to draw from – what do you make of the question that an associate degree should be required for entry level paramedics and any of the points made in the discussion so far?

-- -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Thank you Mic it is an honor to be invited to participate with this stellar group.

Paramedicine is no longer a technical trade, it is a clinical profession. Modern paramedics practice independent clinical judgment in uncontrolled environments, often without immediate physician oversight.

In EMS specifically, today's patients are older, sicker, and more complex. The system is no longer dominated by trauma and cardiac arrest.

A degree does not just add knowledge, it builds the cognitive framework needed to manage complexity safely. If we want paramedics treated as clinicians rather than drivers with skills, the profession must align with the educational norms of clinical practice.

Countries with degree-based paramedicine models (e.g., UK, Australia, Canada) show higher retention, professional status, and system integration.

It is intellectually inconsistent to demand higher level thinking and clinical expertise from certificate-level preparation. This is not about turning paramedics into physicians.

It's about giving paramedics the education they need to safely do the job we already ask them to do independently, ethically, and expertly. An associate's degree is not inflation; it is alignment with reality.

-- -Dan

Daniel R. Gerard, MS, RN, NRP

<http://www.linkedin.com/in/dangerard>

I'd like to bring someone else into the conversation - Will Chapleau.

Will Chapleau is a founding partner of the International PreHospital Medicine Institute and one of our editorial advisory board members. He has been a Paramedic since 1976, graduated nursing school in 1989 from Prairie State College and worked as a Trauma Nurse Specialist for 37 years. His career began in 1975 with the Chicago Heights Fire Department, the last 6 of which, as Chief of the department. For 15 years he was an educator in the Good Samaritan Hospital EMS System in Downers Grove, Ill., and at St. James Hospital and Prairie State College in Chicago Heights. In April of 2020, he retired from the American College of Surgeons (ACS) where served as the Director of Performance Improvement (8 years), previously managing Trauma training programs for the ACS-Committee on Trauma (6 years).

Will served as the Chair of the Pre-Hospital Trauma Life Support (PHTLS) Executive Committee of the National Association of Emergency Medical Technicians (NAEMT) for nearly 20 years. He also served on the NAEMT Board of Directors, the boards for the National Association of EMS Educators, the Society of Trauma Nurses, chaired a task force for the National Association of EMS Physicians and a frequent contributor to the Journal of Emergency Medical Services (JEMS), EMS World Magazine, and Fire Apparatus Magazine. He has published in the Journal of Trauma and Critical Care, the Journal of Emergency Medicine and served on the editorial board of EMS World Magazine. Will has written and edited twenty pre-hospital care textbooks, published in four languages, taught prehospital care and lectured in conferences in over 60 countries.

Will, how do you see the issues in the debate and any of the comments made so far?

-- -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS

Editor-In-Chief, International Journal of Paramedicine

Thanks for letting me join this discussion Mic

I'd like to begin by saying that I am a fan of developing PreHospital Medicine Associate, and advanced degrees. I believe that many people that dedicate their lives to EMS would be able to use that education to further the profession and hopefully improve patient outcomes.

That being said, I do not support making it mandatory for entry level Paramedics to have associate degrees. My colleagues have already pointed out the staffing issues we have with the current system and they are right to be concerned that adding to the time and cost of school would likely cause further shortages of staff.

Some of my colleagues have suggested that the degree requirement would improve outcomes and I have to say, there is scant if any science to support that. Others have said that the additional education would elevate the profession and bring better wages and more respect to Paramedics. I think my colleagues have also pointed out, that policy and regulation is needed to accomplish that not degree programs.

Critical thinking is an important tool and teaching and practicing Critical thinking will likely have a positive effect on our providers and our patients. I don't agree that degree programs necessarily provide that support for critical thinking. Here, I think continuing education gives the best opportunity for exercising our critical thinking skills.

We also need to consider our workforce. For many of our providers, being a Paramedic is part of their job, not all of it. They are also working Firefighters, Police Officers, and other public servants that provide this service along with their other jobs.

I believe Medical Directors and Education centers have the best opportunity to improve the workforce and patient outcomes is through continuing education tied to the experience of the providers and patients in their system.

As I said, I'm a fan of developing degree programs for PreHospital Medicine. I don't think it should be required. We may get there. Strong program development in time, might drive providers into that pathway and a support a natural progression to that end.

- - Will Chapleau

The next person to bring into the conversation is Tom Judge. Tom has an extensive background in EMS. He is the Executive Director and co-founder of LifeFlight of Maine. He has also served as chair of the Association of Critical Care Transport (ACCT) and has advised many organizations around the world on EMS program development. Tom began his career serving as an EMT and Paramedic over forty years ago. He introduced the first community paramedicine program in the State of Maine.

With an extensive background in emergency medical services and air medicine, he has worked in the private, public and non-government sectors designing and implementing emergency care systems nationally and internationally. Tom has served as an air medical and EMS subject matter expert for the Institute of Medicine, the US Government Accountability Office, the National Transportation Safety Board, and the State of Maryland as well as serving five successive appointments to the Federal National EMS Advisory Council. He currently serves on a federal Advisory Commission to end surprise patient billing. Other current service includes the Board Quality Committee for the Coastal Healthcare Alliance, the Rural Health Transformation Team for the Maine Department of Health and Human Services, and the Rural Health Action Network.

A long-time faculty member for the National EMS Physicians Association's National EMS Medical Director Course, Tom has worked in multiple arenas developing standards for air medical care and EMS including assisting with the development of the international standards of the Joint Commission on Accreditation of Health Organizations and led the development the first international standards for Critical Care Transport. A keen advocate for patient and operational safety, he leads the Infrastructure work group for the US Helicopter Safety Team and has been a member of the International Helicopter Safety Team since its inception. He is a past Chair of the Association of Critical Care Transport, past President of the Association of Air Medical Services, a Board Member for the Medevac Foundation International, and served 10 years on the Maine EMS Regulatory Board including serving as Chair.

I could go on and on about Tom's contributions to our discipline, but I should also mention that Tom is a member of the IJOP Editorial Advisory Board.

Tom, given your extensive experiences and deep insights on EMS, what do you make of the arguments for and against the proposition that an associate degree should be required for entry level paramedics?

- - Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Thanks, Mic, for setting up this interesting debate and commentary. I appreciate the inputs from so many great thinkers and doers in EMS over the years. This is an interesting topic that has been wandering through the profession since the late 70's and early 80's. There are quite a number of comments about reimbursement, the cost of education, challenges in recruitment and retention, and the construct of a profession. These are real issues, but I think miss the point.

Parallel to the topic of degrees and academic credentials is the ongoing and never resolved issue of what is EMS? Our originating premise was time limited, delegated practice resuscitation medicine for cardiac arrest and life taking trauma. Over the years we realized that was less than one percent of our practice of unscheduled medicine.

The path for evolution, the original EMS Agenda for the Future in 1998 postulated EMS is the intersection of public safety-rescue and resuscitation medicine, emergency medicine, and public health. This has been repeated over time. The IOM picked up the conversation with the 2006 EMS at the Crossroads which called for a lead Federal Agency to coordinate the ongoing development of EMS. Despite the great work over the years, or the NHTSA Office of EMS, FICEMS, and NEMSAC there is still no single policy identity for EMS, and it may well be the ensuing times have hardened the edges of all the players into a series of silos, all important but increasingly distinct from the original premise of cardiac arrest and life taking trauma. Without coherent policy there will be a never-ending struggle for reimbursement and education. Note, the Department of Education defines nursing as a profession but is currently in a debate just proposed to exclude graduate nursing programs (like MSN, DNP) from its technical definition of "professional degree" for federal loan purposes, which will dramatically increase costs and barriers but doesn't change the actual professional nature of the job.

We were doing a project back in the early 90's in Belfast, Northern Ireland during "the Troubles" one of the paramedics pointed out: "our real job is we are the dustbin men of society." Everything that goes wrong lands at the door of EMS. The expansion of resuscitation medicine, into broader unscheduled medical need large and small is now mental health, elderly health, social failures in food, housing, addiction medicine, public health, violence prevention, time critical care for acquired brain injuries, vascular disease, complex respiratory failure, sepsis, etc. etc. The evolution and remit of EMS continues. Indeed, EMS is all of these and more. And true to our historical origins meeting the people we care for at the point of need

I think the better and first question is to figure out what do our patients need? What are the delineation lines of EMS—what in the most simplistic terms is the practice geography of:

- *time limited, protocol driven resuscitation medicine primarily delivered through public safety agencies, requiring technical education, versus:*
- *the much more complex practice geography of community level medical care, delivered through the healthcare system requiring far more academic science.*

If we look at the question through the eyes of patients and their unscheduled need I think we will find the path forward.

Resuscitation medicine continues to be refined. The much wider breadth of field medicine at the point of need however is in transformation requiring science and evidence. EMS is the closest we have to universal healthcare access and the safety net is fraying, especially in rural areas. One of the examples we face every day in rural America (and really, rural everywhere) is the continued dissolution of the hospital obstetrics system and the need for high-risk OB interface and transport. Five years ago, we were not in the HROB business. Today we are. Hospital OB

services and indeed hospitals continue to close. The patient time gap between need and care is extending rapidly and will depend on EMS, as it always must manage the gaps. The stakes are high, and mistakes are beyond easy calculation of costs. The lines between pre-hospital and hospital medicine continue to transition. The scientific basis and evidence as well as technology continues to change rapidly with increasing miniaturization of diagnostic technology coupled with new capabilities for specialist physician decision support and ability to guide a remote practitioner's hands. As an example of the latter, we have the ongoing discussion of treat and no transport with increasing need for additional experience and skill sets in our community paramedics. Once we can agree on the distinct fields of practice, we will be more able to agree on the necessary education and credentials including residencies to gain practice proficiency.

The future is unfortunately always Darwinian, and the continuing rapid evolution of EMS is no different. Our non-protocol, technician based high performing pit crew practice is one geography and destiny while the much larger role of EMS clinician driven extended practice and community medicine is going to become increasingly complex requiring increasingly academic practice and science based. Quick examples are papers published in medical journals showing J shaped curves for both EMS and emergency medicine nearly 800 EMS and over 7400 emerg medicine papers published in 2020 in 31 journals. And these do not count the myriads of other papers related to today's EMS practice. The science is ever bigger and more demanding.

--Tom Judge

Great debate. From a patient's perspective at the point of need, the answer is both technical and academic practice depending on the geographies. My own take is a community college associate's degree reflects the current practice environment for ever more needed and skilled street paramedics with high quality technical education. Further academic degrees may be required for more complex medicine. As noted earlier, the urban rural EMS paradox continues and the practice environment where we sophisticated practitioners is rural America.

As other commentators in the debate have noted, we can also learn from afar. One of the really interesting emergency medicine education programs back in the 90's at the University of Sheffield in the UK had everyone going into medicine—paramedics, nursing, and physicians taking the first two years of training together followed by one to several more years of education depending on the final practice environment. If we want to build a comprehensive emergency care team this is a good model. I would also add one editorial note that in countries where EMS is a core component of the healthcare system per patient reimbursement and cost of paramedicine education are not drivers in the system. We spend a lot of energy managing fundamentally bad system design.

It will be interesting to see if we are responsive too necessary change—one of the major Maxwell challenges of medicine to meet the practice needs of all patients.

--Benjamin Proctor

My name is Benjamin Proctor. I am currently a U.S. Army Combat Paramedic and work outside of traditional EMS systems. I hold a bachelor's degree from Columbia Southern University and am currently enrolled in the University of Louisville School of Medicine's Health Professions Education program. I have worked alongside paramedic professionals from around the world, including Canada, Spain, Sweden, South Korea, Lithuania, and Latvia.

As a paramedic working outside of traditional EMS, I've been following this debate closely and wanted to add a my perspective.

A recurring issue is that this discussion is being framed almost entirely through the lens of EMS. EMS matters, but paramedicine is larger than ambulance-based systems. Paramedicine is a healthcare profession centered on clinical assessment, diagnosis, and treatment. When we conflate paramedicine with EMS, we limit how we think about education, scope, and professional growth.

I created a LinkedIn post that highlights what we are up against without degree-based education. In that example, two physicians successfully argued before the Texas House Health and Human Services Committee that they could not delegate tasks such as IV placement and medication administration to paramedics. Their justification was not competence or experience, but education. Specifically that paramedics do not hold degrees comparable to nurses. This is the reality of the fight we are having. Until paramedics are educated like our medical peers, we will continue to struggle to earn a seat at broader medical decision-making tables.

We also need to be precise with language. Entry into paramedicine begins at the EMT level. At most colleges, EMT training is typically 10–12 credit hours, which nearly satisfies the first semester of a paramedic program. EMT education provides the foundational skills. Paramedic practice is a progression into higher-risk decision-making and greater autonomy, and education should reflect that responsibility. Importantly, CoAEMSP already requires paramedic programs to be sponsored by or aligned with a college or university. That standard is already in place. Given this, we should ensure paramedics receive academic credit for the education they are already completing rather than continuing to rely solely on certificate-based coursework.

Concerns about workforce and access are valid, but there are ways to address them without staying locked into the current certificate-only model. One option is allowing students to test for the NREMT Paramedic exam before completing all degree requirements, then practice under a restricted license with strict supervision in a structured “resident paramedic” model. During this phase, experienced paramedics serve as true clinical educators, and students can complete their remaining coursework, potentially online. Once all degree requirements are met, the paramedic transitions to an unrestricted license.

This debate is not about gatekeeping. It is about aligning education with responsibility, recognizing the education paramedics already receive, and preparing paramedics for modern clinical roles. I appreciate the opportunity to contribute and look forward to continued discussion.

- - Benjamin Proctor

Hi Benjamin,

You're experience points out the potential benefit for higher and diverse education options for providers not working in EMS operations. I agree, there's a place in this discussion for the depth and breadth of where Paramedics find themselves working and how we can support opportunity and the challenges faced in those environments. That being said, most Paramedics will work in EMS. EMT's and Paramedics were created to serve EMS in communities everywhere.

As I said in my initial response, I support developing degree programs. I also support specialized education and training for diverse atmospheres. Today we're talking about the base and while we can improve the quality of current training, I don't think a degree requirement for entry level Paramedics is the answer.

- - Louis Imperatrice

Good evening everyone, I love seeing so much discussion and involvement in the thread and topic and am grateful to have been a part of this! As I mentioned during the debate, this topic tends to see us stray from the notion that this is for entry level paramedics. We are not talking about degrees for advanced practice paramedics, EMS educators, or EMS leaders, we're talking about the day 1, ink still wet on their paramedic card provider. I want to first start by saying, I am in no way opposed to degrees for paramedics, during the debate I touched on this, however I must agree with Rom and Chris. Rom's point on EMS deserts and the mandating of a degree will likely only decrease access to paramedic care. I also agree with Chris's point which I believe says it best..."What makes a great paramedic is experience, mentorship, and progressive clinical exposure, supported by targeted education along the way."

For me, in my discussion points during this debate, the key indicator for me being on the disagreement side of the question posed was the word "mandatory." For decades, and still currently, we collectively as EMS professionals, across the country and the world, are providing high quality, evidence based medicine, without a degree mandate. Even without the degree mandate we still see a lack of ability to easily enter the field.

If there was clear and concise measurable data that paramedics with an associates degree provide higher quality clinical care to patients, I would support this mandate 100% over and over, but we just don't have that full data set yet.

Do I believe eventually we should be at a point where associates degrees or higher are mandatory for EMS, I sure do, however until we have the measurable data, and have solved the recruitment and retention aspect of EMS, we are just simply not there yet. There are too many barriers to entering into EMS as it stands, low pay, college is expensive, lack of access to paramedicine degree programs in areas of the country, etc.

Collectively, especially dating back to the 70s, 80s, and 90s, we have overlooked the mental health and well being of paramedic students and EMS providers. EMTs working for near minimum wage while going to paramedic school and barely making ends meet; having to make decisions of food on the table or pay next semesters tuition, dealing with the obstacles and hurdles of everyday life - for the hopes of a better career. We have allowed paramedic students to become sleep deprived, stressed, and lose their resilience. I personally, in my career, knew two paramedic students, who at the onset of their education were excited, driven, and motivated, who took their own lives due to the stress of paramedic school. This just simply cannot happen.

Instead of focusing on making it more difficult to become a paramedic, we should be focusing on ways to make it easier and more affordable. As Chris mentioned, EMS is still classified as a transport benefit with poor billing reimbursement. Would a more feasible approach be to allow certificate or vocation paramedics to enter the profession, obtain real-life on the job experience, and simultaneously enroll in an accelerated associates program, funded by state or federal government? Students could use real-life experience (which we know is a major basis of being a great paramedic and clinician) to obtain credits towards a degree, use educational credits from their certificate program and complete an associates degree at an accelerated pace.

Having state or federal financial support would also ease the burden of financial stability, allow for a better work life balance (wouldn't have to do the work, school, work, school, shuffle) and allow for overall mental health awareness. This would produce, in my opinion, better prepared and more resilient paramedics, who are set up for long term success in the profession. Not to mention, the experience clinically of working as a paramedic with the baseline knowledge, will only increase the chances of true success in an associates or higher degree program.

I want to also add that collectively as a whole, in many professions, not just EMS, more and more emphasis on experience and soft skills verses degrees is taking light. Breaking through the paper ceiling is something that more and more organizations are embracing. Walmart, IBM, and Google are all companies that now weight real-life experience and soft skills over credentials. Maryland, Colorado, and Pennsylvania have also removed degree requirements from many governmental jobs, and the federal government has recently expanded its competency based hiring frameworks over degree requirements in recent years.

I understand we are talking about medicine and clinical care which is a highly technical profession requiring advanced knowledge, however I am sure we all know the cardiothoracic surgeon with the laundry list of post-nominals who has never treated or operated on a complex case compared to the baseline educated surgeon, who spent 15 years operating in a major cardiac center taking on the most complex cases with success. Who would you want operating on you? The same can be said about paramedics...the twenty year paramedic who has worked in a busy, high performance, EMS agency with ample experience and clinical excellence, or the paramedic with the degree, but no real world experience whatsoever?

- - -Louis Imperatrice

Will Chapleau, thank you for your response to my post.

I don't agree that most paramedics will work EMS. If the average career lifespan of a paramedic really is around five years, then by definition most paramedics have already moved on, either into other areas of healthcare or out of medicine entirely. That tells me they may start in EMS, but we will lose them when they realize that EMS isn't a profession but a job.

Keeping entry requirements to a certificate program has not stabilized the workforce or improved retention. It has simply preserved the status quo. We also do not see this approach taken in other healthcare shortages. There is a well documented physician shortage in this country, yet no one is seriously proposing that Doctors don't need degrees and the degree requirement is an unrealistic barrier to entry.

Our current certificate paramedic education already meets almost all of the academic requirements for an Associate of Science degree. In most cases, it would only take minor adjustments to transition the programs we already have into degree-granting pathways. The U.S. military offers a real world example that often gets overlooked. It is the largest producer of EMTs and paramedics in the United States. All graduates of the Combat Paramedic Program and the Special Operations Combat Medic Program earn 56 academic credit hours and an Associate of Science in Health Sciences with a major in Emergency Medical Services Paramedic. That program was not created by shopping around for an existing degree to fit into. It was deliberately built to meet the operational and clinical needs of the military. Uniformed Services University (USU) Emergency Medical Services - Paramedic, A.S.H.S.

That same approach can apply to civilian paramedicine. An entry level associate degree in paramedicine does not have to be generic or borrowed from another profession. We can design it to meet the actual needs of today's paramedic. When our original certificate programs were built, they were largely based on resources like the 3rd edition of Nancy Caroline's Emergency Care in the Streets, which was roughly 650 pages. The scope, responsibility, and knowledge expected of paramedics today goes far beyond that.

Modern paramedicine already contains enough academic and clinical content to justify an associate degree. The question is not whether the material exists. It clearly does. The real question is why we continue to sell ourselves short by not giving our paramedics the credit they have already earned.

If we want paramedicine to mature as a profession, improve retention, and be taken seriously alongside our healthcare peers, then raising educational expectations has to be part of that conversation.

- - Benjamin Proctor

Louis great points, but I want to reframe them for a minute. The framing of this as an "entry-level" issue actually strengthens, not weakens, the case for a degree. Day-one paramedics are not entry-level healthcare workers in any meaningful sense. On their first shift, they independently administer high-risk medications, make irreversible clinical decisions, manage undifferentiated complaints, and assume legal responsibility for patient outcomes in uncontrolled environments. That level of autonomy is fundamentally different from other OJT (on the job) models. Experience and mentorship are essential, but experience without a strong educational foundation simply accelerates the repetition of habits, not the development of clinical judgment. Education is what teaches how to think, not just what to do, and it is precisely at entry that those cognitive frameworks must be established to protect patients and providers alike.

Second, the argument that we lack "clear measurable data" sets an unrealistic and internally inconsistent standard. We already mandate associate degrees for nurses, respiratory therapists, and radiologic technologists without randomized trials proving degree causality for every outcome. Healthcare regulation has never relied on absolute proof; it relies on risk management, complexity, and precedent. The evidence across health professions is clear that higher education correlates with improved critical thinking, safer medication administration, better communication, and stronger adherence to evidence-based practice, qualities that matter profoundly in EMS's increasingly complex

clinical environment. Waiting for perfect EMS-specific data while the scope, acuity, and liability of paramedicine continue to expand is not prudence; it is professional stagnation.

Finally, concerns about access, cost, mental health, and EMS deserts are real, but they are arguments for system investment, not arguments against education. Low pay, burnout, financial stress, and suicide risk are not caused by degrees; they are caused by a system that demands advanced clinical labor while refusing to professionalize, reimburse, or support it appropriately. Regarding mental health and resilience, EMS clinicians will become the most routinely trauma-exposed mental health professionals in United States as we implement more crisis response models and increase engagement as law enforcement transitions out of this role. You are absolutely correct since the 1970's we have overlooked mental health and well-being of the EMS provider, but we have an opportunity to address wellness as part of obtaining your associates degree. Work life balance is a misnomer. If you are unhappy at home, you don't leave that at the door when you come to work, vis a vis if you are unhappy at work that follows you home, regardless of the state of balance you have achieved. Other countries did not solve workforce sustainability by lowering educational expectations, they solved it by aligning education with compensation, career mobility, and institutional support. Allowing certificate-only entry indefinitely does not reduce barriers; it locks paramedics into a low-status, high-attrition model with limited leverage for reform. If we truly care about access, resilience, and long-term success, the solution is not to keep paramedicine under-educated, it is to make degree-based entry affordable, supported, and paid, so the profession finally matches the responsibility we already place on its newest clinicians.

We can easily manage a pathway forward for those who are currently paramedics or in school, so that they will continue to have the same success as the people who come after them.

All great points though.

-- -Dan Gerard

Benjamin if I may.

From my own experience it harkens directly to what you are speaking to. I wanted to earn my associates degree. I already had some college credits from Union County College for my paramedic education, 16, and Thomas Edison State College gave me credits for my clinical education (which was 1200 hours so they gave me 40 credits). I found an associates degree program at my community college. I CLEPED my general education required (GER) credits, 21 in total, the only GER I took was English, because I am from NJ and it is a different form of the Queens tongue...but I digress...

I took my A&P (I & II), microbiology, and medical anthropology/sociology. When I was done with those two semesters, I had 95 credits...when I went in to talk to my counselor at the community college, she said you blew past the associates degree. She had all the paperwork filled out for my transfer to Montclair State. I needed 33 credits for my BS, and all I did was take 1 class a semester, winter and summer sessions, and before I knew it I was done.

I hope there are people scratching their head here and saying "I can do that now!"

Just Do It (thank you Nike)

-- -Dan Gerard

Will,

How would you do it in a long game scenario...not a light switch, we are pivoting to AAS paramedics in 3...2...1... but rather over the course of time? King for a day, how would you like to see a degree program for paramedics, but in parallel with specialized training and education for those working in other complex spaces (CCT, community paramedicine, tactical medicine, occupational med., etc.).

Tell me where the diverge, tell me where they overlap...(Go White Sox)

-- -Dan Gerard

Our next commentator is Rob Lawrence, who is also an IJOP podcast section editor.

Rob is Rob is currently the Director of Strategic Implementation for PRO EMS and its educational arm, Prodigy EMS, in Cambridge, Massachusetts, He is also the current President of the Academy of International Mobile Healthcare Integration (AIMHI), and the Executive Director of the California Ambulance Association. He previously served as the Chief Operating Officer of the Richmond Ambulance Authority in Virginia and the Chief Operating Officer for Paramedics Plus in Alameda County, California. Prior to emigrating to the U.S. in 2008, Rob served as the COO for the East of England Ambulance Service in Suffolk County, England and as the Executive Director of Operations and Service Development for the East Anglian Ambulance NHS Trust.

Rob, given your broad experience in EMS operations and policy issues working at a national level with various professional associations, I'm curious what your take is on the debate.

-- -Mic

*Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine*

Good afternoon, all. Some great discussion points made today. Let me offer two responses. First me thoughts and followed by my report and commentary on the original debate that will shortly be published at EMS1.

In terms of my thoughts - well the UK, Australia, Norway and others, can't have got this wrong - they educate to the paramedic degree level and as graduate level practice has evolved in those countries, that has now led to such advanced practitioners as paramedic prescribers and other specialists. My recent conversations with the team at the top of the Royal College of Paramedics (International Paramedic Day 2025: Celebrating paramedics worldwide) are suggesting that degree education is going to take a further advanced step and consider courses that prepare the graduate student not for a life on the truck, but for a life of MIH.

Let's discuss MIH for a second. MIH isn't a TITLE... it's a LIST of requirements for successful operation Mobile, Integrated, Healthcare (delivery).

But this all brings me back to a degree in the US and here's the but

BUT

Is our system ready for it. It is certainly ready for the knowledge and therefore the ability to treat the patient with an assured level of academic competency, but that's not the but

BUT

The folk that say, a degree will confer higher wages and better terms and conditions are out of touch with the reality of US healthcare economics. the system is currently set up to deliver minimum income for maximum effort. We are fighting an administration (and it has been both administrations) that have singularly failed, and are failing to provide the cost of readiness (versus the cost of transport) to EMS systems, so we can't afford the levels of employee we have now. Mik asked me to take a policy view, well this is it. we can describe and define the cruise liner option of educational delivery when we cant even afford the oars for the rowboat.

BUT

We should continue to have and evolve this debate, its not about APOT ambulance offload times or response times its currently about affordability and expectation and the realist in me says we have to sort the pathway before we can walk down it!

My second offering is my suggested op ed for EMS1:

"Degrees, Debate, and Direction: Why This Debate Deserves Our Attention. IJOP Perspective on an associate degree should be required for entry level paramedics."

Every now and then, a debate lands in front of the EMS community that deserves to be read slowly, listened to carefully, and reflected on honestly. The recent Socratic debate published by the International Journal of Paramedicine on whether an associate degree should be required for entry-level paramedics is one of those moments. I read IJOP and I listened to the debate on the YouTube channel, hosted by IJOP Editor in Chief Mic Gunderson, and came away encouraged, not because the issue was "settled," but because it was treated with the seriousness and respect it deserves.

This was not a shouting match. It was not social media theater. It was a structured, thoughtful exploration of a question that sits at the heart of our professional identity: What should it take to become a paramedic?

Before we get into the content, it's worth pausing on the method. This was a 'Socratic' debate, which is not a cage match about defeating the other side, but one of presenting reasoned arguments, exposing assumptions, and inviting the audience to think more deeply. Each side is given space to articulate its case fully, without interruption or rebuttal designed to score points. The goal here was understanding, not conquest, and that tone elevated the entire discussion.

The Argument for an associate degree

Advocating for an associate degree were Sean Caffrey, Gregg Margolis, Mike Thomas, and John Todaro. They framed their case around professional maturation and alignment with modern healthcare, arguing that paramedicine has evolved beyond its historical roots. Today's paramedics are expected to assess undifferentiated patients, make autonomous clinical decisions, integrate with complex healthcare systems, and function as the front door to care. That level of responsibility, they contended, requires a deeper and more structured educational foundation.

Their argument emphasized that an associate degree is not about elitism or exclusion, but about equipping clinicians with essential competencies critical thinking, ethics, communication, research literacy, and clinical reasoning that support practice in environments where protocols alone are insufficient. As clinical complexity increases, so does the need for education that fosters judgment rather than rote compliance too.

They also pointed to professional trajectory. A degree-based entry pathway, they suggested, creates smoother transitions into leadership, education, community paramedicine, research, and system design, helping avoid educational dead ends and supporting long-term career development.

Notably, this team did not dismiss current workforce pressures. Instead, they challenged the profession to consider whether it is prepared to invest in the level of education that aligns with the expectations, responsibilities, and future direction it increasingly places on paramedics.

The Argument Against Mandating a degree.

The opposing team of Lewis Imperatrice and Ed Bauter did not argue against education. They argued against exclusion. Their concern was practical, grounded, and urgent. Mandating an associate degree risk narrowing the entry pipeline at a time when EMS is already stretched thin. Cost, access to colleges, time, geography, and life circumstances are real barriers particularly in rural systems and underserved communities. They reminded us that EMS has historically thrived on multiple pathways into the profession, and that excellent paramedics are built through quality instruction, mentorship, and experience not solely academic credentials.

Most powerfully, they asked an uncomfortable question: if we raise entry requirements without fixing pay, working conditions, and career sustainability, are we simply asking people to give more to a system that gives little back? That is not resistance to progress, it's just realism.

The International Lens

The debate also sits within a broader global context. In countries such as the UK, Australia, and Norway, graduate-level paramedic education bachelor's degrees rather than associate degrees has become increasingly common. These models reflect different healthcare structures, funding mechanisms, and professional histories.

Whether those systems offer lessons, warnings, or simply contrasts is a matter for thoughtful consideration and precisely the kind of reflection this debate invites.

No Verdict by Design

What makes this IJOP debate so valuable is that it does not tell the reader what to think. There is no declared winner, no attempt to "score points," no effort to dismantle the opposing view. Instead, it presents reasoned arguments side by side and trusts the profession to engage with them, and that may be its greatest contribution.

So rather than offering a verdict here, I would encourage you to do what this debate asks of us all: read it, listen to it, reflect on it and decide for yourself and then contribute to the debate via the NEMSMA list serve: <https://groups.google.com/g/nemsma> The jury, quite deliberately, is you.

In the words of panelist Greg Margolis – 'thank you for listening and for keeping an open mind.'

References:

Gunderson, M., Lee, E., Bauter, E., Caffrey, S., Imperatrice, L., Margolis, G., Thomas, M., & Todaro, J. (2026). Debate: An associate degree should be required for entry level paramedics. International Journal of Paramedicine. (13). 155-175. <https://doi.org/10.56068/YAZI5535>.

- - -Rob Lawrence

There are two camps here, one is the camp that knows the New York Mets is the greatest sports franchise ever, and those who are afraid to admit it....oh sorry I thought I was on the NYMETS Sports/Redditt...

Overall question for those who dont think that an associates degree is necessary/required for entry into the profession, what would it take from a profession stand point, in your opinion, for the field to say "this is it, we have to make an associates degree the minimum for entry into paramedicine, we have no other choice. What are those parameters, roadmarks, what are they?

For those who have a "RIDE OR DIE ASSOCIATES DEGREE PARAMEDIC" tattoo, what happens if we dont get there, how could you keep the profession afloat?

- - -Dan Gerard

Dan, always great to get your perspective on things and of course, much respect to a fellow NJ MICP (LOL).

I highly agree that education is vital to being a great EMS provider, I just have concerns about it being mandatory. On my ride home from work today I thought about something.

What about the following model:

- Prospective paramedics enroll into an associates program

- The certificate portion is front loaded and they take their NREMT or any state specific exam after they have completed the certificate requirement (roughly 12 - 18 months). They can then begin to work clinically as a paramedic, obtain experience, and set themselves up financially a bit better.

- They then continue their degree, completing the core courses, and other courses required to obtain their associates degree (roughly 6 - 9 additional months)

This results in a pathway to obtain their associates degree while also gaining real life experience, being better set up financially, and can better relate the degree content to their clinical practice.

- - -Louis Imperatrice

Louis, what if our certificate programs already meet or exceed the hour requirements of many Associate of Science programs and we are not awarding degrees?

Thank you, Daniel, for adding your experience. It helped me to re-frame my thought process slightly.

When you look at the numbers, this becomes clear. An EMT program typically requires 150 to 200 hours of education. Paramedic programs commonly require 1,200 to 1,800 hours of combined didactic, lab, clinical, and field internship time. When EMT training is included, most paramedics complete approximately 1,500 to over 2,000 total educational hours before initial licensure.

For comparison, an Associate of Science degree generally requires 60 credit hours, which translates to roughly 1,800 contact hours when you account for lecture, lab, and clinical time. Many allied health A.S. programs fall within this same range.

In other words, the academic load is already there. The difference is not rigor, time, or expectations. The difference is that we choose not to formally recognize this education with a degree.

If paramedic education meets associate-level standards in content and outcomes, then it should result in an associate degree. Anything else undervalues both the learner and the profession.

- - -Benjamin Proctor

Louis absolutely that works. To be honest there doesn't have to be a SINGLE pathway to achieve an associates degree, so any way you or anyone else can make it "work" is fine. The other important issue is that we don't leave those behind who cannot make the leap. We have to have a spot for certificate program paramedics as we transition from one point in time to another.

The other thing to consider is a new option. In the UK (if you play "God Save the King Rob Lawerence will stand at attention - <https://www.youtube.com/watch?v=Sqse9O9j3kg>), Australia, NZ, if you become a nurse, accountant, or teacher, your BS degree takes 3 years to complete. This is becoming an option, though limited, in the US. Let's take a line from Prince "Let's Go Crazy"...what if there was a 3 year, 90 credit BS degree for paramedics?

I am really way ahead of myself here with that one, but there are a variety of different pathways to achieve an associates degree, and Louis your suggestion is excellent. I think the important thing is not to pigeonhole ourselves as we look to advance the profession.

- - -Dan Gerard

I wanted to respond to a few statements made in this thread related to paramedic education in the interest of clarity. I personally don't know which side I fall on. I am a paramedic program director for a community college based paramedic program that offers a certificate and an Associate of Applied Science in Paramedic.

The difference between a certificate and an AS/AAS is the general education courses. I could triple the number of hours of paramedic content in my curriculum and my students would still not qualify for the AAS without the general education courses. A degree signifies completion of a certain amount of general education. Most community college based paramedic programs are around 60 credit hours. 18-21 of those hours are in general education courses.

There are formulas for converting clock hours into credit hours. The typical lecture course ratio is 15 clock hours to 1 credit making a standard 3 credit lecture course about 45 clock hours. Labs are usually around 45 clock hours per credit. Clinical and field courses conversions are all over the place. My program is around 1200 clock hours and is 43 credits, 6 of which are Anatomy and Physiology. I am maxed out on credits and clock hours.

Someone mentioned a 90 hour degree. I think most healthcare disciplines would love this because we all have more content than we have time to teach. The only quibble I have with this is calling it a Bachelor's degree. This would probably mean moving programs from the 2 years schools to the 4 years schools. We do not want to do this. I believe we will be better treated by the 2 years schools, with a few exceptions.

The last issue I think it is important to clarify is that the academic program vs workforce program debate is not about the quality of the curriculum. Most of the rules that we follow in the academy are about student protection. The CAAHEP standards also are mostly about establishing a floor and providing protection for students. You can have a mediocre program that barely does it's job exist in a college and maintain programmatic accreditation. The key to having a quality program is the people running it and the help they get from their leadership. An EMS agency could have a phenomenal paramedic program if it chose to. The notion that college based program have better education or more critical thinking is not necessarily true.

I am enjoying this discussion.

-- Jeff Anderson, NRP
Bossier City, LA

Great comments Jeff

I think pathways for Paramedics to advance their education are the way to go.

-- Will Chapleau

I can agree with pathways for advancement and making degrees a reasonable way for personal and career development for Paramedics.

I don't agree with making degrees mandatory for entry level paramedics.

If we're looking to science to guide us on PreHospital education, we see that our best opportunity to have an impact on competence and patient care, is to address degradation of skills and knowledge. Aggressive continuing education driven by local medical direction and data can have a huge impact.

-- Will Chapleau

I absolutely agree that colleges should review the EMT and Paramedic Curricula and award credits to students that would apply to degree programs. I know Community Colleges are doing that here in Illinois

-- Will Chapleau

Dan,

To make medics better and to improve outcomes, I would first support vigorous Medical direction and CE tied to data. Science tells us that skill and knowledge degradation can be managed when tied to review and CE.

As for the degree programs, I would first push for uniform recognition of the EMT and Paramedic curricula by the Community College system in the form of college credits that can be applied to degree programs.

Rather than making Associate degree mandatory for entry level, I would like to see the workforce evolve to determine the value of the degree programs.

- - -Will Chapleau

Louis and Ben make excellent points here.

Louis- you are describing what nursing is doing in NY here already. You must have an associates to become licensed as an RN and you have 10 years to become a BSN. I am not sure if other states are the same. Institutions are generally responsible for fully funding or partially funding their employee's education on the basis that they will need it to keep their jobs, though nursing seems to have as bad of attrition that we have in EMS, at least on the in-patient side. I am the first to resist comparing EMS to nursing but their pathway worked...

Of course, all of this is a funding issue but I think we are at a pivotal time in EMS where we have to be leaders and push for the advancement that we want.

To Ben's point, the certificate program at my local community colleges are 12-15 credits off from being an associates degree, making it a really obtainable goal. There is some state level funding where you can get an associates degree for free for in demand professions, paramedicine being one of them.

Certainly, this is not a one size fits all solution but it seems like everyone is interested in the profession advancing, just have to find a pathway(s) to get there.

- - -Jonathan Lindskoog

I'm going to introduce another esteemed colleague to our conversation, Margaret Keavney.

Margaret is a former EMT and paramedic with over 30 years of experience as a healthcare attorney. She has represented hospitals and health systems, as well as health insurers, physician practices and individual physicians, and has focused for the last 23 years on EMS providers. She obtained her law degree from Tulane as well as her MHA in health systems management. She served as General Counsel for the largest provider of EMS in New Jersey, and now works in private practice in New Jersey and Louisiana. Although her law practice is limited to states in which she is licensed, she is also a part of EMSAegis, a nationwide EMS consulting firm. She lectures on EMS legal and management issues. I should also mention that Margaret is a peer-reviewer for IJOP.

Margaret, what do you have to say about all of this – the formal debate as well as the ensuing discussions that have been taking place on the listserv?

- - -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Hi Mic, thanks for the introduction, and for inviting me to comment.

We've been having this discussion for a long time, and its great to see so many knowledgeable people weigh in on it.

I'm on Team Education. A college degree that is the result of challenging the student and requiring completion of work in fields other than EMS creates a paramedic who is a well-rounded person, with critical thinking skills and empathy. I support a college degree for anyone who wants one, no matter how they intend to use it.

However, the Pros of requiring an AS/AAS before becoming licensed as a paramedic are outweighed by the cons one of which is access. We will lose a lot of potential paramedics if we put this gate in place. Using a college degree to screen applicants will eliminate many people who would otherwise prove to be excellent paramedics.

Who are we talking about? People with learning disabilities. People who can't forgo 2 years of gainful employment to enroll in college. Those whose family members have never sought an education and for whom education seems irrelevant. All people who can succeed in an AS/AAS program with added support before and during the program. If we want this to work, the employers have to provide that support.

As Mike Thomas pointed out, "We shouldn't lower the bar because of barriers. We should break down the barriers so that everyone can reach the bar."

My question is "How do we break down those barriers?" It can be as simple as having EMS agencies sponsor EMT-employees who want to become paramedics and provide them with schedules and hours that allow them to take the classes and still maintain a job to cover their cost of living. It would include study sessions and help with all classes, not just the EMS ones. Are there sufficient EMS leaders with the educational background to do that? I think there are, but I will bet it varies greatly across the country.

Non-traditional students, the ones who would be otherwise deterred by the college requirement, may need additional support to believe in themselves to start such a time and resource consuming feat. It's not that they can't do it, but they may not have had a good experience with formal education before. A lot of this will depend on the EMT training they got.

I like the proposal from Benjamin Proctor: Paramedic practice under a restricted license until they achieve the degree which allows them a plenary license.

We have an opportunity for a natural experiment, if anyone can put this together. A few states are now requiring an associate's degree for licensure as a paramedic. Most do not. There are so many variables, that it may not be possible to isolate this one, but comparing before and after the change, or comparing paramedics from those states to those in no incense required states may show us the difference between the two, on a large scale. Of course, we will have to choose a meaningful data point(s) to compare. For those of you who do research, what is that? Is it outcomes?

I disagree with those who say adding a minimal requirement of a college degree will help us increase wages for paramedics. As Chris Cebollero pointed out, reimbursement reform comes first, and as long as Medicare considers ambulance service as a transport benefit, and not healthcare in its own right, there will not be enough reimbursement from any payor for employers to pay paramedics commensurate with their education and experience.

I am enjoying reading the comments from the original debaters and the posts of all the commenters, and learning

- - Margaret Keavney

Coming in late to the conversation so some of this may have been addressed by others, so bear with me.

I fully support a degree for EMS providers, for several reasons:

1. *By virtue of adding two years of education, the EMS provider has an opportunity to mature for those additional two years. I recently read an article about someone who became the youngest paramedic and my first thought was does she have the maturity level to deal with both the situations she will find herself in – both clinically and socially.*
2. *Also the education, if the programs are set up in my version, the provider also takes math which enhances drug calculations, writing composition which enhances the ability to write a better patient care report, a business class to better understand how a business (the agency they work for) operates and what budgets mean, toss in a public health class and your getting close to a well-rounded education which theoretically includes better decision making skills.*
3. *Gives the provider the opportunity to see beyond the narrow world of EMS by interacting with people of different views, backgrounds and education levels in a controlled environment.*

I say this as a person who obtained a BS in EMS management and an MPH in Health Systems Administration, which allowed me to learn from people like Carl Post (Omaha Orange), Willie Krasner and other leaders in the industry.

- - -Peter I. Dworsky, MPH, NRP, CEM, FACPE

Dan,

This is truly a great question...how do we get there. I think that it would need to be something phased in over time and incentivized such as nursing. When nursing transitioned from hospital based certificate programs to associates and now many requiring BSNs, it was phased over time. Grandfathered in nurses were exempt. Hospital's began requiring associates degree and bachelors degrees for new hire nurses, however there was and always has been an increased level of pay for nurses with varying degrees. ASN have a pay scale, with BSN nurses making more money and MSN nurses making even more.

We would need this model for EMS. We simply could not expect entry level paramedics to require an associates degree (many which are upwards of 20k these days) without some type of incentive for this. This also could be the pathway to pay parity and an overall system increase in compensation.

In the 1970s, the ANA recognized that there was a significant service gap between new graduate nursing skills and initial employment expectations of the hospitals. This led to the rise in the BSN programs which focused significantly on job preparedness at a higher level than a certificate nursing program, with significant focus on organization and integration into the healthcare system.

We must ask ourselves that same question with paramedics? For those of you in favor of associates degrees for entry level paramedics I ask this...Do you believe that a certificate paramedic is less equipped and prepared to meet your agencies entry level paramedic expectations. The answer should be no, and we can thank the NREMT for that. Certificate paramedics, associate paramedic, bachelors and masters degreed paramedics still all need to meet the same requirement of the NREMT to practice (or for the few states that have not yet adopted the NREMT, their specific requirements). And then can those entry level paramedics gain those necessary skills and education that comes with an associates degree within say, the first five years of their career. The job description reads "Minimum Qualifications: NREMT-P, must obtain Associates Degree within 5 years of hire." We then supplement this through tuition reimbursement, incentives, and an increase in pay when the milestone is met.

All of these ideas on both sides of the debate are amazing. It's minds and conversations like this that are going to advance our profession.

- - -Louis Imperatrice

What nobody has commented on so far is the practical reasoning.

Whether you complete a degree or a certificate program, it is upper college-level learning which translates into ~45 college credits. The remainder of credits are a combination of entry-level English, Math, Social Science, and Anatomy and Physiology which are usually required by law. There are a lot of ways to translate certificates into appropriate college credit, but they usually have a time limit. By not requiring the AAS, either pre-licensure or within the first re-licensure cycle (so that they can start earning) new medics (who may be short-sighted and not prioritizing the degree which is needed for advancement in the ranks or transitioning to another career) will sometimes screw themselves for the sake of five classes that they are much better prepared for NOW than they will be 10 years from now. Investing in those 5 classes when you're young is analogous to forcing new employees into tithing into a 401k-they may not be thinking about it now, but a minimum investment when they are young means a much easier life later on.

The bigger question which is NOT discussed is how to transition paramedic education to the bachelor level. Most AAS programs limit majors to 30 credits of the 60-64 credit degree. It is already breaking the AAS model, which is why you frequently see colleges fudging credit for skills and clinical hours to stay within mandatory caps. Paramedic education is already 45 credits with the content expanding every year. The second problem is that paramedic education isn't lower-level (freshman/sophomore) content. It is, by definition higher-level content (junior/senior) because it teaches you how think and apply that thinking. Both of these problems are solved by moving paramedic education to the bachelor level, where paramedic education would have room to grow and could easily expand to 60 credits. It would also have the advantage of decompressing paramedic education a bit, which would allow more time for student to absorb more and engage in more reflective learning.

Most UK and AU bachelor programs have fit into this middle ground as three-year bachelor degree programs with limited non-Paramedicine content.

- - Scot Phelps

I wanted to chime in. I have over 40 years of EMS experience as a paramedic and EMS physician and have functioned as the lead paramedic instructor at a college program, state medical director and corporate CMO. I completed a degree in EMS Management from GWU that included a 2200 hour paramedic course that was 2 semesters and a summer term in length. I am speaking for myself.

This has been a very interesting read and good discussion. Most have argued for or against a degree from the perspective of our current EMS system design. Let's take a step back and ask if the current EMS model is sufficient for the needs of the healthcare system. The answer should be a resounding no as a "you call, we haul" mentality or system design doesn't work anymore. From capacity, costs, quality, patient satisfaction, transporting is not the answer for the majority of patients. EMS has served as the access point for many patients needing acute care and have no alternative to receive that care and systems have failed to evolve to address this change in use. Unfortunately, the current reimbursement model prevents EMS from doing the right thing for patients or the system in many cases. We are too "hospital-centric" with our care and need to move into a more system-based outpatient approach to patient care. We are too "public safety" focused and don't have enough health system integration.

From an education standpoint, our current model isn't adequate for the complexity of current patients we are seeing nor the non-emergent basis of most of our cases nor for the future vision of the paramedic practitioner. The base foundational educational experience must expand and strengthen including increased exposure to patients in ER, ICU, L&D, OR, primary care, etc. Whether its part of a degree or not, better and more clinical experience is necessary. I see too many paramedic students rotating in the ER and simply doing 12 leads and IVs but not pushing medications, not intubating, not performing full patient assessments, not rotating with the MD and discussing thought process and differential. We need to admit the paramedic education model is lacking in comparison to almost every other healthcare license including AT-C and RT. My wife had to do 3000 proctored hours after her Master's degree to get the LCSW and she's not even allowed to prescribe; my daughters have done nail tech school at 350 hours and esthetician school at 1800 hours; 3 FT semesters for medical lab science after full science prereq-

uisites including micro, A&P, bio and general chemistry; My barber had a 2000 hour requirement for licensure and I won't even outline the education/apprenticeship my electrician who did my remodel completed to get his journeyman's license.(8,000 hours) Whether we are technicians or healthcare professionals, the hours don't match up within either discipline. Any degree discussion needs to focus on a clinical degree and not just any degree. For example, an RT AAS has over 60 credit hours of RT specific coursework after appropriate prerequisites - usually 24 hours, making the degree 5-6 semesters. I think the biggest challenge is creating these clinical opportunities since hospitals typically don't hire paramedics and aren't sure how to help with that clinical experience - do paramedics rotate with the nurses or with the techs or RTs or as I did, rotate with the medical students where present.

As EMS tries to redefine and fund itself with MIH, there are companies already partaking in a 5 billion dollar industry in the out-of-hospital space providing acute care services. They utilize telehealth physicians or PA/NPs in the home providing care and billing traditional evaluation and management and CPT codes. These companies are especially beneficial in States and systems that have been slow to adopt MIH from EMS agencies but also provide a higher level of care including point of care testing, radiology/ultrasound resources and full pharmacy medication delivery at the bedside. The hospital-at-home model is growing and shows good promise on providing care in the home for patients who would otherwise be hospitalized. As has been mentioned, the paramedic of the future is a MIH practitioner who does occasional life-threats.

I believe the future will require a further split between public safety and healthcare and that the "911" system will run the true life threats (1%) of calls and the rest will be addressed through the MIH practitioner through acute care response, telehealth, and case management to match the proper resources and level of care to the patient's need. Getting the state regulatory framework and local jurisdictions to see the vision will be a major challenge and reimbursement reform is an absolute necessity. In those States and systems slow to respond, the non-EMS MIH programs will continue to flourish, though the potential benefits on the 911 side will be missed. Public Safety agencies will continue to hire the PA/NP to provide a level of service and struggle with funding of this system.

It's going to take a tiered transition to get to this state but we need to have a unified vision of where we need to be and then work towards that through federal, state and healthcare partners.

--Curtis Sandy, MD, FACEP, FAEMS

Sandy has it about right.

Stepping up to an Associates Degree is about patients, now and in the future. Other Paramedicine systems around the world have been moving in this direction for the last 20 years. It's a challenging journey, but progress is possible and extends well beyond this small, but important step.

Meanwhile, too many people in the U.S. find reasons to operate a model that was designed for the past. There is a pressing need for reform for the sake of patients, communities and your fantastic paramedics. Modernising your education requirements to be on par with other health professions is one element of modernisation that is doable. Other people on this discussion have made it clear that the move to an Associates Degree in Paramedicine is not that great. Just do it!

As Sandy said, if Paramedicine in the U.S. doesn't change, others will fill the gap and the opportunity will be lost.

--Peter O'Meara

Professor of Paramedicine, Monash University

While I'm probably not familiar to most of you, I've been on this listserv for about 12 years. I rarely post (and, full disclosure, I don't always remember to pay my NEMSMA dues....Dont tell Pat), but I do read — and I've read this entire thread with real interest. It's been one of the more thoughtful and substantive discussions I've seen here in a long time.

I find myself agreeing with pieces from both sides, but it also reminds me of why I stepped back from national-level EMS conversations years ago. Too often, they felt whimsical and disconnected from reality. I'd attend Pinnacle or other national leadership conferences and hear, sometimes from the same presenter, "EMS is healthcare" in one session and "the healthcare reimbursement model is broken" in the next — without the presenter ever realizing that saying we are healthcare tethers us to a broken reimbursement model. It's always been clear to me that most of us agree the current fee-for-service transport model is flawed, yet we keep begging to stay a part of it.

For context, I'm a rural EMS director who has worked in fire-based and third-service systems, in both urban and frontier environments. From that perspective, there are a few commonly cited arguments in this debate that I struggle with.

1. "College education equals more competent providers."

In my experience, some of the least prepared EMT and AEMT applicants we see come directly from college-based programs. I would much rather hire an applicant who completed an agency-run EMT program embedded in real culture. Education matters — but preparation, mentorship, and context matter more than where the classroom happens to be located.

2. "Requiring a degree will improve pay and professional status."

Pay in EMS is wildly variable by region, system design, funding mechanism, and leadership. There are plenty of degree-required professions that earn less than paramedics, and plenty of non-degree roles that earn more. Suggesting that a degree is the common denominator that drives compensation misunderstands basic market forces and ignores the reimbursement and governance realities most EMS agencies operate under. If you want to improve pay and improve the professional status of your staff.....DO IT NOW!!!!.... Nothing is stopping you, find the funds, cut admin staff, stop buying 600k ambulances and really invest in your people.

3. "Requiring a degree will improve patient outcomes."

This circles back to competence versus credentials. I have several highly educated paramedics with bachelor's degrees who are excellent at reading research papers and discussing the latest clinical trends, they are so educated that they can point out slight axis deviations.....But just recently on a call they couldn't locate the patient or successfully input GPS coordinates. No amount of academic knowledge or expanded scope compensates for fundamental operational failure. Outcomes depend on systems, training, experience, and execution — not degrees in isolation.

4. "Degree requirements will shrink the workforce."

Here I actually disagree with many on the opposing side. Every time we've raised standards and clearly defined expectations for excellence, we've attracted more and better candidates — not fewer. Workforce challenges are far more influenced by organizational culture, leadership, pay practices, and how people are treated than by entry requirements alone.

One additional point I keep coming back to is our tendency in EMS to try to be everything to everyone. We frequently point to international models — the UK, Australia, Canada — and there is absolutely value in learning from them. But those systems were built intentionally around their governance structures, funding mechanisms, workforce models, and national healthcare systems. The United States is fundamentally different. We operate under a fragmented mix of federal, state, county, municipal, fire-based, third-service, private, volunteer, and hospital-based systems, all layered on top of a reimbursement model that was never designed for modern EMS. Importing pieces of other countries' education or scope models without acknowledging those structural differences often leads to unrealistic expectations and policy proposals that don't translate operationally.

I realize that may sound like I'm arguing both sides — and I probably am. Because I absolutely believe in increasing education. I hold a bachelor's degree myself and, with some luck, will be starting a master's program soon. Education has real value.

But I don't think this is the right argument.

The real issue isn't whether paramedics should be more educated — it's how education, scope, reimbursement, system design, and workforce realities are aligned. Until we address those foundational pieces together, we'll keep circling the same debate without meaningfully moving the profession forward.

Appreciate the discussion and the many thoughtful perspectives shared here.

Respectfully,

-- Andy Smith
Executive Director, Grand County EMS

I was fortunate enough to work in a lot of different EMS systems across the country, with medics trained all around the world (I had UK & Aussie partners once, and hosted medics from Japan and other countries).

Personally, I would support a degree requirement for entry level paramedics (hopefully with some changes, stupid get ed requirements like a Microsoft Word class and generalized child psych).

However, a large, politically effective organization is against this for its members. The fairly large state I recieved my AEMT-CC and later brigade to AEMT-P (NREMT-P for non NY'ers) decided to eliminate the homegrown AEMT-CC level, stopped new cert classes, and said no new recents after X date. That was back in either the late 90's or early 2000's. Last September, AEMT-CC's could still recert, and the NYS Health Commissioner said the level stays for now. Pure politics.

I'm back living in upstate NY, and being in the capitol, I see a lot of the state press releases. Our lovely governor just vetoed two bills to stabilize EMS (NY's current governor hands out cash as door prizes for showing up). Post COVID, agencies in NY are increasingly consolidating at the county government level <https://www.osc.ny.gov/files/local-government/publications/pdf/ems-report-2024.pdf>. Claude's AI suggests significant percentages (38-53%, depending on locality:

Per Claude: Based on my search, the percentage of ambulance calls covered by Medicaid in New York State varies significantly by urban area. According to testimony from the United New York Ambulance Network (UNYAN) to the NY State Senate:

- Rochester: 53% of calls are to Medicaid recipients
- Albany: 42%
- Syracuse: 40%
- Buffalo: 38%)

If the state, which is putting out 'EMS Crisis' memos, won't fund EMS through their own Medicaid, and won't remove an old, outdated certification level, what chance is there for increased education requirements? Buffalo, the highest medicaid percentage introduced AMR's 'Earn While You Learn' program, because AMR couldn't get EMT's to work for them, so they started their own EMT class.

Claude was also unable to return significant data for pay differentials both nationwide, and in NY. That suggests agencies might want degreed paramedics, they aren't paying a premium for degreed medics. If the market won't pay for it, why require it? No Pay, No Gain.....

Degree's mean little in today's job market.

My two cents is that the 'elite' or progressive agencies need to put degree requirements in place, and see how they fare. Bring back data.

Show us better outcomes with degreed medics, and advanced practice medics with bachelors or masters level degrees. Do medic's with FP-C or CCEMT-P credentials (I'm assuming they are still boutique certs that require additional education) have better or less expensive outcomes than EMT-P's? Do current degreed medics have better outcomes?

Last, I'd look at the international programs that require degrees. Some do, many don't. How do we translate?

Given the US's current take on college degree's, I don't think it's a sustainable option today. My take would be to add on to EMT-P, create at least one flavor of 'advanced practice' at a degree level. Prove the model, then build.

Given the number of EMS agencies I see in the news struggling, closing and merging, perhaps we triage first.

As much as I'd like to wave my magic wand, I can't. EMS is local. Always was, always will be.

NY's BSN law hasn't moved outcomes much, but there are a ton more strikes over conditions and pay since it was passed.

--Curtis Sandy, MD, FACEP, FAEMS

Catching up here as there has been so many in depth and great conversions added to this thread!

Andy, I could not agree more than increased degree requirements will not improve pay within EMS. You hit the nail on the head when you said that pay varies widely by region. Just looking at this on it's surface, here in NJ, the starting rate for a day 1, zero experience paramedic is an average of \$37.00/hr with many medics making close to if not over \$100k a year after about ten years of service. I personally know a paramedic with 20 years of experience, full time, with one overtime shift a week (48 hours per week) made over \$125k last year. We do not have an college level degree requirements for paramedics in NJ.

Go across the bridge into Pennsylvania and the average wage band for a paramedic is \$24 - 36.00/hour. Head further out west and it's even less. In Texas for example, you have paramedics at some agencies starting at \$19.00 an hour!

I also see postings on job sites for leadership positions. I recently came across a job posting for an EMS Educational Program director, with a minimum qualification of a masters degree with a salary range of \$88 - 94,000 and an EMS Operations Director position in a large metropolitan area in the midwest with a salary range of \$75 - 100k. This is embarrassing. Asking someone to have a masters degree, be responsible for an entire college paramedic program, and paying them in this range is sickening.

On the contrary, the average Director of Nursing for a hospital system is making \$150k or more.. Until the health-care systems across the country, the municipalities, and the government entities recognize the importance, and the value of EMS, we will never see pay be where it should be, and a degree requirement is simply not going to change this at all.

There is a lot of talk in this thread about college degrees aiding and improving critical decision making, higher level thought process, etc. However I tend to disagree and here's why:

Looking at the curriculum for an associates degree program at a local community college where I live who offers paramedic associates degrees, as several people have mentioned, the non-paramedic courses typically include your basic, low level, college courses such as English Composition, A & P (which typically is required in certificate programs as well), Intro to psychology (maybe), and Lower level math classes such as Statistics or Basic College math.

While I am sure that there is some benefit to these classes for the paramedic, will these lower level college courses really do what we are asking them to do, increase critical decision making and thought process? In my opinion, no. These are not your third or fourth year college courses as I believe Scot Phelps mentioned (maybe someone else).

Many individuals actually take these courses in high school to begin with, well before considering paramedic education.

I agree with everyone here who says that the critical decision making necessary for paramedics comes from experience. Specifically, the empathy and patient advocacy required to be a great paramedic. This comes from being on actual calls, continuing education classes, and more important than anything else - MENTORSHIP! I'm sure we all know highly educated individuals with post nominals longer than their actual name, who lack critical thinking, lack empathy, lack the ability to understand and navigate human factors - no college course can guarantee this.

- - -Louis Imperatrice

Just a couple of points to consider.

The law of supply and demand would suggest that less paramedics entering the workforce, resulting in a decrease in the supply of labor, would cause the price of labor (wages) to occur. We saw the results of that phenomenon quite profoundly when the supply of paramedics declined substantially after the COVID debacle. Since I believe a degree requirement would decrease the supply, one could expect that supply would decrease and salaries would increase.

Remember, too, that the market will pay only what it must. If it can hire a director of EMS education or a college faculty member for \$60K, they will do so. If that salary is not enough for qualified individuals, don't take the position. The ego and resume boost won't make up for it, and it will hold everybody else back.

Second - on the salary question. A Director of Nursing (usually a VP around here) does make a nice chunk of change - but at the local hospitals, the Chief Nursing Officer is responsible for an average of 3,500 nursing staff, plus nursing assistants, and perhaps 18-24 nursing units (with managers, clerical staff, etc.). Not many EMS directors have that scope of responsibility.

Just thoughts for your consideration.

- - -Skip Kirkwood

As we continue discussion on the debate proposition, I'd like to introduce the authors of a paper that was published at the same time as the debate. The paper was a narrative literature review entitled, "Bachelor's degree as entry-to-practice: A literature review of paramedicine and other health professions." The authors were Cameron Rimstad from MacEwan University in Edmonton, Alberta, Canada; Jasmine Kayanja and Sidney Newman from the University of Alberta in Edmonton; and Efrem Violato from the Centre for Advanced Medical Simulation at the Northern Alberta Institute of Technology, also in Edmonton. Here is a link to their paper: <https://international-journalofparamedicine.com/index.php/ijop/article/view/3528>.

In contrast to the debate proposition on an associate degree requirement for entry level paramedics, they were looking at a bachelor's degree requirement. I think this reflects on how some countries have already seen the value from associates degrees and are now considering or have already elevated the requirements. I've asked these authors to reflect on the arguments made in the debate as well as the posts here in this discussion to see how their findings may support or refute points that have been made.

Joining us now in the discussion is Efrem Violato, PhD, the senior author for the literature review paper. Welcome Dr. Violato. What do make of the debate and comments so far?

- - -Mic

Mic Gunderson, REMT-P (Ret.), FAEMS
Editor-In-Chief, International Journal of Paramedicine

Efrem a study linking better care would be great, it might be in the best interest to see what other professions have done, what the metrics are that they utilized, and then do our own comparison.

-- Daniel R. Gerard, MS, RN, NRP

I agree, and that is the big challenge for education, and generally, there is a lack of success in linking education/changes in education to actual care and better outcomes. There is research looking at some higher-level outcomes, such as we saw in the literature review, where hospitals with higher levels of degree-educated nurses saw more positive patient outcomes, but that research does not control for the multitude of covariates related to organizational outcomes. There is a recent paper (a couple of years old now) by Varpio and Sherbino, that discusses the difficulty in linking education and care. They make some suggestions about this (which I do not necessarily agree with) "First, we suggest that HPE research's history of endorsing a linear and causal association ethos has driven its quest to connect education to patient outcomes. To ensure the sustainability of HPE scholarship, we must deconstruct and disempower patient outcomes as one of HPE's god-terms, as the pinnacle goal of educational activities." Demonstrating causality, bestowing honours, and contributing to the arms race: Threats to the sustainability of HPE research - PubMed

Point being, it may be difficult to adopt metrics from other areas, though I do think this can be done at a higher level where even an economic analysis that examines care costs in areas where changes to the type of education could be insightful. The other possibility could be to go down to the individual level and follow randomly selected subsets of practitioners with different levels of education and examine patient outcomes related to their practice. Though this also poses many logistical and ethical barriers.

While it may be difficult to make the link, I disagree with Varpio and Sherbino, and I think it can be done; it just requires some creativity in how patient outcomes and education are measured, and the actual hard work of gathering the data.

-- Efrem Violato

Here is another paper that was just published today that deals with the same types of issues and lack of evidence from current practices (in medicine) from the accreditation/regulatory perspective Accreditation science—the need for evidence to guide the global expansion of medical education accreditation: Medical Teacher: Vol 0, No 0 - Get Access

The question about how we train health professionals and the direct link to patient outcomes is the "big question" in health professions education. Though again I would say (and the authors of the Accreditation science article may agree), is not intractable and without any forms of evidence. At least if we base our educational practices on sound educational theory, we can infer that the benefits conferred through better learning will have some positive impact on patient care, e.g., developing better critical thinking and clinical reasoning skills will produce trainees and practitioners who are capable of providing better care.

-- Efrem Violato

I've addressed this more at the baccalaureate level, because our AS or certificate in EMS, or whatever it is called, already has sufficient credits to exceed what is required for an associate degree. I believe that our colleague Scot Phelps has an excellent paper on that issue. (If I've got the wrong person, apologize in advance).

There are a number of studies about the quality of care rendered by ASN, Diploma, and BSN nurses. They may be a bit difficult to find, as the "mandatory BSN" movement ran (as far as I can remember) from the mid-1970s until the late 1980s, so they may not be easily found on line, except in some serious nursing or health care academic libraries. But my recollection is that they did establish a positive impact on patient care. And additionally (on the

subject discussed in (2) below, the move clearly pushed a “better salaries, better career options, and all that comes in the 30 years after.”

There really are several discrete questions to answer. As these are longitudinal studies (probably requiring over a decade of data for each question), it could take a while. And we need many more paramedic academicians and researchers to peel this onion.

1. What is the impact of a BSPm on quality of patient care? Note that this can NOT be done with today’s “take an associate paramedic or BS-EMS program and graft on enough general ed courses to award some sort of bachelors degree - it will require a curriculum that is focused on clinical care, not “fleshed out” with introductory courses in educational theory or business management. We’d need to look closely at the paramedic degree programs in Canada, Ireland, England, and Australia.
2. What is the impact of a degree (ASPM or BSPm) on the workforce, job market, and salaries? Many discussants say, “not much.” Upon further exploration, the answers usually are “I know X and Y, they have degrees, and they get paid more than me.” Wrong question and wrong answer. This is looking at a micro sample and drawing macro conclusions. The question must be, “When the degree is the minimum entry standard, what is the impact on workforce, salaries, etc. The other response is, “Medicare won’t pay any more, so why bother?” That is looking at the cart before the horse, as well as assuming that the “fee for transport” model is the only option available. Staying inside today’s box shuts down the discussion prematurely.

I would submit the following for consideration:

- a. The imposition of a degree requirement, particularly a BSPm degree, would reduce the size of the workforce, as there would be fewer newly graduated paramedics in any given year. The law of supply and demand applies to the paramedic job market as well. Quantity of paramedics goes down, price goes up. Again, at a macro level and spread over a decade - not at one agency in two years.
- b. In addition to (a), EMS/ambulance agencies would be forced to seriously explore different financial models, and look seriously about career options, both horizontal and vertical, for paramedic personnel.

Pardon the length. There is so much more to consider, but this is food enough for one, perhaps several, meals. Although I am thoroughly enjoying retirement, I still hope for full and rewarding careers for the profession that I so enjoyed.

- - Skip Kirkwood

I’m really appreciating the depth and tone of this thread. It’s a sign we’re taking our profession seriously enough to wrestle with the hard questions.

From my lens, I don’t think Skip’s macro view and Efrem’s education science view are at odds. They’re describing different parts of the same elephant.

A few quick points:

1. We keep answering the wrong wage question. The issue isn’t whether one individual medic with a degree gets paid more today. The real question is: when a degree becomes the entry standard over time, what happens to workforce structure, career mobility, and bargaining power? Other health professions didn’t see a clean, immediate “degree = raise” relationship either. They saw role differentiation and market power evolve over decades.
2. Outcomes linkage is hard, but not a reason to stand still. Health professions education struggles to draw straight lines from “education change” to “patient outcome.” That doesn’t make education irrelevant; it means we need better models than transport-era metrics. If we hold paramedicine to a proof standard that no one else has cleanly met, we’ll always talk ourselves into inertia.

3. "Bolt-on degrees" is a fair critique. If a bachelor's is just a certificate program plus random gen ed, people are right to be skeptical. A meaningful BS Paramedicine has to be intentionally built around clinical reasoning, systems thinking, ethics, research literacy, and longitudinal care, not padded with filler.

4. Access and rural reality matter. Any serious degree conversation has to include funded pathways, credit for prior learning, transitional models, and multiple on-ramps. I do not equate professionalization with exclusion. We need ladders, not cliffs.

5. Degrees aren't only about pay. They're about legitimacy, portability, influence, and being able to define our own scope instead of having it defined for us. Paramedicine's vulnerability to outdated reimbursement and regulatory stagnation is not separate from how we educate and credential the workforce.

My take: this probably isn't a single mandate flipped overnight. It's a phased strategy—build clinically rigorous degree pathways, align accreditation and competencies with where practice is going, expand advanced practice roles with clear value, and collect better data as we go. In other words, build the profession we want to measure, rather than waiting for perfect evidence before we allow it to exist.

Respectfully,

-- Nick Nudell, PhD(c), MS, MPhil, NRP, WP-C
Paramedic Scientist, The Paramedic Foundation, a 501(c)3 non-profit charity

Thank you to Skip and Nick both for those comments.

I think Nick did a very good job of synthesizing and summarizing things. I think points 1 and 5 are particularly interesting especially from a professionalization and labour perspective.

Being from Canada I lack the American context, but from what I have seen here, I think that the transition to a degree would increase the perceptions and respect for paramedicine. While paramedicine is a respected profession in general, from within and without healthcare, I do not think it receives the same level of respect and recognition as medicine or nursing (with the same being true for other non medicine and nursing professions). The perception still exists of "ambulance drivers" or "you call we haul."

Whether appropriate or not, having a degree will, to some extent, increase the prestige and respect of the profession. Along with this will be increased bargaining power and the ability to negotiate for better wages and working conditions. With improvements in wages and working conditions, along with general respect for the profession, the job will be perceived more positively and will attract more people to the profession, with increased competition leading to a higher quality of students who are more suited for the profession.

With the shorter program length, we see many students who enter the program, complete their training at a minimal level, and then leave the profession shortly after as they decide that it is not really for them. I have heard from many people involved in clinical education that a degree may be positive in terms of selection standards or "gate-keeping."

The counter to this, as has been noted, is that some people who would be highly qualified and make excellent paramedics will not enter the profession because the degree program is a barrier for various reasons.

-- Efrem Violato

This is an absolutely fantastic discussion, and thanks to Mic for putting it together. We're going to have a very hard time mandating any sort of a degree requirement in the near future, although I am a staunch supporter that a paramedic should be at minimum an associate's degree.

From my perspective, I think the discussion of a Bachelors requirement should not be focused on the paramedic, but rather should focus on more advanced designations, especially surrounding critical care and community (i.e. primary care) paramedics.

I have taken and taught several community paramedicine classes and was literally pulling textbooks from medical school to refresh my memory on the amount of physiology, pharmacology and pathophysiology that emergency medicine has made me forget through the years. There is so much additional knowledge base (and completely different management approaches) needed for those two disciplines that there is a strong argument for expanded education right now that is not being met with the limited hours of current certificate programs.

Tiering an associate's degree in 'general' paramedicine with these 'subspecialties' of paramedicine also can set a precedent for the development of further specialization in EMS, including the incorporation of EMS Medicine within higher level advanced practice provider programs--specific to or providing emphasis on the prehospital environment. This would also soften the compensation arguments around a bachelor's degree as we have established higher reimbursement rates with Specialty Care Transport codes and are hopefully getting closer to a separate reimbursement structure for CP/MIH.

Again, just a couple of thoughts to throw out for the group to eviscerate!

- - -Todd Heffern, MD, FACEP, FAEMS, NRP
EMS Medical Director



GUIDELINES FOR AUTHORS

Effective Date (supersedes all prior versions): April 14, 2026

The *International Journal of Paramedicine (IJOP)* is a forum for scholarly contributions and state-of-the-art research relevant to patient care and the growth and advancement of paramedicine, including the areas of paramedic leadership, management, education, operations, culture, professional, and clinical practice. The IJOP encourages exploration of paramedicine from diverse theoretical and practical views from all disciplines, including business and economics; the natural, basic, and applied sciences; and the humanities, social sciences, and arts. Priority will be given to submissions that use sound theoretical or conceptual frameworks, strong methodological design, and relevance to the international paramedic community. All methodologies, such as quantitative, qualitative, mixed methods, and knowledge syntheses, will be considered.

NEMSMA is a longtime collaborator with the National Association of EMS Physicians in support of *Prehospital Emergency Care (PEC)*. In continuation of that relationship, *IJOP* and *PEC* have established a collaborative relationship that will facilitate the exchange of submissions in certain circumstances, based in part on which journal may be the best fit for a particular manuscript.

SUBMISSION CHECKLIST

Authors need to register with the journal before submitting or, if already registered, can simply log in and begin the submission process.

Download the following worksheets to assist with the submission process. Complete the forms, use them to assist with the submission process, then upload them with the submission.

- Complete one of these forms per submission: [IJOP Submission Info Form](#)
- Complete one of these forms per author: [IJOP Author Info Form](#)

GENERAL GUIDELINES AND NOTES

- The *IJOP* only publishes material in English. Please use Academic English.
- The *IJOP* accepts submissions in the following categories:
 - [Case Studies](#) (≤2,000 words)
 - [Concepts](#) (≤3,000 words)
 - [Correspondence / Commentary](#) (≤1,000 words)
 - [Education](#) (≤3,000 words)
 - [Empirical Investigations / Original Research](#) (≤4,500 words)
 - [Methodology](#) (≤2,000 words)
 - [Quality Improvement Project Reports](#) (≤3,000 words)
 - [Reviews / Synthesis](#) (≤4,000 words)
 - [Special Reports](#) (≤2,000 words)
 - [Toolbox](#) (≤1,500 words)

The word limits noted above are guidelines for the various submission types. Authors are encouraged to adhere to these guidelines and to be concise in their submissions.

- Merriam-Webster's Collegiate Dictionary (11th ed.) should be consulted for spelling.
- Contributions that explore non-clinical topics such as leadership, operations, education, professional practice, and the culture of paramedicine are strongly encouraged.
- Based on the international scope of the *IJOP*, contributions should provide a degree of generalizability and transferability to global settings and should have relevance to the *IJOP*'s broad readership.
- *IJOP* discourages multiple publications derived from a single study.
- All original research submissions must have received approval from an Institutional Research Board (IRB) or Research Ethics Board (REB).
- Once a submission has been assessed for suitability by the editorial team, it will undergo a double-blind peer-review by independent, anonymized reviewers.

USE OF ARTIFICIAL INTELLIGENCE

IJOP recognizes that artificial intelligence (AI) tools are increasingly used in research, clinical education, and manuscript preparation. This policy establishes standards for the responsible, transparent, and ethical use of AI in all materials submitted for consideration in the Journal and is aligned with the policies of the International Committee of Medical Journal Editors (ICMJE, 2023; ICMJE, 2024) and the Committee on Publication Ethics (COPE, 2025).

The goal is to ensure academic integrity, patient safety, and accountability in the dissemination of paramedicine research and other scholarly content.

AI AUTHORSHIP

Artificial intelligence tools, including large language models (LLMs) such as ChatGPT, Gemini, Claude, and similar systems, cannot be listed as authors or co-authors on any *IJOP* submission. Authorship requires the ability to take accountability for the work, approve the final manuscript, and respond to questions about the accuracy and integrity of the research. AI tools cannot fulfill these responsibilities. Any submission listing an AI tool as an author will be returned without review. This policy applies without exception, regardless of the extent of AI involvement in the work.

PERMITTED USES OF AI BY AUTHORS

AI tools may be used to assist authors in limited and transparent ways, including:

- Grammar, spelling, or stylistic editing
- Organizing or formatting reference lists (all references must be independently verified by authors against original sources prior to submission)
- Language translation for non-native English authors
- Programming support for simulations or modeling (when described in the Methods section)
- Statistical analysis or data visualization (when described in the Methods section)

AI tools may not be used to:

- Generate or fabricate data, patient information, or references
- Produce substantive portions of the manuscript, including but not limited to the introduction, results, discussion, or conclusions
- Create, alter, or enhance clinical photographs, diagnostic images, or figures without explicit disclosure and validation

- Circumvent originality or plagiarism checks
- Generate research questions, design the study, select participants, code or analyze data, or interpret findings
- Conduct literature searches that are not independently verified by the authors

DISCLOSURE REQUIREMENTS FOR AUTHORS

Any use of AI tools in preparing a submission must be disclosed. The disclosure must appear in the Acknowledgements section of the manuscript and, where applicable, in the Methods section if AI was used in data collection, analysis, or figure generation. The disclosure must include:

- The name of the AI tool
- The developer and specific version or model (e.g., GPT-4o, claude-sonnet-4-6, Gemini 2.5 Pro)
- The date the tool was accessed
- A clear description of the specific purpose for which it was used
- An affirmation that the authors reviewed, verified, and take full responsibility for all AI-assisted output

Example disclosure statement:

Claude (Anthropic, claude-sonnet-4-6, accessed March 2026) was used to assist with sentence-level editing and language consistency across drafts. The authors reviewed all AI-assisted content, independently verified all citations against publisher and PubMed records, and take full responsibility for the accuracy and integrity of this manuscript.

If no AI tools were used, authors must include the following statement in the Acknowledgements:

No generative AI tools were used in the preparation of this manuscript.

AI IN STUDIES USING LLMs AS RESEARCH INSTRUMENTS

Submissions that evaluate, benchmark, or deploy large language models as research instruments (rather than using them as writing aids) are subject to additional requirements. These submissions must:

- Specify the exact model name, version, and access date for each AI model evaluated
- Provide verbatim prompts submitted to each model in the methods section or as a supplemental appendix. Prompt text is a primary experimental variable. Studies that do not disclose it cannot be reproduced or audited and therefore will not be accepted for peer review.
- Describe the complete pipeline for hybrid or multi-step AI systems, including how outputs from one model were formatted and passed to subsequent models.
- Confirm that the study dataset was independent of any model's development or calibration data.
- Adhere to the TRIPOD+AI reporting standard (Collins et al., 2024, BMJ) and, for studies specifically deploying LLMs, the TRIPOD-LLM reporting guideline (Messaritakis et al., 2025, Nature Medicine)
- Acknowledge whether any AI tool evaluated is regulated as a Software as a Medical Device (SaMD) by the FDA or equivalent regulatory authority in the study's jurisdiction. Studies recommending clinical deployment of AI tools must document that the tool has received appropriate regulatory authorization

Note: As of 2026, the U.S. FDA has not approved any general-purpose consumer large language model for clinical diagnostic use. Studies recommending integration of such tools into clinical or prehospital workflows must acknowledge this regulatory status explicitly.

CITATION ACCURACY

Authors are responsible for the accuracy of all citations. AI-generated reference lists are known to contain fabricated citations at rates as high as 18–55%, depending on the model and topic area. All references must be independently verified by the authors against the original source prior to submission. The editorial team reserves the right to spot-check citations and to return submissions with unverified or fabricated references for correction prior to peer review.

AI USE BY PEER REVIEWERS

Peer reviewers are strictly prohibited from uploading any portion of a submitted manuscript into any public-facing generative AI tool. Manuscripts submitted for review are the unpublished intellectual property of the authors. Using an external AI platform to process a manuscript violates the confidentiality obligations of peer review and may constitute a breach of intellectual property rights. Reviewers who require AI assistance for language support must use only locally deployed or institution-licensed tools that do not transmit manuscript content to external servers and must disclose this use to the Associate Editor that is managing that manuscript. Any reviewer found to have violated this provision will be removed from the *IJOP* reviewer database.

AI USE BY EDITORS

Editors may use AI tools to assist with administrative functions such as formatting checks, metadata verification, or detecting common patterns associated with AI-generated manuscripts. Editors must not use AI tools to generate or substantially revise editorial decisions, correspondence with authors, or formal editorial assessments. All editorial decisions remain the responsibility of human editors. Editors are encouraged to attend to secondary signals associated with AI-generated manuscripts, including formulaic prose structure, hedged transition language, methodological gaps concentrated in areas of domain expertise, and citation anomalies, in addition to using automated detection tools.

ENFORCEMENT

Failure to properly disclose AI use, evidence of prohibited AI use, or submission of fabricated citations will be treated as a breach of ethical standards. Consequences may include:

- Immediate rejection or retraction
- Notification to authors' institutions or employers
- Reporting to relevant research integrity bodies

All cases involving suspected AI misuse will be handled in accordance with COPE and ICMJE guidelines. *IJOP* reserves the right to request raw prompts, model logs, or other documentation to investigate suspected misuse.

REFERENCES FOR THIS POLICY

- Collins, G. S., Moons, K. G. M., Dhiman, P., et al. (2024). TRIPOD+AI statement: Updated guidance for reporting clinical prediction models that use regression or machine learning methods. *BMJ*, 385, e078378. <https://doi.org/10.1136/bmj-2023-078378>
- Committee on Publication Ethics. (2025). *Authorship and AI tools* [COPE position statement]. <https://publicationethics.org/guidance/cope-position/authorship-and-ai-tools>
- International Committee of Medical Journal Editors. (2023). *Recommendations for the conduct, reporting, editing, and publication of scholarly work in medical journals* [Section II.A.4 and V]. <https://www.icmje.org>

International Committee of Medical Journal Editors. (2024). *Updated recommendations: Section V — Use of artificial intelligence in publishing*. https://www.icmje.org/news-and-editorials/updated_recommendations_jan2024.html

Messaritakis, I., et al. (2025). The TRIPOD-LLM reporting guideline for studies using large language models. *Nature Medicine*, 31, 21–31. <https://doi.org/10.1038/s41591-024-03425-5>

U.S. Food and Drug Administration. (2025). *Artificial intelligence-enabled device software functions: Lifecycle management and marketing submission recommendations* [Draft Guidance]. <https://www.fda.gov/media/184856/download>

SUBMISSION ITEMS

As part of the submission process, authors will be required to confirm that their submission complies with all of the items below. Submissions may be returned that do not adhere to these guidelines.

DOCUMENTS

- The submission cannot be previously published or in the submission process of another publication (or an explanation has been provided in a cover letter to the Editor).
- The Author and Funding File and the Main Submission File are all in Microsoft Word document file format (.doc or .docx).
- An ICMJE Form for Disclosure of Potential Conflicts of Interest is submitted for each author. The form is available at: <https://icmje.org/disclosure-of-interest/>
- All illustrations, figures, and tables should be placed within the text at the appropriate points AND submitted as separate files in a high-resolution format.
- Supplemental media files (e.g., spreadsheets, slides, audio or video files) may be included for reader access. The file should be hosted by the authors unless other arrangements have been made with the Editors.
- Where available, URLs for each reference have been provided. A DOI hyperlink is preferred.
- A completed AI use disclosure statement has been included in the Acknowledgements section (see Use of Artificial Intelligence above), either disclosing specific AI tools used or affirmatively stating that no AI tools were used.
- For submissions that evaluate or deploy AI as a research instrument, verbatim prompts for all AI queries have been included in the methods section or as a supplemental appendix.

MANUSCRIPT

- The text is double-spaced in a 12-point font.
- Page numbers and line numbering are used for the Main Submission File.
- The text adheres to the stylistic and bibliographic requirements outlined in these guidelines.
- IRB or REB approval documentation is included where required, with protocol number, approving body, and determination category specified.
- Authors are strongly encouraged to follow applicable EQUATOR (Enhancing the QUALity and Transparency Of health Research)(<https://www.equator-network.org>) reporting guidelines. See below for the list applicable to common study types.
- Authors are encouraged to use the CRediT (Contributor Roles Taxonomy) to specify each author's contribution (<https://credit.niso.org>).
- Reporting Standards (EQUATOR Network)

The following EQUATOR reporting guidelines apply to common study designs submitted to *IJOP*. Authors should apply the guideline most appropriate to their study design and attach the completed checklist as a supplemental file. Where no single guideline applies, authors should follow the spirit of the applicable standard and consult the editorial team.

Note: A section of the EQUATOR network contains guidelines specific to emergency medicine that may also be applicable to studies in paramedicine: <https://www.equator-network.org/reporting-guidelines-medical-specialty/emergency-medicine-2>

Randomized trials

- CONSORT and its extensions (<https://www.equator-network.org/reporting-guidelines/consort>)

Observational studies

- STROBE and its extensions (<https://www.equator-network.org/reporting-guidelines/strobe>)

Systematic reviews and meta-analyses

- PRISMA 2020 and its extensions (<https://www.equator-network.org/reporting-guidelines/prisma>)

Study protocols

- SPIRIT and the PRISMA-P extension (<https://www.equator-network.org/reporting-guidelines/spirit-2013-statement-defining-standard-protocol-items-for-clinical-trials>)

Diagnostic and prognostic accuracy studies

- STARD (<https://www.equator-network.org/reporting-guidelines/stard>)

Prediction model studies (clinical AI and machine learning)

- TRIPOD+AI (Collins et al., 2024, BMJ) (<https://doi.org/10.1136/bmj-2023-078378>). Required for all studies developing or evaluating AI/ML prediction or diagnostic models. This guideline supersedes the 2015 TRIPOD checklist and must be used in its place for all new submissions. A completed TRIPOD+AI checklist must be submitted as a supplemental file.
- TRIPOD-LLM (Messaritakis et al., 2025, Nature Medicine) (<https://doi.org/10.1038/s41591-024-03425-5>). Required for studies specifically deploying large language models in healthcare settings. A 19-item checklist covering transparency, human oversight, and task-specific performance reporting. Use in addition to TRIPOD+AI for LLM studies.

Case reports

- CARE and its extensions (<https://www.equator-network.org/reporting-guidelines/care>)

Clinical practice guidelines

- AGREE and the RIGHT extension (<https://www.equator-network.org/reporting-guidelines/agree>)

Qualitative research

- SRQR and the COREQ extension (<https://www.equator-network.org/reporting-guidelines/srqr>)

Animal pre-clinical studies

- ARRIVE (<https://www.equator-network.org/reporting-guidelines/improving-bioscience-research-reporting-the-arrive-guidelines-for-reporting-animal-research>)

Quality improvement studies

- SQUIRE and its extensions (<https://www.equator-network.org/reporting-guidelines/squire>)

Economic evaluations

- CHEERS (<https://www.equator-network.org/reporting-guidelines/cheers>)

SUBMISSION FILES

The following describes the standard submission files that should be uploaded via the Journal submission website for each manuscript. Please refer to the specific submission guidelines for each submission category for more specific instructions that may apply.

AUTHOR AND FUNDING INFORMATION FILE

AUTHOR INFORMATION

- All authors of a manuscript should provide their full name with up to four post-nominals and up to two organizational affiliations and titles, exactly as they should appear in the publication.
- The email addresses of all authors should be included.
- If available, please include ORCID ID numbers for each author (<https://orcid.org>)
- Social media handles (e.g., LinkedIn, X/Twitter) may also be included for each author.
- Please ensure that everyone who meets the ICMJE requirements for authorship is included as an author (<https://www.icmje.org/recommendations/browse/roles-and-responsibilities/defining-the-role-of-authors-and-contributors.html>)
- Authors are encouraged to specify individual contributions using the CRediT (Contributor Roles Taxonomy) framework (<https://credit.niso.org>)
- If an author changes their affiliation during the peer-review process, the new affiliation information can be given to the Editorial Team and will be handled as any other manuscript revision. No changes to affiliation can be made after the pre-publication galley of the manuscript have been accepted for final publication.
- Identify one author as the corresponding author.
- If the work presented in the manuscript was presented at a conference or published in abstract form, identify the name of the event, location, format, and date of presentation.
- Acknowledgements, where applicable, should be brief and must include the required AI use disclosure statement (or the affirmative statement of no AI use).

FUNDING INFORMATION

- Please provide the details for any funding that supported the submitted work.
- For single agency grants: "This work was supported by the [Funding Agency] under Grant [number xxxx]."
- For multiple agency grants: "This work was supported by the [Funding Agency #1] under Grant [number xxxx]; [Funding Agency #2] under Grant [number xxxx]."
- If a funding source was not involved: "External funding was not used to support this work."
- If the study involved AI tools that are commercial products of a funder or that create a conflict of interest, this must be disclosed explicitly in both the funding information and the ICMJE disclosure forms.

MAIN SUBMISSION FILE

To provide a high level of objectivity in the peer-review process, *IJOP* uses a double-blind process. The identities of the authors and their institutions are not revealed to the reviewers, and the identities of the reviewers are not revealed to the authors.

Due to the double-blind review process, information about the authors and their institutions should not appear anywhere in the main submission file. This includes the removal of identifying information in the properties of the Microsoft Word files submitted.

Please do not use extensive formatting. Use single spaces between sentences. Separate paragraphs with a carriage return. Do not indent the first line of paragraphs with tabs or added spaces.

TITLE

- Provide the suggested title for the published article. The title used for publication is subject to editorial team approval.

ABSTRACT, KEYWORDS, DISCLOSURES / CONFLICTS, PRESENTATIONS, AND ACKNOWLEDGEMENTS

- Abstracts must be limited to 300 words or fewer, including section headers. Use structured abstracts when possible.
- Include between three (3) and six (6) keywords or short phrases for search optimization. The keywords paramedicine, EMS, and emergency medical services will be added by default and do not count toward the keyword limit.
- State any disclosures or conflicts for each author, in addition to the completed ICMJE Disclosure Forms. If there are no conflicts, state "None."
- Include the required AI use disclosure statement (see Use of Artificial Intelligence section above).

PRIMARY MANUSCRIPT BODY

- The primary body of the manuscript follows the abstract page. Composition varies by category; refer to category-specific descriptions for details.
- Use a minimum of formatting. Indicate heading levels by placing (H1), (H2), (H3) directly after the heading text.
- Tables should summarize large amounts of information and must be labeled sequentially and referenced in the text.
- Figures must be labeled sequentially, referenced in the text, and also submitted as high-resolution supplemental files in PDF, JPEG, TIFF, or PNG format at a minimum of 300 dpi.

REFERENCES

- Use APA7 style in-text citation and endnote formatting.
- Include a hyperlink for each reference. A DOI hyperlink in the format <https://doi.org/XXXXX> is preferred.
- Authors are responsible for the accuracy of all references, links, and in-text citations. AI-generated reference lists must be independently verified against the original source prior to submission (see Use of Artificial Intelligence above).

APPENDICES

- Where applicable, appendices to the manuscript are inserted at the end of the Main Submission File.
- For submissions evaluating AI as a research instrument, verbatim prompts submitted to each AI model must be included in the Methods section or as an appendix.

ICMJE FORMS FOR DISCLOSURE OF POTENTIAL CONFLICTS OF INTEREST

- One form per author should be submitted.
- The form is available at: <https://icmje.org/disclosure-of-interest>

SUPPLEMENTAL MEDIA FILES

- Supplemental tables or figures should each be uploaded individually.
- For spreadsheets used to generate tables, upload as individual files and clearly indicate which table they are associated with.
- For studies evaluating AI systems: verbatim prompts and any model output logs relevant to the study should be included in the Methods section or as supplemental files.
- Supplemental media files (e.g., spreadsheets, slide decks, audio or video files) must be readily accessible without passwords or other restrictions.

GUIDELINES FOR CATEGORY-SPECIFIC SUBMISSIONS

CASE REPORTS (≤2,000 WORDS)

These manuscripts share the experience of unusual clinical presentations, circumstances, or treatment approaches. Case reports should be structured as described in the Consensus-based Clinical Case Reporting Guideline (CARE; <https://www.equator-network.org/reporting-guidelines/care>).

CONCEPTS (≤3,000 WORDS)

These papers present a specific management or clinical concept, idea, or theory and describe its practical application. If the paper presents a new concept, it may also suggest research, improvement projects, or pilot implementations. The primary manuscript body should contain:

- Introduction: Describe the problem, issue, or circumstance that the concept is intended to address, the current literature that demonstrates a gap, and any pertinent background information.
- Concept Description: Provide a description of the concept and how it can be applied, with sufficient detail of any methods or procedures, the setting, and the population to which the concept applies.
- Discussion: Include a critical review of related research and a discussion that highlights how the concept contributes to the field of paramedicine. Address limitations.

DIALOGUES (≤1,000 WORDS)

The Dialogues section publishes comments and questions from readers related to previously published articles. The primary manuscript body should include:

- Subject Paper Information: Provide the title, name of the first author, and the *IJOP* issue for the paper that is the subject of the correspondence.
- The narrative of the correspondence.

EDITORIALS (≤2,000 WORDS)

Editorials are a venue for the expression of opinion and perspective on topics relevant to the paramedicine community. They should make clear points in a concise manner with a scholarly approach and tone. They should not be used for the presentation of data, findings, or research that has not been previously published.

EDUCATIONAL METHODS AND PROCESSES (≤3,000 WORDS)

These submissions explore a specific educational process, approach, or method, and discuss issues to consider in its practical application. The primary manuscript body should contain:

- Introduction: Describe the problem or circumstance addressed, relevant literature demonstrating a gap, and pertinent background information.
- Description: Describe the educational process, approach, or method and how it can be applied, with sufficient detail of methods, procedures, setting, and population.
- Discussion: Include a critical review of related research highlighting how the approach contributes to paramedicine. Address limitations.

EMPIRICAL INVESTIGATIONS / ORIGINAL RESEARCH (≤4,500 WORDS)

Submissions may be clinical or non-clinical. Apply the applicable EQUATOR guidelines described above. Authors may provide, or editors may suggest, that some information be provided as a supplemental file so that the main paper remains concise. Supplemental content may include data sets, images, video clips, and in-depth methodological details.

Empirical investigations on clinical topics may be forwarded to *Prehospital Emergency Care (PEC)* for initial consideration with the author's consent.

Submissions that evaluate AI tools as research instruments must comply with the full AI research instrument requirements described in the Use of Artificial Intelligence section above, including prompt disclosure, model version specification, TRIPOD+AI/TRIPOD-LLM checklist submission, and regulatory status acknowledgment.

METHODOLOGY (≤2,000 WORDS)

This category provides deep explorations of methods used, or that may be used in research studies or improvement projects. These methods should be novel in a way that makes them of significant interest in their own right, separate from the studies in which they are utilized. The primary manuscript body should contain appropriate elements from the applicable EQUATOR guidelines.

QUALITY IMPROVEMENT PROJECT REPORTS (≤3,000 WORDS)

IJOP acknowledges the importance of quality improvement activities and welcomes manuscripts describing improvement projects. United States regulations do not require quality improvement activities to have IRB/REB approval, but the distinction between manuscripts requiring or not requiring approval can be subtle. Manuscripts that appear to have framed a research activity as quality improvement to circumvent compliance standards will be rejected.

Authors uncertain whether their work should be submitted as quality improvement or research are encouraged to contact the editorial office. When in doubt, submission to an IRB for an independent determination is encouraged.

Quality improvement project reports should adhere to SQUIRE guidelines (<http://www.squire-statement.org>). With permission of the Editorial Team, authors may use other generally accepted frameworks (e.g., IHI Model for Improvement; DMAIC).

Reports should describe the process examined; the process change(s) tested; baseline performance; methods for conducting tests and evaluating results; post-intervention performance; confounding variables and balancing measures; and process change iterations. Discussions and conclusions should highlight what the external audience can learn from the experience, not only the activity's internal success or failure.

REVIEWS / SYNTHESIS (≤4,000 WORDS)

IJOP invites the submission of reviews of all types, including those with and without meta-analytic components. All submissions in this category should be consistent with the PRISMA 2020 guidelines for reporting systematic reviews (<https://www.equator-network.org/reporting-guidelines/prisma/>). Reviews that incorporate AI tools in the literature search or screening process must disclose this in the Methods section, specifying the tool, version, and how AI-identified sources were independently verified.

TOOLBOX (≤3000 WORDS)

These submissions explain a tool or technique and describe its practical use. Where applicable, the articles may include a supplemental file or link containing the tool and a data file where the reader may try it out. The primary manuscript body should contain.

- Introduction: An overview of the type(s) of projects the tool or technique could be used for, or the specifics of the project in which it was actually used.
- Description of the Tool / Technique: An in-depth examination of the tool or technique and its mechanics. Describe how it should be applied in a clinical, operational, or administrative setting.
- Discussion: The underlying rationale for the tool or technique, why it may be favored over other options, and a critique of related methods. Include a discussion of limitations.
- Exercise: Where applicable, describe how to use the tool or technique in conjunction with a sample data set or scenario.

KEY INTERNATIONAL STANDARDS REFERENCED IN THESE GUIDELINES

- ICMJE Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals: <https://www.icmje.org>
- COPE Core Practices and Position Statements on AI: <https://publicationethics.org>
- EQUATOR Network Reporting Guidelines: <https://www.equator-network.org>
- TRIPOD+AI (Collins et al., 2024): <https://doi.org/10.1136/bmj-2023-078378>
- TRIPOD-LLM (Messaritakis et al., 2025): <https://doi.org/10.1038/s41591-024-03425-5>
- CRediT Contributor Roles Taxonomy: <https://credit.niso.org>
- U.S. FDA AI/ML Software as Medical Device: <https://www.fda.gov/medical-devices/software-medical-device-samd/artificial-intelligence-software-medical-device>



ADDENDUM, CORRIGENDUM, AND ERRATUM

ADDENDUM, CORRIGENDUM, AND ERRATUM

Recommended Citation: Addendum, Corrigendum, and Erratum. (2026). *International Journal of Paramedicine*, (13), 279. <https://doi.org/10.56068/LRUV3230>.

Keywords: addendum, corrigendum, erratum, corrections, emergency medical services, EMS, paramedicine

Published: April 14, 2026

Occasionally, issues requiring clarification, correction, or supplementation are identified after publication. In accordance with the Committee on Publication Ethics (COPE) guidelines, the journal uses addenda, errata, and corrigenda to maintain the integrity, transparency, and reliability of the scholarly record. Addenda are published to provide additional information that was not available at the time of publication and that does not affect the validity of the original work. Errata are issued to correct errors introduced during the journal's editorial or production process. Corrigenda are issued to correct errors made by the authors.

FEBRUARY 24, 2026

ADDENDA:

Rimstad, C., Kayanja, J., Newman, S., & Violato, E. (2025). Bachelor's degree as entry-to-practice: A literature review of paramedicine and other health professions. *International Journal of Paramedicine*. (13). 120-132.

A graphic and link to the video interview of the author was added to the frontmatter of the article.

- Article: <https://doi.org/10.56068/HRSG6460>
- Complete issue with corrected article: <https://doi.org/10.56068/JBWU4159>